

1997

- Adams LB, Gillis TP, Hwang DH, Krahenbuhl JL. Effects of essential fatty acid deficiency on prostaglandin E(2) production and cell-mediated immunity in a mouse model of leprosy. *Infect Immun* 1997;65:1152-7.
- AnselmoFranci JA, Franci CR, Krulich L, AntunesRodrigues J, McCann SM. Locus coeruleus lesions decrease norepinephrine input into the medial preoptic area and medial basal hypothalamus and block the LH, FSH and prolactin preovulatory surge. *Brain Res* 1997;767:289-96.
- Antunes-Rodrigues J, Favaretto ALV, Gutkowska J, McCann SM. The neuroendocrine control of atrial natriuretic peptide release. *Mol Psychiatry* 1997;2:359-67.
- Appel LJ, Moore TJ, Obarzanek E, et al. A clinical trial of the effects of dietary patterns on blood pressure. *N Engl J Med* 1997;336:1117-24.
- Asztalos BF, Lefevre M, Foster TA, et al. Normolipidemic subjects with low HDL cholesterol levels have altered HDL subpopulations. *Arteriosclerosis Thrombosis and Vascular Biology* 1997;17:1885-93.
- Baker NB, Carroll A, Champagne C. Characteristic and nutritional profile of Louisiana school lunch: Implications for Project 2001, nutrition for a new century. *School Food Service Research Review* 1997;21:92-8.
- Beary TP, Braymer HD, Achberger EC. Evidence of participation of McrB(S) in McrBC restriction in *Escherichia coli* K-12. *J Bacteriol* 1997;179:7768-75.
- Bergman RN, Lovejoy JC, eds. *The Minimal Model Approach and Determinants of Glucose Tolerance*. Baton Rouge, LA: Louisiana State University Press; 1997.
- Berthoud HR, Patterson LM, Neumann F, Neuhuber WL. Distribution and structure of vagal afferent intraganglionic laminar endings (IGLEs) in the rat gastrointestinal tract. *Anat Embryol (Berl)* 1997;195:183-91.
- Berthoud HR, Patterson LM, Willing AE, Mueller K, Neuhuber WL. Capsaicin-resistant vagal afferent fibers in the rat gastrointestinal tract: Anatomical identification and functional integrity. *Brain Res* 1997;746:195-206.
- Blair RM, Saatman R, Liou SS, Fortune JE, Hansel W. Roles of leukotrienes in bovine corpus luteum regression: An in vivo microdialysis study. *Proc Soc Exp Biol Med* 1997;216:72-80.
- Boudreaux E, Mandry C, Brantley PJ. Stress, job satisfaction, coping, and psychological distress among emergency medical technicians. *Prehospital Disaster Med* 1997;12:242-9.
- Boudreaux E, Mandry C, Brantley PJ, Jeffries S. From 24 to 12. The benefits of shift modification. *JEMS* 1997;22:86-7.
- Brantley P, Catz SL, Boudreaux E. The Daily Stress Inventory. In: Zalaquett CP, Wood RJ, eds. *Evaluating Stress: A Book of Resources*. Lanham, MD: Scarecrow Press; 1997.
- Brantley P, Jones G, Boudreaux E, Catz SL. The weekly stress inventory. In: Zalaquett CP, Wood RJ, eds. *Evaluating Stress: A Book of Resources*. Lanham, MD: Scarecrow Press; 1997.
- Bray G, Bouchard C. Genetics of human obesity: Research directions. *FASEB J* 1997;11:937-45.
- Bray GA. Amino acids, protein, and body weight. *Obes Res* 1997;5:373-6.
- Bray GA. Anorexia nervosa and socio-economic status. *Obes Res* 1997;5:489-91.

Bray GA. Archeology of mind - obesity and psychoanalysis. *Obes Res* 1997;5:153-6.

Bray GA. Changing of the guard. *Obes Res* 1997;5:69-70.

Bray GA. Changing of the guard and a farewell to medical journalism. *Obes Res* 1997;5:636-7.

Bray GA. Energy expenditure using doubly labeled water: The unveiling of objective truth. *Obes Res* 1997;5:71-7.

Bray GA. Growth of a molecular base for feeding: The mind body dualism. *Obes Res* 1997;5:271-4.

Bray GA. Methods and paradigms: The basis for new directions in obesity research. In: Shetty P, McPherson K, eds. *Diet, Nutrition and Chronic Disease, Lessons from Contrasting Worlds*. Chichester, UK: John Wiley & Sons, Ltd.; 1997:240-56.

Bray GA. New trends in the management of obesity in the United States. In: Nicolaïdis S, ed. *Obesity Management and Redux*. San Diego, CA; London, UK: Academic Press; 1997:1-5.

Bray GA. Obesity. In: Dulbecco R, ed. *Encyclopedia of Human Biology*. 2nd ed. San Diego, CA: Academic Press; 1997:385-9.

Bray GA. Obesity - a disturbance in the nutrient balance. In: Greenspan FS, Strewler GJ, eds. *Basic and Clinical Endocrinology*. 5th ed. Norwalk, CT: Appleton & Lange; 1997:710-23.

Bray GA. Obesity and reproduction. *Hum Reprod* 1997;12 26-32.

Bray GA. Progress in understanding the genetics of obesity. *J Nutr* 1997;127:S940-S2.

Bray GA. Recognition of obesity as a chronic disease. *Canadian Journal of Diagnosis* 1997;9-11.

Bray GA. Temperature, food intake, and the internal milieu. *Obes Res* 1997;5:638-40.

Bray GA. To treat or not to treat: That is the question. *Obes Res* 1997;5:634-5.

Bray GA, Ryan DH. Drugs used in the treatment of obesity. *Diabetes Reviews* 1997;5:83-103.

Bray GA, York DA. Leptin and clinical medicine: A new piece in the puzzle of obesity. *J Clin Endocrinol Metab* 1997;82:2771-6.

Broussard JR, Rocha A, Sirois J, et al. Effects of dexamethasone administration to diestrus cows on systemic progesterone, estrogen and uterine cyclooxygenase production. *Anim Reprod Sci* 1997;47:263-71.

Champagne C, Jairaj K, Harrison G. Food and health knowledge, attitudes, and practices. In: *Nutrition and Health Status in the Lower Mississippi Delta of Arkansas, Louisiana, and Mississippi*. Washington, DC: USDA Technical Monograph #23465; 1997.

Chaud M, Franchi AM, Rettori V, McCann SM, Gimeno MF. Nitric oxide in the contractile action of bradykinin, oxytocin, and prostaglandin F-2 alpha in the estrogenized rat uterus. *Proc Natl Acad Sci U S A* 1997;94:11049-54.

Chavez M, Kelly L, York DA, Berthoud HR. Chemical lesion of visceral afferents causes transient overconsumption of unfamiliar high-fat diets in rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;272:R1657-R63.

Daly S, Yacoub A, Dundon W, Mastromei G, Islam K, Lorenzetti R. Isolation and characterization of a gene encoding alpha-tubulin from *Candida albicans*. *Gene* 1997;187:151-8.

- de Jonge L, Bray GA. The thermic effect of food and obesity: A critical review. *Obes Res* 1997;5:622-31.
- de Jonge L, Garrel DR. Role of the autonomic nervous system in the thermogenic response to food in lean individuals. *American Journal of Physiology: Endocrinology and Metabolism* 1997;272:E775-E80.
- DeLany JP. Doubly labeled water for energy expenditure. In: Carlson-Newberry SJ, Costello RB, eds. *Emerging Technologies for Nutrition Research: Potential for Assessing Military Performance Capability*. Washington, DC: National Academy Press; 1997:281-96.
- DeLany JP, Lu TS. Use of stable isotopes to study incorporation of dietary fat into blood lipids. In: McDonald RE, Mossoba MM, eds. *New Techniques and Applications in Lipid Analysis: The American Oil Chemists Society*; 1997:34-44.
- Deutsch WA, Yacoub A, Jaruga P, Zastawny TH, Dizdaroglu M. Characterization and mechanism of action of *Drosophila* ribosomal protein S3 DNA glycosylase activity for the removal of oxidatively damaged DNA bases. *J Biol Chem* 1997;272:32857-60.
- Dong HJ, Wang YB, Jenson M, Braymer HD, York DA. Differences in binding of hepatic nuclear proteins from lean and obese rats to the 5'-upstream region of tyrosine aminotransferase. *Obes Res* 1997;5:208-17.
- Erlanson-Albertsson C, York D. Enterostatin - a peptide regulating fat intake. *Obes Res* 1997;5:360-72.
- Favaretto AIV, Ballejo GO, AlbuquerqueAraujo WIC, Gutkowska J, AntunesRodrigues J, McCann SM. Oxytocin releases atrial natriuretic peptide from rat atria in vitro that exerts negative inotropic and chronotropic action. *Peptides* 1997;18:1377-81.
- Feng LL, Jang BC, Hwang D. Inhibitor of protein tyrosine kinase, radicicol, suppresses the expression of cyclooxygenase and pro-inflammatory cytokines in LPS-stimulated rat alveolar macrophage in part by accelerating degradation of mRNA. In: Honn KV, Marnett LJ, Nigam S, Jones RL, Wong PYK, eds. *Eicosanoids and Other Bioactive Lipids in Cancer, Inflammation, and Radiation Injury*, 3: Plenum Press Div Plenum Publishing Corp; 1997:281-8.
- Franci CR, AnselmoFranci JA, McCann SM. Angiotensinergic neurons physiologically inhibit prolactin, growth hormone, and thyroid-stimulating hormone, but not adrenocorticotrophic hormone, release in ovariectomized rats. *Peptides* 1997;18:971-6.
- Gilbertson DM, Monroe WT, Milliet JR, Caprio J, Gilbertson TA. Citrate ions enhance behavioral and cellular responses to taste stimuli. *Physiol Behav* 1997;62:491-500.
- Gilbertson TA, Fontenot DT, Liu LD, Zhang H, Monroe WT. Fatty acid modulation of K⁺ channels in taste receptor cells: Gustatory cues for dietary fat. *American Journal of Physiology: Cell Physiology* 1997;41:C1203-C10.
- Goodman KJ, Correa P, Aux HJT, DeLany JP, Collazos T. Nutritional factors and *Helicobacter pylori* infection in Colombian children. *J Pediatr Gastroenterol Nutr* 1997;25:507-15.
- Greenway F. Obesity. In: Conn HF, Rakel RE, eds. *Conn's Current Therapy*. Philadelphia, PA: W.B. Saunders; 1997.
- Gutkowska J, Antunes-Rodrigues J, McCann SM. Atrial natriuretic peptide in brain and pituitary gland. *Physiol Rev* 1997;77:465-515.
- Gutkowska J, Jankowski M, Lambert C, MukaddamDaher S, Zingg HH, McCann SM. Oxytocin releases atrial natriuretic peptide by combining with oxytocin receptors in the heart. *Proc Natl Acad Sci U S A* 1997;94:11704-9.
- Harris RBS. Appropriate animal models for clinical studies. *Ann N Y Acad Sci* 1997;819:155-68.

Harris RBS. Loss of body fat in lean parabiotic partners of ob/ob mice. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;272:R1809-R15.

Harris RBS, Zhou J, Weigle DS, Kuijper JL. Recombinant leptin exchanges between parabiosed mice but does not reach equilibrium. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;41:R1800-R8.

Hayek MG, Mura C, Wu DY, et al. Enhanced expression of inducible cyclooxygenase with age in murine macrophages. *J Immunol* 1997;159:2445-51.

Horohov DW. Contemporary immunology. In: Reed SM, Bayly WM, eds. *Equine Internal Medicine*: Saunders; 1997:1-12.

Horohov DW, Swiderski CE, Robinson JA, Klei TR. Cytokine production in various equine disease settings. In: Schijns VECJ, Horzinek MC, eds. *Cytokines in Veterinary Medicine*. Wallingford, Oxon, UK; New York, NY: CAB International; 1997:xxiv, 324 p.

Hwang D, Jang BC, Yu G, Boudreau M. Expression of mitogen-inducible cyclooxygenase induced by lipopolysaccharide - Mediation through both mitogen-activated protein kinase and NF-kappa B signaling pathways in macrophages. *Biochem Pharmacol* 1997;54:87-96.

Hwang DH, Chanmugam PS, Ryan DH, et al. Does vegetable oil attenuate the beneficial effects of fish oil in reducing risk factors for cardiovascular disease? *Am J Clin Nutr* 1997;66:89-96.

Karant S, Linthorst AC, Stalla GK, Barden N, Holsboer F, Reul JM. Hypothalamic-pituitary-adrenocortical axis changes in a transgenic mouse with impaired glucocorticoid receptor function. *Endocrinology* 1997;138:3476-85.

Karant S, McCann SM. Effects of azido-3'-deoxy-thymidine on luteinizing hormone, follicle-stimulating hormone and prolactin release by the pituitary-hypothalamus complex. *Neuroimmunomodulation* 1997;4:128-33.

Keenan MJ, Hegsted M, Jones KL, et al. Comparison of bone density measurement techniques: DXA and Archimedes' principle. *J Bone Miner Res* 1997;12:1903-7.

Kimura M, Yu WH, Rettori V, McCann SM. Granulocyte-macrophage colony stimulating factor suppresses LHRH release by inhibition of nitric oxide synthase and stimulation of gamma-aminobutyric acid release. *Neuroimmunomodulation* 1997;4:237-43.

Lefevre M, Ginsberg HN, KrisEtherton PM, et al. ApoE genotype does not predict lipid response to changes in dietary saturated fatty acids in a heterogeneous normolipidemic population. *Arteriosclerosis Thrombosis and Vascular Biology* 1997;17:2914-23.

Lim JM, Reggio BC, Godke RA, Hansel W. Perfusion culture system for bovine embryos: Improvement of embryo development by use of bovine oviduct epithelial cells, an antioxidant and polyvinyl alcohol. *Reproduction Fertility and Development* 1997;9:411-8.

Lin L, Chen J, York DA. Chronic ICV enterostatin preferentially reduced fat intake and lowered body weight. *Peptides* 1997;18:657-61.

Lin L, York DA. Comparisons of the effects of enterostatin on food intake and gastric emptying in rats. *Brain Res* 1997;745:205-9.

Lin L, York DA. Enterostatin actions in the amygdala and PVN to suppress feeding in the rat. *Peptides* 1997;18:1341-7.

Lishmanov YB, Maslov LN, Ugdyzhkova DS, Smagin GN. Participation of central kappa-opioid receptor in

arrhythmogenesis - letter. *Life Sci* 1997;61:PL33-PL8.

Lovejoy JC. Clinical applications of the minimal model method: Effects of obesity, ethnicity and dietary fat. In: Bergman RN, Lovejoy JC, eds. *The Minimal Model Approach and Determinants of Glucose Tolerance*. Baton Rouge, LA: Louisiana State University Press; 1997:344-56.

Lovejoy JC, Smith SR, Bray GA, et al. A paradigm of experimentally induced mild hyperthyroidism: Effects on nitrogen balance, body composition, and energy expenditure in healthy young men. *J Clin Endocrinol Metab* 1997;82:765-70.

Lovejoy JC, Smith SR, Bray GA, Veldhuis JD, Rood JC, Tulley R. Effects of experimentally induced mild hyperthyroidism on growth hormone and insulin secretion and sex steroid levels in healthy young men. *Metabolism* 1997;46:1424-8.

Martin PD, Brantley PJ, McKnight GT, Jones GN, Springer A. The multidisciplinary hemodialysis patient satisfaction scale: Reliability, validity, and scale development. *Assessment* 1997;4:95-105.

McCann SM. The nitric oxide hypothesis of brain aging. *Exp Gerontol* 1997;32:431-40.

McCann SM, Franci CR, Favaretto ALV, Gutkowska J, AntunesRodrigues J. Neuroendocrine regulation of salt and water metabolism. *Braz J Med Biol Res* 1997;30:427-41.

McCann SM, Kimura M, Karanth S, Yu WH, Rettori V. Nitric oxide controls the hypothalamic-pituitary response to cytokines. *Neuroimmunomodulation* 1997;4:98-106.

McCann SM, Kimura M, Walczewska A, Karanth S, Rettori V, Yu WH. New insights into the hypothalamic control of FSH and LH. *Developmental Brain Dysfunction* 1997;10:371-84.

Morrow NS, Schall M, Grijalva CV, et al. Body temperature and wheel running predict survival times in rats exposed to activity stress. *Physiol Behav* 1997;62:815-25.

Ookuma K, Barton C, York DA, Bray GA. Effect of enterostatin and kappa-opioids on macronutrient selection and consumption. *Peptides* 1997;18:785-91.

Rage F, Hill DF, SenaEsteves M, et al. Targeting transforming growth factor alpha expression to discrete loci of the neuroendocrine brain induces female sexual precocity. *Proc Natl Acad Sci U S A* 1997;94:2735-40.

Rettori V, Canteros G, McCann SM. Interaction between NO and oxytocin: Influence on LHRH release. *Braz J Med Biol Res* 1997;30:453-7.

Rettori V, Canteros G, Renoso R, Gimeno M, McCann SM. Oxytocin stimulates the release of luteinizing hormone-releasing hormone from medial basal hypothalamic explants by releasing nitric oxide. *Proc Natl Acad Sci U S A* 1997;94:2741-4.

Rettori V, McCann SM. The mechanism of action of alcohol to suppress gonadotropin secretion. *Mol Psychiatry* 1997;2:350-4.

Ryan DH. Insulin action and glucose metabolism in the cancer patient: Studies in cancer cachexia, breast cancer epidemiology, and insulin-secreting tumors. In: Bergman RN, Lovejoy JC, eds. *The Minimal Model Approach and Determinants of Glucose Tolerance*. Baton Rouge, LA: Louisiana State University Press; 1997:368-77.

Ryan DH. Sibutramine, a new addition to the obesity treatment toolbox. *The Bariatrician* 1997;13-5, 7.

Rybkin II, Zhou Y, Volaufova J, Smagin GN, Ryan DH, Harris RB. Effect of restraint stress on food intake and body weight is determined by time of day. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;273:R1612-R22.

Sandigursky M, Yacoub A, Kelley MR, Deutsch WA, Franklin WA. The Drosophila ribosomal protein S3 contains a DNA deoxyribophosphodiesterase (dRpase) activity. *J Biol Chem* 1997;272:17480-4.

Sandigursky M, Yacoub A, Kelley MR, Xu Y, Franklin WA, Deutsch WA. The yeast 8-oxoguanine DNA glycosylase (Ogg1) contains a DNA deoxyribophosphodiesterase (dRpase) activity. *Nucleic Acids Res* 1997;25:4557-61.

Singer LK, York DA, Bray GA. Feeding response to mercaptoacetate in Osborne-Mendel and S5B/PL rats. *Obes Res* 1997;5:587-94.

Smagin GN, Zhou J, Harris RBS, Ryan DH. CRF receptor antagonist attenuates immobilization stress-induced norepinephrine release in the prefrontal cortex in rats. *Brain Res Bull* 1997;42:431-4.

Smeets MAM. The rise and fall of body size estimation research in anorexia nervosa: A review and reconceptualization. *European Eating Disorders Review* 1997;5:75-95.

Smith BK, Berthoud HR, York DA, Bray GA. Differential effects of baseline macronutrient preferences on macronutrient selection after galanin, NPY, and an overnight fast. *Peptides* 1997;18:207-11.

Smith BK, West DB, York DA. Carbohydrate versus fat intake: Differing patterns of macronutrient selection in two inbred mouse strains. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;41:R357-R62.

Sparti A, DeLany JP, delaBretonne JA, Sander GE, Bray GA. Relationship between resting metabolic rate and the composition of the fat-free mass. *Metabolism* 1997;46:1225-30.

Sparti A, Windhauser MM, Champagne CM, Bray GA. Effect of an acute reduction in carbohydrate intake on subsequent food intake in healthy men. *Am J Clin Nutr* 1997;66:1144-50.

Swiergiel AH, Smagin GN, Dunn AJ. Influenza virus infection of mice induces anorexia: Comparison with endotoxin and interleukin-1 and the effects of indomethacin. *Pharmacology Biochemistry and Behavior* 1997;57:389-96.

Swiergiel AH, Smagin GN, Johnson LJ, Dunn AJ. The role of cytokines in the behavioral responses to endotoxin and influenza virus infection in mice: effects of acute and chronic administration of the interleukin-1-receptor antagonist (IL-1ra). *Brain Res* 1997;776:96-104.

Tulley R. How to organize continuing education workshops and seminars. *MLO: Medical Laboratory Observer* 1997;29:54-7.

Vamado PJ, Williamson DA, Bentz BG, et al. Prevalence of binge eating disorder in obese adults seeking weight loss treatment. *Eat Weight Disord* 1997;2:117-24.

Veron-Guidry S, Williamson DA, Netemeyer RG. Structural modeling analysis of risk factors for eating disorders in children and preadolescents. *Eating Disorders: The Journal of Treatment and Prevention* 1997;5:15-27.

Volaufova J, LaMotte LR. A note on invariant quadratics. *Linear Algebra and Its Applications* 1997;264:247-53.

Walker JA, Truett GE. An assay for the Cpe(fat) obesity mutation created with a modified primer. *Mamm Genome* 1997;8:783-4.

Williams RM, Berthoud HR, Stead RH. Vagal afferent nerve fibres contact mast cells in rat small intestinal mucosa. *Neuroimmunomodulation* 1997;4:266-70.

Williamson DA, DeLany JP, Benta BG, Bray GA, Champagne CM, Harsha DW. Gender and racial differences in dieting

and social pressures to gain weight among children. *Journal of Gender, Culture, and Health* 1997;2:231-43.

Willing AE, Berthoud HR. Gastric distension-induced c-fos expression in catecholaminergic neurons of rat dorsal vagal complex. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1997;272:R59-R67.

Wong ML, Bongiorno PB, Rettori V, McCann SM, Licinio J. Interleukin (IL) 1 beta, IL-1 receptor antagonist, IL-10, and IL-13 gene expression in the central nervous system and anterior pituitary during systemic inflammation: Pathophysiological implications. *Proc Natl Acad Sci U S A* 1997;94:227-32.

Yacoub A, Kelley MR, Deutsch WA. The DNA repair activity of human redox/repair protein APE/Ref-1 is inactivated by phosphorylation. *Cancer Res* 1997;57:5457-9.

Yarasheski KE, Zachwieja JJ, Horgan MM, Powderly WG, Santiago JV, Landt M. Serum leptin concentrations in human immunodeficiency virus-infected men with low adiposity. *Metabolism* 1997;46:303-5.

York B, Lei KL, West DB. Inherited non-autosomal effects on body fat in F-2 mice derived from an AKR/J x SWR/J cross. *Mamm Genome* 1997;8:726-30.

Youngblood BD, Ryan DH, Harris RBS. Appetitive operant behavior and free-feeding in rats exposed to acute stress. *Physiol Behav* 1997;62:827-30.

Youngblood BD, Zhou J, Smagin GN, Ryan DH, Harris RB. Sleep deprivation by the "flower pot" technique and spatial reference memory. *Physiol Behav* 1997;61:249-56.

Yu WH, Karanth S, Walczewska A, Sower SA, McCann SM. A hypothalamic follicle-stimulating hormone-releasing decapeptide in the rat. *Proc Natl Acad Sci U S A* 1997;94:9499-503.

Yu WH, Kimura M, McCann SM. Effect of somatostatin on the release of gonadotropins in male rats. *Proc Soc Exp Biol Med* 1997;214:83-6.

Yu WH, Kimura M, Walczewska A, Karanth S, McCann SM. Role of leptin in hypothalamic-pituitary function. *Proc Natl Acad Sci U S A* 1997;94:1023-8.

Yu WH, Walczewska A, Karanth S, McCann SM. Nitric oxide mediates leptin-induced luteinizing hormone-releasing hormone (LHRH) and LHRH and leptin-induced LH release from the pituitary gland. *Endocrinology* 1997;138:5055-8.

Zachwieja JJ, Hendry SL, Smith SR, Harris RBS. Voluntary wheel running decreases adipose tissue mass and expression of leptin mRNA in Osborne-Mendel rats. *Diabetes* 1997;46:1159-66.

Zheng HY, Lauve A, Patterson LM, Berthoud HR. Limited excitatory local effector function of gastric vagal afferent intraganglionic terminals in rats. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 1997;36:G661-G9.

1998

Adriaensen D, Timmermans JP, Brouns I, Berthoud HR, Neuhuber WL, Scheuermann DW. Pulmonary intraepithelial vagal nodose afferent nerve terminals are confined to neuroepithelial bodies: an anterograde tracing and confocal microscopy study in adult rats. *Cell Tissue Res* 1998;293:395-405.

Anderson JW, Pi-Sunyer FX, Danforth E, et al. Clinical trial design for obesity agents: A workshop report. *Obes Res* 1998;6:311-5.

Barb CR, Yan X, Azain MJ, Kraeling RR, Rampacek GB, Ramsay TG. Recombinant porcine leptin reduces feed intake and

stimulates growth hormone secretion in swine. *Domest Anim Endocrinol* 1998;15:77-86.

Bentz BG, Williamson DA. Worry and the prediction of future threatening events: Association with gender and trait anxiety. *Journal of Gender, Culture, and Health* 1998;3:41-9.

Berenson GS, Harsha DW, Hunter SMD, et al. Introduction of Comprehensive Health Promotion for Elementary Schools: The Health Ahead/Heart Smart Program. New York, NY: Vantage Press; 1998.

Berthoud HR, Neuhuber WL. Functional neuroanatomy of sensory and motor innervation of the portal-hepatic axis and biliary system. In: Haussinger D, Jungermann K, eds. *Liver and Nervous System*. Lancaster, UK: Kluwer; 1998:17-33.

Boudreaux E, Carmack CL, Scarinci IC, Brantley PJ. Predicting smoking stage of change among a sample of low socioeconomic status, primary care outpatients: Replication and extension using decisional balance and self-efficacy theories. *International Journal of Behavioral Medicine* 1998;5:148-65.

Boudreaux E, Mandry C, Brantley PJ. Emergency medical technician schedule modification: Impact and implications during short- and long-term follow-up. *Acad Emerg Med* 1998;5:128-33.

Bray G. Drug treatment of obesity: Don't throw the baby out with the bath water. *Am J Clin Nutr* 1998;67:1-2.

Bray GA. Classification and evaluation of the overweight patient. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York, NY: Marcel Dekker; 1998:831-54.

Bray GA. *Contemporary Diagnosis and Management of Obesity*. Newton, PA: Handbooks in Health Care; 1998.

Bray GA. Future developments of pharmacology. In: Kopelman PG, Stock M, eds. *Clin Obes*. Oxford; Malden, MA: Blackwell Science; 1998:508-44.

Bray GA. Historical framework for the development of ideas about obesity. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York, NY: Marcel Dekker; 1998:1-29.

Bray GA. In defense of a body mass index of 25 as the cut-off point for defining overweight - letter. *Obes Res* 1998;6:461-2.

Bray GA. Obesity. In: Harrison TR, Fauci AS, eds. *Harrison's Principles of Internal Medicine*. 14th ed. New York, NY: McGraw-Hill Health Professions Division; 1998:454-62.

Bray GA. Obesity: A time bomb to be defused. *Lancet* 1998;352:160-1.

Bray GA. Pharmacological treatment of obesity. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York, NY: Marcel Dekker; 1998:953-75.

Bray GA. What is the ideal body weight? *J Nutr Biochem* 1998;9:489-92.

Bray GA, Bouchard C, James WPT. Definitions and proposed current classification of obesity. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York, NY: Marcel Dekker; 1998:31-40.

Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York: Marcel Dekker; 1998.

Bray GA, Popkin BM. Dietary fat intake does affect obesity! *Am J Clin Nutr* 1998;68:1157-73.

Bray GA, York DA. The MONA LISA hypothesis in the time of leptin. In: *Recent Progress in Hormone Research*, Vol 53; 1998:95-118.

Brooks ER, Heltz D, Wozniak P, Partington C, Lovejoy JC. Lateral spine densitometry in obese women. *Calcif Tissue Int* 1998;63:173-6.

Cerise FP, Scarinci IC, Thibodaux R, Cannatella M, Stark S, Brantley PJ. Alcoholism among indigent inpatients: Identification and intervention by internal medicine residents. *South Med J* 1998;91:27-32.

Champagne CM, ed. 21st National Nutrient Databank Conference Proceedings. Baton Rouge, LA: Pennington Biomedical Research Center; 1998.

Champagne CM, Baker NB, DeLany JP, Harsha DW, Bray GA. Assessment of energy intake underreporting by doubly labeled water and observations on reported nutrient intakes in children. *J Am Diet Assoc* 1998;98:426-33.

Cline AD, Jansen GR, Melby CL. Stress fractures in female Army recruits: Implications of bone density, calcium intake, and exercise. *J Am Coll Nutr* 1998;17:128-35.

Daily JW, Hongu N, Mynatt RL, Sachan DS. Choline supplementation increases tissue concentrations of carnitine and lowers body fat in guinea pigs. *J Nutr Biochem* 1998;9:464-70.

DeLany JP. Role of energy expenditure in the development of pediatric obesity. *Am J Clin Nutr* 1998;68:950S-5S.

Dennis BH, Stewart P, Chin Hua W, et al. Diet design for a multicenter controlled feeding trial: The DELTA program. *J Am Diet Assoc* 1998;98:766-76.

Dijkstra I, Tilders FJ, Aguilera G, et al. Reduced activity of hypothalamic corticotropin-releasing hormone neurons in transgenic mice with impaired glucocorticoid receptor function. *J Neurosci* 1998;18:3909-18.

Dugan LD, Champagne C, Eissenstat B, Dolins KR. Making healthful food choices to achieve a step 1 diet. In: Kris-Etherton PM, Burns JH, eds. *Cardiovascular Nutrition: Strategies and Tools for Disease Management and Prevention*. Chicago, IL: The American Dietetic Association; 1998:217-37.

Dutsch M, Eichhorn U, Worl J, Wank M, Berthoud HR, Neuhuber WL. Vagal and spinal afferent innervation of the rat esophagus: A combined retrograde tracing and immunocytochemical study with special emphasis on calcium-binding proteins. *J Comp Neurol* 1998;398:289-307.

Geiselman PJ, Anderson AM, Dowdy ML, West DB, Redmann SM, Smith SR. Reliability and validity of a macronutrient self-selection paradigm and a food preference questionnaire. *Physiol Behav* 1998;63:919-28.

Geiselman PJ, Smith CF, Williamson DA, Champagne CM, Bray GA, Ryan DH. Perception of sweetness intensity determines women's hedonic and other perceptual responsiveness to chocolate food. *Appetite* 1998;31:37-48.

Gilbertson TA. Gustatory mechanisms for the detection of fat. *Curr Opin Neurobiol* 1998;8:447-52.

Gilbertson TA. Peripheral mechanisms of taste. In: Linden RWA, ed. *The Scientific Basis of Eating: Taste and Smell, Salivation, Mastication and Swallowing, and their Dysfunctions*. Basel, Switzerland; New York, NY: Karger; 1998:1-28.

Gilbertson TA. Role of the taste system in ingestive behavior - studies in NaCl and fatty acid transduction. *Ann N Y Acad Sci* 1998;855:860-7.

Gilbertson TA, Fontenot DT. Distribution of amiloride-sensitive sodium channels in the oral cavity of the hamster. *Chem Senses* 1998;23:495-9.

Gilbertson TA, Liu LD, York DA, Bray GA. Dietary fat preferences are inversely correlated with peripheral gustatory fatty acid sensitivity. *Ann N Y Acad Sci* 1998;855:165-8.

Gilbertson TA, Zhang H. Characterization of sodium transport in gustatory epithelia from the hamster and rat. *Chem Senses* 1998;23:283-93.

Gilbertson TA, Zhang H. Self-inhibition in amiloride-sensitive sodium channels in taste receptor cells. *J Gen Physiol* 1998;111:667-77.

Ginsberg HN, Kris-Etherton P, Dennis B, et al. Effects of reducing dietary saturated fatty acids on plasma lipids and lipoproteins in healthy subjects: The Delta Study, protocol 1. *Arteriosclerosis Thrombosis and Vascular Biology* 1998;18:441-9.

Hansel W, Bray GA, Ryan DH, eds. *Nutrition and Reproduction*. Baton Rouge, LA: Louisiana State University Press; 1998.

Hansel W, Lim JM. In vitro fertilization and early embryo development. In: Hansel W, Bray GA, Ryan DH, eds. *Nutrition and Reproduction*. Baton Rouge, LA: Louisiana State University Press; 1998:125-44.

Hansen WK, Deutsch WA, Yacoub A, Xu Y, Williams DA, Kelley MR. Creation of a fully functional human chimeric DNA repair protein. Combining O-6-methylguanine DNA methyltransferase (MGMT) and AP endonuclease (APE redox effector factor 1 (Ref 1)) DNA repair proteins. *J Biol Chem* 1998;273:756-62.

Harris RBS. Acute and chronic effects of leptin on glucose utilization in lean mice. *Biochem Biophys Res Commun* 1998;245:502-9.

Harris RBS, Zhou J, Redmann SM, et al. A leptin dose-response study in obese (ob/ob) and lean (+/?) mice. *Endocrinology* 1998;139:8-19.

Harris RBS, Zhou J, Youngblood BD, Rybkin, II, Smagin GN, Ryan DH. Effect of repeated stress on body weight and body composition of rats fed low- and high-fat diets. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;275:R1928-R38.

Harris RBS, Zhou J, Youngblood BD, Smagin GN, Ryan DH. Failure to change exploration or saccharin preference in rats exposed to chronic mild stress. *Physiol Behav* 1998;63:91-100.

Hu S, Wang S, Gibson J, Gilbertson TA. Inhibition of delayed rectifier K⁺ channels by dexfenfluramine (Redux). *J Pharmacol Exp Ther* 1998;287:480-6.

Hwang D, Ryan D. Does dietary linolenic acid attenuate the efficacy of n-3 fatty acids in suppressing arachidonic acid metabolism? In: Riemersma RA, Armstrong R, Kelly RW, Wilson R, eds. *Essential Fatty Acids and Eicosanoids: Invited Papers from the Fourth International Congress: American Oil Chemists' Society*; 1998:268-72.

Hwang D, Scollard D, Byrne J, Levine E. Expression of cyclooxygenase-1 and cyclooxygenase-2 in human breast cancer. *J Natl Cancer Inst* 1998;90:455-60.

Jankowski M, Hajjar F, Kawas SA, et al. Rat heart: A site of oxytocin production and action. *Proc Natl Acad Sci U S A* 1998;95:14558-63.

King BM, Rossiter KN, Stines SG, et al. Amygdaloid-lesion hyperphagia: Impaired response to caloric challenges and altered macronutrient selection. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;275:R485-R93.

Kutlesic V, Williamson DA, Gleaves DH, Barbin JM, Murphy-Eberenz KP. The interview for the diagnosis of eating disorders IV: Application to DSM-IV diagnostic criteria. *Psychol Assess* 1998;10:41-8.

Licinio J, Negrao AB, Mantzoros C, et al. Synchronicity of frequently sampled, 24-h concentrations of circulating leptin,

luteinizing hormone, and estradiol in healthy women. *Proc Natl Acad Sci U S A* 1998;95:2541-6.

Lim JM, Hansel W. Improved development of in vitro-derived bovine embryos by use of a nitric oxide scavenger in a cumulus-granulosa cell coculture system. *Mol Reprod Dev* 1998;50:45-53.

Lin L, Umahara M, York DA, Bray GA. beta-casomorphins stimulate and enterostatin inhibits the intake of dietary fat in rats. *Peptides* 1998;19:325-31.

Lin L, York DA. Changes in the microstructure of feeding after administration of enterostatin into the paraventricular nucleus and the amygdala. *Peptides* 1998;19:557-62.

Lin L, York DA. Chronic ingestion of dietary fat is a prerequisite for inhibition of feeding by enterostatin. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;44:R619-R23.

Lin X, Braymer HD, Bray GA, York DA. Differential expression of insulin receptor tyrosine kinase inhibitor (fetuin) gene in a model of diet-induced obesity. *Life Sci* 1998;63:145-53.

Lin X, Chavez MR, Bruch RC, et al. The effects of a high fat diet on leptin mRNA, serum leptin and the response to leptin are not altered in a rat strain susceptible to high fat diet-induced obesity. *J Nutr* 1998;128:1606-13.

Loftin M, Strikmiller P, Warren B, et al. Comparison and relationship of VO₂ peak and physical activity patterns in elementary and high school females. *Pediatric Exercise Science* 1998;10:153-63.

Lomniczi A, Suburo AM, Elverdin JC, et al. Role of nitric oxide in salivary secretion. *Neuroimmunomodulation* 1998;5:226-33.

Lovejoy JC. The influence of sex hormones on obesity across the female life span. *Journal of Womens Health* 1998;7:1247-56.

Lovejoy JC, Windhauser MM, Rood JC, de la Bretonne JA. Effect of a controlled high-fat versus low-fat diet on insulin sensitivity and leptin levels in African-American and Caucasian women. *Metabolism* 1998;47:1520-4.

Lunn DP, Hannant D, Horohov DW. Immunology of horses and donkeys. In: Pastoret P-P, ed. *Handbook of Vertebrate Immunology*. San Diego, CA: Academic Press; 1998:xviii, 673 p., [4] p. plates.

Mai Z, Horohov DW, Klei TR. Hypoxanthine phosphoribosyltransferase cDNA in gerbils (*Meriones unguiculatus*). *Lab Anim Sci* 1998;48:179-83.

Martin P, Catz SL, Brantley P, Boudreaux E. The Ways of Religious Coping Scale. In: Zalaquett CP, Wood RJ, eds. *Evaluating Stress: A Book of Resources*. Lanham, MD: Scarecrow Press; 1998:241-354.

McCann SM, Kimura M, Karanth S, Yu WH, Rettori V. Role of nitric oxide in the neuroendocrine responses to cytokines. *Ann N Y Acad Sci* 1998;840:174-84.

McCann SM, Kimura M, Walczewska A, Karanth S, Rettori V, Yu WH. Hypothalamic control of FSH and LH by FSH-RF, LHRH, cytokines, leptin and nitric oxide. *Neuroimmunomodulation* 1998;5:193-202.

McCann SM, Kimura M, Walczewska A, Karanth S, Rettori V, Yu WH. Hypothalamic control of gonadotropin secretion by LHRH, FSHRF, NO, cytokines, and leptin. *Domest Anim Endocrinol* 1998;15:333-44.

McCann SM, Kimura M, Walczewska A, Karanth S, Yu WH. Hypothalamic control of gonadotropin secretion: A role for leptin. In: Hansel W, Bray GA, Ryan DH, eds. *Nutrition and Reproduction*. Baton Rouge, LA: Louisiana State University Press; 1998:3-24.

McCann SM, Licinio J, Wong ML, Yu WH, Karanth S, Rettorri V. The nitric oxide hypothesis of aging. *Exp Gerontol* 1998;33:813-26.

Netemeyer RG, Burton S, Cole LK, et al. Characteristics and beliefs associated with probable pathological gambling: A pilot study with implications for the National Gambling Impact and Policy Commission. *Journal of Public Policy & Marketing* 1998;17:147-60.

Neuhuber WL, Kressel M, Stark A, Berthoud HR. Vagal efferent and afferent innervation of the rat esophagus as demonstrated by anterograde DiI and DiA tracing: Focus on myenteric ganglia. *J Auton Nerv Syst* 1998;70:92-102.

Ookuma K, Barton C, York DA, Bray GA. Differential response to kappa-opioidergic agents in dietary fat selection between Osborne-Mendel and S5B/PI rats. *Peptides* 1998;19:141-7.

Ookuma M, Ookuma K, York DA. Effects of leptin on insulin secretion from isolated rat pancreatic islets. *Diabetes* 1998;47:219-23.

Ookuma M, York DA. Inhibition of insulin release by enterostatin. *Int J Obes* 1998;22:800-5.

Phifer CB, Berthoud HR. Duodenal nutrient infusions differentially affect sham feeding and Fos expression in rat brain stem. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;43:R1725-R33.

Ramsay TG, Yan X, Morrison C. The obesity gene in swine: Sequence and expression of porcine leptin. *J Anim Sci* 1998;76:484-90.

Rettori V, McCann SM. Role of nitric oxide and alcohol on gonadotropin release in vitro and in vivo. *Ann N Y Acad Sci* 1998;840:185-93.

Rocha A, Randel RD, Broussard JR, et al. High environmental temperature and humidity decrease oocyte quality in *Bos taurus* but not in *Bos indicus* cows. *Theriogenology* 1998;49:657-65.

Roy HJ, Lovejoy JC, Keenan MJ, Bray GA, Windhauser MM, Wilson JK. Substrate oxidation and energy expenditure in athletes and nonathletes consuming isoenergetic high- and low-fat diets. *Am J Clin Nutr* 1998;67:405-11.

Ryan DH, Bray GA. Pharmacologic treatment of obesity. In: Lebovitz HE, ed. *Therapy for Diabetes Mellitus and Related Disorders*. 3rd ed. Alexandria, VA: American Diabetes Association; 1998:134-49.

Ryan DH, Kennedy BM, Smith LL, et al. Successful strategies for recruiting African Americans to prevention trials. *Cancer* 1998;83:1833-5.

Schwarzenberger P, La Russa V, Miller A, et al. IL-17 stimulates granulopoiesis in mice: Use of an alternate, novel gene therapy-derived method for in vivo evaluation of cytokines. *J Immunol* 1998;161:6383-9.

Singer LK, York DA, Bray GA. Macronutrient selection following 2-deoxy-D-glucose and mercaptoacetate administration in rats. *Physiol Behav* 1998;65:115-21.

Smagin GN, Howell LA, Ryan DH, De Souza EB, Harris RB. The role of CRF2 receptors in corticotropin-releasing factor- and urocortin-induced anorexia. *Neuroreport* 1998;9:1601-6.

Smeets MAM, Smit F, Panhuysen GEM, Ingleby JD. Body perception index: Benefits, pitfalls, ideas. *J Psychosom Res* 1998;44:457-64.

Smith BK, Kelly LA, Pina R, York DA, Bray GA. Preferential fat intake increases adiposity but not body weight in Sprague-Dawley rats. *Appetite* 1998;31:127-39.

- Smith BK, York DA, Bray GA. Chronic d-fenfluramine treatment reduces fat intake independent of macronutrient preference. *Pharmacology Biochemistry and Behavior* 1998;60:105-14.
- Smith CF, Geiselman PJ, Williamson DA, Champagne CM, Bray GA, Ryan DH. Association of dietary restraint and disinhibition with eating behavior, body mass, and hunger. *Eat Weight Disord* 1998;3:7-15.
- Strain GW, Champagne C, Roman SH. An ethnic comparison of nutritional patterns and health habits in elderly patients with diabetes. *J Nutr Elder* 1998;18:37-47.
- Swiergiel AH, Palamarchouk VS, Smagin G, Dunn AJ. Cortical catecholamine secretion following intravenous nitroprusside infusion: a voltammetric study. *Brain Res Bull* 1998;45:125-9.
- Truett AA, Borne AT, Monteiro MP, West DB. Composition of dietary fat affects blood pressure and insulin responses to dietary obesity in the dog. *Obes Res* 1998;6:137-46.
- Truett GE, Tempelman RJ, Walker JA, Wilson JK. Misty (m) affects growth traits. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;44:R29-R32.
- Truett GE, Walker JA, Wilson JB, et al. ELISA detection of restriction site polymorphisms in the pig ryanodine receptor locus. *Mamm Genome* 1998;9:629-32.
- Tsuji S, Bray GA. A beta-3 adrenergic agonist (BRL-37,344) decreases food intake. *Physiol Behav* 1998;63:723-8.
- Tulley R. A principle-focused approach to lab management. *MLO: Medical Laboratory Observer* 1998;30:46-9.
- Van Lommel A, Lauweryns JM, Berthoud HR. Pulmonary neuroepithelial bodies are innervated by vagal afferent nerves: An investigation with in vivo anterograde Dil tracing and confocal microscopy. *Anat Embryol (Berl)* 1998;197:325-30.
- Vollmer WM, Svetkey LP, Appel LJ, et al. Recruitment and retention of minority participants in the DASH controlled feeding trial. DASH Collaborative Research Group. *Dietary Approaches to Stop Hypertension. Ethn Dis* 1998;8:198-208.
- West DB, DeLany JP, Camet PM, Blohm F, Truett AA, Scimeca J. Effects of conjugated linoleic acid on body fat and energy metabolism in the mouse. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1998;275:R667-R72.
- West DB, York B. Dietary fat, genetic predisposition, and obesity: Lessons from animal models. *Am J Clin Nutr* 1998;67:505S-12S.
- West DB, York B. Mouse models of human overweight. In: Dragani TA, ed. *Human Polygenic Diseases: Animal Models*. Amsterdam: Harwood Academic Publishers; 1998:113-29.
- Williamson DA, Bentz B, Rabalais JY. Eating disorders. In: Ollendick TH, Hersen M, eds. *Handbook of Child Psychopathology*. 3rd ed. New York, NY: Plenum Press; 1998:291-305.
- Williamson DA, Duchmann EG, Barker SE, Bruno RM. Anorexia nervosa. In: Van Hasselt VB, Hersen M, eds. *Handbook of Psychological Treatment Protocols for Children and Adolescents*. Mahwah, NJ: Lawrence Erlbaum Associates; 1998:413-34.
- Williamson DA, O'Neil PM. Behavioral and psychological correlates of obesity. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity*. New York, NY: Marcel Dekker; 1998:129-42.
- Williamson DA, O'Neil PM. Cognitive behavior therapy for eating disorders. In: Caballo VE, ed. *International Handbook of Cognitive and Behavioural Treatments for Psychological Disorders*. 1st ed. Kidlington, Oxford, UK:

Pergamon; 1998:195-215.

Williamson DA, VeronGuidry S, Kiper K. Assessment of health related disorders. In: Bellack AS, Hersen M, eds. Behavioral Assessment: A Practical Handbook. 4th ed. Boston, MA: Allyn and Bacon; 1998:256-70.

Williamson DA, Womble LG, Zucker NL. Cognitive behavior therapy for eating disorders. In: Watson TS, Gresham FM, eds. Child Behavior Therapy: Ecological Considerations in Assessment, Treatment, and Education. New York, NY: Plenum Press; 1998:335-55.

Womble LG, Williamson DA, Netemeyer SB, Netemeyer RG. Risk factors for the development of bulimic symptoms in high school girls: A one-year longitudinal study. *Journal of Gender, Culture, and Health* 1998;3:227-41.

Wu D, Mura C, Beharka AA, et al. Age-associated increase in PGE(2) synthesis and COX activity in murine macrophages is reversed by vitamin E. *American Journal of Physiology: Cell Physiology* 1998;275:C661-C8.

Yarasheski KE, Zachwieja JJ, Gischler J, Crowley J, Horgan MM, Powderly WG. Increased plasma Gln and Leu R-a and inappropriately low muscle protein synthesis rate in AIDS wasting. *American Journal of Physiology: Endocrinology and Metabolism* 1998;275:E577-E83.

York DA. Enterostatin and other neuropeptides that affect food intake. In: Hansel W, Bray GA, Ryan DH, eds. Nutrition and Reproduction. Baton Rouge, LA: Louisiana State University Press; 1998:41-55.

York DA, Hansen BC. Animal models of obesity. In: Bray GA, Bouchard C, James WPT, eds. Handbook of Obesity. New York, NY: Marcel Dekker; 1998:191-221.

Yu WH, Kimura M, Walczewska A, Porter JC, McCann SM. Adenosine acts by A(1) receptors to stimulate release of prolactin from anterior-pituitaries in vitro. *Proc Natl Acad Sci U S A* 1998;95:7795-8.

Zhou Y, Elkins PD, Howell LA, Ryan DH, Harris RBS. Apolipoprotein-E deficiency results in an altered stress responsiveness in addition to an impaired spatial memory in young mice. *Brain Res* 1998;788:151-9.

Zinbarg R, Barlow D, Liebowitz M, et al. The DSM-IV field trial for mixed anxiety-depression. In: Widiger TA, ed. DSM-IV Sourcebook. 1st ed. Washington, DC: American Psychiatric Association; 1998.

1999

Anderson DA, Williamson DA, Duchmann EG, Gleaves DH, Barbin JM. Development and validation of a multifactorial treatment outcome measure for eating disorders. *Assessment* 1999;6:7-20.

Anderson DA, Williamson DA, Johnson WG, Grieve CO. Estimation of food intake: Effects of the unit of estimation. *Eat Weight Disord* 1999;4:6-9.

Anselmo-Franci JA, Rocha-Barros VM, Franci CR, McCann SM. Locus ceruleus lesions block pulsatile LH release in ovariectomized rats. *Brain Res* 1999;833:86-92.

Appel LJ, Vollmer WM, Obarzanek E, et al. Recruitment and baseline characteristics of participants in the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S69-S75.

Bentz BG, Williamson DA, Smith CF. The prediction of negative events associated with anxiety and dietary restraint: A test of the content specificity hypothesis. *J Psychopathol Behav Assess* 1999;21:97-108.

Berglund L, Oliver EH, Fontanez N, et al. HDL-subpopulation patterns in response to reductions in dietary total and saturated fat intakes in healthy subjects. *Am J Clin Nutr* 1999;70:992-1000.

Berthoud HR. Gut-brain interactions in the control of food intake and energy metabolism: Neural pathways of postingestive satiety signals. In: Bray G, Ryan D, eds. Nutrition, Genetics, and Obesity. Baton Rouge, LA: Louisiana State University Press; 1999:208-26.

Blecker U, Mehta DI, duPont AI, Davis R, Sothorn MS, Suskind RM. Fat-soluble vitamin deficiencies. *Pediatr Rev* 1999;20:394-5.

Blecker U, Sothorn MS, Suskind RM. Iron-fortified infant formulas. *Pediatr Rev* 1999;20:359.

Borne AT, Truett AA, Monteiro MP, Volaufova J, West DB. Changes in skeletal muscle vascular resistance with weight gain: Associations with insulin and sympathetic activity. *Obes Res* 1999;7:68-75.

Bouchard C. [Attività fisica]. In: Italiana IDE, ed. L'Universo del Corpo. Roma: Fondata da Giovanni Treccani; 1999:379-86.

Bouchard C. [Fitness]. In: Italiana IDE, ed. L'Universo del Corpo. Roma: Fondata da Giovanni Treccani; 1999:598-600.

Bouchard C. Physical inactivity. *Can J Cardiol* 1999;15 89G-92G.

Bouchard C, Blair SN. Introductory comments for the consensus on physical activity and obesity. *Med Sci Sports Exerc* 1999;31:S498-S501.

Bouchard C, Perusse L, Chagnon YC. Genes and human obesity. In: Bray GA, Ryan DH, eds. Nutrition, Genetics, and Obesity. Baton Rouge, LA: Louisiana State University Press; 1999:25-45.

Boughter JD, Gilbertson TA. From channels to behavior: An integrative model of NaCl taste. *Neuron* 1999;22:213-5.

Bramlett SB, Zhou J, Harris RBS, Hendry SL, Witt TL, Zachwieja JJ. Does beta(3)-adrenoreceptor blockade attenuate acute exercise-induced reductions in leptin mRNA? *J Appl Physiol* 1999;87:1678-83.

Brantley PJ, Mehan DJ, Ames SC, Jones GN. Minor stressors and generalized anxiety disorder among low-income patients attending primary care clinics. *J Nerv Ment Dis* 1999;187:435-40.

Brantley PJ, Scarinci IC, Carmack CL, et al. Prevalence of high-risk behaviors and obesity among low-income patients attending primary care clinics in Louisiana. *J La State Med Soc* 1999;151:126-35.

Bray GA. Clinical evaluation of the obese patient. *Bailliere's Best Practice & Research: Clinical Endocrinology & Metabolism* 1999;13:71-92.

Bray GA. Drug treatment of obesity. *Bailliere's Best Practice & Research: Clinical Endocrinology & Metabolism* 1999;13:131-48.

Bray GA. Efficacy and safety of pharmacological interventions for the overweight patient. In: Fletcher GF, Grundy SM, Hayman LL, eds. Obesity: Impact on Cardiovascular Disease. Armonk, NY: Futura Pub; 1999:295-315.

Bray GA. Etiology and pathogenesis of obesity. *Clin Cornerstone* 1999;2:1-15.

Bray GA. Nutrition and obesity: prevention and treatment. *Nutr Metab Cardiovasc Dis* 1999;9:21-32.

Bray GA, ed. Obesity - From Science to Treatment. London, UK: Balliere's; 1999.

Bray GA. Pharmacologic therapy of obesity. In: Goldstein DJ, ed. The Management of Eating Disorders and Obesity. Totowa, NJ: Humana Press; 1999:213-48.

Bray GA. Sympathetic nervous system, adrenergic receptors, and obesity. *J Lab Clin Med* 1999;134:4-6.

Bray GA. Treatment of obesity in the elderly. *Clinical Geriatrics* 1999;7:41-4, 7-9, 53-4, 7-8.

Bray GA. Uses and misuses of the new pharmacotherapy of obesity. *Ann Med* 1999;31:1-3.

Bray GA, Blackburn GL, Ferguson JM, et al. Sibutramine produces dose-related weight loss. *Obes Res* 1999;7:189-98.

Bray GA, Culbert IW, Champagne CM, et al. The Diabetes Prevention Program - design and methods for a clinical trial in the prevention of type 2 diabetes. *Diabetes Care* 1999;22:623-34.

Bray GA, Greenway FL. Current and potential drugs for treatment of obesity. *Endocr Rev* 1999;20:805-75.

Bray GA, Macdiarmid JI. Obesity: A global risk factor for disease. In: Guy-Grand B, Ailhaud G, eds. *Progress in Obesity Research: 8*. Paris: John Libbey & Company Ltd.; 1999:641-7.

Bray GA, Popkin BM. Dietary fat affects obesity rate - letter. *Am J Clin Nutr* 1999;70:572-3.

Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999.

Bray GA, York DA. Reciprocal relation of food intake and sympathetic activity: The Mona Lisa hypothesis. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:122-43.

Carmack CL, Boudreaux E, Amaral-Melendez M, Brantley PJ, de Moor C. Aerobic fitness and leisure physical activity as moderators of the stress-illness relation. *Ann Behav Med* 1999;21:251-7.

Catz SL, McClure JB, Jones GN, Brantley PJ. Predictors of outpatient medical appointment attendance among persons with HIV. *AIDS Care* 1999;11:361-73.

Caumo A, Vicini P, Zachwieja JJ, et al. Undermodeling affects minimal model indexes: Insights from a two-compartment model. *American Journal of Physiology: Endocrinology and Metabolism* 1999;276:E1171-E93.

Clegg DJ, Smagin GN. The role of CRF (corticotropin releasing factor) in the causation of obesity in the obese Zucker rat. *Biochemical Archives* 1999;15:189-200.

Collins JJ, Lin CE, Berthoud HR, Papka RE. Vagal afferents from the uterus and cervix provide direct connections to the brainstem. *Cell Tissue Res* 1999;295:43-54.

Constans JI, Mathews A, Brantley PJ, James T. Attentional reactions to an MI: The impact of mood state, worry, and coping style. *J Psychosom Res* 1999;46:415-23.

Dees WL, Hiney JK, Sower SA, Yu WH, McCann SM. Localization of immunoreactive lamprey gonadotropin-releasing hormone in the rat brain. *Peptides* 1999;20:1503-11.

DeLany JP, Blohm F, Truett AA, Scimeca JA, West DB. Conjugated linoleic acid rapidly reduces body fat content in mice without affecting energy intake. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;276:R1172-R9.

DeLany JP, Hansen BC, Bodkin NL, Hannah J, Bray GA. Long-term calorie restriction reduces energy expenditure in aging monkeys. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 1999;54:B5-B11.

Deutsch WA. Drosophila ribosomal protein S3 contains N-glycosylase, abasic site, and deoxyribosephosphodiesterase DNA repair activities. In: Dizdaroglu M, ed. *Advances in DNA Damage and Repair: Oxygen Radical Effects, Cellular*

Protection, and Biological Consequences. New York, NY: Plenum Press; 1999.

Deutsch WA, Yacoub A. Characterization of DNA strand cleavage by enzymes that act at abasic sites in DNA. In: Henderson DS, ed. DNA Repair Protocols: Eukaryotic Systems. 1999/08/12 ed. Totowa, NJ: Humana Press; 1999:281-8.

Escobar O, Mizuma H, Sothorn MS, et al. Hepatic insulin clearance increases after weight loss in obese children and adolescents. *Am J Med Sci* 1999;317:282-6.

Ezell DM, Geiselman PJ, Anderson AM, et al. Substrate oxidation and availability during acute exercise in non-obese, obese, and post-obese sedentary females. *Int J Obes* 1999;23:1047-56.

Faletti AG, Mastronardi CA, Lomniczi A, et al. beta-endorphin blocks luteinizing hormone-releasing hormone release by inhibiting the nitricoxidergic pathway controlling its release. *Proc Natl Acad Sci U S A* 1999;96:1722-6.

Getchell WS, Svetkey LP, Appel LJ, Moore TJ, Bray GA, Obarzanek E. Summary of the Dietary Approaches to Stop Hypertension (DASH) randomized clinical trial. *Curr Treat Options Cardiovasc Med* 1999;1:295-300.

Gilbertson TA. The taste of fat. In: Bray GA, Ryan DH, eds. Nutrition, Genetics, and Obesity. Baton Rouge, LA: Louisiana State University Press; 1999:192-207.

Gilger BC, Malok E, Cutter KV, Stewart T, Horohov DW, Allen JB. Characterization of T-lymphocytes in the anterior uvea of eyes with chronic equine recurrent uveitis. *Vet Immunol Immunopathol* 1999;71:17-28.

Graunke DM, Fornace AJ, Pieper RO. Presetting of chromatin structure and transcription factor binding poise the human GADD45 gene for rapid transcriptional up-regulation. *Nucleic Acids Res* 1999;27:3881-90.

Greenberg D, McCaffery J, Potack JZ, Bray GA, York DA. Differential satiating effects of fats in the small intestine of obesity-resistant and obesity-prone rats. *Physiol Behav* 1999;66:621-6.

Greenway F. Obesity medications and the treatment of type 2 diabetes. *Diabetes Technol Ther* 1999;1:277-87.

Greenway F, Heber D, Raum W, Morales S. Double-blind, randomized, placebo-controlled clinical trials with non-prescription medications for the treatment of obesity. *Obes Res* 1999;7:370-8.

Greenway FL, Bray GA, Marlin RL. Methods to maximize retention in weight loss studies. *Obes Res* 1999;7:593-6.

Greenway FL, Ryan DH, Bray GA, Rood JC, Tucker EW, Smith SR. Pharmaceutical cost savings of treating obesity with weight loss medications. *Obes Res* 1999;7:523-31.

Greenway SE, Filler LE, Greenway FL. Topical insulin in wound healing: A randomised, double-blind, placebo-controlled trial. *J Wound Care* 1999;8:526-8.

Grundy SM, Blackburn G, Higgins M, Lauer R, Perri MG, Ryan D. Physical activity in the prevention and treatment of obesity and its comorbidities. *Med Sci Sports Exerc* 1999;31:S502-S8.

Grundy SM, Blackburn G, Higgins M, Lauer R, Perri MG, Ryan D. Physical activity in the prevention and treatment of obesity and its comorbidities: Evidence report of independent panel to assess the role of physical activity in the treatment of obesity and its comorbidities. *Med Sci Sports Exerc* 1999;31:1493-500.

Harris RBS. Parabiosis between db/db and ob/ob or db/+ mice. *Endocrinology* 1999;140:138-45.

Harsha DW, Lin PH, Obarzanek E, Karanja NM, Moore TJ, Caballero B. Dietary Approaches to Stop Hypertension: A summary of study results. *J Am Diet Assoc* 1999;99:S35-S9.

Harsha DW, Moore TJ, Obarzanek E, Svetkey LP, Lin PH, Hawarth L. Dietary approaches to stop hypertension (DASH). *On the Cutting Edge - Diabetes Care and Education* 1999;19:16-7.

Heiser CR, Windhauser MM, Loharikar B. Facilities and equipment for the research kitchen. In: Dennis BH, Ershow AG, Obarzanek E, Clevidence BA, eds. *Well-controlled Diet Studies in Humans: A Practical Guide to Design and Management*. Chicago, IL: American Dietetic Association; 1999:290-8.

Herness MS, Gilbertson TA. Cellular mechanisms of taste transduction. *Annu Rev Physiol* 1999;61:873-900.

Horohov DW, Dimock A, Guirnalda P, Folsom RW, McKeever KH, Malinowski K. Effect of exercise on the immune response of young and old horses. *Am J Vet Res* 1999;60:643-7.

Howell LA, Harris RBS, Clarke C, Youngblood BD, Ryan DH, Gilbertson TA. The effects of restraint stress on intake of preferred and nonpreferred solutions in rodents. *Physiol Behav* 1999;65:697-704.

Hwang D, Chanmugam P, Boudreau M, Sohn KH, Stone K, Pryor WA. Activation and inactivation of cyclo-oxygenase in rat alveolar macrophages by aqueous cigarette tar extracts. *Free Radic Biol Med* 1999;27:673-82.

Hwang D, Rhee SH. Receptor-mediated signaling pathways: Potential targets of modulation by dietary fatty acids. *Am J Clin Nutr* 1999;70:545-56.

Ikeda A, Zheng QY, Rosenstiel P, et al. Genetic modification of hearing in tubby mice: evidence for the existence of a major gene (moth1) which protects tubby mice from hearing loss. *Hum Mol Genet* 1999;8:1761-7.

Karanja NM, McCullough ML, Kumanyika SK, et al. Pre-enrollment diets or Dietary Approaches to Stop Hypertension trial participants. *J Am Diet Assoc* 1999;99:S28-S34.

Karanja NM, Obarzanek E, Lin PH, et al. Descriptive characteristics of the dietary patterns used in the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S19-S27.

Karant S, Lyson K, McCann SM. Effects of cholinergic agonists and antagonists on interleukin-2-induced corticotropin-releasing hormone release from the mediobasal hypothalamus. *Neuroimmunomodulation* 1999;6:168-74.

Karge WH, Deluca JP, Marchitelli LJ, et al. Pilot study on the effect of hyperimmune egg protein on elevated cholesterol levels and cardiovascular risk factors. *J Med Food* 1999;2:51-63.

Kelly LA, Chavez M, Berthoud HR. Transient overconsumption of novel foods by deafferented rats: Effects of novel diet composition. *Physiol Behav* 1999;65:793-800.

Koegler FH, Schaffhauser AO, Mynatt RL, York DA, Bray GA. Macronutrient diet intake of the lethal yellow agouti (A(y)/a) mouse. *Physiol Behav* 1999;67:809-12.

Koegler FH, York DA, Bray GA. The effects on feeding of galanin and M40 when injected into the nucleus of the solitary tract, the lateral parabrachial nucleus, and the third ventricle. *Physiol Behav* 1999;67:259-67.

Kozak LP, Guerra C, Koza RA. The mitochondrial uncoupling protein (UCP1) in brown adipose tissue. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:88-101.

Kozak LP, Koza RA. Mitochondrial uncoupling proteins and obesity: Molecular and genetic aspects of UCP1. *Int J Obes* 1999;23:S33-S7.

LaMotte LR, Volaufova J. Prediction intervals via consonance intervals. *Journal of the Royal Statistical Society Series D-the Statistician* 1999;48:419-24.

- LaMotte LR, Volaufová J. Interval estimation of noncentrality parameter of F-distribution. *Tatra Mountains Mathematical Publications* 1999;17:83-9.
- Licinio J, Prolo P, McCann SM, Wong ML. Brain iNOS: Current understanding and clinical implications. *Mol Med Today* 1999;5:225-32.
- Lim JM, Mei Y, Chen B, Godke RA, Hansel W. Development of bovine IVF oocytes cultured in medium supplemented with a nitric oxide scavenger or inhibitor in a co-culture system. *Theriogenology* 1999;51:941-9.
- Lim JM, Reggio BC, Godke RA, Hansel W. Development of in-vitro-derived bovine embryos cultured in 5% CO₂ in air or in 5% O₂, 5% CO₂ and 90% N₂. *Hum Reprod* 1999;14:458-64.
- Lin PH, Windhauser MM, Plaisted CS, Hoben KP, McCullough ML, Obarzanek E. The Linear Index Model for establishing nutrient goals in the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S40-S4.
- Lindemann B, Gilbertson TA, Kinnamon SC. Amiloride-sensitive sodium channels in taste. In: *Amiloride-Sensitive Sodium Channels*; 1999:315-36.
- Linthorst AC, Karanth S, Barden N, Holsboer F, Reul MH. Impaired glucocorticoid receptor function evolves in aberrant physiological responses to bacterial endotoxin. *Eur J Neurosci* 1999;11:178-86.
- Lovejoy JC. Dietary fatty acids and insulin resistance. *Curr Atheroscler Rep* 1999;1:215-20.
- Lovejoy JC, Smith SR, Zachwieja JJ, et al. Low-dose T-3 improves the bed rest model of simulated weightlessness in men and women. *American Journal of Physiology: Endocrinology and Metabolism* 1999;277:E370-E9.
- Marubayashi U, Yu WH, McCann SM. Median eminence lesions reveal separate hypothalamic control of pulsatile follicle-stimulating hormone and luteinizing hormone release. *Proc Soc Exp Biol Med* 1999;220:139-46.
- McCann SM. Hypothalamic releasing and inhibiting hormone. In: Adelman G, Smith BH, eds. *Encyclopedia of Neuroscience*. 2nd rev, an enlarged ed. Amsterdam ; New York, NY: Elsevier; 1999:927-30.
- McCann SM, Kimura M, Walczewska A, Karanth S, Rettori V, Yu WH. New insights into the hypothalamic control of FSH and LH by cytokines and nitric oxide. In: Plotnikoff NP, ed. *Cytokines: Stress and Immunity*. Boca Raton, FL: CRC Press; 1999:205-20.
- McCann SM, Mastronardi C, Walczewska A, Karanth S, Rettori V, Yu WH. The role of nitric oxide in reproduction. *Braz J Med Biol Res* 1999;32:1367-79.
- McClure J, Catz SL, Brantley P. Early appointment adherence among persons living with HIV. *AIDS Behav* 1999;3:157-65.
- McCullough ML, Karanja NM, Lin PH, et al. Comparison of 4 nutrient databases with chemical composition data from the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S45-S53.
- Mera R, Realpe JL, Bravo LE, DeLany JP, Correa P. Eradication of *Helicobacter pylori* infection with proton pump-based triple therapy in patients in whom bismuth-based triple therapy failed. *J Clin Gastroenterol* 1999;29:51-5.
- Miltenberger RJ, Mynatt RL, Bruce BD, Wilkison WO, Woychik RP, Michaud EJ. An agouti mutation lacking the basic domain induces yellow pigmentation but not obesity in transgenic mice. *Proc Natl Acad Sci U S A* 1999;96:8579-84.
- Monemdjou S, Kozak LP, Harper ME. Mitochondrial proton leak in brown adipose tissue mitochondria of Ucp1-deficient mice is GDP insensitive. *American Journal of Physiology: Endocrinology and Metabolism*

1999;276:E1073-E82.

Moore TJ, Vollmer WM, Appel LJ, et al. Effect of dietary patterns on ambulatory blood pressure - Results from the Dietary Approaches to Stop Hypertension (DASH) Trial. *Hypertension* 1999;34:472-7.

Mynatt RL. Agouti antagonism of melancortin receptors: Central and peripheral effects on obesity and diabetes. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:306-19.

Paeratakul S, Adair LS, Zhai F, Ge K, Popkin BM. Sex difference in measures of body fatness and the possible difference in the effect of dietary fat on body fatness in men and women. *Eur J Clin Nutr* 1999;53:865-71.

Peters J, Church D, Zuberi AR, Selley R. Mouse chromosome 2. *Mamm Genome* 1999;10:941-.

Phillips KM, Stewart KK, Karanja NM, et al. Validation of diet composition for the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S60-S8.

Picanco-Diniz DLW, Valenca MM, Favaretto ALV, McCann SM, Antunes-Rodrigues J. Possible involvement of A(1) receptors in the inhibition of gonadotropin secretion induced by adenosine in rat hemipituitaries in vitro. *Braz J Med Biol Res* 1999;32:1167-73.

Pi-Sunyer FX, Laferrere B, Aronne LJ, Bray GA. Therapeutic controversy: Obesity - a modern-day epidemic. *J Clin Endocrinol Metab* 1999;84:3-12.

Ramezanzadeh FM, Rao RM, Windhauser M, Prinyawiwatkul W, Marshall WE. Prevention of oxidative rancidity in rice bran during storage. *J Agric Food Chem* 1999;47:2997-3000.

Ramezanzadeh FM, Rao RM, Windhauser M, Prinyawiwatkul W, Tulley R, Marshall WE. Prevention of hydrolytic rancidity in rice bran during storage. *J Agric Food Chem* 1999;47:3050-2.

Rao UR, Nasarre C, Coleman SU, Horohov DW, Klei TR. Granulomatous inflammatory response to recombinant filarial proteins of *Brugia* species. *Am J Trop Med Hyg* 1999;60:251-4.

Reeder B, Bouchard C. Obesity and cardiovascular diseases. *Can J Cardiol* 1999;15 69G-72G.

Rood JC, Lovejoy JC, Tulley RT. Comparison of a radioimmunoassay with a microparticle enzyme immunoassay of insulin for use with the minimal model method of determining whole-body insulin sensitivity. *Diabetes Technol Ther* 1999;1:463-8.

Ryan DH. Sibutramine: A new obesity agent enters the marketplace. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:513-29.

Ryan DH, Bray GA, Helmcke F, et al. Serial echocardiographic and clinical evaluation of valvular regurgitation before, during, and after treatment with fenfluramine or dexfenfluramine and mazindol or phentermine. *Obes Res* 1999;7:313-22.

Ryan DH, Bray GA, Rossner S, Galasso GJ. Conference report - Obesity: New Directions, June 27-29, 1988, Charleston, SC. *Obes Res* 1999;7:303-9.

Sacks FM, Appel LJ, Moore TJ, et al. A dietary approach to prevent hypertension: A review of the Dietary Approaches to Stop Hypertension (DASH) study. *Clin Cardiol* 1999;22:6-10.

Scarinci IC, Ames SC, Brantley PJ. Chronic minor stressors and major life events experienced by low-income patients attending primary care clinics: A longitudinal examination. *J Behav Med* 1999;22:143-56.

Singer LK, York DA, Berthoud HR, Bray GA. Conditioned taste aversion produced by inhibitors of fatty acid oxidation in rats. *Physiol Behav* 1999;68:175-9.

Smagin GN, Howell LA, Redmann S, Ryan DH, Harris RBS. Prevention of stress-induced weight loss by third ventricle CRF receptor antagonist. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;276:R1461-R8.

Smith BK, Andrews PK, York DA, West DB. Divergence in proportional fat intake in AKR/J and SWR/J mice endures across diet paradigms. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;277:R776-R85.

Smith BK, York DA, Bray GA. Activation of hypothalamic serotonin receptors reduced intake of dietary fat and protein but not carbohydrate. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;277:R802-R11.

Smith CF, Williamson DA, Bray GA, Ryan DH. Flexible vs. rigid dieting strategies: Relationship with adverse behavioral outcomes. *Appetite* 1999;32:295-305.

Smith J, Lensing S, Horton JA, et al. Prevalence of self-reported nutrition-related health problems in the lower Mississippi delta. *Am J Public Health* 1999;89:1418-21.

Smith SR. Regional fat distribution. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:433-58.

Smith SR, Lovejoy JC, DeLaney JP, Ruyter I, McNeil M. The inhibition of glycogen synthesis by fatty acids is not mediated by inhibition of extracellular signal-regulated kinase 1/2 - letter. *Diabetologia* 1999;42:1031-2.

Smith SR, Zachwieja JJ. Visceral adipose tissue: A critical review of intervention strategies. *Int J Obes* 1999;23:329-35.

Soares TJ, Coimbra TM, Martins AR, et al. Atrial natriuretic peptide and oxytocin induce natriuresis by release of cGMP. *Proc Natl Acad Sci U S A* 1999;96:278-83.

Sothorn MS, Hunter S, Suskind RM, Brown R, Udall JN, Jr., Blecker U. Motivating the obese child to move: The role of structured exercise in pediatric weight management. *South Med J* 1999;92:577-84.

Sothorn MS, Loftin JM, Suskind RM, Udall JN, Blecker U. Physiologic function and childhood obesity. *International Pediatrics* 1999;14:135-9.

Sothorn MS, Loftin JM, Udall JN, et al. Inclusion of resistance exercise in a multidisciplinary outpatient treatment program for preadolescent obese children. *South Med J* 1999;92:585-92.

Sothorn MS, Loftin M, Suskind RM, Udall JN, Blecker U. The health benefits of physical activity in children and adolescents: Implications for chronic disease prevention. *Eur J Pediatr* 1999;158:271-4.

Sothorn MS, Loftin M, Suskind RM, Udall JN, Jr., Blecker U. The impact of significant weight loss on resting energy expenditure in obese youth. *J Investig Med* 1999;47:222-6.

Sothorn MS, von Almen TK, Schumacher HD, Suskind RM, Blecker U. A multidisciplinary approach to the treatment of childhood obesity. *Del Med J* 1999;71:255-61.

Svetkey LP, Sacks FM, Obarzanek E, et al. The DASH diet, sodium intake and blood pressure trial (DASH-sodium): Rationale and design. *J Am Diet Assoc* 1999;99:S96-S104.

Svetkey LP, Simons-Morton D, Vollmer WM, et al. Effects of dietary patterns on blood pressure: Subgroup analysis of the Dietary Approaches to Stop Hypertension (DASH) randomized clinical trial. *Arch Intern Med* 1999;159:285-93.

Swain JF, Windhauser MM, Hoben KP, Evans MA, McGee BB, Steele PD. Menu design and selection for multicenter controlled feeding studies: Process used in the Dietary Approaches to Stop Hypertension trial. *J Am Diet Assoc* 1999;99:S54-S9.

Swiderski CE, Klei TR, Folsom RW, et al. Vaccination against *Strongylus vulgaris* in ponies: Comparison of the humoral and cytokine responses of vaccinates and nonvaccinates. In: Schultz RD, ed. *Veterinary Vaccines and Diagnostics*; 1999:389-404.

Swiderski CE, Klei TR, Horohov DW. Quantitative measurement of equine cytokine mRNA expression by polymerase chain reaction using target-specific standard curves. *J Immunol Methods* 1999;222:155-69.

Swiderski CE, Klei TR, Pourciau C, et al. T cell cytokine responses to *Strongylus vulgaris* in infected and vaccinated ponies. In: Wernery U, Wade JF, Mumford JA, Kaaden OR, eds. *Equine Infectious Diseases VIII*. Newmarket, UK: R & W Publications; 1999:206-10.

Tvrđik P, Asadi A, Kozak LP, et al. Cig30 and Pitx3 genes are arranged in a partially overlapping tail-to-tail array resulting in complementary transcripts. *J Biol Chem* 1999;274:26387-92.

Vicini P, Zachwieja JJ, Yarasheski KE, Bier DM, Caumo A, Cobelli C. Glucose production during an IVGTT by deconvolution: Validation with the tracer-to-tracee clamp technique. *American Journal of Physiology: Endocrinology and Metabolism* 1999;276:E285-E94.

Vogt TM, Appel LJ, Obarzanek E, et al. Dietary Approaches to Stop Hypertension: Rationale, design, and methods. *J Am Diet Assoc* 1999;99:S12-S8.

Walczewska A, Yu WH, Karanth S, McCann SM. Estrogen and leptin have differential effects on FSH and LH release in female rats. *Proc Soc Exp Biol Med* 1999;222:170-7.

Wang JL, Zheng HY, Berthoud HR. Functional vagal input to chemically identified neurons in pancreatic ganglia as revealed by Fos expression. *American Journal of Physiology: Endocrinology and Metabolism* 1999;277:E958-E64.

West DB, York B. Molecular genetics of dietary obesity in the mouse. In: Guy-Grand B, Ailhaud G, eds. *Progress in Obesity Research*: 8. Paris: John Libbey & Company Ltd.; 1999:145-9.

Williamson DA, Martin CK. Binge eating disorder: A review of the literature after publication of DSM-IV. *Eat Weight Disord* 1999;4:103-14.

Williamson DA, Muller SL, Reas DL, Thaw JM. Cognitive bias in eating disorders: Implications for theory and treatment. *Behav Modif* 1999;23:556-77.

Wilson J, Tulley R. The role of homocysteine in vascular disease. *ADVANCE for Administrators of the Laboratory* 1999;8:14-5.

Windhauser MM, Ernst DB, Karanja NM, et al. Translating the Dietary Approaches to Stop Hypertension diet from research to practice: Dietary and behavior change techniques. *J Am Diet Assoc* 1999;99:S90-S5.

Windhauser MM, Ershow A, Obarzanek E, et al. The multicenter approach to human feeding studies. In: Dennis BH, Ershow AG, Obarzanek E, Clevidence BA, eds. *Well-controlled Diet Studies in Humans: A Practical Guide to Design and Management*. Chicago, IL: American Dietetic Association; 1999:390-403.

Windhauser MM, Evans MA, McCullough ML, et al. Dietary adherence in the Dietary Approaches to Stop Hypertension

trial. *J Am Diet Assoc* 1999;99:S76-S83.

Xue BZ, Wilkison WO, Mynatt RL, Moustaid N, Goldman M, Zemel MB. The agouti gene product stimulates pancreatic beta-cell Ca²⁺ signaling and insulin release. *Physiol Genomics* 1999;1:11-9.

York B, Truett AA, Monteiro MP, et al. Gene-environment interaction: a significant diet-dependent obesity locus demonstrated in a congenic segment on mouse chromosome 7. *Mamm Genome* 1999;10:457-62.

York B, West DB. Polygenic models of rodent obesity. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:46-69.

York DA. Peripheral and central mechanisms regulating food intake and macronutrient selection. *Obes Surg* 1999;9:471-9.

York DA. Regulation of feeding behavior: Advances in understanding from molecular and physiological approaches. In: Guy-Grand B, Ailhaud G, eds. *Progress in Obesity Research: 8*. Paris: John Libbey & Company Ltd.; 1999:267-77.

York DA, Lin L, Smith BK, Bray G. Enterostatin and 5-HT: Modulation of fat intake. In: Bray GA, Ryan DH, eds. *Nutrition, Genetics, and Obesity*. Baton Rouge, LA: Louisiana State University Press; 1999:246-66.

Youngblood BD, Smagin GN, Elkins PD, Ryan DH, Harris RBS. The effects of paradoxical sleep deprivation and valine on spatial learning and brain 5-HT metabolism. *Physiol Behav* 1999;67:643-9.

Zachwieja JJ, Smith SR, Lovejoy JC, Rood JC, Windhauser MM, Bray GA. Testosterone administration preserves protein balance but not muscle strength during 28 days of bed rest. *J Clin Endocrinol Metab* 1999;84:207-12.

Zachwieja JJ, Smith SR, Sinha-Hikim I, Gonzalez-Cadavid N, Bhasin S. Plasma myostatin-immunoreactive protein is increased after prolonged bed rest with low-dose T3 administration. *Journal of Gravitational Physiology* 1999;6:11-5.

Zachwieja JJ, Yarasheski KE. Does growth hormone therapy in conjunction with resistance exercise increase muscle force production and muscle mass in men and women aged 60 years or older? *Phys Ther* 1999;79:76-82.

Zheng HY, Kelly L, Patterson LM, Berthoud HR. Effect of brain stem NMDA-receptor blockade by MK-801 on behavioral and Fos responses to vagal satiety signals. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;277:R1104-R11.

Zhou J, Yan XL, Ryan DH, Harris RBS. Sustained effects of repeated restraint stress on muscle and adipocyte metabolism in high-fat-fed rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 1999;277:R757-R66.

Zhou Y, Cheshire A, Howel LA, Ryan DH, Harris RBS. Neuroautoantibody immunoreactivity in relation to aging and stress in apolipoprotein E-deficient mice. *Brain Res Bull* 1999;49:173-9.

Zucker NL, Womble LG, Williamson DA, Perrin LA. Protective factors for eating disorders in female college athletes. *Eating Disorders: The Journal of Treatment and Prevention* 1999;7:207-18.

2000

Abbott TP, Flo G, Frank L, et al. Interlaboratory comparison of simmondsin analysis. *Industrial Crops and Products* 2000;12:209-13.

Allen JD, Wilson JB, Tulley RT, Lefevre M, Welsch MA. Influence of age and normal plasma fibrinogen levels on flow-mediated dilation in healthy adults. *Am J Cardiol* 2000;86:703-5, A9.

- An P, Rice T, Borecki IB, et al. Major gene effect on subcutaneous fat distribution in a sedentary population and its response to exercise training: The HERITAGE Family Study. *Am J Hum Biol* 2000;12:600-9.
- An P, Rice T, Gagnon J, et al. Segregation analysis of apolipoproteins A-1 and B-100 measured before and after an exercise training program: The HERITAGE Family Study. *Arteriosclerosis Thrombosis and Vascular Biology* 2000;20:807-14.
- An P, Rice T, Gagnon J, et al. A genetic study of dehydroepiandrosterone sulfate measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. *Metabolism* 2000;49:298-304.
- An P, Rice T, Gagnon J, et al. A genetic study of sex hormone-binding globulin measured before and after a 20-week endurance exercise training program: The HERITAGE family study. *Metabolism* 2000;49:1014-20.
- An P, Rice T, Gagnon J, et al. Familial aggregation of stroke volume and cardiac output during submaximal exercise: The HERITAGE Family Study. *Int J Sports Med* 2000;21:566-72.
- An P, Rice T, Gagnon J, et al. Cross-trait familial resemblance for resting blood pressure and body composition and fat distribution: The HERITAGE Family Study. *Am J Hum Biol* 2000;12:32-41.
- An P, Rice T, Perusse L, et al. Complex segregation analysis of blood pressure and heart rate measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. *Am J Hypertens* 2000;13:488-97.
- Applegate BW, Ames SC, Mehan DJ, Jr., McKnight GT, Jones GN, Brantley PJ. Maximizing medication adherence in low-income hypertensives: A pilot study. *J La State Med Soc* 2000;152:349-56.
- Asztalos B, Lefevre M, Wong L, et al. Differential response to low-fat diet between low and normal HDL-cholesterol subjects. *J Lipid Res* 2000;41:321-8.
- Asztalos BF, Roheim PS, Milani RL, et al. Distribution of apoA-I-containing HDL subpopulations in patients with coronary heart disease. *Arteriosclerosis Thrombosis and Vascular Biology* 2000;20:2670-6.
- Attia KA, Zaki AA, Eilts BE, et al. Anti-sperm antibodies and seminal characteristics after testicular biopsy or epididymal aspiration in dogs. *Theriogenology* 2000;53:1355-63.
- Benarafa C, Cunningham FM, Hamblin AS, Horohov DW, Collins ME. Cloning of equine chemokines eotaxin, monocyte chemoattractant protein (MCP)-1, MCP-2 and MCP-4, mRNA expression in tissues and induction by IL-4 in dermal fibroblasts. *Vet Immunol Immunopathol* 2000;76:283-98.
- Berthoud HR. Central neural control of the pancreas: Morphologic and functional aspects of vagal innervation. In: Singer MV, Krammer H-J, eds. *Neurogastroenterology: From the Basics to the Clinics*. Boston, MA; London, UK: Kluwer; 2000:303-14.
- Berthoud HR, Neuhuber WL. Functional and chemical anatomy of the afferent vagal system. *Autonomic Neuroscience-Basic & Clinical* 2000;85:1-17.
- Berthoud HR, Patterson LM, Morales S, Zheng HY. Additive satiety-delaying effects of capsaicin-induced visceral deafferentation and NMDA receptor blockade suggest separate pathways. *Pharmacology Biochemistry and Behavior* 2000;67:371-5.
- Berthoud HR, Seeley RJ. An overview of neural pathways and networks involved in the control of food intake and selection. In: Berthoud HR, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton, FL: CRC Press; 2000:361-87.
- Berthoud H-R, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton: CRC Press; 2000.

- Bjorntorp P, Rosmond P. Obesity and cortisol. *Nutrition* 2000;16:924-36.
- Bjorntorp P, Rosmond R. Neuroendocrine abnormalities in visceral obesity. *Int J Obes* 2000;24:S80-S5.
- Blecker U, Mehta DI, Davis R, Sothorn MS, Suskind RM. Nutritional problems in patients who have chronic disease. *Pediatr Rev* 2000;21:29-32.
- Bornstein SR, Tian H, Haidan A, et al. Deletion of tyrosine hydroxylase gene reveals functional interdependence of adrenocortical and chromaffin cell system in vivo. *Proc Natl Acad Sci U S A* 2000;97:14742-7.
- Bouchard C. Genetics and maximal oxygen uptake. In: Pedoe DT, ed. *Marathon Medicine*. London, UK; Lake Forest, IL: Royal Society of Medicine Press; 2000:86-97.
- Bouchard C. Inhibition of food intake by inhibitors of fatty acid synthase. *N Engl J Med* 2000;343:1888-9.
- Bouchard C. Introduction. In: Bouchard C, ed. *Physical Activity and Obesity*. Champaign, IL: Human Kinetics; 2000:3-20.
- Bouchard C, ed. *Physical Activity and Obesity*. Champaign, IL: Human Kinetics; 2000.
- Bouchard C, Rankinen T, Chagnon YC, et al. Genomic scan for maximal oxygen uptake and its response to training in the HERITAGE Family Study. *J Appl Physiol* 2000;88:551-9.
- Bouchard C, Wolfarth B, Rivera MA, Gagnon J, Simoneau JA. Genetic determinants of endurance performance. In: Shephard RJ, Åstrand P-O, eds. *Endurance in Sport*. 2nd ed. Osney Mead, Oxford, OX ; Malden, MA: Blackwell Science; 2000:223-42.
- Brantley PJ, Jeffries SK. Daily Stress Inventory (DSI) and Weekly Stress Inventory (WSI). In: Maruish ME, ed. *Handbook of Psychological Assessment in Primary Care Settings*. Mahwah, NJ: Lawrence Erlbaum Associates; 2000:373-90.
- Brantley PJ, Mehan DJJ, Thomas JL. The Beck Depression Inventory (BDI) and Center for Epidemiologic Studies Depression Scale (CES-D). In: Maruish ME, ed. *Handbook of Psychological Assessment in Primary Care Settings*. Mahwah, NJ: Lawrence Erlbaum Associates; 2000:399-422.
- Bray GA. Afferent signals regulating food intake. *Proc Nutr Soc* 2000;59:373-84.
- Bray GA. A concise review on the therapeutics of obesity. *Nutrition* 2000;16:953-60.
- Bray GA. Drug treatment of obesity. *Journal of the Korean Society for the Study of Obesity* 2000;9:23-7.
- Bray GA. Obesity, fat intake and chronic disease. In: Bloom FE, Kupfer DJ, eds. *Psychopharmacology: The Fourth Generation of Progress*. 2nd ed. Philadelphia, PA: Lippincott, Williams & Wilkins; 2000.
- Bray GA. Overweight, mortality and morbidity. In: Bouchard C, ed. *Physical Activity and Obesity*. Champaign, IL: Human Kinetics; 2000:31-53.
- Bray GA. Prevention of Obesity. In: De Groot LJ, Chrousos G, Dungan K, et al., eds. *Endotext*. South Dartmouth (MA); 2000.
- Bray GA. Reciprocal relation of food intake and sympathetic activity: experimental observations and clinical implications. *Int J Obes* 2000;24:S8-S17.
- Bray GA. Treatment and secondary prevention of obesity. *Nutrition* 2000;16:384-5.

Bray GA, Bouchard C. [Obesita]. In: Italiana IDE, ed. L'Universo del Corpo. Roma: Fondata da Giovanni Treccani; 2000:650-7.

Bray GA, Culbert IW, Champagne CM, et al. The Diabetes Prevention Program - baseline characteristics of the randomized cohort. *Diabetes Care* 2000;23:1619-29.

Bray GA, Macdiarmid L. The epidemic of obesity - a chronic disease that governments worldwide must take seriously. *West J Med* 2000;172:78-9.

Bray GA, Ryan DH. Clinical evaluation of the overweight patient. *Endocrine* 2000;13:167-86.

Bray GA, Tartaglia LA. Medicinal strategies in the treatment of obesity. *Nature* 2000;404:672-7.

Broskey NT, Johannsen D, Redman L. Regulation of Body Weight in Humans. In: De Groot LJ, Chrousos G, Dungan K, et al., eds. *Endotext*. South Dartmouth (MA); 2000.

Brown R, Sothorn M, Suskind R, Udall J, Blecker U. Racial differences in the lipid profiles of obese children and adolescents before and after significant weight loss. *Clin Pediatr (Phila)* 2000;39:427-31.

Bunting LD, Tarifa TA, Crochet BT, Fernandez JM, Depew CL, Lovejoy JC. Effects of dietary inclusion of chromium propionate and calcium propionate on glucose disposal and gastrointestinal development in dairy calves. *J Dairy Sci* 2000;83:2491-8.

Chagnon YC, Borecki IB, Perusse L, et al. Genome-wide search for genes related to the fat-free body mass in the Quebec family study. *Metabolism* 2000;49:203-7.

Chagnon YC, Perusse L, Weisnagel SJ, Rankinen T, Bouchard C. The human obesity gene map: The 1999 update. *Obes Res* 2000;8:89-117.

Chagnon YC, Wilmore JH, Borecki IB, et al. Associations between the leptin receptor gene and adiposity in middle-aged Caucasian males from the HERITAGE Family Study. *J Clin Endocrinol Metab* 2000;85:29-34.

Claycombe KJ, Xue BZ, Mynatt RL, Zemel MB, Moustaid-Moussa N. Regulation of leptin by agouti. *Physiol Genomics* 2000;2:101-5.

Cline AD, Tharion WJ, Tulley RT, Hotson N, Lieberman HR. Influence of a carbohydrate drink on nutritional status, body composition and mood during desert training. *Aviat Space Environ Med* 2000;71:37-44.

Conlin PR, Chow D, Miller ER, et al. The effect of dietary patterns on blood pressure control in hypertensive patients: Results from the Dietary Approaches to Stop Hypertension (DASH) trial. *Am J Hypertens* 2000;13:949-55.

Couillard C, Bergeron N, Bergeron J, et al. Metabolic heterogeneity underlying postprandial lipemia among men with low fasting high density lipoprotein cholesterol concentrations. *J Clin Endocrinol Metab* 2000;85:4575-82.

Couillard C, Gagnon J, Bergeron J, et al. Contribution of body fatness and adipose tissue distribution to the age variation in plasma steroid hormone concentrations in men: The HERITAGE family study. *J Clin Endocrinol Metab* 2000;85:1026-31.

Couillard C, Mauriege P, Imbeault P, et al. Hyperleptinemia is more closely associated with adipose cell hypertrophy than with adipose tissue hyperplasia. *Int J Obes* 2000;24:782-8.

DeLany JP, West DB. Changes in body composition with conjugated linoleic acid. *J Am Coll Nutr* 2000;19:487S-93S.

DeLany JP, Windhauser MM, Champagne CM, Bray GA. Differential oxidation of individual dietary fatty acids in

humans. *Am J Clin Nutr* 2000;72:905-11.

Dellinger B, Pryor WA, Cueto R, Squadrito G, Deutsch WA. The role of combustion-generated radicals in the toxicity of PM2.5. *Proceedings of the Combustion Institute* 2000;28:2675-81.

Dellinger B, Pryor WA, Cueto R, Squadrito GL, Deutsch WA. Combustion-generated radicals and their role in the toxicity of fine particulate. *Organohalogen Compounds* 2000;46:302.

Denkins YM, Woods J, Whitty JE, et al. Effects of gestational alcohol exposure on the fatty acid composition of umbilical cord serum in humans. *Am J Clin Nutr* 2000;71:300S-6S.

Despres JP, Couillard C, Gagnon J, et al. Race, visceral adipose tissue, plasma lipids, and lipoprotein lipase activity in men and women: The health, risk factors, exercise training, and genetics (HERITAGE) family study. *Arteriosclerosis Thrombosis and Vascular Biology* 2000;20:1932-8.

Diefenbach GJ, Reitman D, Williamson DA. Trichotillomania: a challenge to research and practice. *Clin Psychol Rev* 2000;20:289-309.

Dionne I, Almeras N, Bouchard C, Tremblay A. The association between vigorous physical activities and fat deposition in male adolescents. *Med Sci Sports Exerc* 2000;32:392-5.

Dohmann K, Wagner B, Horohov DW, Leibold W. Expression and characterisation of equine interleukin 2 and interleukin 4. *Vet Immunol Immunopathol* 2000;77:243-56.

Doucet E, St-Pierre S, Almeras N, et al. Fasting insulin levels influence plasma leptin levels independently from the contribution of adiposity: Evidence from both a cross-sectional and an intervention study. *J Clin Endocrinol Metab* 2000;85:4231-7.

Eisenmann JC, Katzmarzyk PT, Theriault G, Song TMK, Malina RM, Bouchard C. Cardiac dimensions, physical activity, and submaximal working capacity in youth of the Quebec Family Study. *Eur J Appl Physiol* 2000;81:40-6.

Fogelholm M, Rankinen T, Isoakaanta M, Kujala U, Uusitupa M. Growth, dietary intake, and trace element status in pubescent athletes and schoolchildren. *Med Sci Sports Exerc* 2000;32:738-46.

Friedl K, Lieberman H, Ryan DH, Bray GA, eds. *Countermeasures for Battlefield Stressors*. Baton Rouge, LA: Louisiana State University Press; 2000.

Garenc C, Perusse L, Gagnon J, et al. Linkage and association studies of the lipoprotein lipase gene with postheparin plasma lipase activities, body fat, and plasma lipid and lipoprotein concentrations: The HERITAGE Family Study. *Metabolism* 2000;49:432-9.

Godbee D, Thomas JL, Brantley PJ. Emergency psychiatry grand rounds, Earl K. Long Medical Center: Self-inflicted dog bites as a method of drug seeking behavior. *Emergency Psychiatry* 2000;6:131-4.

Gong DW, Monemdjou S, Gavrilova O, et al. Lack of obesity and normal response to fasting and thyroid hormone in mice lacking uncoupling protein-3. *J Biol Chem* 2000;275:16251-7.

Greenway FL, Raum WJ, DeLany JP. The effect of an herbal dietary supplement containing ephedrine and caffeine on oxygen consumption in humans. *J Altern Complement Med* 2000;6:553-5.

Greenway FL, Smith SR. The future of obesity research. *Nutrition* 2000;16:976-82.

Greenway SE, Greenway FL. Root surface caries: A complication of the jejunoileal bypass. *Obes Surg* 2000;10:33-6.

Gutkowska J, Jankowski M, Mukaddam-Daher S, McCann SM. Corticotropin-releasing hormone causes antidiuresis and antinatriuresis by stimulating vasopressin and inhibiting atrial natriuretic peptide release in male rats. *Proc Natl Acad Sci U S A* 2000;97:483-8.

Gutkowska J, Jankowski M, Mukaddam-Daher S, McCann SM. Oxytocin is a cardiovascular hormone. *Braz J Med Biol Res* 2000;33:625-33.

Habib KE, Weld KP, Rice KC, et al. Oral administration of a corticotropin-releasing hormone receptor antagonist significantly attenuates behavioral, neuroendocrine, and autonomic responses to stress in primates. *Proc Natl Acad Sci U S A* 2000;97:6079-84.

Halford JCG, Smith BK, Blundell JE. Serotonin (5-HT) and serotonergic receptors in the regulation of macronutrient intake. In: Berthoud HR, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton, FL: CRC Press; 2000:425-46.

Harris RB, Youngblood BD, Zhou J, Smagin GN, Ryan DH. REM sleep-deprived rats demonstrate a stress-induced impairment of spatial memory. In: Friedl K, Lieberman H, Ryan DH, Bray GA, eds. *Countermeasures for Battlefield Stressors*. Baton Rouge, LA: Louisiana State University Press; 2000:101-15.

Harris RBS. Leptin - much more than a satiety signal. *Annu Rev Nutr* 2000;20:45-75.

Harris RBS, Howell LA, Mitchell TD, Youngblood BD, York DA, Ryan DH. Stress and macronutrient selection. In: Berthoud H-R, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton, FL: CRC Press; 2000:473-86.

Heshka S, Greenway F, Anderson JW, et al. Self-help weight loss versus a structured commercial program after 26 weeks: A randomized controlled study. *Am J Med* 2000;109:282-7.

Hong YL, Despres JP, Rice T, et al. Evidence of pleiotropic loci for fasting insulin, total fat mass, and abdominal visceral fat in a sedentary population: The HERITAGE Family Study. *Obes Res* 2000;8:151-9.

Hong YL, Rice T, Gagnon J, et al. Familiality of triglyceride and LPL response to exercise training: The HERITAGE Study. *Med Sci Sports Exerc* 2000;32:1438-44.

Huuskonen J, Vaisanen SB, Kroger H, et al. Determinants of bone mineral density in middle aged men: A population-based study. *Osteoporos Int* 2000;11:702-8.

Hwang D. Fatty acids and immune responses - a new perspective in searching for clues to mechanism. *Annu Rev Nutr* 2000;20:431-56.

Jankowski M, Wang DH, Hajjar F, Mukaddam-Daher S, McCann SM, Gutkowska J. Oxytocin and its receptors are synthesized in the rat vasculature. *Proc Natl Acad Sci U S A* 2000;97:6207-11.

Jaroszewski JJ, Hansel W. Intraluteal administration of a nitric oxide synthase blocker stimulates progesterone and oxytocin secretion and prolongs the life span of the bovine corpus luteum. *Proc Soc Exp Biol Med* 2000;224:50-5.

Karant S, Yu WH, Walczewska A, Mastronardi C, McCann SM. Ascorbic acid acts as an inhibitory transmitter in the hypothalamus to inhibit stimulated luteinizing hormone-releasing hormone release by scavenging nitric oxide. *Proc Natl Acad Sci U S A* 2000;97:1891-6.

Katzmarzyk PT, Malina RM, Perusse L, et al. Familial resemblance for physique: Heritabilities for somatotype components. *Ann Hum Biol* 2000;27:467-77.

Katzmarzyk PT, Malina RM, Perusse L, et al. Familial resemblance in fatness and fat distribution. *Am J Hum Biol*

2000;12:395-404.

Katzmarzyk PT, Perusse L, Rao DC, Bouchard C. Familial risk of overweight and obesity in the Canadian population using the WHO/NIH criteria. *Obes Res* 2000;8:194-7.

Katzmarzyk PT, Perusse L, Rao DC, Bouchard C. Familial risk ratios for high and low physical fitness levels in the Canadian population. *Med Sci Sports Exerc* 2000;32:614-9.

Katzmarzyk PT, Perusse L, Rice T, et al. Familial resemblance for coronary heart disease risk: the HERITAGE Family Study. *Ethn Dis* 2000;10:138-47.

Katzmarzyk PT, Perusse L, Tremblay A, Bouchard C. No association between resting metabolic rate or respiratory exchange ratio and subsequent changes in body mass and fatness: 5 1/2 year follow-up of the Quebec Family Study. *Eur J Clin Nutr* 2000;54:610-4.

Katzmarzyk PT, Rankinen T, Perusse L, Malina RM, Bouchard C. 7-year stability of blood pressure in the Canadian population. *Prev Med* 2000;31:403-9.

Kelley MR, Xu Y, Wilson DM, Deutsch WA. Genomic structure and characterization of the *Drosophila* S3 ribosomal/DNA repair gene and mutant alleles. *DNA Cell Biol* 2000;19:149-56.

Kelly L, Morales S, Smith BK, Berthoud HR, Berthoud R. Capsaicin-treated rats permanently overingest low-but not high- concentration sucrose solutions. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2000;279:R1805-R12.

Koza RA, Hohmann SM, Guerra C, Rossmeisl M, Kozak LP. Synergistic gene interactions control the induction of the mitochondrial uncoupling protein (Ucp1) gene in white fat tissue. *J Biol Chem* 2000;275:34486-92.

Kozak LP. Genetic studies of brown adipocyte induction. *J Nutr* 2000;130:3132S-3S.

Kozak LP. Uncoupling diet and diabetes. *Nat Med* 2000;6:1092-3.

Kozak LP, Harper ME. Mitochondrial uncoupling proteins in energy expenditure. *Annu Rev Nutr* 2000;20:339-63.

Kozak LP, Koza RA, Liu X. Exploring a role for brown fat in the regulation of body weight. In: *Proceedings of the 27th Steenbock Symposium on Adipocyte Biology and Hormone Signaling*, Madison, WI, 6-9 June 1999; 2000:117-25.

Lefevre M, Lovejoy JC, DeFelice SM, et al. Common apolipoprotein A-IV variants are associated with differences in body mass index levels and percentage body fat. *Int J Obes* 2000;24:945-53.

Lemieux I, Couillard C, Pascot A, et al. The small, dense LDL phenotype as a correlate of postprandial lipemia in men. *Atherosclerosis* 2000;153:423-32.

Leon AS, Rice T, Mandel S, et al. Blood lipid response to 20 weeks of supervised exercise in a large biracial population: The HERITAGE Family Study. *Metabolism* 2000;49:513-20.

Lim JM, Hansel W. Exogenous substances affecting development of in vitro-derived bovine embryos before and after embryonic genome activation. *Theriogenology* 2000;53:1081-91.

Lin L, Bray G, York DA. Enterostatin suppresses food intake in rats after near-celiac and intracarotid arterial injection. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2000;278:R1346-R51.

Lomniczi A, Cebal E, Canteros G, McCann SM, Rettori V. Methylene blue inhibits the increase of inducible nitric oxide synthase activity induced by stress and lipopolysaccharide in the medial basal hypothalamus of rats.

Neuroimmunomodulation 2000;8:122-7.

Lomniczi A, Mastronardi CA, Faletti AG, et al. Inhibitory pathways and the inhibition of luteinizing hormone-releasing hormone release by alcohol. *Proc Natl Acad Sci U S A* 2000;97:2337-42.

Madiehe AM, Schaffhauser AO, Braymer DH, Bray GA, York DA. Differential expression of leptin receptor in high- and low-fat-fed Osborne-Mendel and S5B/P1 rats. *Obes Res* 2000;8:467-74.

Martin CK, Williamson DA, Thaw JM. Criterion validity of the multi-axial assessment of eating disorders symptoms. *Int J Eat Disord* 2000;28:303-10.

Mastronardi CA, Walczewska A, Yu WH, Karanth S, Parlow AF, McCann SM. The possible role of prolactin in the circadian rhythm of leptin secretion in male rats. *Proc Soc Exp Biol Med* 2000;224:152-8.

Mastronardi CA, Yu WH, Rettori V, McCann S. Lipopolysaccharide-induced leptin release is not mediated by nitric oxide, but is blocked by dexamethasone. *Neuroimmunomodulation* 2000;8:91-7.

McCann SM. Nitric oxide. In: Fink G, ed. *Encyclopedia of Stress*. San Diego: Academic Press; 2000:53-61.

McCann SM, Antunes-Rodrigues J, Franci CR, Anselmo-Franci JA, Karanth S, Rettori V. Role of the hypothalamic-pituitary-adrenal axis in the control of the response to stress and infection. *Braz J Med Biol Res* 2000;33:1121-31.

McCann SM, Kimura M, Karanth S, Yu WH, Mastronardi CA, Rettori V. The mechanism of action of cytokines to control the release of hypothalamic and pituitary hormones in infection. *Ann N Y Acad Sci* 2000;917:4-18.

Mendoza LM, Paz P, Zuberi A, Christianson G, Roopenian D, Shastri N. Identifying T cell-defined minor histocompatibility antigens by expression cloning. In: Roopenian DC, Simpson E, eds. *Minor Histocompatibility Antigens: From the Laboratory to the Clinic*. Georgetown, TX: Landes Bioscience; 2000:185 p.

Monemdjou S, Hofmann WE, Kozak LP, Harper ME. Increased mitochondrial proton leak in skeletal muscle mitochondria of UCP1-deficient mice. *American Journal of Physiology: Endocrinology and Metabolism* 2000;279:E941-E6.

Paik JH, Ju JH, Lee JY, Boudreau MD, Hwang DH. Two opposing effects of non-steroidal anti-inflammatory drugs on the expression of the inducible cyclooxygenase. Mediation through different signaling pathways. *J Biol Chem* 2000;275:28173-9.

Perusse L, Bouchard C. Gene-diet interactions in obesity. *Am J Clin Nutr* 2000;72:1285S-90S.

Perusse L, Chagnon YC, Bouchard C. Etiology and genetics of massive obesity. In: Deitel M, Cowan GSM, eds. *Update: Surgery for the Morbidly Obese Patient: The Field of Extreme Obesity Including Laparoscopy and Allied Care*. Toronto: FD-Communications; 2000:1-12.

Perusse L, Rice T, Province MA, et al. Familial aggregation of amount and distribution of subcutaneous fat and their responses to exercise training in the HERITAGE Family Study. *Obes Res* 2000;8:140-50.

Pinkney JH, Boss O, Bray GA, Bulmer K, Coppack SW, Mohamed-Ali V. Physiological relationships of uncoupling protein-2 gene expression in human adipose tissue in vivo. *J Clin Endocrinol Metab* 2000;85:2312-7.

Ramezanzadeh FM, Rao RM, Prinyawiwatkul W, Marshall WE, Windhauser M. Effects of microwave heat, packaging, and storage temperature on fatty acid and proximate compositions in rice bran. *J Agric Food Chem* 2000;48:464-7.

Rankinen T, Gagnon J, Perusse L, et al. AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study. *American Journal of Physiology: Heart and Circulatory Physiology* 2000;279:H368-H74.

Rankinen T, Hietanen E, Vaisanen S, et al. Relationship between lipid peroxidation and plasma fibrinogen in middle-aged men. *Thromb Res* 2000;99:453-9.

Rankinen T, Perusse L, Borecki I, et al. The Na⁺-K⁺-ATPase alpha 2 gene and trainability of cardiorespiratory endurance: The HERITAGE Family Study. *J Appl Physiol* 2000;88:346-51.

Rankinen T, Perusse L, Gagnon J, et al. Angiotensin-converting enzyme ID polymorphism and fitness phenotype in the HERITAGE Family Study. *J Appl Physiol* 2000;88:1029-35.

Rankinen T, Rice T, Perusse L, et al. NOS3 Glu298Asp genotype and blood pressure response to endurance training: The HERITAGE Family Study. *Hypertension* 2000;36:885-9.

Rankinen T, Wolfarth B, Simoneau JA, et al. No association between the angiotensin-converting enzyme ID polymorphism and elite endurance athlete status. *J Appl Physiol* 2000;88:1571-5.

Rauramaa R, Vaisanen SB, Kuhanen R, Penttila I, Bouchard C. The RsaI polymorphism in the alpha-fibrinogen gene and response of plasma fibrinogen to physical training - a controlled randomised clinical trial in men. *Thromb Haemost* 2000;83:803-6.

Rauramaa R, Vaisanen SB, Luong LA, et al. Stromelysin-1 and interleukin-6 gene promoter polymorphisms are determinants of asymptomatic carotid artery atherosclerosis. *Arteriosclerosis Thrombosis and Vascular Biology* 2000;20:2657-62.

Ravussin E, Bouchard C. Human genomics and obesity: Finding appropriate drug targets. *Eur J Pharmacol* 2000;410:131-45.

Reas DL, Williamson DA, Martin CK, Zucker NL. Duration of illness predicts outcome for bulimia nervosa: A long-term follow-up study. *Int J Eat Disord* 2000;27:428-34.

Rettori V, Lomniczi A, Elverdin JC, et al. Control of salivary secretion by nitric oxide and its role in neuroimmunomodulation. *Ann N Y Acad Sci* 2000;917:258-67.

Rhee SH, Hwang D. Murine toll-like receptor 4 confers lipopolysaccharide responsiveness as determined by activation of NF kappa B and expression of the inducible cyclooxygenase. *J Biol Chem* 2000;275:34035-40.

Rice T, Rankinen T, Province MA, et al. Genome-wide linkage analysis of systolic and diastolic blood pressure: The Quebec Family Study. *Circulation* 2000;102:1956-63.

Rice T, Rao R, Perusse L, Bouchard C, Rao DC. Tracking of familial resemblance for resting blood pressure over time in the Quebec Family Study. *Hum Biol* 2000;72:415-31.

Romanovsky AA, Ivanova AI, Berthoud HR, Kulchitsky VA. Are vagal efferents involved in the fever response to intraperitoneal lipopolysaccharide? *Journal of Thermal Biology* 2000;25:65-70.

Rosmond P, Chagnon YC, Chagnon M, Perusse L, Bouchard C, Bjorntorp P. A polymorphism of the 5'-flanking region of the glucocorticoid receptor gene focus is associated with basal cortisol secretion in men. *Metabolism* 2000;49:1197-9.

Rosmond R, Bjorntorp P. [Low cortisol production in chronic stress. The connection stress-somatic disease is a challenge for future research]. *Lakartidningen* 2000;97:4120-4.

Rosmond R, Bjorntorp P. The role of antidepressants in the treatment of abdominal obesity. *Med Hypotheses* 2000;54:990-4.

Rosmond R, Chagnon YC, Holm G, et al. A glucocorticoid receptor gene marker is associated with abdominal obesity, leptin, and dysregulation of the hypothalamic-pituitary-adrenal axis. *Obes Res* 2000;8:211-8.

Rosmond R, Chagnon YC, Holm G, et al. Hypertension in obesity and the leptin receptor gene locus. *J Clin Endocrinol Metab* 2000;85:3126-31.

Rosmond R, Ukkola O, Chagnon M, Bouchard C, Bjorntorp P. Polymorphisms of the beta(2)-adrenergic receptor gene (ADRB2) in relation to cardiovascular risk factors in men. *J Intern Med* 2000;248:239-44.

Ryan DH. Recent progress in obesity pharmacotherapy. *Curr Opin Gastroenterol* 2000;16:166-72.

Ryan DH. Use of sibutramine and other noradrenergic and serotonergic drugs in the management of obesity. *Endocrine* 2000;13:193-9.

Seeley RJ, Berthoud HR. Neural and metabolic control of macronutrient selection: Consensus and controversy. In: Berthoud HR, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton, FL: CRC Press; 2000:489-96.

Shao J, Catalano PM, Yamashita H, et al. Decreased insulin receptor tyrosine kinase activity and plasma cell membrane glycoprotein-1 overexpression in skeletal muscle from obese women with gestational diabetes mellitus (GDM): evidence for increased serine/threonine phosphorylation in pregnancy and GDM. *Diabetes* 2000;49:603-10.

Shi MX, Yan XL, Ryan DH, Harris RBS. Identification of urocortin mRNA antisense transcripts in rat tissue. *Brain Res Bull* 2000;53:317-24.

Skinner JS, Wilmore KM, Krasnoff JB, et al. Adaptation to a standardized training program and changes in fitness in a large, heterogeneous population: The HERITAGE Family Study. *Med Sci Sports Exerc* 2000;32:157-61.

Smagin GS, Harris RBS, Ryan DH. The role of locus coeruleus corticotropin-releasing factor-norepinephrine interaction in the behavioral response to stress. In: Friedl K, Lieberman H, Ryan DH, Bray GA, eds. *Countermeasures for Battlefield Stressors*. Baton Rouge, LA: Louisiana State University Press; 2000:88-100.

Smith BK, Andrews PK, West DB. Macronutrient diet selection in thirteen mouse strains. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2000;278:R797-R805.

Smith CF, Williamson DA, Womble LG, Johnson J, Burke LE. Psychometric development of a multidimensional measure of weight-related attitudes and behaviors. *Eat Weight Disord* 2000;5:73-86.

Smith SR, de Jonge L, Zachwieja JJ, et al. Concurrent physical activity increases fat oxidation during the shift to a high-fat diet. *Am J Clin Nutr* 2000;72:131-8.

Smith SR, de Jonge L, Zachwieja JJ, et al. Fat and carbohydrate balances during adaptation to a high-fat diet. *Am J Clin Nutr* 2000;71:450-7.

Smith SR, de Jonge L, Zachwieja JJ, et al. Fat and carbohydrate balances during adaptation to a high-fat diet - Reply to P Schrauwen et al - letter. *Am J Clin Nutr* 2000;72:1240-1.

Sothorn MS, Despinasse B, Brown R, Suskind RM, Udall JN, Jr., Blecker U. Lipid profiles of obese children and adolescents before and after significant weight loss: Differences according to sex. *South Med J* 2000;93:278-82.

Sothorn MS, Loftin JM, Udall JN, et al. Safety, feasibility, and efficacy of a resistance training program in preadolescent obese children. *Am J Med Sci* 2000;319:370-5.

Sothorn MS, Loftin M, Blecker U, Udall JN, Jr. Impact of significant weight loss on maximal oxygen uptake in obese children and adolescents. *J Investig Med* 2000;48:411-6.

Sothorn MS, Udall JN, Jr., Suskind RM, Vargas A, Blecker U. Weight loss and growth velocity in obese children after very low calorie diet, exercise, and behavior modification. *Acta Paediatr* 2000;89:1036-43.

Stanforth PR, Gagnon J, Rice T, et al. Reproducibility of resting blood pressure and heart rate measurements: The HERITAGE family study. *Ann Epidemiol* 2000;10:271-7.

Strong SM, Williamson DA, Netemeyer RG, Geer JH. Eating disorder symptoms and concerns about body differ as a function of gender and sexual orientation. *Journal of Social and Clinical Psychology* 2000;19:240-55.

Sun G, Chagnon M, Bouchard C. A common polymorphism in the human insulin-like growth factor binding protein 3 gene. *Mol Cell Probes* 2000;14:55-6.

Suskind RM, Blecker U, Udall JN, Jr., et al. Recent advances in the treatment of childhood obesity. *Pediatric Diabetes* 2000;1:23-33.

Truett GE, Heeger P, Mynatt RL, Truett AA, Walker JA, Warman ML. Preparation of PCR-quality mouse genomic DNA with hot sodium hydroxide and tris (HotSHOT). *Biotechniques* 2000;29:52, 4.

Truett GE, Walker JA, Baker DG. Eradication of infection with *Helicobacter* spp. by use of neonatal transfer. *Comp Med* 2000;50:444-51.

Truett GE, Walker JA, Harris RBS. A developmental switch affecting growth of fatty rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2000;279:R1956-R63.

Tulley RT, Malekian FM, Rood JC, et al. Analysis of the nutritional content of *Myocaster coypus*. *Journal of Food Composition and Analysis* 2000;13:117-25.

Ukkola O, Rankinen T, Weisnagel SJ, et al. Interactions among the alpha 2-, beta 2-, and beta 3-adrenergic receptor genes and obesity-related phenotypes in the Quebec Family Study. *Metabolism* 2000;49:1063-70.

Ukkola O, Tremblay A, Despres JP, Chagnon YC, Campfield LA, Bouchard C. Leptin receptor Gln223Arg variant is associated with a cluster of metabolic abnormalities in response to long-term overfeeding. *J Intern Med* 2000;248:435-9.

Waters WF, Magill RA, Hurry M, et al. Drug and nutrient effects on attention and cognitive performance during 40-hour sleep deprivation. In: Friedl K, Lieberman H, Ryan DH, Bray GA, eds. *Countermeasures for Battlefield Stressors*. Baton Rouge, LA: Louisiana State University Press; 2000:290-305.

West DB, Blohm FY, Truett AA, DeLany JP. Conjugated linoleic acid persistently increases total energy expenditure in AKR/J mice without increasing uncoupling protein gene expression. *J Nutr* 2000;130:2471-7.

West DB, Iakougova O, Olsson C, Ross D, Ohmen J, Chatterjee A. Mouse genetics/genomics: an effective approach for drug target discovery and validation. *Med Res Rev* 2000;20:216-30.

West DB, Ma Y, Truett AA, York B. Identification of genes involved in animal models of obesity. In: Björntorp P, Lockwood DH, Heffner TG, eds. *Obesity: Pathology and Therapy*. Berlin; New York, NY: Springer; 2000:xxiii, 503 p.

Whisenhunt BL, Williamson DA, Netemeyer RG, Womble LG. Reliability and validity of the Psychosocial Risk Factors Questionnaire (PRFQ). *Eat Weight Disord* 2000;5:1-6.

White CL, Bray GA, York DA. Intragastric beta-casomorphin(1-7) attenuates the suppression of fat intake by

enterostatin. *Peptides* 2000;21:1377-81.

White CL, Kashima K, Bray GA, York DA. Effect of a serotonin 1-A agonist on food intake of Osborne- Mendel and S5B/P1 rats. *Physiol Behav* 2000;68:715-22.

Williamson DA, Netemeyer SB. Cognitive behavior therapy. In: Miller KJ, Mizes JS, eds. *Comparative Treatments for Eating Disorders*. New York, NY: Springer Pub.; 2000:61-81.

Williamson DA, Perrin L, Blouin DC, Barbin JM. Cognitive bias in eating disorders: Interpretation of ambiguous body-related information. *Eat Weight Disord* 2000;5:143-51.

Williamson DA, Womble LG, Zucker NL, et al. Body image assessment for obesity (BIA-O): Development of a new procedure. *Int J Obes* 2000;24:1326-32.

Wolfarth B, Rivera MA, Oppert JM, et al. A polymorphism in the alpha(2a)-adrenoceptor gene and endurance athlete status. *Med Sci Sports Exerc* 2000;32:1709-12.

Wong ML, Kling MA, Munson PJ, et al. Pronounced and sustained central hypernoradrenergic function in major depression with melancholic features: Relation to hypercortisolism and corticotropin-releasing hormone. *Proc Natl Acad Sci U S A* 2000;97:325-30.

York D, Bouchard C. How obesity develops - insights from the new biology. *Endocrine* 2000;13:143-54.

York DA, Lin L, Smith BK, Chen J. Enterostatin as a regulator of fat intake. In: Berthoud H-R, Seeley RJ, eds. *Neural and Metabolic Control of Macronutrient Intake*. Boca Raton, FL: CRC Press; 2000:295-308.

York DA, Singer L, Oliver J, Abbott TP, Bray GA. The detrimental effect of simmondsin on food intake and body weight of rats. *Industrial Crops and Products* 2000;12:183-92.

York DA, Singer L, Thomas S, Bray GA. Effect of topiramate on body weight and body composition of Osborne-Mendel rats fed a high-fat diet: Alterations in hormones, neuropeptide, and uncoupling protein mRNAs. *Nutrition* 2000;16:967-75.

Yu WH, Karanth S, Sower SA, Parlow AF, McCann SM. The similarity of FSH-releasing factor to lamprey gonadotropin-releasing hormone III(I-GnRH-III). *Proc Soc Exp Biol Med* 2000;224:87-92.

Zachwieja JJ, Witt TL, Yarasheski KE. Intravenous glutamine does not stimulate mixed muscle protein synthesis in healthy young men and women. *Metabolism* 2000;49:1555-60.

Zheng HY, Berthoud HR. Functional vagal input to gastric myenteric plexus as assessed by vagal stimulation-induced Fos expression. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2000;279:G73-G81.

Zuberi AR, Church D. Mouse chromosome 2. *Mamm Genome* 2000;11:944-5.

2001

Allison DB, Miller RA, Austad SN, et al. Genetic variability in responses to caloric restriction in animals and in regulation of metabolism and obesity in humans. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2001;56:55-65.

Ames SC, Jones GN, Howe JT, Brantley PJ. A prospective study of the impact of stress on quality of life: An investigation of low-income individuals with hypertension. *Ann Behav Med* 2001;23:112-9.

An P, Rice T, Gagnon J, et al. Population differences in the pattern of familial aggregation for sex hormone-binding globulin and its response to exercise training: The HERITAGE Family Study. *Am J Hum Biol* 2001;13:832-7.

An P, Rice T, Gagnon J, et al. Race differences in the pattern of familial aggregation for dehydroepiandrosterone sulfate and its responsiveness to training in the HERITAGE Family Study. *Metabolism* 2001;50:916-20.

An P, Rosmond R, Borecki IB, et al. Genome-wide linkage scan to detect loci influencing levels of dehydroepiandrosterones in the HERITAGE Family Study. *Metabolism* 2001;50:1315-22.

Anderson DA, Williamson DA, Johnson WG, Grieve CO. Validity of test meals for determining binge eating. *Eat Behav* 2001;2:105-12.

Bastos R, Favarette ALV, Gutkowska J, McCann SM, Antunes-Rodrigues J. Alpha-adrenergic agonists inhibit the dipsogenic effect of angiotensin IT by their stimulation of atrial natriuretic peptide release. *Brain Res* 2001;895:80-8.

Bergeron J, Couillard C, Despres JP, et al. Race differences in the response of postheparin plasma lipoprotein lipase and hepatic lipase activities to endurance exercise training in men - results from the HERITAGE Family Study. *Atherosclerosis* 2001;159:399-406.

Berthoud HR, Earle T, Zheng HY, Patterson LM, Phifer C. Food-related gastrointestinal signals activate caudal brainstem neurons expressing both NMDA and AMPA receptors. *Brain Res* 2001;915:143-54.

Berthoud HR, Lynn PA, Blackshaw LA. Vagal and spinal mechanosensors in the rat stomach and colon have multiple receptive fields. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2001;280:R1371-R81.

Berthoud HR, Patterson LM, Zheng HY. Vagal-enteric interface: Vagal activation-induced expression of c-Fos and p-CREB in neurons of the upper gastrointestinal tract and pancreas. *Anat Rec* 2001;262:29-40.

Bezaire V, Hofmann W, Kramer JKG, Kozak LP, Harper ME. Effects of fasting on muscle mitochondrial energetics and fatty acid metabolism in Ucp3(-/-) and wild-type mice. *American Journal of Physiology: Endocrinology and Metabolism* 2001;281:E975-E82.

Bogle M, Stuff J, Davis L, et al. Validity of a telephone-administered 24-hour dietary recall in telephone and non-telephone households in the rural Lower Mississippi Delta Region. *J Am Diet Assoc* 2001;101:216-22.

Bouchard C. The genetics of human obesity: Recent progress. *Bulletin et Memoires de l'Academie Royale de Medecine de Belgique* 2001;156:455-62; discussion 63-64.

Bouchard C. Physical activity and health: Introduction to the dose-response symposium. *Med Sci Sports Exerc* 2001;33:S347-S50.

Bouchard C, Rankinen T. Individual differences in response to regular physical activity. *Med Sci Sports Exerc* 2001;33:S446-S51.

Boudreau MD, Sohn KH, Rhee SH, Lee SW, Hunt JD, Hwang DH. Suppression of tumor cell growth both in nude mice and in culture by n-3 polyunsaturated fatty acids: Mediation through cyclooxygenase-independent pathways. *Cancer Res* 2001;61:1386-91.

Brantley PJ, Ames SC. Psychobiology of health and disease. In: Adams HE, Sutker PB, eds. *Comprehensive Handbook of Psychopathology*. New York, NY: Plenum; 2001:777-95.

Bray GA. Drug treatment of obesity. *Rev Endocr Metab Disord* 2001;2:403-18.

Bray GA. Herbal medications: Do they have a place at the table? *Endocr Pract* 2001;7:485-90.

Bray GA. Obesity and diabetes-health budget breakers. *British Journal of Diabetes & Vascular Disease* 2001;1:99-100.

Bray GA, Bouchard C. Obesity, Determinants of: Genetic Aspects. In: Smelser NJ, Baltes PB, eds. *International Encyclopedia of the Social & Behavioral Sciences*. 1st ed. Oxford, UK; New York, NY: Elsevier; 2001:10775-81.

Bray GA, DeLany JP, Harsha DW, Volaufova J, Champagne CC. Evaluation of body fat in fatter and leaner 10-y-old African American and white children: The Baton Rouge Children's Study. *Am J Clin Nutr* 2001;73:687-702.

Bray GA, DeLany JP, Harsha DW, Volaufova J, Champagne CM. Body composition of African American and white children: A 2- year follow-up of the BAROC study. *Obes Res* 2001;9:605-21.

Bray GA, Ryan DH, eds. *Women's Health: Prevention Is the Best Medicine*. Baton Rouge, LA: Louisiana State University Press; 2001.

Bray GA, York DA. Obesity. In: *Handbook of Physiology*. New York, NY: Oxford University Press; 2001:1015-56.

Brown AM, Mayfield DK, Volaufova J, Argyropoulos G. The gene structure and minimal promoter of the human agouti related protein. *Gene* 2001;277:231-8.

Campbell PT, Katzmarzyk PT, Malina RM, Rao DC, Perusse L, Bouchard C. Prediction of physical activity and physical work capacity (PWC150) in young adulthood from childhood and adolescence with consideration of parental measures. *Am J Hum Biol* 2001;13:190-6.

Campbell PT, Katzmarzyk PT, Malina RM, Rao DC, Perusse L, Bouchard C. Stability of adiposity phenotypes from childhood and adolescence into young adulthood with contribution of parental measures. *Obes Res* 2001;9:394-400.

Chagnon YC, Rice T, Perusse L, et al. Genomic scan for genes affecting body composition before and after training in Caucasians from HERITAGE. *J Appl Physiol* 2001;90:1777-87.

Champagne CM, Hunt AE, Cline AD, Patrick K, Ryan DH. Incorporating new recipes into the armed forces recipe file: Determination of acceptability. *Mil Med* 2001;166:184-90.

Chapa AM, Fernandez JM, White TW, et al. Influence of dietary carnitine in growing sheep fed diets containing non-protein nitrogen. *Small Ruminant Research* 2001;40:13-28.

Chasuk RM, Brantley PJ, Martin PD. Knowledge and attitudes of family physicians about clinical practice guidelines and the care of patients with type 2 diabetes mellitus. *J La State Med Soc* 2001;153:31-44.

Clasey JL, Weltman A, Patrie J, et al. Abdominal visceral fat and fasting insulin are important predictors of 24-hour GH release independent of age, gender, and other physiological factors. *J Clin Endocrinol Metab* 2001;86:3845-52.

Couillard C, Despres JP, Lamarche B, et al. Effects of endurance exercise training on plasma HDL cholesterol levels depend on levels of triglycerides: Evidence from men of the health, risk factors, exercise training and genetics (HERITAGE) family study. *Arteriosclerosis Thrombosis and Vascular Biology* 2001;21:1226-32.

de Jonge L, Nguyen T, Smith SR, Zachwieja JJ, Roy HJ, Bray GA. Prediction of energy expenditure in a whole body indirect calorimeter at both low and high levels of physical activity. *Int J Obes* 2001;25:929-34.

Dees WL, Dearth RK, Hooper RN, Rahe H, Yu WH, McCann SM. Lamprey gonadotropin-releasing hormone-III selectively releases follicle stimulating hormone in the bovine. *Domest Anim Endocrinol* 2001;20:279-88.

Dellinger B, Pryor WA, Cueto R, Squadrito GL, Hegde V, Deutsch WA. Role of free radicals in the toxicity of airborne

fine particulate matter. *Chem Res Toxicol* 2001;14:1371-7.

Deutsch WA, Kukreja A, Shane B, Hegde V. Phenobarbital, oxazepam and Wyeth 14,643 cause DNA damage as measured by the Comet assay. *Mutagenesis* 2001;16:439-42.

Diefenbach GJ, McCarthy-Larzelere ME, Williamson DA, Mathews A, Manguno-Mire GM, Bentz BG. Anxiety, depression, and the content of worries. *Depress Anxiety* 2001;14:247-50.

Doucet E, St-Pierre S, Almeras N, Despres JP, Bouchard C, Tremblay A. Evidence for the existence of adaptive thermogenesis during weight loss. *Br J Nutr* 2001;85:715-23.

Edmonds JD, Horohov DW, Chapmat MR, et al. Altered immune responses to a heterologous protein in ponies with heavy gastrointestinal parasite burdens. *Equine Vet J* 2001;33:658-63.

Folsom RW, Littlefield-Chabaud MA, French DD, Pourciau SS, Mistic L, Horohov DW. Exercise alters the immune response to equine influenza virus and increases susceptibility to infection. *Equine Vet J* 2001;33:664-9.

Fortier MD, Katzmarzyk PT, Malina RM, Bouchard C. Seven-year stability of physical activity and musculoskeletal fitness in the Canadian population. *Med Sci Sports Exerc* 2001;33:1905-11.

Garenc C, Perusse L, Bergeron J, et al. Evidence of LPL gene-exercise interaction for body fat and LPL activity: The HERITAGE Family Study. *J Appl Physiol* 2001;91:1334-40.

Garenc C, Perusse L, Rankinen T, et al. The Trp64Arg polymorphism of the beta 3-adrenergic receptor gene is not associated with training-induced changes in body composition: The HERITAGE Family Study. *Obes Res* 2001;9:337-41.

Gaskill SE, Rice T, Bouchard C, et al. Familial resemblance in ventilatory threshold: The HERITAGE Family Study. *Med Sci Sports Exerc* 2001;33:1832-40.

Gaskill SE, Walker AJ, Serfass RA, et al. Changes in ventilatory threshold with exercise training in a sedentary population: The Heritage Family Study. *Int J Sports Med* 2001;22:586-92.

Gautier JF, Del Parigi A, Chen KW, et al. Effect of satiation on brain activity in obese and lean women. *Obes Res* 2001;9:676-84.

Gilbertson TA, Boughter JD, Jr., Zhang H, Smith DV. Distribution of gustatory sensitivities in rat taste cells: Whole-cell responses to apical chemical stimulation. *J Neurosci* 2001;21:4931-41.

Greenway FL. The safety and efficacy of pharmaceutical and herbal caffeine and ephedrine use as a weight loss agent. *Obes Rev* 2001;2:199-211.

Guesbeck NR, Hickey MS, MacDonald KG, et al. Substrate utilization during exercise in formerly morbidly obese women. *J Appl Physiol* 2001;90:1007-12.

Guinalda PD, Malinowski K, Roegner V, Horohov DW. Effects of age and recombinant equine somatotropin (eST) administration on immune function in female horses. *J Anim Sci* 2001;79:2651-8.

Hansel W, Leuschner C, Gawronska B, Enright F. Targeted destruction of prostate cancer cells and xenografts by lytic peptide-betaLH conjugates. *Reprod Biol* 2001;1:20-32.

Harris RBS, Mitchell TD, Yan XL, Simpson JS, Redmann SM. Metabolic responses to leptin in obese db/db mice are strain dependent. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2001;281:R115-R32.

Harris RBS, Zhou J, Shi MX, Redmann S, Mynatt RL, Ryan DH. Overexpression of agouti protein and stress responsiveness in mice. *Physiol Behav* 2001;73:599-608.

Hegde V, Kelley MR, Xu Y, Mian IS, Deutsch WA. Conversion of the bifunctional 8-oxoguanine/beta-delta apurinic/aprimidinic DNA repair activities of Drosophila ribosomal protein S3 into the human S3 monofunctional beta-elimination catalyst through a single amino acid change. *J Biol Chem* 2001;276:27591-6.

Heo M, Leibel RL, Boyer BB, et al. Pooling analysis of genetic data: The association of leptin receptor (LEPR) polymorphisms with variables related to human adiposity. *Genetics* 2001;159:1163-78.

Hofmann WE, Liu XT, Bearden CM, Harper ME, Kozak LP. Effects of genetic background on thermoregulation and fatty acid-induced uncoupling of mitochondria in UCP1-deficient mice. *J Biol Chem* 2001;276:12460-5.

Hong Y, Gagnon J, Rice T, et al. Familial resemblance for free androgens and androgen glucuronides in sedentary black and white individuals: The HERITAGE Family Study. *J Endocrinol* 2001;170:485-92.

Hong Y, Weisnagel SJ, Rice T, et al. Familial resemblance for glucose and insulin metabolism indices derived from an intravenous glucose tolerance test in Blacks and Whites of the HERITAGE Family Study. *Clin Genet* 2001;60:22-30.

Horohov DW, Pourciau SS, Mistic L, Chapman A, Ryan DH. Increased dietary fat prevents sleep deprivation-induced immune suppression in rats. *Comp Med* 2001;51:230-3.

Hsieh MM, Hegde V, Kelley MR, Deutsch WA. Activation of APE/Ref-1 redox activity is mediated by reactive oxygen species and PKC phosphorylation. *Nucleic Acids Res* 2001;29:3116-22.

Hwang D. Modulation of the expression of cyclooxygenase-2 by fatty acids mediated through toll-like receptor 4-derived signaling pathways. *FASEB J* 2001;15:2556-64.

Jankowski M, Rachelska G, Wang DH, McCann SM, Gutkowska J. Estrogen receptors activate atrial natriuretic peptide in the rat heart. *Proc Natl Acad Sci U S A* 2001;98:11765-70.

Jones GN, Ames SC, Jeffries SK, Scarinci IC, Brantley PJ. Utilization of medical services and quality of life among low-income patients with generalized anxiety disorder attending primary care clinics. *Int J Psychiatry Med* 2001;31:183-98.

Karanth S, Yu WH, Walczewska A, Mastronardi CA, McCann SM. Ascorbic acid stimulates gonadotropin release by autocrine action by means of NO. *Proc Natl Acad Sci U S A* 2001;98:11783-8.

Katzmarzyk P, Perusse L, Rice T, Rao DC, Bouchard C. Familial aggregation of seven-year changes in blood pressure in Canada. *Can J Cardiol* 2001;17:1267-74.

Katzmarzyk PT, Craig CL, Bouchard C. Underweight, overweight and obesity: Relationships with mortality in the 13-year follow-up of the Canada Fitness Survey. *J Clin Epidemiol* 2001;54:916-20.

Katzmarzyk PT, Gagnon J, Leon AS, et al. Fitness, fatness, and estimated coronary heart disease risk: the HERITAGE Family Study. *Med Sci Sports Exerc* 2001;33:585-90.

Katzmarzyk PT, Gledhill N, Perusse L, Bouchard C. Familial aggregation of 7-year changes in musculoskeletal fitness. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2001;56:B497-B502.

Katzmarzyk PT, Leon AS, Rankinen T, et al. Changes in blood lipids consequent to aerobic exercise training related to changes in body fatness and aerobic fitness. *Metabolism* 2001;50:841-8.

Katzmarzyk PT, Perusse L, Malina RM, Bergeron J, Despres JP, Bouchard C. Stability of indicators of the metabolic

syndrome from childhood and adolescence to young adulthood: The Quebec Family Study. *J Clin Epidemiol* 2001;54:190-5.

Katzmarzyk PT, Rankinen T, Perusse L, Rao DC, Bouchard C. Familial risk of high blood pressure in the Canadian population. *Am J Hum Biol* 2001;13:620-5.

Kelley MR, Tritt R, Xu Y, et al. The Drosophila S3 multifunctional DNA repair/ribosomal protein protects Fanconi anemia cells against oxidative DNA damaging agents. *Mutation Research-DNA Repair* 2001;485:107-19.

Kim SR, Lee JY, Lee MY, Chung SM, Bae ON, Chung JH. Association of quinone-induced platelet anti-aggregation with cytotoxicity. *Toxicol Sci* 2001;62:176-82.

Lanouette CM, Giacobino JP, Perusse L, et al. Association between uncoupling protein 3 gene and obesity-related phenotypes in the Quebec Family Study. *Mol Med* 2001;7:433-41.

Larose M, Bouchard C, Chagnon YC. A new gene related to human obesity identified by suppression subtractive hybridization. *Int J Obes* 2001;25:770-6.

Larson-Meyer DE, Newcomer BR, Hunter GR, Joannisse DR, Weinsier RL, Bamman MM. Relation between in vivo and in vitro measurements of skeletal muscle oxidative metabolism. *Muscle Nerve* 2001;24:1665-76.

Lee JY, Sohn KH, Rhee SH, Hwang D. Saturated fatty acids, but not unsaturated fatty acids, induce the expression of cyclooxygenase-2 mediated through toll-like receptor 4. *J Biol Chem* 2001;276:16683-9.

Lee WH, Kim SH, Lee Y, et al. Tumor necrosis factor receptor superfamily 14 is involved in atherogenesis by inducing proinflammatory cytokines and matrix metalloproteinases. *Arteriosclerosis Thrombosis and Vascular Biology* 2001;21:2004-10.

Lefevre M, Karmally W. Low-fat diets: One size may not fit all. [Interview by Jim McCaffree]. *J Am Diet Assoc* 2001;101:990, 2.

Leuschner C, Enright FM, Melrose PA, Hansel W. Targeted destruction of androgen-sensitive and -insensitive prostate cancer cells and xenografts through luteinizing hormone receptors. *Prostate* 2001;46:116-25.

Lin L, Martin R, Schaffhauser AO, York DA. Acute changes in the response to peripheral leptin with alteration in the diet composition. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2001;280:R504-R9.

Lindsay RS, Hanson RL, Roumain J, Ravussin E, Knowler WC, Tataranni PA. Body mass index as a measure of adiposity in children and adolescents: Relationship to adiposity by dual energy x-ray absorptiometry and to cardiovascular risk factors. *J Clin Endocrinol Metab* 2001;86:4061-7.

Loftin M, Sothorn M, Trosclair L, O'Hanlon A, Miller J, Udall J. Scaling Vo(2) peak in obese and non-obese girls. *Obes Res* 2001;9:290-6.

Lomniczi A, Mohn C, Faletti A, et al. Inhibition of salivary secretion by lipopolysaccharide: Possible role of prostaglandins. *American Journal of Physiology: Endocrinology and Metabolism* 2001;281:E405-E11.

Lovejoy JC. Obesity: Epidemiology and trends. In: Bray GA, Ryan DH, eds. *Women's Health: Prevention Is the Best Medicine*. Baton Rouge, LA: Louisiana State University Press; 2001.

Lovejoy JC, Champagne CM, Smith SR, de Jonge L, Xie H. Ethnic differences in dietary intakes, physical activity, and energy expenditure in middle-aged, premenopausal women: The Healthy Transitions Study. *Am J Clin Nutr* 2001;74:90-5.

Lovejoy JC, Champagne CM, Smith SR, et al. Relationship of dietary fat and serum cholesterol ester and phospholipid fatty acids to markers of insulin resistance in men and women with a range of glucose tolerance. *Metabolism* 2001;50:86-92.

Lovejoy JC, Smith SR, Rood JC. Comparison of regional fat distribution and health risk factors in middle-aged white and African American women: The Healthy Transitions Study. *Obes Res* 2001;9:10-6.

Lunn DP, Hussey S, Sebing R, et al. Safety, efficacy, and immunogenicity of a modified-live equine influenza virus vaccine in ponies after induction of exercise-induced immunosuppression. *J Am Vet Med Assoc* 2001;218:900-6.

Madiehe AM, Lin L, White C, Braymer HD, Bray GA, York DA. Constitutive activation of STAT-3 and downregulation of SOCS-3 expression induced by adrenalectomy. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2001;281:R2048-R58.

Mastronardi CA, Yu WH, McCann SM. Comparisons of the effects of anesthesia and stress on release of tumor necrosis factor-alpha, leptin, and nitric oxide in adult male rats. *Exp Biol Med* 2001;226:296-300.

Mastronardi CA, Yu WH, McCann SM. Lipopolysaccharide-induced tumor necrosis factor-alpha release is controlled by the central nervous system. *Neuroimmunomodulation* 2001;9:148-56.

Mastronardi CA, Yu WH, Srivastava VK, Dees WL, McCann SM. Lipopolysaccharide-induced leptin release is neurally controlled. *Proc Natl Acad Sci U S A* 2001;98:14720-5.

Mauer MM, Harris RBS, Bartness TJ. The regulation of total body fat: Lessons learned from lipectomy studies. *Neurosci Biobehav Rev* 2001;25:15-28.

Mayfield DK, Brown AM, Page GP, Garvey WT, Shriver MD, Argyropoulos G. A role for the Agouti-Related Protein promoter in obesity and type 2 diabetes. *Biochem Biophys Res Commun* 2001;287:568-73.

McCann SM. Release of leptin and its effect on hormone release from human pituitary adenomas. *Clin Endocrinol (Oxf)* 2001;55:161-2.

McCann SM, Karanth S, Mastronardi CA, et al. Control of gonadotropin secretion by follicle-stimulating hormone-releasing factor, luteinizing hormone-releasing hormone, and leptin. *Arch Med Res* 2001;32:476-85.

McCann SM, Kimura P, Yu WH, Mastronardi CA, Rettori V, Karanth S. Cytokines and pituitary hormone secretion. In: *Vitamins and Hormones - Advances in Research and Applications*; 2001:29-62.

McCarthy-Larzelere M, Diefenbach GJ, Williamson DA, Netemeyer RG, Bentz BG, Manguno-Mire GM. Psychometric properties and factor structure of the Worry Domains Questionnaire. *Assessment* 2001;8:177-91.

Mobbs CV, Bray GA, Atkinson RL, et al. Neuroendocrine and pharmacological manipulations to assess how caloric restriction increases life span. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2001;56:34-44.

Mohamed-Ali V, Flower L, Sethi J, et al. beta-adrenergic regulation of IL-6 release from adipose tissue: In vivo and in vitro studies. *J Clin Endocrinol Metab* 2001;86:5864-9.

Mohn C, Lomniczi A, Faletti A, et al. Effects of aminoguanidine and meloxicam on nitric oxide and prostaglandin E production induced by lipopolysaccharide in the hypothalamus and anterior pituitary of the rat. *Neuroimmunomodulation* 2001;9:276-85.

Mora-Rodriguez R, Hodgkinson BJ, Byerley LO, Coyle EF. Effects of beta-adrenergic receptor stimulation and blockade

on substrate metabolism during submaximal exercise. *American Journal of Physiology: Endocrinology and Metabolism* 2001;280:E752-E60.

Mynatt RL, Stephens JM. Agouti regulates adipocyte transcription factors. *American Journal of Physiology: Cell Physiology* 2001;280:C954-C61.

Netemeyer SB, Williamson DA. Assessment of eating disturbances in children and adolescents. In: Thompson JK, Smolak L, eds. *Body Image, Eating Disorders, and Obesity in Youth: Assessment, Prevention, and Treatment*. 1st ed. Washington, DC: American Psychological Association; 2001:215-33.

Nilsson C, Larsson BM, Jennische E, et al. Maternal endotoxemia results in obesity and insulin resistance in adult male offspring. *Endocrinology* 2001;142:2622-30.

Obarzanek E, Sacks FM, Vollmer RM, et al. Effects on blood lipids of a blood pressure-lowering diet: The Dietary Approaches to Stop Hypertension (DASH) Trial. *Am J Clin Nutr* 2001;74:80-9.

O'Hea EL, Sytsma SE, Copeland A, Brantley PJ. The attitudes toward women with HIV/AIDS scale (ATWAS): Development and validation. *AIDS Educ Prev* 2001;13:120-30.

Patterson LM, Zheng HY, Ward SM, Berthoud HR. Immunohistochemical identification of cholecystokinin A receptors on interstitial cells of Cajal, smooth muscle, and enteric neurons in rat pylorus. *Cell Tissue Res* 2001;305:11-23.

Perusse L, Chagnon YC, Weisnagel SJ, et al. The human obesity gene map: The 2000 update. *Obes Res* 2001;9:135-69.

Perusse L, Gagnon J, Province MA, et al. Familial aggregation of submaximal aerobic performance in the HERITAGE Family study. *Med Sci Sports Exerc* 2001;33:597-604.

Perusse L, Rice T, Chagnon YC, et al. A genome-wide scan for abdominal fat assessed by computed tomography in the Quebec Family Study. *Diabetes* 2001;50:614-21.

Ramsay TG. Porcine leptin alters insulin inhibition of lipolysis in porcine adipocytes in vitro. *J Anim Sci* 2001;79:653-7.

Rankinen T, An P, Rice T, et al. Genomic scan for exercise blood pressure in the Health, Risk Factors, Exercise Training and Genetics (HERITAGE) family study. *Hypertension* 2001;38:30-7.

Rankinen T, Perusse L, Bouchard C. Genetic aspects of physical activity, cardiorespiratory fitness and the response to regular exercise. In: Hollmann W, Kurz D, Mester J, eds. *Current Results on Health and Physical Activity*. Stuttgart, Germany: Hofmann-Stuttgart-Verlag; 2001:27-60.

Rankinen T, Perusse L, Rauramaa R, Rivera MA, Wolfarth B, Bouchard C. The human gene map for performance and health-related fitness phenotypes. *Med Sci Sports Exerc* 2001;33:855-67.

Ravussin E, Gautier JF. [Control of energy expenditure]. *Journ Annu Diabetol Hotel Dieu* 2001:97-112.

Ravussin E, Tschop M, Morales S, Bouchard C, Heiman ML. Plasma ghrelin concentration and energy balance: Overfeeding and negative energy balance studies in twins. *J Clin Endocrinol Metab* 2001;86:4547-51.

Reas DL, Schoemaker C, Zipfel S, Williamson DA. Prognostic value of duration of illness and early intervention in bulimia nervosa: A systematic review of the outcome literature. *Int J Eat Disord* 2001;30:1-10.

Richards MK, Paeratakul S, Bray GA, Popkin BM. Current theories regarding the influence of diet and the control of obesity. In: Wilson T, Temple NJ, eds. *Nutritional Health: Strategies for Disease Prevention*. Totowa, NJ: Humana Press; 2001:10775-81.

Rivera MA, Echegaray M, Rankinen T, et al. Angiogenin gene-race interaction for resting and exercise BP phenotypes: The HERITAGE Family Study. *J Appl Physiol* 2001;90:1232-8.

Rivera MA, Echegaray M, Rankinen T, et al. TGF-beta(1) gene-race interactions for resting and exercise blood pressure in the HERITAGE Family Study. *J Appl Physiol* 2001;91:1808-13.

Rosmond R, Bouchard C, Bjorntorp P. Tsp509I polymorphism in exon 2 of the glucocorticoid receptor gene in relation to obesity and cortisol secretion: cohort study. *Br Med J* 2001;322:652-3.

Rosmond R, Chagnon M, Bouchard C, Bjorntorp P. G-308A polymorphism of the tumor necrosis factor alpha gene promoter and salivary cortisol secretion. *J Clin Endocrinol Metab* 2001;86:2178-80.

Rosmond R, Chagnon M, Bouchard C, Bjorntorp P. A missense mutation in the human melanocortin-4 receptor gene in relation to abdominal obesity and salivary cortisol. *Diabetologia* 2001;44:1335-8.

Rosmond R, Chagnon M, Bouchard C, Bjorntorp P. A polymorphism in the regulatory region of the corticotropin-releasing hormone gene in relation to cortisol secretion, obesity, and gene-gene interaction. *Metabolism* 2001;50:1059-62.

Rosmond R, Rankinen T, Chagnon M, et al. Polymorphism in exon 6 of the dopamine D(2) receptor gene (DRD2) is associated with elevated blood pressure and personality disorders in men. *J Hum Hypertens* 2001;15:553-8.

Sacks FM, Svetkey LP, Vollmer WM, et al. Effects on blood pressure of reduced dietary sodium and the dietary approaches to stop hypertension (DASH) diet. *N Engl J Med* 2001;344:3-10.

Saint-Marc P, Kozak LP, Ailhaud G, Darimont C, Negrel R. Angiotensin II as a trophic factor of white adipose tissue: Stimulation of adipose cell formation. *Endocrinology* 2001;142:487-92.

Seidell JC, Perusse L, Despres JP, Bouchard C. Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: The Quebec Family Study. *Am J Clin Nutr* 2001;74:315-21.

Skinner JS, Jaskolski A, Jaskolska A, et al. Age, sex, race, initial fitness, and response to training: The HERITAGE Family Study. *J Appl Physiol* 2001;90:1770-6.

Smith BK, Volaufova J, West DB. Increased flavor preference and lick activity for sucrose and corn oil in SWR/J vs. AKR/J mice. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2001;281:R596-R606.

Smith SR, de Jonge L, Pellymounter M, et al. Peripheral administration of human corticotropin-releasing hormone: A novel method to increase energy expenditure and fat oxidation in man. *J Clin Endocrinol Metab* 2001;86:1991-8.

Smith SR, Lovejoy JC, Greenway F, et al. Contributions of total body fat, abdominal subcutaneous adipose tissue compartments, and visceral adipose tissue to the metabolic complications of obesity. *Metabolism* 2001;50:425-35.

Snitker S, Tataranni PA, Ravussin E. Spontaneous physical activity in a respiratory chamber is correlated to habitual physical activity. *Int J Obes* 2001;25:1481-6.

Sothorn MS. Exercise as a modality in the treatment of childhood obesity. *Pediatr Clin North Am* 2001;48:995-1015.

Stewart TM, Williamson DA, Smeets MAM, Greenway FL. Body morph assessment: Preliminary report on the development of a computerized measure of body image. *Obes Res* 2001;9:43-50.

Svetkey LP, Moore TJ, Simons-Morton DG, et al. Angiotensinogen genotype and blood pressure response in the Dietary Approaches to Stop Hypertension (DASH) study. *J Hypertens* 2001;19:1949-56.

Thaw JM, Williamson DA, Martin CK. Impact of altering DSM-IV criteria for anorexia and bulimia nervosa on the base rates of eating disorder diagnoses. *Eat Weight Disord* 2001;6:121-9.

Thomas JL, Howe J, Gaudet A, Brantley PJ. Behavioral treatment of chronic psychogenic polydipsia with hyponatremia: A unique case of polydipsia in a primary care patient with intractable hiccups. *J Behav Ther Exp Psychiatry* 2001;32:241-50.

Thomas JL, Jones GN, Scarinci IC, Mehan DJ, Brantley PJ. The utility of the CES-D as a depression screening measure among low-income women attending primary care clinics. *Int J Psychiatry Med* 2001;31:25-40.

Tishkoff SA, Varkonyi R, Cahinhinan N, et al. Haplotype diversity and linkage disequilibrium at human G6PD: Recent origin of alleles that confer malarial resistance. *Science* 2001;293:455-62.

Tschop M, Weyer C, Tataranni PA, Devanarayan V, Ravussin E, Heiman ML. Circulating ghrelin levels are decreased in human obesity. *Diabetes* 2001;50:707-9.

Ukkola O, Bouchard C. Clustering of metabolic abnormalities in obese individuals: The role of genetic factors. *Ann Med* 2001;33:79-90.

Ukkola O, Bouchard C. Genetic factors and childhood obesity. *Ann Nestle [Fr]* 2001;59:59-68.

Ukkola O, Gagnon J, Rankinen T, et al. Age, body mass index, race and other determinants of steroid hormone variability: the HERITAGE Family Study. *Eur J Endocrinol* 2001;145:1-9.

Ukkola O, Garenc C, Perusse L, et al. Genetic variation at the lipoprotein lipase locus and plasma lipoprotein and insulin levels in the Quebec Family Study. *Atherosclerosis* 2001;158:199-206.

Ukkola O, Perusse L, Chagnon YC, Despres JP, Bouchard C. Interactions among the glucocorticoid receptor, lipoprotein lipase and adrenergic receptor genes and abdominal fat in the Quebec Family Study. *Int J Obes* 2001;25:1332-9.

Ukkola O, Perusse L, Weisnagel SJ, et al. Interactions among the glucocorticoid receptor, lipoprotein lipase, and adrenergic receptor genes and plasma insulin and lipid levels in the Quebec family study. *Metabolism* 2001;50:246-52.

Ukkola O, Ravussin E, Jacobson P, et al. Mutations in the preproghrelin/ghrelin gene associated with obesity in humans. *J Clin Endocrinol Metab* 2001;86:3996-9.

Ukkola O, Rosmond R, Tremblay A, Bouchard C. Glucocorticoid receptor Bcl I variant is associated with an increased atherogenic profile in response to long-term overfeeding. *Atherosclerosis* 2001;157:221-4.

Ukkola O, Sun G, Bouchard C. Insulin-like growth factor 2 (IGF2) and IGF-binding protein 1 (IGFBP1) gene variants are associated with overfeeding-induced metabolic changes. *Diabetologia* 2001;44:2231-6.

Ukkola O, Tremblay A, Bouchard C. Beta-2 adrenergic receptor variants are associated with subcutaneous fat accumulation in response to long-term overfeeding. *Int J Obes* 2001;25:1604-8.

Ukkola O, Tremblay A, Sun G, Chagnon YC, Bouchard C. Genetic variation at the uncoupling protein 1, 2 and 3 loci and the response to long-term overfeeding. *Eur J Clin Nutr* 2001;55:1008-15.

Varnado-Sullivan PJ, Zucker N, Williamson DA, Reas D, Thaw J, Netemeyer SB. Development and implementation of the Body Logic Program for adolescents: A two-stage prevention program for eating disorders. *Cognitive and Behavioral Practice* 2001;8:248-59.

Volaufová J. Some estimation problems in a two-stage linear model. *Tatra Mountains Mathematical Publications*

2001;22:171-8.

Vollmer WM, Sacks FM, Ard J, et al. Effects of diet and sodium intake on blood pressure: Subgroup analysis of the DASH-Sodium Trial. *Ann Intern Med* 2001;135:1019-28.

Wang L, Bogerd J, Choi HS, et al. Three distinct types of GnRH receptor characterized in the bullfrog. *Proc Natl Acad Sci U S A* 2001;98:361-6.

Wauters M, Mertens I, Chagnon M, et al. Polymorphisms in the leptin receptor gene, body composition and fat distribution in overweight and obese women. *Int J Obes* 2001;25:714-20.

Wauters M, Mertens I, Rankinen T, Chagnon M, Bouchard C, Van Gaal L. Leptin receptor gene polymorphisms are associated with insulin in obese women with impaired glucose tolerance. *J Clin Endocrinol Metab* 2001;86:3227-32.

Weber JL, Reid PM, Greaves KA, et al. Validity of self-reported energy intake in lean and obese young women, using two nutrient databases, compared with total energy expenditure assessed by doubly labeled water. *Eur J Clin Nutr* 2001;55:940-50.

Weisnagel SJ, Rankinen T, Nadeau A, et al. Decreased fasting and oral glucose stimulated C-peptide in nondiabetic subjects with sequence variants in the sulfonylurea receptor 1 gene. *Diabetes* 2001;50:697-702.

Weyer C, Vozarova B, Ravussin E, Tataranni PA. Changes in energy metabolism in response to 48 h of overfeeding and fasting in Caucasians and Pima Indians. *Int J Obes* 2001;25:593-600.

Williams CD, Markov MS, Hardman WE, Cameron IL. Therapeutic electromagnetic field effects on angiogenesis and tumor growth. *Anticancer Res* 2001;21:3887-91.

Williamson DA. Bulimia. In: Kazdin A, ed. *Encyclopedia of Psychology*. New York, NY: Oxford University Press/American Psychological Association; 2001.

Williamson DA, Thaw JM, Varnado-Sullivan PJ. Cost-effectiveness analysis of a hospital-based cognitive-behavioral treatment program for eating disorders. *Behav Ther* 2001;32:459-77.

Williamson DA, Zucker NL, Martin CK, Smeets MAM. Etiology and management of eating disorders. In: Sutker PB, Adams HE, eds. *Comprehensive Handbook of Psychopathology*. 3rd ed. New York, NY: Plenum Publishing Corp.; 2001:641-70.

Wilmore JH, Green JS, Stanforth PR, et al. Relationship of changes in maximal and submaximal aerobic fitness to changes in cardiovascular disease and non-insulin-dependent diabetes mellitus risk factors with endurance training: the HERITAGE Family Study. *Metabolism* 2001;50:1255-63.

Wilmore JH, Stanforth PR, Gagnon J, et al. Cardiac output and stroke volume changes with endurance training: The HERITAGE Family Study. *Med Sci Sports Exerc* 2001;33:99-106.

Wilmore JH, Stanforth PR, Gagnon J, et al. Heart rate and blood pressure changes with endurance training: The HERITAGE Family Study. *Med Sci Sports Exerc* 2001;33:107-16.

Womble LG, Williamson DA, Greenway FL, Redmann SM. Psychological and behavioral predictors of weight loss during drug treatment for obesity. *Int J Obes* 2001;25:340-5.

Womble LG, Williamson DA, Martin CK, et al. Psychosocial variables associated with binge eating in obese males and females. *Int J Eat Disord* 2001;30:217-21.

Yadrick K, Horton J, Stuff J, et al. Perceptions of community nutrition and health needs in the Lower Mississippi Delta:

A key informant approach. *Journal of Nutrition Education* 2001;33:266-77.

Yoshioka M, Doucet E, St-Pierre S, et al. Impact of high-intensity exercise on energy expenditure, lipid oxidation and body fatness. *Int J Obes* 2001;25:332-9.

Zachwieja JJ, Ezell DM, Cline AD, et al. Short-term dietary energy restriction reduces lean body mass but not performance in physically active men and women. *Int J Sports Med* 2001;22:310-6.

Zheng HY, Patterson C, Berthoud HR. Fourth ventricular injection of CART peptide inhibits short-term sucrose intake in rats. *Brain Res* 2001;896:153-6.

Zhou J, Shi MX, Mitchell TD, et al. Changes in rat adipocyte and liver glucose metabolism following repeated restraint stress. *Exp Biol Med* 2001;226:312-9.

Ziecik AJ, Derecka K, Gawronska B, Stepień A, Bodek G. Nongonadal LH/hCG receptors in pig: Functional importance and parallels to human. *Semin Reprod Med* 2001;19:19-30.

2002

Anderson DA, Williamson DA. Outcome measurement for eating disorders. In: IsHak W, Burt T, Sederer L, eds. *Outcome Measurement in Psychiatry: A Critical Review*. Washington, DC: American Psychiatric Press; 2002:289-301.

Anderson JW, Greenway FL, Fujioka K, Gadde KM, McKenney J, O'Neil PM. Bupropion SR enhances weight loss: A 48-week double-blind, placebo-controlled trial. *Obes Res* 2002;10:633-41.

Argyropoulos G, Harper ME. Uncoupling proteins and thermoregulation. *J Appl Physiol* 2002;92:2187-98.

Argyropoulos G, Rankinen T, Neufeld DR, et al. A polymorphism in the human agouti-related protein is associated with late-onset obesity. *J Clin Endocrinol Metab* 2002;87:4198-202.

Barbin JM, Williamson DA, Stewart TM, Reas DL, Thaw JM, Guarda AS. Psychological adjustment in the children of mothers with a history of eating disorders. *Eat Weight Disord* 2002;7:32-8.

Beadle RE, Horohov DW, Gaunt SD. Interleukin-4 and interferon-gamma gene expression in summer pasture-associated obstructive pulmonary disease affected horses. *Equine Vet J* 2002;34:389-94.

Beattie MS, Hermann GE, Rogers RC, Bresnahan JC. Cell death in models of spinal cord injury. *Prog Brain Res* 2002;137:37-47.

Berthoud HR. Multiple neural systems controlling food intake and body weight. *Neurosci Biobehav Rev* 2002;26:393-428.

Berthoud HR, Hennig G, Campbell M, Volaufova J, Costa M. Video-based spatio-temporal maps for analysis of gastric motility in vitro: effects of vagal stimulation in guinea-pigs. *Neurogastroenterol Motil* 2002;14:677-88.

Bouchard C. Genetic influences on body weight. In: Fairburn CG, Brownell KD, eds. *Eating Disorders and Obesity: A Comprehensive Handbook*. 2nd ed. New York, NY: Guilford Press; 2002:16-21.

Boucher N, Lanouette CM, Larose M, Perusse L, Bouchard C, Chagnon YC. A+2138InsCAGACC polymorphism of the melanocortin receptor 3 gene is associated in human with fat level and partitioning in interaction with body corpulence. *Mol Med* 2002;8:158-65.

Bowles KS, Beadle RE, Mouch S, et al. A novel model for equine recurrent airway obstruction. *Vet Immunol*

Immunopathol 2002;87:385-9.

Brantley PJ, O'Hea EL, Jones G, Mehan DJ. The influence of income level and ethnicity on coping strategies. *J Psychopathol Behav Assess* 2002;24:39-45.

Bray G, Bouchard C. Obesity. In: King RA, Rotter JI, Motulsky AG, eds. *The Genetic Basis of Common Diseases*. 2nd ed. Oxford, UK; New York, NY: Oxford University Press; 2002:481-509.

Bray GA. Anthropometric assessment: Height, weight, body mass index (Adults). In: Berdanier CD, ed. *Handbook of Nutrition and Food*. Boca Raton, FL: CRC Press; 2002:695-708.

Bray GA. A brief history of obesity. In: Fairburn CG, Brownell KD, eds. *Eating Disorders and Obesity: A Comprehensive Handbook*. 2nd ed. New York, NY: Guilford Press; 2002:382-7.

Bray GA. Drug treatment of obesity. In: Wadden TA, Stunkard AJ, eds. *Handbook of Obesity Treatment*. New York, NY: Guilford Press; 2002:317-38.

Bray GA. Energy. In: Breslow L, ed. *Encyclopedia of Public Health*. New York, NY: Macmillan Reference USA; 2002:380.

Bray GA. Etiology and natural history of obesity. *Clinics in Family Practice* 2002;4:249-75.

Bray GA. Fats. In: Breslow L, ed. *Encyclopedia of Public Health*. New York, NY: Macmillan Reference USA; 2002:441.

Bray GA. Krebs cycle. In: Breslow L, ed. *Encyclopedia of Public Health*. New York, NY: Macmillan Reference USA; 2002:667-8.

Bray GA. Obesity: Is there effective treatment? *Consultant* 2002;42:1014-20.

Bray GA. Predicting obesity in adults from childhood and adolescent weight. *Am J Clin Nutr* 2002;76:497-8.

Bray GA. Sibutramine and blood pressure: A therapeutic dilemma. *J Hum Hypertens* 2002;16:1-3.

Bray GA. The underlying basis for obesity: Relationship to cancer. *J Nutr* 2002;132:3451S-5S.

Bray GA, DeLany JP, Volaufova J, Harsha DW, Champagne C. Prediction of body fat in 12-y-old African American and white children: Evaluation of methods. *Am J Clin Nutr* 2002;76:980-90.

Bray GA, Lovejoy JC, Most-Windhauser M, et al. A 9-mo randomized clinical trial comparing fat-substituted and fat-reduced diets in healthy obese men: The Ole Study. *Am J Clin Nutr* 2002;76:928-34.

Bray GA, Lovejoy JC, Smith SR, et al. The influence of different fats and fatty acids on obesity, insulin resistance and inflammation. *J Nutr* 2002;132:2488-91.

Brown LJ, Koza RA, Everett C, et al. Normal thyroid thermogenesis but reduced viability and adiposity in mice lacking the mitochondrial glycerol phosphate dehydrogenase. *J Biol Chem* 2002;277:32892-8.

Brown LJ, Koza RA, Marshall L, Kozak LP, MacDonald MJ. Lethal hypoglycemic ketosis and glyceroluria in mice lacking both the mitochondrial and the cytosolic glycerol phosphate dehydrogenases. *J Biol Chem* 2002;277:32899-904.

Butler AA, Cone RD. The melanocortin receptors: Lessons from knockout models. *Neuropeptides* 2002;36:77-84.

Butler AA, Yakar S, LeRoith D. Insulin-like growth factor-I: Compartmentalization within the somatotrophic axis? *News in Physiological Sciences* 2002;17:82-5.

Cameron IL, Hardman WE. Paracrine action of transforming growth factor-alpha in rectal crypt epithelium of humans. *Cell Biol Int* 2002;26:1029-34.

Champagne CM, Bogle ML, Karge WH, 3rd. Using national dietary data to measure dietary changes. *Public Health Nutr* 2002;5:985-9.

Champagne CM, Bray GA, Kurtz AA, et al. Energy intake and energy expenditure: A controlled study comparing dietitians and non-dietitians. *J Am Diet Assoc* 2002;102:1428-32.

Couillard C, Mauriege P, Prud'homme D, et al. Plasma leptin response to an epinephrine infusion in lean and obese women. *Obes Res* 2002;10:6-13.

de Jonge L, Bray GA. The thermic effect of food is reduced in obesity - letter. *Nutr Rev* 2002;60:295-7.

Del Parigi A, Chen KW, Gautier JF, et al. Sex differences in the human brain's response to hunger and satiation. *Am J Clin Nutr* 2002;75:1017-22.

Del Parigi A, Chen KW, Salbe AD, et al. Tasting a liquid meal after a prolonged fast is associated with preferential activation of the left hemisphere. *Neuroreport* 2002;13:1141-5.

Del Parigi A, Gautier JF, Chen K, et al. Neuroimaging and obesity: mapping the brain responses to hunger and satiation in humans using positron emission tomography. *Ann N Y Acad Sci* 2002;967:389-97.

Delahanty L, Meigs JB, Hayden D, Williamson DA, Nathan DM. Psychological and behavioral correlates of baseline BMI in the Diabetes Prevention Program (DPP). *Diabetes Care* 2002;25:1992-8.

DeLany JP, Bray GA, Harsha DW, Volaufova J. Energy expenditure in preadolescent African American and white boys and girls: The Baton Rouge Children's Study. *Am J Clin Nutr* 2002;75:705-13.

Demas GE, Bowers RR, Bartness TJ, Gettys TW. Photoperiodic regulation of gene expression in brown and white adipose tissue of Siberian hamsters (*Phodopus sungorus*). *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2002;282:R114-R21.

Diaz ES, Rettori V, Suescun MO, Lustig L, McCann SM, Denduchis B. Role of type IV collagen in prolactin release from anterior pituitaries of male rats. *Endocrine* 2002;18:185-9.

Dickey RA, Bray GA. Obesity. In: Lavin N, ed. *Manual of Endocrinology and Metabolism*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2002:510-9.

Earthman CP, Reid PM, Harper IT, Ravussin E, Howell WH. Body cell mass repletion and improved quality of life in HIV-infected individuals receiving oxandrolone. *Journal of Parenteral and Enteral Nutrition* 2002;26:357-65.

Edmonson AM, Mayfield DK, Vervoort V, DuPont BR, Argyropoulos G. Characterization of a human import component of the mitochondrial outer membrane, TOMM70A. *Cell Commun Adhes* 2002;9:15-27.

Emch GS, Hermann GE, Rogers RC. Tumor necrosis factor-alpha inhibits physiologically identified dorsal motor nucleus neurons in vivo. *Brain Res* 2002;951:311-5.

Feitosa MF, Gaskill SE, Rice T, et al. Major gene effects on exercise ventilatory threshold: The HERITAGE Family Study. *J Appl Physiol* 2002;93:1000-6.

Feitosa MF, Rice T, Rosmond R, et al. A genetic study of cortisol measured before and after endurance training: The HERITAGE Family Study. *Metabolism* 2002;51:360-5.

Feitosa MF, Rice T, Rosmond R, et al. Pleiotropic relationships between cortisol levels and adiposity: The HERITAGE Family Study. *Obes Res* 2002;10:1222-31.

Fermaglich DH, Horohov DW. The effect of aging on immune responses. *Veterinary Clinics of North America: Equine Practice* 2002;18:621-30, ix.

Finkenbine SS, Gettys TW, Burnett KG. Beta-adrenergic receptors on leukocytes of the channel catfish, *Ictalurus punctatus*. *Comparative Biochemistry and Physiology C: Pharmacology Toxicology and Endocrinology* 2002;131:27-37.

Fortier MD, Katzmarzyk PT, Bouchard C. Physical activity, aerobic fitness, and seven-year changes in adiposity in the Canadian population. *Canadian Journal of Applied Physiology-Revue Canadienne De Physiologie Appliquee* 2002;27:449-62.

Gabry KE, Chrousos GP, Rice KC, et al. Marked suppression of gastric ulcerogenesis and intestinal responses to stress by a novel class of drugs. *Mol Psychiatry* 2002;7:474-83.

Gamielidien J, Ptitsyn A, Hide W. Eukaryotic genes in *Mycobacterium tuberculosis* could have a role in pathogenesis and immunomodulation. *Trends Genet* 2002;18:5-8.

Gao ZG, Hwang D, Bataille F, et al. Serine phosphorylation of insulin receptor substrate 1 by inhibitor kappa B kinase complex. *J Biol Chem* 2002;277:48115-21.

Garenc C, Perusse L, Chagnon YC, et al. The alpha2-adrenergic receptor gene and body fat content and distribution: The HERITAGE Family Study. *Mol Med* 2002;8:88-94.

Garenc C, Perusse L, Chagnon YC, et al. The hormone-sensitive lipase gene and body composition: The HERITAGE Family Study. *Int J Obes* 2002;26:220-7.

Gawronska B, Leuschner C, Enright FM, Hansel W. Effects of a lytic peptide conjugated to beta hCG on ovarian cancer: Studies in vitro and in vivo. *Gynecol Oncol* 2002;85:45-52.

Gilbertson TA, Kim I. Chemoreception of fat. In: Given P, Paredes D, eds. *Chemistry of Taste: Mechanisms, Behaviors, and Mimics*; 2002:180-91.

Green JS, Stanforth PR, Gagnon J, et al. Menopause, estrogen, and training effects on exercise hemodynamics: The HERITAGE study. *Med Sci Sports Exerc* 2002;34:74-82.

Greenway SE, Greenway FL, Klein S. Effects of obesity surgery on non-insulin-dependent diabetes mellitus. *Arch Surg* 2002;137:1109-17.

Hamilton M. Strategies for the management of patients with obesity. *Treat Endocrinol* 2002;1:21-36.

Han JA, Kim JI, Ongusaha PP, et al. p53-mediated induction of Cox-2 counteracts p53-or genotoxic stress-induced apoptosis. *EMBO J* 2002;21:5635-44.

Hardman WE. Omega-3 fatty acids to augment cancer therapy. *J Nutr* 2002;132:3508S-12S.

Hardman WE, Moyer MP, Cameron IL. Consumption of an omega-3 fatty acids product, INCELL AAFA (TM), reduced side-effects of CPT-11 (irinotecan) in mice. *Br J Cancer* 2002;86:983-8.

Hardman WE, Munoz J, Jr., Cameron IL. Role of lipid peroxidation and antioxidant enzymes in omega 3 fatty acids induced suppression of breast cancer xenograft growth in mice. *Cancer Cell International* 2002;2:10-7.

Harris RBS, Mitchell TD, Mynatt RL. Leptin responsiveness in mice that ectopically express agouti protein. *Physiol*

Behav 2002;75:159-67.

Harris RBS, Mitchell TD, Simpson J, Redmann SM, Youngblood BD, Ryan DH. Weight loss in rats exposed to repeated acute restraint stress is independent of energy or leptin status. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2002;282:R77-R88.

Harris RBS, Zhou J, Mitchell T, Hebert S, Ryan DH. Rats fed only during the light period are resistant to stress-induced weight loss. *Physiol Behav* 2002;76:543-50.

Heo M, Leibel RL, Fontaine KR, et al. A meta-analytic investigation of linkage and association of common leptin receptor (LEPR) polymorphisms with body mass index and waist circumference. *Int J Obes* 2002;26:640-6.

Hermann GE, Tovar CA, Rogers RC. LPS-induced suppression of gastric motility relieved by TNFR : Fc construct in dorsal vagal complex. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2002;283:G634-G9.

Hiney JK, Sower SA, Yu WH, McCann SM, Dees WL. Gonadotropin-releasing hormone neurons in the preoptic-hypothalamic region of the rat contain lamprey gonadotropin-releasing hormone III, mammalian luteinizing hormone-releasing hormone, or both peptides. *Proc Natl Acad Sci U S A* 2002;99:2386-91.

Holmes GM, Hermann GE, Rogers RC, Bresnahan JC, Beattie MS. Dissociation of the effects of nucleus raphe obscurus or rostral ventrolateral medulla lesions on eliminatory and sexual reflexes. *Physiol Behav* 2002;75:49-55.

Horohov DW, Kydd JH, Hannant D. The effect of aging on T cell responses in the horse. *Dev Comp Immunol* 2002;26:121-8.

Hunt MS, Katzmarzyk PT, Perusse L, Rice T, Rao DC, Bouchard C. Familial resemblance of 7-year changes in body mass and adiposity. *Obes Res* 2002;10:507-17.

Hunter GR, Newcomer BR, Weinsier RL, et al. Age is independently related to muscle metabolic capacity in premenopausal women. *J Appl Physiol* 2002;93:70-6.

Hwang DH, Fung V, Dannenberg AJ. National Cancer Institute workshop on chemopreventive properties of nonsteroidal anti-inflammatory drugs: role of COX-dependent and -independent mechanisms. *Neoplasia* 2002;4:91-7.

Ikeda A, Zheng QY, Zuberi AR, Johnson KR, Naggert JK, Nishina PM. Microtubule-associated protein 1A is a modifier of tubby hearing (moth1). *Nat Genet* 2002;30:401-5.

Jackson AS, Stanforth PR, Gagnon J, et al. The effect of sex, age and race on estimating percentage body fat from body mass index: The Heritage Family Study. *Int J Obes* 2002;26:789-96.

Jacobson P, Ukkola O, Rankinen T, et al. Melanocortin 4 receptor sequence variations are seldom a cause of human obesity: The Swedish obese subjects, the HERITAGE family study, and a Memphis cohort. *J Clin Endocrinol Metab* 2002;87:4442-6.

Jequier E, Bray GA. Low-fat diets are preferred. *Am J Med* 2002;113:41-6.

Katzmarzyk PT, Craig CL, Bouchard C. Adiposity, adipose tissue distribution and mortality rates in the Canada Fitness Survey follow-up study. *Int J Obes* 2002;26:1054-9.

Katzmarzyk PT, Hebebrand J, Bouchard C. Spousal resemblance in the Canadian population: Implications for the obesity epidemic. *Int J Obes* 2002;26:241-6.

Kelley DE, Bray GA, Pi-Sunyer FX, et al. Clinical efficacy of orlistat therapy in overweight and obese patients with insulin-treated type 2 diabetes - a 1-year randomized controlled trial. *Diabetes Care* 2002;25:1033-41.

Kennedy BM, Burnett MF. Clinical research trials: A comparison of African Americans who have and have not participated. *J Cult Divers* 2002;9:95-101.

Kozak LP, Rossmeisl M. Adiposity and the development of diabetes in mouse genetic models. *Ann N Y Acad Sci* 2002;967:80-7.

Krowicki ZK, Burmeister MA, Berthoud HR, Scullion RT, Fuchs K, Hornby PJ. Orexins in rat dorsal motor nucleus of the vagus potently stimulate gastric motor function. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2002;283:G465-G72.

Lanouette CM, Chagnon YC, Rice T, et al. Uncoupling protein 3 gene is associated with body composition changes with training in HERITAGE study. *J Appl Physiol* 2002;92:1111-8.

Larson-Meyer DE. Effect of postpartum exercise on mothers and their offspring: A review of the literature. *Obes Res* 2002;10:841-53.

Larson-Meyer DE, Newcomer BR, Hunter GR. Influence of endurance running and recovery diet on intramyocellular lipid content in women: a ¹H-NMR study. *American Journal of Physiology: Endocrinology and Metabolism* 2002;282:E95-E106.

Lee JY, Hwang DH. Docosahexaenoic acid suppresses the activity of peroxisome proliferator-activated receptors in a colon tumor cell line. *Biochem Biophys Res Commun* 2002;298:667-74.

Lee WH, Kim SH, Jeong EM, et al. A novel chemokine, Leukotactin-1, induces chemotaxis, pro-atherogenic cytokines, and tissue factor expression in atherosclerosis. *Atherosclerosis* 2002;161:255-60.

Leon AS, Gaskill SE, Rice T, et al. Variability in the response of HDL cholesterol to exercise training in the HERITAGE Family Study. *Int J Sports Med* 2002;23:1-9.

Lewis MW, Hermann GE, Rogers RC, Travagli RA. In vitro and in vivo analysis of the effects of corticotropin releasing factor on rat dorsal vagal complex. *J Physiol* 2002;543:135-46.

Lieberman HR, Tharion WJ, Shukitt-Hale B, Speckman KL, Tulley R. Effects of caffeine, sleep loss, and stress on cognitive performance and mood during US Navy SEAL training. *Psychopharmacology (Berl)* 2002;164:250-61.

Lovejoy JC. The influence of dietary fat on insulin resistance. *Curr Diab Rep* 2002;2:435-40.

Lovejoy JC, Most MM, Lefevre M, Greenway FL, Rood JC. Effect of diets enriched in almonds on insulin action and serum lipids in adults with normal glucose tolerance or type 2 diabetes. *Am J Clin Nutr* 2002;76:1000-6.

Lovejoy JC, Smith SR, Champagne CM, et al. Effects of diets enriched in saturated (palmitic), monounsaturated (oleic), or trans (elaidic) fatty acids on insulin sensitivity and substrate oxidation in healthy adults. *Diabetes Care* 2002;25:1283-8.

Madiehe AM, Hebert S, Mitchell TD, Harris RB. Strain-dependent stimulation of growth in leptin-treated obese db/db mice. *Endocrinology* 2002;143:3875-83.

Marks DL, Butler AA, Cone RD. Melanocortin pathway: animal models of obesity and disease. *Ann Endocrinol (Paris)* 2002;63:121-4.

Mastronardi CA, Yu WH, McCann SM. Resting and circadian release of nitric oxide is controlled by leptin in male rats. *Proc Natl Acad Sci U S A* 2002;99:5721-6.

Mayville SB, Williamson DA, White MA, Netemeyer RG, Drab DL. Development of the Muscle Appearance Satisfaction Scale: A self-report measure for the assessment of muscle dysmorphia symptoms. *Assessment* 2002;9:351-60.

McCann SM, Antunes-Rodrigues J, Jankowski M, Gutkowska J. Oxytocin, vasopressin and atrial natriuretic peptide control body fluid homeostasis by action on their receptors in brain, cardiovascular system and kidney. In: *Vasopressin and Oxytocin: From Genes to Clinical Applications*; 2002:309-28.

McCann SM, Karanth S, Mastronardi CA, et al. Hypothalamic control of gonadotropin secretion. In: Parhar IS, ed. *Gonadotropin-Releasing Hormone: Molecules and Receptors*; 2002:151-64.

McCann SM, Kimura M, Karanth S, Yu WH, Rettori V. Role of nitric oxide in the neuroendocrine response to cytokines. In: *Neuroendocrine-Immune Interactions*; 2002:117-29.

Miller CC, Martin RJ, Whitney ML, Edwards GL. Intracerebroventricular injection of fructose stimulates feeding in rats. *Nutr Neurosci* 2002;5:359-62.

Most MM, Fishell V, Binkoski S, et al. Clinical nutrition studies: unique applications. In: Berdanier CD, ed. *Handbook of Nutrition and Food*. Boca Raton, FL: CRC Press; 2002:435-52.

Muller SL, Williamson DA, Martin CK. False consensus effect for attitudes related to body shape in normal weight women concerned with body shape. *Eat Weight Disord* 2002;7:124-30.

Nagase H, Nakajima A, Sekihara H, York DA, Bray GA. Regulation of feeding behavior, gastric emptying, and sympathetic nerve activity to interscapular brown adipose tissue by galanin and enterostatin: the involvement of vagal-central nervous system interactions. *J Gastroenterol* 2002;37:118-27.

Netemeyer RG, Williamson DA, Burton S, et al. Psychometric properties of shortened versions of the Automatic Thoughts Questionnaire. *Educational and Psychological Measurement* 2002;62:111-29.

Paeratakul S, Lovejoy JC, Ryan DH, Bray GA. The relation of gender, race and socioeconomic status to obesity and obesity comorbidities in a sample of US adults. *Int J Obes* 2002;26:1205-10.

Paeratakul S, White MA, Williamson DA, Ryan DH, Bray GA. Sex, race/ethnicity, socioeconomic status, and BMI in relation to self-perception of overweight. *Obes Res* 2002;10:345-50.

Paeratakul S, York-Crowe EE, Williamson DA, Ryan DH, Bray GA. Americans on diet: Results from the 1994-1996 Continuing Survey of Food Intakes by Individuals. *J Am Diet Assoc* 2002;102:1247-51.

Paik J, Lee JY, Hwang D. Signaling pathways for TNF α -induced COX-2 expression: Mediation through map kinases and NF κ B, and inhibition by certain nonsteroidal anti-inflammatory drugs. In: Honn KV, Marnett LJ, Nigam S, Dennis E, Serhan C, eds. *Eicosanoids and Other Bioactive Lipids in Cancer, Inflammation, and Radiation Injury*, 5: Kluwer Academic/Plenum Publishing; 2002:503-8.

Paquin J, Danalache BA, Jankowski M, McCann SM, Gutkowska J. Oxytocin induces differentiation of P19 embryonic stem cells to cardiomyocytes. *Proc Natl Acad Sci U S A* 2002;99:9550-5.

Patterson LM, Zheng HY, Berthoud HR. Vagal afferents innervating the gastrointestinal tract and CCKA-receptor immunoreactivity. *Anat Rec* 2002;266:10-20.

Perri MG, Anton SD, Durning PE, et al. Adherence to exercise prescriptions: effects of prescribing moderate versus higher levels of intensity and frequency. *Health Psychol* 2002;21:452-8.

Perusse L, Chagnon YC, Bouchard C. The genetics of obesity. In: Baxter JD, Melmed S, New MI, eds. *Genetics in Endocrinology*. Philadelphia, PA: Lippincott Williams & Wilkins; 2002:275-303.

Porter DW, Ye J, Ma J, et al. Time course of pulmonary response of rats to inhalation of crystalline silica: NF-kappa B activation, inflammation, cytokine production, and damage. *Inhal Toxicol* 2002;14:349-67.

Prpic V, Watson PM, Frampton IC, Sabol MA, Jezek GE, Gettys TW. Adaptive changes in adipocyte gene expression differ in AKR/J and SWR/J mice during diet-induced obesity. *J Nutr* 2002;132:3325-32.

Rankinen T, An P, Perusse L, et al. Genome-wide linkage scan for exercise stroke volume and cardiac output in the HERITAGE Family Study. *Physiol Genomics* 2002;10:57-62.

Rankinen T, Bouchard C. Genetics and blood pressure response to exercise, and its interactions with adiposity. *Prev Cardiol* 2002;5:138-44.

Rankinen T, Perusse L, Rauramaa R, Rivera MA, Wolfarth B, Bouchard C. The human gene map for performance and health-related fitness phenotypes: The 2001 update. *Med Sci Sports Exerc* 2002;34:1219-33.

Rankinen T, Perusse L, Weisnagel SJ, Synder EE, Chagnon YC, Bouchard C. The human obesity gene map: The 2001 update. *Obes Res* 2002;10:196-243.

Rankinen T, Ravussin E, Bouchard C. Determinants of the response to regular physical activity: Genetic versus environmental factors. In: Ruderman N, Devlin JT, Schneider SH, Kriska AM, eds. *Handbook of Exercise in Diabetes*. [2nd ed. Alexandria, VA: American Diabetes Association; 2002:135-41.

Rankinen T, Rice T, Leon AS, et al. G protein beta 3 polymorphism and hemodynamic and body composition phenotypes in the HERITAGE Family Study. *Physiol Genomics* 2002;8:151-7.

Rauramaa R, Kuhanen R, Lakka TA, et al. Physical exercise and blood pressure with reference to the angiotensinogen M235T polymorphism. *Physiol Genomics* 2002;10:71-7.

Ravussin E. Adiponectin enhances insulin action by decreasing ectopic fat deposition. *Pharmacogenomics J* 2002;2:4-7.

Ravussin E. Cellular sensors of feast and famine. *J Clin Invest* 2002;109:1537-40.

Ravussin E, Gautier JF. [Determinants and control of energy expenditure]. *Ann Endocrinol (Paris)* 2002;63:96-105.

Ravussin E, Klimes I, Sebokova E, Howard BV. Lipids and insulin resistance: What we've learned at the Fourth International Smolenice Symposium. *Ann N Y Acad Sci* 2002;967:576-80.

Ravussin E, Smith SR. Increased fat intake, impaired fat oxidation, and failure of fat cell proliferation result in ectopic fat storage, insulin resistance, and type 2 diabetes mellitus. *Ann N Y Acad Sci* 2002;967:363-78.

Reas DL, Whisenhunt BL, Netemeyer R, Williamson DA. Development of the body checking questionnaire: A self-report measure of body checking behaviors. *Int J Eat Disord* 2002;31:324-33.

Rettori V, Lomniczi A, Mohn C, et al. Mechanisms of inhibition of LHRH release by alcohol and cannabinoids. In: Parhar IS, ed. *Gonadotropin-Releasing Hormone: Molecules and Receptors*; 2002:175-81.

Rice T, An P, Gagnon J, et al. Heritability of HR and BP response to exercise training in the HERITAGE Family Study. *Med Sci Sports Exerc* 2002;34:972-9.

Rice T, Chagnon YC, Borecki IB, et al. Familial resemblance for plasma leptin: Sample homogeneity across adiposity and ethnic groups. *Obes Res* 2002;10:351-60.

Rice T, Chagnon YC, Perusse L, et al. A genomewide linkage scan for abdominal subcutaneous and visceral fat in black and white families - The HERITAGE Family Study. *Diabetes* 2002;51:848-55.

Rice T, Despres JP, Perusse L, et al. Familial aggregation of blood lipid response to exercise training in the health, risk factors, exercise training, and genetics (HERITAGE) family study. *Circulation* 2002;105:1904-8.

Rice T, Perusse L, Bouchard C. Genetics of energy and nutrient intake. In: Berdanier CD, ed. *Handbook of Nutrition and Food*. Boca Raton, FL: CRC Press; 2002:603-20.

Rice T, Rankinen T, Chagnon YC, et al. Genomewide linkage scan of resting blood pressure - HERITAGE family study. *Hypertension* 2002;39:1037-43.

Rim JS, Kozak LP. Regulatory motifs for CREB-binding protein and Nfe212 transcription factors in the upstream enhancer of the mitochondrial uncoupling protein 1 gene. *J Biol Chem* 2002;277:34589-600.

Rohner-Jeanrenaud F, Craft LS, Bridwell J, et al. Chronic central infusion of cocaine- and amphetamine-regulated transcript (CART 55-102): effects on body weight homeostasis in lean and high-fat-fed obese rats. *Int J Obes* 2002;26:143-9.

Rosmond R, Bouchard C, Bjorntorp P. 5-HT_{2A} receptor gene promoter polymorphism in relation to abdominal obesity and cortisol. *Obes Res* 2002;10:585-9.

Rosmond R, Bouchard C, Bjorntorp P. Allelic variants in the GABA(A) α 6 receptor subunit gene (GABRA6) is associated with abdominal obesity and cortisol secretion. *Int J Obes* 2002;26:938-41.

Rosmond R, Bouchard C, Bjorntorp P. Association between a variant at the GABA(A) α 6 receptor subunit gene, abdominal obesity, and cortisol secretion. *Ann N Y Acad Sci* 2002;967:566-70.

Rosmond R, Bouchard C, Bjorntorp P. A C-1291G polymorphism in the α (2A)-adrenergic receptor gene (ADRA2A) promoter is associated with cortisol escape from dexamethasone and elevated glucose levels. *J Intern Med* 2002;251:252-7.

Rosmond R, Bouchard C, Bjorntorp P. Increased abdominal obesity in subjects with a mutation in the 5-HT_{2A} receptor gene promoter. *Ann N Y Acad Sci* 2002;967:571-5.

Rosmond R, Bouchard C, Bjorntorp P. Lack of association between the uncoupling protein-2 Ala55Val gene polymorphism and phenotypic features of the Metabolic Syndrome. *Biochimica et Biophysica Acta - Molecular Basis of Disease* 2002;1588:103-5.

Rosmond R, Chagnon M, Bouchard C, Bjorntorp P. Polymorphism in exon 4 of the human 3 beta-hydroxysteroid dehydrogenase type I gene (HSD3B1) and blood pressure. *Biochem Biophys Res Commun* 2002;293:629-32.

Rosmond R, Ukkola O, Bouchard C, Bjorntorp P. Polymorphisms in exon 3 of the proopiomelanocortin gene in relation to serum leptin, salivary cortisol, and obesity in Swedish men. *Metabolism* 2002;51:642-4.

Roy HJ, Most MM, Sparti A, et al. Effect on body weight of replacing dietary fat with olestra for two or ten weeks in healthy men and women. *J Am Coll Nutr* 2002;21:259-67.

Salbe AD, Weyer C, Harper I, Lindsay RS, Ravussin E, Tataranni PA. Assessing risk factors for obesity between childhood and adolescence: II. Energy metabolism and physical activity. *Pediatrics* 2002;110:307-14.

Salbe AD, Weyer C, Lindsay RS, Ravussin E, Tataranni PA. Assessing risk factors for obesity between childhood and adolescence: I. Birth weight, childhood adiposity, parental obesity, insulin, and leptin. *Pediatrics* 2002;110:299-306.

Scarinci IC, Thomas J, Brantley PJ, Jones GN. Examination of the temporal relationship between smoking and major depressive disorder among low-income women in public primary care clinics. *Am J Health Promot* 2002;16:323-30.

Schaffhauser AO, Madiehe AM, Braymer HD, Bray GA, York DA. Effects of a high-fat diet and strain on hypothalamic gene expression in rats. *Obes Res* 2002;10:1188-96.

Simonen RL, Perusse L, Rankinen T, Rice T, Rao DC, Bouchard C. Familial aggregation of physical activity levels in the Quebec family study. *Med Sci Sports Exerc* 2002;34:1137-42.

Smith Richards BK, Belton BN, Poole AC, et al. QTL analysis of self-selected macronutrient diet intake: fat, carbohydrate, and total kilocalories. *Physiol Genomics* 2002;11:205-17.

Smith SR, Ravussin E. Emerging paradigms for understanding fatness and diabetes risk. *Curr Diab Rep* 2002;2:223-30.

Sothorn M. Encouraging outdoor physical activity in overweight elementary school children. In: Wellhousen K, ed. *Outdoor Play, Every Day: Innovative Play Concepts for Early Childhood*. Albany, NY: Delmar/Thomson Learning; 2002:xiv, 274 p.

Sothorn MS, Schumacher H, von Almen TK, Carlisle LK, Udall JN. Committed to Kids: An integrated, 4-level team approach to weight management in adolescents. *J Am Diet Assoc* 2002;102:S81-S5.

Stanley CC, Williams CC, Jenny BF, et al. Effects of feeding milk replacer once versus twice daily on glucose metabolism in Holstein and jersey calves. *J Dairy Sci* 2002;85:2335-43.

Stefan N, Vozarova B, Del Parigi A, et al. The Gln223Arg polymorphism of the leptin receptor in Pima Indians: Influence on energy expenditure, physical activity and lipid metabolism. *Int J Obes* 2002;26:1629-32.

Stefan N, Vozarova B, Funahashi T, et al. Plasma adiponectin levels are not associated with fat oxidation in humans. *Obes Res* 2002;10:1016-20.

Steiner AA, Antunes-Rodrigues J, McCann SM, Branco LGS. Antipyretic role of the NO-cGMP pathway in the anteroventral preoptic region of the rat brain. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2002;282:R584-R93.

Stewart TM, Williamson DA, White MA. Rigid vs. flexible dieting: Association with eating disorder symptoms in nonobese women. *Appetite* 2002;38:39-44.

Sun G, Ukkola O, Rankinen T, Joannisse DR, Bouchard C. Skeletal muscle characteristics predict body fat gain in response to overfeeding in never-obese young men. *Metabolism* 2002;51:451-6.

Sun Y, Lin H, Zhu Y, Ma C, Ye J, Luo J. Induction or suppression of expression of cytochrome C oxidase subunit II by heregulin beta 1 in human mammary epithelial cells is dependent on the levels of ErbB2 expression. *J Cell Physiol* 2002;192:225-33.

Tanaka S, Togashi K, Rankinen T, et al. Is adiposity at normal body weight relevant for cardiovascular disease risk? *Int J Obes* 2002;26:176-83.

Tataranni PA, Ravussin E. Energy metabolism and obesity. In: Wadden TA, Stunkard AJ, eds. *Handbook of Obesity Treatment*. New York, NY: The Guilford Press; 2002:43-72.

Togashi K, Masuda H, Rankinen T, Tanaka S, Bouchard C, Kamiya H. A 12-year follow-up study of treated obese children in Japan. *Int J Obes* 2002;26:770-7.

Ukkola O, Rankinen T, Gagnon J, et al. A genome-wide linkage scan for steroids and SHBG levels in black and white

families: The HERITAGE family study. *J Clin Endocrinol Metab* 2002;87:3708-20.

Ukkola O, Ravussin E, Jacobson P, et al. Role of ghrelin polymorphisms in obesity based on three different studies. *Obes Res* 2002;10:782-91.

Ukkola O, Tremblay A, Bouchard C. Lipoprotein lipase polymorphisms and responses to long-term overfeeding. *J Intern Med* 2002;251:429-36.

van Rossum CTM, Hoebee B, Seidell JC, et al. Genetic factors as predictors of weight gain in young adult Dutch men and women. *Int J Obes* 2002;26:517-28.

Vash PD, Engels TM, Kandeel FR, Greenway F. Scrotal cooling increases rectal temperature in man. *Exp Biol Med* 2002;227:105-7.

Verrelli BC, McDonald JH, Argyropoulos G, et al. Evidence for balancing selection from nucleotide sequence analyses of human G6PD. *Am J Hum Genet* 2002;71:1112-28.

Vicente MGH, Nurco DJ, Shetty SJ, et al. Synthesis, dark toxicity and induction of in vitro DNA photodamage by a tetra(4-nido-carboranylphenyl)porphyrin. *Journal of Photochemistry and Photobiology B-Biology* 2002;68:123-32.

Vozarova B, Weyer C, Bogardus C, Ravussin E, Tataranni PA. Differences in oral temperature and body shape in two populations with different propensities for obesity. *Ann N Y Acad Sci* 2002;967:516-21.

Wang Y, Prpic V, Green GM, Reeve JR, Jr., Liddle RA. Luminal CCK-releasing factor stimulates CCK release from human intestinal endocrine and STC-1 cells. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2002;282:G16-G22.

Warber JP, Tharion WJ, Patton JF, Champagne CM, Mitotti P, Lieberman HR. The effect of creatine monohydrate supplementation multiple bench on obstacle course and press performance. *J Strength Cond Res* 2002;16:500-8.

Wauters M, Considine RV, Chagnon M, et al. Leptin levels, leptin receptor gene polymorphisms, and energy metabolism in women. *Obes Res* 2002;10:394-400.

Whisenhunt BL, Williamson DA. Perceived weight status in normal weight and overweight women. *Eat Behav* 2002;3:229-38.

White MA, Whisenhunt BL, Williamson DA, Greenway FL, Netemeyer RG. Development and validation of the food-craving inventory. *Obes Res* 2002;10:107-14.

Williamson DA, Kohlmaier JR, White MA. Behavioral weight control therapies. In: Hersen M, Sledge W, eds. *Encyclopedia of Psychotherapy*. San Diego, CA: Academic Press; 2002:243-51.

Williamson DA, Martin PD, Allen HR, et al. Changes in food intake and body weight associated with basic combat training. *Mil Med* 2002;167:248-53.

Williamson DA, Stewart TM, White MA, York-Crowe E. Information processing perspective on body image. In: Cash T, Pruzinsky T, eds. *Body Images: A Handbook of Theory, Research, and Clinical Practice*. New York, NY: Guilford Press; 2002:47-54.

Williamson DA, Womble LG, Smeets MAM, et al. Latent structure of eating disorder symptoms: A factor analytic and taxometric investigation. *Am J Psychiatry* 2002;159:412-8.

Wu YJJ, Hughes D, Lin L, Braymer DH, York DA. Comparative study of enterostatin sequence in five rat strains and enterostatin binding proteins in rat and chicken serum. *Peptides* 2002;23:537-44.

Yu WH, Karanth S, Mastronardi CA, et al. Lamprey GnRH-III acts on its putative receptor via nitric oxide to release follicle-stimulating hormone specifically. *Exp Biol Med* 2002;227:786-93.

Zheng HY, Corkern MM, Crousillac SM, Patterson LM, Phifer CB, Berthoud HR. Neurochemical phenotype of hypothalamic neurons showing Fos expression 23 h after intracranial AgRP. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2002;282:R1773-R81.

Zheng HY, Patterson C, Berthoud HR. Behavioral analysis of anorexia produced by hindbrain injections of AMPA receptor antagonist NBQX in rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2002;282:R147-R55.

Zheng HY, Patterson LM, Berthoud HR. CART in the dorsal vagal complex: sources of immunoreactivity and effect on Fos expression and food intake. *Brain Res* 2002;957:298-310.

Zipfel S, Reas DL, Thornton C, et al. Day hospitalization programs for eating disorders: A systematic review of the literature. *Int J Eat Disord* 2002;31:105-17.

Zouboulis CC, Seltmann H, Hiroi N, et al. Corticotropin-releasing hormone: An autocrine hormone that promotes lipogenesis in human sebocytes. *Proc Natl Acad Sci U S A* 2002;99:7148-53.