

## 2003

- Allen JD, Geaghan JP, Greenway F, Welsch MA. Time course of improved flow-mediated dilation after short-term exercise training. *Med Sci Sports Exerc* 2003;35:847-53.
- An P, Borecki IB, Rankinen T, et al. Evidence of major genes for exercise heart rate and blood pressure at baseline and in response to 20 weeks of endurance training: The HERITAGE Family Study. *Int J Sports Med* 2003;24:492-8.
- An P, Hong YL, Weisnagel SJ, et al. Genomic scan of glucose and insulin metabolism phenotypes: The HERITAGE family study. *Metabolism* 2003;52:246-53.
- An P, Perusse L, Rankinen T, et al. Familial aggregation of exercise heart rate and blood pressure in response to 20 weeks of endurance training: The HERITAGE Family Study. *Int J Sports Med* 2003;24:57-62.
- Appel LJ, Champagne CM, Harsha DW, et al. Effects of comprehensive lifestyle modification on blood pressure control: Main results of the PREMIER clinical trial. *JAMA* 2003;289:2083-93.
- Appleyard SM, Hayward M, Young JJ, et al. A role for the endogenous opioid beta-endorphin in energy homeostasis. *Endocrinology* 2003;144:1753-60.
- Argyropoulos G, Rankinen T, Bai F, et al. The Agouti-related protein and body fatness in humans. *Int J Obes* 2003;27:276-80.
- Atwood CS, Barzilai N, Bowen RL, et al. Pennington scientific symposium on mechanisms and retardation of aging. *Exp Gerontol* 2003;38:1217-26.
- Awad HA, Halvorsen YD, Gimble JM, Guilak F. Effects of transforming growth factor beta1 and dexamethasone on the growth and chondrogenic differentiation of adipose-derived stromal cells. *Tissue Eng* 2003;9:1301-12.
- Bai F, Argyropoulos G. Active promoter elements in the human Agouti-related protein gene. In: Medeiros-Neto A, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:753-6.
- Berthoud HR. Neural pathways underlying food intake and energy homeostasis In: Medeiros-Neto G, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:59-64.
- Berthoud HR. Neural systems controlling food intake and energy balance in the modern world. *Curr Opin Clin Nutr Metab Care* 2003;6:615-20.
- Berthoud HR. Neurochemical control and reconfiguration of the medullary network controlling different oromotor behaviors. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;285:R19-R20.
- Bodek G, Rahman NA, Zaleska M, et al. A novel approach of targeted ablation of mammary carcinoma cells through luteinizing hormone receptors using Hecate-CG beta conjugate. *Breast Cancer Res Treat* 2003;79:1-10.
- Bosse Y, Despres JP, Bouchard C, Perusse L, Vohl MC. The peroxisome proliferator-activated receptor alpha L162V mutation is associated with reduced adiposity. *Obes Res* 2003;11:809-16.
- Bosse Y, Perusse L, Despres JP, et al. Evidence for a major quantitative trait locus on chromosome 17q21 affecting low-density lipoprotein peak particle diameter. *Circulation* 2003;107:2361-8.
- Bosse Y, Vohl MC, Despres JP, et al. Heritability of LDL peak particle diameter in the Quebec Family Study. *Genet Epidemiol* 2003;25:375-81.

Bouchard C. Genetic advances and their implications for sports performance. In: Malina RM, Clark MA, eds. *Youth Sports: Perspectives for a New Century*. Monterey, CA: Coaches Choice; 2003:101-8.

Bouchard C. Overview of the genetic susceptibility to obesity. In: Medeiros-Neto G, Halpem A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:989-93.

Boudreaux ED, Francis JL, Taylor CLC, Scarinci IC, Brantley PJ. Changing multiple health behaviors: smoking and exercise. *Prev Med* 2003;36:471-8.

Boudreaux ED, Wood KB, Mehan D, Scarinci I, Taylor CL, Brantley PJ. Congruence of readiness to change, self-efficacy, and decisional balance for physical activity and dietary fat reduction. *Am J Health Promot* 2003;17:329-36.

Boule NG, Tremblay A, Gonzalez-Barranco J, et al. Insulin resistance and abdominal adiposity in young men with documented malnutrition during the first year of life. *Int J Obes* 2003;27:598-604.

Bray GA. *An Atlas of Obesity and Weight Control*. London, UK: The Parthenon Publishing Group; 2003.

Bray GA. *Contemporary Diagnosis and Management of Obesity*. 2nd ed. Newton, PA: Handbooks in Health Care; 2003.

Bray GA. *Contemporary Diagnosis and Management of Obesity and the Metabolic Syndrome*. 3rd ed. Newton, PA: Handbooks in Health Care; 2003.

Bray GA. Evaluation of obesity. Who are the obese? *Postgrad Med* 2003;114:19-27, 38.

Bray GA. The fluoride hypothesis and diobesity: How to prevent diabetes by preventing obesity. In: Medeiros-Neto A, Halpem A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:26-8.

Bray GA. Hunger. In: Katz SH, Weaver WW, eds. *Encyclopedia of Food and Culture*. New York, NY: Scribner; 2003.

Bray GA. Low-carbohydrate diets and realities of weight loss. *JAMA* 2003;289:1853-5.

Bray GA. Novel approaches to the reduction and control of body fat mass. In: Farthing MJG, Mahalanabis D, eds. *The Control of Food and Fluid Intake in Health and Disease*. Philadelphia, PA, and Vevey, Switzerland: Lippincott Williams & Wilkins and Nestlé Nutrition; 2003:119-31.

Bray GA. Obesity. In: Katz SH, Weaver WW, eds. *Encyclopedia of Food and Culture*. New York, NY: Scribner; 2003.

Bray GA. Obesity. *Prim Care* 2003;30:XI-XII.

Bray GA. Risks of obesity. *Endocrinol Metab Clin North Am* 2003;32:787-804, viii.

Bray GA. Treatment of obesity with drugs in the new millennium. In: Eckel RH, ed. *Obesity: Mechanisms and Clinical Management*. Philadelphia, PA: Lippincott Williams & Wilkins; 2003:449-75.

Bray GA. *Weight Control: Assessment and Management: American College of Gynecology and Obstetrics*; 2003.

Bray GA, Hollander P, Klein S, et al. A 6-month randomized, placebo-controlled, dose-ranging trial of topiramate for weight loss in obesity. *Obes Res* 2003;11:722-33.

Bray GA, Ryan DH, Harsha DW. Diet, weight loss, and cardiovascular disease prevention. *Curr Treat Options Cardiovasc Med* 2003;5:259-69.

Butler AA, Cone RD. Knockout studies defining different roles for melanocortin receptors in energy homeostasis. *Ann N Y Acad Sci* 2003;994:240-5.

Cameron IL, Munoz J, Barnes CJ, Hardman WE. High dietary level of synthetic vitamin E on lipid peroxidation, membrane fatty acid composition and cytotoxicity in breast cancer xenograft and in mouse host tissue. *Cancer Cell International* 2003;3:3-11.

Carmack Taylor CL, Boudreaux ED, Jeffries SK, Scarinci IC, Brantley PJ. Applying exercise stage of change to a low-income underserved population. *Am J Health Behav* 2003;27:99-107.

Cefalu WT, Cefalu CA, Lipsky MS. Cardiovascular comorbidities; 2003.

Cefalu WT, Cefalu CA, Lipsky MS. Dual defects: Preexisting and progressive; 2003.

Chagnon YC, Rankinen T, Snyder EE, Weisnagel SJ, Perusse LK, Bouchard C. The human obesity gene map: The 2002 update. *Obes Res* 2003;11:313-67.

Champagne CM. Food composition databases: Important tools for improving national health. *Journal of Food Composition and Analysis* 2003;16:251-3.

Champagne CM, Morales S, Allen HR, Lefevre M. Energy density of food and energy balance. In: Medeiros-Neto G, Halpem A, Bouchard C, eds. *Progress in Obesity Research*: 9. London, UK: John Libbey Eurotext Ltd.; 2003:837-41.

Clegg DJ, Edwards GL, Martin RJ. Central insulin potentiates eating elicited by 2-deoxy-D-glucose. *Physiol Behav* 2003;78:331-6.

Couillard C, Bergeron J, Despres JP, et al. Apolipoprotein AI- and AI:AIII-containing lipoproteins in white men and women of the HERITAGE Family study: Associations with metabolic risk profile variables. *Metabolism* 2003;52:1530-6.

Coulter AA, Bearden CM, Liu X, Koza RA, Kozak LP. Dietary fat interacts with QTLs controlling induction of Pgc-1 alpha and Ucp1 during conversion of white to brown fat. *Physiol Genomics* 2003;14:139-47.

Cunningham FM, Vandergriff E, Bailey SR, Sepulveda MF, Goode NT, Horohov DW. Cloning, expression and biological activity of equine interleukin (IL)-5. *Vet Immunol Immunopathol* 2003;95:63-72.

Desmeules A, Couillard C, Tchernof A, et al. Post-heparin lipolytic enzyme activities, sex hormones and sex hormone-binding globulin (SHBG) in men and women: The HERITAGE Family Study. *Atherosclerosis* 2003;171:343-50.

Doucet E, Imbeault P, St-Pierre S, et al. Greater than predicted decrease in energy expenditure during exercise after body weight loss in obese men. *Clin Sci* 2003;105:89-95.

Drapeau V, Provencher V, Lemieux S, Despres JP, Bouchard C, Tremblay A. Do 6-y changes in eating behaviors predict changes in body weight? Results from the Quebec Family Study. *Int J Obes* 2003;27:808-14.

Duncan GE, Anton SD, Newton RL, Perri MG. Comparison of perceived health to physiological measures of health in Black and White women. *Prev Med* 2003;36:624-8.

Dunnwald M, Zuberi AR, Stephens K, et al. The ichq mutant mouse, a model for the human skin disorder harlequin ichthyosis: mapping, keratinocyte culture, and consideration of candidate genes involved in epidermal growth regulation. *Exp Dermatol* 2003;12:245-54.

Ehrhart-Bornstein M, Lamounier-Zepter V, Schraven A, et al. Human adipocytes secrete mineralocorticoid-releasing factors. *Proc Natl Acad Sci U S A* 2003;100:14211-6.

Eisenmann JC, Katzmarzyk PT, Perusse L, Bouchard C, Malina RM. Estimated daily energy expenditure and blood lipids in adolescents: The Quebec family study. *J Adolesc Health* 2003;33:147-53.

Ettinger MP, Littlejohn TW, Schwartz SL, et al. Recombinant variant of ciliary neurotrophic factor for weight loss in obese adults: A randomized, dose-ranging study. *JAMA* 2003;289:1826-32.

Feitosa MF, Borecki IB, Rankinen T, et al. Lack of pleiotropic genetic effects between adiposity and sex hormone-binding globulin concentrations before and after 20 weeks of exercise training: The HERITAGE family study. *Metabolism* 2003;52:35-41.

Frykman PN, Harman EA, Opstad PK, Hoyt RW, DeLany JP, Friedl KE. Effects of a 3-month endurance event on physical performance and body composition: The G2 trans-Greenland expedition. *Wilderness Environ Med* 2003;14:240-8.

Gao Z, Zuberi A, Quon MJ, Dong Z, Ye J. Aspirin inhibits serine phosphorylation of insulin receptor substrate 1 in tumor necrosis factor-treated cells through targeting multiple serine kinases. *J Biol Chem* 2003;278:24944-50.

Garenc C, Perusse L, Chagnon YC, et al. Effects of beta 2-adrenergic receptor gene variants on adiposity: The HERITAGE Family Study. *Obes Res* 2003;11:612-8.

Gimble J, Guilak F. Adipose-derived adult stem cells: Isolation, characterization, and differentiation potential. *Cytotherapy* 2003;5:362-9.

Gimble JM, Guilak F. Differentiation potential of adipose derived adult stem (ADAS) cells. In: Schatten G, ed. *Curr Top Dev Biol*; 2003:137-60.

Gonzalez-Barranco J, Rios-Torres JM, Castillo-Martinez L, et al. Effect of malnutrition during the first year of life on adult plasma insulin and glucose tolerance. *Metabolism* 2003;52:1005-11.

Graunke DM, Argyropoulos G. Deciphering transcriptional regulation relevant to eating behavior. *Current Genomics* 2003;4:623-33.

Greenway F. Clinical evaluation of the obese patient. *Prim Care* 2003;30:341-56, vi-vii.

Greenway F. Non-pharmacologic treatment of obesity: Herbal aids to weight loss. In: Medeiros-Neto A, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:1035-9.

Greenway FL, Frome BM, Engels TM, 3rd, McLellan A. Temporary relief of postherpetic neuralgia pain with topical geranium oil - letter. *Am J Med* 2003;115:586-7.

Gresl TA, Colman RJ, Havighurst TC, et al. Insulin sensitivity and glucose effectiveness from three minimal models: Effects of energy restriction and body fat in adult male rhesus monkeys. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;285:R1340-R54.

Hamilton M, Lovejoy J. Helping middle-aged patients lose weight. *Contemporary OB/GYN* 2003:84-98.

Hansel W. The potential for improving the growth and development of cultured farm animal oocytes. *Anim Reprod Sci* 2003;79:191-201.

Harris RBS, Mitchell TD, Hebert S. Leptin-induced changes in body composition in high fat-fed mice. *Exp Biol Med* 2003;228:24-32.

Hausman DB, Fine JB, Tagra K, Fleming SS, Martin RJ, DiGirolamo M. Regional fat pad growth and cellularity in obese Zucker rats: modulation by caloric restriction. *Obes Res* 2003;11:674-82.

Heilbronn LK, Ravussin E. Calorie restriction and aging: Review of the literature and implications for studies in humans. *Am J Clin Nutr* 2003;78:361-9.

Heilbronn LK, Smith SR, Ravussin E. The insulin-sensitizing role of the fat derived hormone adiponectin. *Curr Pharm Des* 2003;9:1411-8.

Hermann GE, Holmes GM, Rogers RC, Beattie MS, Bresnahan JC. Descending spinal projections from the rostral gigantocellular reticular nuclei complex. *J Comp Neurol* 2003;455:210-21.

Hermann GE, Tovar CA, Rogers RC. TNF alpha-stimulation of cFos-activation of neurons in the solitary nucleus is suppressed by TNFR : Fc adsorbant construct in the dorsal vagal complex. *Brain Res* 2003;976:69-74.

Heshka S, Anderson JW, Atkinson RL, et al. Weight loss with self-help compared with a structured commercial program: A randomized trial. *JAMA* 2003;289:1792-8.

Horohov DW. Is exercise bad for the immune system? *Equine Vet J* 2003;35:113-6.

Imbeault P, Prins JB, Stolic M, et al. Aging per se does not influence glucose homeostasis - in vivo and in vitro evidence. *Diabetes Care* 2003;26:480-4.

Jacqmain M, Doucet E, Despres JP, Bouchard C, Tremblay A. Calcium intake, body composition, and lipoprotein-lipid concentrations in adults. *Am J Clin Nutr* 2003;77:1448-52.

Janderova L, McNeil M, Murrell AN, Mynatt RL, Smith SR. Human mesenchymal stem cells as an in vitro model for human adipogenesis. *Obes Res* 2003;11:65-74.

Jaroszewski JJ, Bogacki M, Skarzynski DJ. Progesterone production in bovine luteal cells treated with drugs that modulate nitric oxide production. *Reproduction* 2003;125:389-95.

Jaroszewski JJ, Skarzynski DJ, Blair RM, Hansel W. Influence of nitric oxide on the secretory function of the bovine corpus luteum: dependence on cell composition and cell-to-cell communication. *Exp Biol Med* 2003;228:741-8.

Jaroszewski JJ, Skarzynski DJ, Hansel W. Nitric oxide as a local mediator of prostaglandin F2alpha-induced regression in bovine corpus luteum: an in vivo study. *Exp Biol Med* 2003;228:1057-62.

Karanth S, Yu WH, Mastronardi CA, McCann SM. Vitamin E stimulates luteinizing hormone-releasing hormone and ascorbic acid release from medial basal hypothalami of adult male rats. *Exp Biol Med* 2003;228:779-85.

Katzmarzyk PT, Despres JP, Bouchard C. Body types and health. In: Medeiros-Neto G, Halpem A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:644-8.

Katzmarzyk PT, Leon AS, Wilmore JH, et al. Targeting the metabolic syndrome with exercise: Evidence from the HERITAGE Family Study. *Med Sci Sports Exerc* 2003;35:1703-9.

Katzmarzyk PT, Tremblay A, Perusse L, Despres JP, Bouchard C. The utility of the international child and adolescent overweight guidelines for predicting coronary heart disease risk factors. *J Clin Epidemiol* 2003;56:456-62.

Konig D, Vaisanen SB, Bouchard C, et al. Cardiorespiratory fitness modifies the association between dietary fat intake and plasma fatty acids. *Eur J Clin Nutr* 2003;57:810-5.

Kris-Etherton P, Champagne C, McManus K. Attaining successful weight loss with an ideal macronutrient balance. *Holist Nurs Pract* 2003;17:250-61.

Lakka TA, Rankinen T, Weisnagel SJ, et al. A quantitative trait locus on 7q31 for the changes in plasma insulin in response to exercise training: the HERITAGE Family Study. *Diabetes* 2003;52:1583-7.

Lapillonne A, Clarke SD, Heird WC. Plausible mechanisms for effects of long-chain polyunsaturated fatty acids on growth. *J Pediatr* 2003;143:S9-S16.

Larew K, Hunter GR, Larson-Meyer DE, Newcomer BR, McCarthy JP, Weinsier RL. Muscle metabolic function, exercise performance, and weight gain. *Med Sci Sports Exerc* 2003;35:230-6.

Larson-Meyer DE. Optimal nutrition and hydration for the volleyball athlete. In: Reeser J, Bahr R, eds. *Volleyball: Handbook of Sports Medicine and Science*. Malden, MA: Blackwell Science; 2003:xi, 230 p.

Lee JY, Plakidas A, Lee WH, et al. Differential modulation of toll-like receptors by fatty acids: Preferential inhibition by n-3 polyunsaturated fatty acids. *J Lipid Res* 2003;44:479-86.

Lee JY, Ye JP, Gao ZG, et al. Reciprocal modulation of toll-like receptor-4 signaling pathways involving MyD88 and phosphatidylinositol 3-kinase/AKT by saturated and polyunsaturated fatty acids. *J Biol Chem* 2003;278:37041-51.

Lenard NR, Gettys TW, Dunn AJ. Activation of beta(2)- and beta(3)-adrenergic receptors increases brain tryptophan. *J Pharmacol Exp Ther* 2003;305:653-9.

Leuschner C, Enright FM, Gawronska B, Hansel W. Membrane disrupting lytic peptide conjugates destroy hormone dependent and independent breast cancer cells in vitro and in vivo. *Breast Cancer Res Treat* 2003;78:17-27.

Leuschner C, Enright FM, Gawronska-Kozak B, Hansel W. Human prostate cancer cells and xenografts are targeted and destroyed through luteinizing hormone releasing hormone receptors. *Prostate* 2003;56:239-49.

Li B, Xi X, Roane DS, Ryan DH, Martin RJ. Distribution of glucokinase, glucose transporter GLUT2, sulfonylurea receptor-1, glucagon-like peptide-1 receptor and neuropeptide Y messenger RNAs in rat brain by quantitative real time RT-PCR. *Molecular Brain Research* 2003;113:139-42.

Lin L, Thomas SR, Kilroy G, Schwartz GJ, York DA. Enterostatin inhibition of dietary fat intake is dependent on CCK-A receptors. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;285:R321-R8.

Lin PH, Aickin M, Champagne C, et al. Food group sources of nutrients in the dietary patterns of the DASH-Sodium trial. *J Am Diet Assoc* 2003;103:488-96.

Lin PH, Proschan MA, Bray GA, et al. Estimation of energy requirements in a controlled feeding trial. *Am J Clin Nutr* 2003;77:639-45.

Liu XT, Rossmeisl M, McClaine J, Kozak LP. Paradoxical resistance to diet-induced obesity in UCP1-deficient mice. *J Clin Invest* 2003;111:399-407.

Loftin M, Sothorn M, VanVrancken C, O'Hanlon A, Udall J. Effect of obesity status on heart rate peak in female youth. *Clin Pediatr (Phila)* 2003;42:505-10.

Loos RJ, Bouchard C. Obesity - is it a genetic disorder? *J Intern Med* 2003;254:401-25.

Loos RJ, Katzmarzyk PT, Rao DC, et al. Genome-wide linkage scan for the metabolic syndrome in the HERITAGE Family Study. *J Clin Endocrinol Metab* 2003;88:5935-43.

Lovejoy JC. The menopause and obesity. *Prim Care* 2003;30:317-25.

Lovejoy JC, Bray GA, Lefevre M, et al. Consumption of a controlled low-fat diet containing olestra for 9 months improves health risk factors in conjunction with weight loss in obese men: The Ole study. *Int J Obes* 2003;27:1242-9.

Ma CL, Lin H, Leonard SS, Shi XL, Ye JP, Luo J. Overexpression of ErbB2 enhances ethanol-stimulated intracellular

signaling and invasion of human mammary epithelial and breast cancer cells in vitro. *Oncogene* 2003;22:5281-90.

Ma Q, Kinneer K, Ye JP, Chen BJ. Inhibition of nuclear factor kappa B by phenolic antioxidants: Interplay between antioxidant signaling and inflammatory cytokine expression. *Mol Pharmacol* 2003;64:211-9.

Madeiros-Neto G, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext; 2003.

Magill RA, Waters WF, Bray GA, et al. Effects of tyrosine, phentermine, caffeine D-amphetamine, and placebo on cognitive and motor performance deficits during sleep deprivation. *Nutr Neurosci* 2003;6:237-46.

Marks DL, Butler AA, Turner R, Brookhart G, Cone RD. Differential role of melanocortin receptor subtypes in cachexia. *Endocrinology* 2003;144:1513-23.

Martin PD, Rhode PC, Howe JT, Brantley PJ. Primary care weight management counseling: physician and patient perspectives. *J La State Med Soc* 2003;155:52-6.

McCann SM, Gutkowska J, Rodrigues JA. Neuroendocrine control of body fluid homeostasis. *Braz J Med Biol Res* 2003;36:165-81.

McCann SM, Karanth S, Yu WH, Mastronardi CA. Neuroendocrine regulation of leptin secretion and its role in nitric oxide secretion. In: Henson MC, Castracane VD, eds. *Leptin and Reproduction*. New York, NY: Kluwer Academic/Plenum Publishers; 2003:xx, 351 p.

McCann SM, Mastronardi C, Waiczewska A, Karanth S, Rettori V, Yu WH. The role of nitric oxide (NO) in control of LHRH release that mediates gonadotropin release and sexual behavior. *Curr Pharm Des* 2003;9:381-90.

McLean DC, Jr., Spruill I, Gevao S, et al. Three novel mtDNA restriction site polymorphisms allow exploration of population affinities of African Americans. *Hum Biol* 2003;75:147-61.

Most MM. Behavioural counselling is effective at increasing consumption of fruit and vegetables in low-income adults. *Evidence-based Healthcare* 2003;7:170-1.

Most MM, Craddick S, Crawford S, et al. Dietary quality assurance processes of the DASH-Sodium controlled diet study. *J Am Diet Assoc* 2003;103:1339-46.

Most MM, Ershow AG, Clevidence BA. An overview of methodologies, proficiencies, and training resources for controlled feeding studies. *J Am Diet Assoc* 2003;103:729-35.

Mouat MF, Greenspan P, Byerley LO, Grider A. Zinc uptake into MCF-10A cells is inhibited by cholesterol depletion. *J Nutr Biochem* 2003;14:74-80.

Mynatt RL, Stephens JM. Regulation of PPARgamma and obesity by agouti/melanocortin signaling in adipocytes. *Ann N Y Acad Sci* 2003;994:141-6.

Nguyen T, de Jonge L, Smith SR, Bray GA. Chamber for indirect calorimetry with accurate measurement and time discrimination of metabolic plateaus of over 20 min. *Med Biol Eng Comput* 2003;41:572-8.

Ni XP, Pearce D, Butler AA, Cone RD, Humphreys MH. Genetic disruption of gamma-melanocyte-stimulating hormone signaling leads to salt-sensitive hypertension in the mouse. *J Clin Invest* 2003;111:1251-8.

Obarzanek E, Proschan MA, Vollmer WM, et al. Individual blood pressure responses to changes in salt intake: results from the DASH-Sodium trial. *Hypertension* 2003;42:459-67.

O'Hea EL, Wood KB, Brantley PJ. The transtheoretical model: Gender differences across 3 health behaviors. *Am J Health Behav* 2003;27:645-56.

Paeratakul S, Ferdinand DP, Champagne CM, Ryan DH, Bray GA. Fast-food consumption among US adults and children: Dietary and nutrient intake profile. *J Am Diet Assoc* 2003;103:1332-8.

Papakonstantinou E, Ryan DH, Harris RBS. Dietary fish oil does not protect rats exposed to restraint or sleep deprivation stress. *Physiol Behav* 2003;78:759-65.

Paradis ME, Couture P, Bosse Y, et al. The T111I mutation in the EL gene modulates the impact of dietary fat on the HDL profile in women. *J Lipid Res* 2003;44:1902-8.

Patterson LM, Zheng HY, Ward SM, Berthoud HR. Vanilloid receptor (VR1) expression in vagal afferent neurons innervating the gastrointestinal tract. *Cell Tissue Res* 2003;311:277-87.

Perusse L, Bouchard C. [Genetics of obesity and metabolic complications in the Quebec Family Study]. *Medecine Sciences* 2003;19:937-42.

Perusse L, Chagnon YC, Bouchard C. Genome-wide scan studies of obesity-related phenotypes in the Quebec and HERITAGE family studies. In: Medeiros-Neto G, Halpem A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:333-7.

Perusse L, Rankinen T, Rauramaa R, Rivera MA, Wolfarth B, Bouchard C. The human gene map for performance and health-related fitness phenotypes: The 2002 update. *Med Sci Sports Exerc* 2003;35:1248-64.

Prpic V, Watson PM, Frampton IC, Sabol MA, Jezek GE, Gettys TW. Differential mechanisms and development of leptin resistance in A/J versus C57BL/6J mice during diet-induced obesity. *Endocrinology* 2003;144:1155-63.

Rankinen T. The genetics of physical activity level in humans. In: Medeiros-Neto A, Halpem A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:300-3.

Rankinen T, Rice T, Boudreau A, et al. Titin is a candidate gene for stroke volume response to endurance training: The HERITAGE Family Study. *Physiol Genomics* 2003;15:27-33.

Ravussin E. Finding appropriate drug targets in obesity. In: Medeiros-Neto G, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:250-9.

Rettori V, Mohn C, Scorticati C, et al. Effect of neurogenic stress and ethanol on nitric oxide synthase and cyclooxygenase activities in rat adrenals. *Ann N Y Acad Sci* 2003;992:86-98.

Rico-Sanz J, Rankinen T, Joanisse DR, et al. Associations between cardiorespiratory responses to exercise and the C34T AMPD1 gene polymorphism in the HERITAGE Family study. *Physiol Genomics* 2003;14:161-6.

Rico-Sanz J, Rankinen T, Joanisse DR, et al. Familial resemblance for muscle phenotypes in the HERITAGE family study. *Med Sci Sports Exerc* 2003;35:1360-6.

Rogers RC, Travagli RA, Hermann GE. Noradrenergic neurons in the rat solitary nucleus participate in the esophageal-gastric relaxation reflex. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;285:R479-R89.

Rosmond R, Chagnon M, Bouchard C. The Pro12Ala PPARgamma2 gene missense mutation is associated with obesity and insulin resistance in Swedish middle-aged men. *Diabetes Metab Res Rev* 2003;19:159-63.

Rosmond R, Chagnon M, Bouchard C, Bjorntorp P. Increased abdominal obesity, insulin and glucose levels in



nondiabetic subjects with a T29C polymorphism of the transforming growth factor-beta(1) gene. *Horm Res* 2003;59:191-4.

Rossmel M, Rim JS, Koza RA, Kozak LP. Variation in type 2 diabetes-related traits in mouse strains susceptible to diet-induced obesity. *Diabetes* 2003;52:1958-66.

Rousset S, Alves-Guerra MC, Ouadghiri-Bencherif S, et al. Uncoupling protein 2, but not uncoupling protein 1, is expressed in the female mouse reproductive tract. *J Biol Chem* 2003;278:45843-7.

Ryan DH. Diet and exercise in the prevention of diabetes. *Int J Clin Pract* 2003;134:28-35.

Ryan DH. The role of sibutramine in the clinical management of obesity. In: Madeiros-Neto G, Halpern A, Bouchard C, eds. *Progress in Obesity Research: 9*. London, UK: John Libbey Eurotext Ltd.; 2003:1051-7.

Ryan DH. Use of sibutramine to treat obesity. *Prim Care* 2003;30:405-26.

Ryan DH, Champagne C. Better nutrient data improves public health: Evidence and examples from the Dietary Approaches to Stop Hypertension (DASH) Trial. *Journal of Food Composition and Analysis* 2003;16:313-21.

Ryan DH, Espeland MA, Foster GD, et al. Look AHEAD (Action for Health in Diabetes): design and methods for a clinical trial of weight loss for the prevention of cardiovascular disease in type 2 diabetes. *Control Clin Trials* 2003;24:610-28.

Sacks FM, Appel LJ, Bray GA, et al. Sodium and blood pressure: No data dredging, please! *Am J Hypertens* 2003;16:614-6.

Salbe AD, Weyer C, Harper I, Lindsay RS, Ravussin E, Tataranni PA. Relation between physical activity and obesity - letter. *Am J Clin Nutr* 2003;78:193-4; author reply 4-5.

Schenk S, Davidson CJ, Zderic TW, Byerley LO, Coyle EF. Different glycemic indexes of breakfast cereals are not due to glucose entry into blood but to glucose removal by tissue. *Am J Clin Nutr* 2003;78:742-8.

Scorticati C, Mohn C, De Laurentiis A, et al. The effect of anandamide on prolactin secretion is modulated by estrogen. *Proc Natl Acad Sci U S A* 2003;100:2134-9.

Shriver MD, Parra EJ, Dios S, et al. Skin pigmentation, biogeographical ancestry and admixture mapping. *Hum Genet* 2003;112:387-99.

Simonen RL, Rankinen T, Perusse L, et al. A dopamine D2 receptor gene polymorphism and physical activity in two family studies. *Physiol Behav* 2003;78:751-7.

Simonen RL, Rankinen T, Perusse L, et al. Genome-wide linkage scan for physical activity levels in the Quebec family study. *Med Sci Sports Exerc* 2003;35:1355-9.

Singletary KB, Kloster CA, Baker DG. Optimal age at fostering for derivation of *Helicobacter hepaticus*-free mice. *Comp Med* 2003;53:259-64.

Skarzynski DJ, Jaroszewski JJ, Bah MM, et al. Administration of a nitric oxide synthase inhibitor counteracts prostaglandin F-2-induced luteolysis in cattle. *Biol Reprod* 2003;68:1674-81.

Skinner JS, Gaskill SE, Rankinen T, et al. Heart rate versus %VO<sub>2</sub>max: age, sex, race, initial fitness, and training response - HERITAGE. *Med Sci Sports Exerc* 2003;35:1908-13.

Smith SR. Lipodystrophy-lipoatrophy. In: Madeiros-Neto A, Halpern G, Bouchard C, eds. *Progress in Obesity Research:*

9. London, UK: John Libbey Eurotext Ltd.; 2003:992-6.

Smith SR, Bai FL, Charbonneau C, Janderova L, Argyropoulos G. A promoter genotype and oxidative stress potentially link resistin to human insulin resistance. *Diabetes* 2003;52:1611-8.

Smith SR, Gawronska-Kozak B, Janderova L, et al. Agouti expression in human adipose tissue: functional consequences and increased expression in type 2 diabetes. *Diabetes* 2003;52:2914-22.

Smith SR, Lovejoy JC, Rood J, et al. The effects of triiodothyronine on bone metabolism in healthy ambulatory men. *Thyroid* 2003;13:357-64.

Smith SR, Ptitsyn A, Xie H. Perils, pitfalls and promise: Expression profiling to diagnose obesity subtypes. In: Madeiros-Neto G, Halpem A, Bouchard C, eds. *Progress in Obesity Research*: 9. London, UK: John Libbey Eurotext Ltd.; 2003:341-6.

Soboll G, Horohov DW, Aldridge BM, et al. Regional antibody and cellular immune responses to equine influenza virus infection, and particle mediated DNA vaccination. *Vet Immunol Immunopathol* 2003;94:47-62.

Sothorn MS, Gordon ST. Prevention of obesity in young children: A critical challenge for medical professionals. *Clin Pediatr (Phila)* 2003;42:101-11.

Svetkey LP, Harsha DW, Vollmer WM, et al. Premier: A clinical trial of comprehensive lifestyle modification for blood pressure control: Rationale, design and baseline characteristics. *Ann Epidemiol* 2003;13:462-71.

Tang CR, Cho HP, Nakamura MT, Clarke SD. Regulation of human delta-6 desaturase gene transcription: Identification of a functional direct repeat-1 element. *J Lipid Res* 2003;44:686-95.

Tataranni PA, Harper IT, Snitker S, et al. Body weight gain in free-living Pima Indians: Effect of energy intake vs expenditure. *Int J Obes* 2003;27:1578-83.

Thomas J, Jones G, Scarinci I, Brantley P. A descriptive and comparative study of the prevalence of depressive and anxiety disorders in low-income adults with type 2 diabetes and other chronic illnesses. *Diabetes Care* 2003;26:2311-7.

Travagli RA, Hermann GE, Browning KN, Rogers RC. Musings on the wanderer: What's new in our understanding of vago-vagal reflexes? III. Activity-dependent plasticity in vago-vagal reflexes controlling the stomach. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2003;284:G180-G7.

Tremblay A, Bouchard L, Bouchard C, Despres JP, Drapeau V, Perusse L. Long-term adiposity changes are related to a glucocorticoid receptor polymorphism in young females. *J Clin Endocrinol Metab* 2003;88:3141-5.

Ukkola O, Chagnon M, Tremblay A, Bouchard C. Genetic variation at the adiponin locus and response to long-term overfeeding. *Eur J Clin Nutr* 2003;57:1073-8.

Ukkola O, Joannisse DR, Tremblay A, Bouchard C. Na<sup>+</sup>-K<sup>+</sup>-ATPase alpha 2-gene and skeletal muscle characteristics in response to long-term overfeeding. *J Appl Physiol* 2003;94:1870-4.

Ukkola O, Rankinen T, Rice T, et al. Interactions among the beta 2- and beta 3-adrenergic receptor genes and total body fat and abdominal fat level in the HERITAGE Family Study. *Int J Obes* 2003;27:389-93.

Ukkola O, Ravussin E, Jacobson P, Sjostrom L, Bouchard C. Mutations in the adiponectin gene in lean and obese subjects from the Swedish obese subjects cohort. *Metabolism* 2003;52:881-4.

Volaufová J, Redmann SM, LaMotte LR. Is logistic regression the best for binomial response? *Tatra Mountains Mathematical Publications* 2003;26:227-36.

Vojarova B, Weyer C, Snitker S, et al. Effect of cortisol on muscle sympathetic nerve activity in Pima Indians and Caucasians. *J Clin Endocrinol Metab* 2003;88:3218-26.

Vrang N, Phifer CB, Corkern MM, Berthoud HR. Gastric distension induces c-Fos in medullary GLP-1/2-containing neurons. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;285:R470-R8.

Ward SM, Bayguinov J, Won KJ, Grundy D, Berthoud HR. Distribution of the vanilloid receptor (VR1) in the gastrointestinal tract. *J Comp Neurol* 2003;465:121-35.

Waters WF, Magill RA, Bray GA, et al. A comparison of tyrosine against placebo, phentermine, caffeine, and D-amphetamine during sleep deprivation. *Nutr Neurosci* 2003;6:221-35.

Weltman A, Despres JP, Clasey JL, et al. Impact of abdominal visceral fat, growth hormone, fitness, and insulin on lipids and lipoproteins in older adults. *Metabolism* 2003;52:73-80.

Whisenhunt BL, Williamson DA, Netemeyer RG, Andrews C. Health risks, past usage, and intention to use weight loss products in normal weight women with high and low body dysphoria. *Eat Weight Disord* 2003;8:114-23.

White MA, Kohlmaier JR, Varnado-Sullivan P, Williamson DA. Racial/ethnic differences in weight concerns: Protective and risk factors for the development of eating disorders and obesity among adolescent females. *Eat Weight Disord* 2003;8:20-5.

Williamson DA. Behavioral approaches to the management of obesity. In: Madeiros-Neto G, Halpern A, Bouchard C, eds. *Progress in Obesity Research*: 9. London, UK: John Libbey Eurotext; 2003:866-9.

Williamson DA, Allen R, Martin PD, Alfonso AJ, Gerald B, Hunt A. Comparison of digital photography to weighed and visual estimation of portion sizes. *J Am Diet Assoc* 2003;103:1139-45.

Wong ML, O'Kirwan F, Khan N, et al. Identification, characterization, and gene expression profiling of endotoxin-induced myocarditis. *Proc Natl Acad Sci U S A* 2003;100:14241-6.

Xi X, Roane DS, Zhou J, Ryan DH, Martin RJ. Double-color fluorescence in situ hybridization with RNA probes. *Biotechniques* 2003;34:914-6, 8.

Ye JP, Wang LY, Zhang XY, Tantishaiyakul V, Rojanasakul Y. Inhibition of TNF-alpha gene expression and bioactivity by site-specific transcription factor-binding oligonucleotides. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 2003;284:L386-L94.

Yoshioka M, Tanaka H, Shono N, Snyder EE, Shindo M, St-Amand J. Serial analysis of gene expression in the skeletal muscle of endurance athletes compared to sedentary men. *FASEB J* 2003;17:1812-9.

Zaleska M, Bodek G, Jana B, Hansel W, Ziecik AJ. Targeted destruction of normal and cancer cells through lutropin/choriogonadotropin receptors using hecate-beta CG conjugate. *Exp Clin Endocrinol Diabetes* 2003;111:146-53.

Zheng HY, Corkern M, Stoyanova I, Patterson LM, Tian R, Berthoud HR. Peptides that regulate food intake: Appetite-inducing accumbens manipulation activates hypothalamic orexin neurons and inhibits POMC neurons. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2003;284:R1436-R44.

Zhou J, Roane DS, Xi X, et al. Short-term food restriction and refeeding alter expression of genes likely involved in brain glucosensing. *Exp Biol Med* 2003;228:943-50.

Zuberi AR. A QTL regulating fasting insulin and adiposity on mouse chromosome 2. In: Madeiros-Neto G, Halpern A,

Bouchard C, eds. Progress in Obesity Research: 9. London, UK: John Libbey Eurotext Ltd.; 2003.

Zvonic S, Cornelius P, Stewart WC, Mynatt RL, Stephens JM. The regulation and activation of ciliary neurotrophic factor signaling proteins in adipocytes. *J Biol Chem* 2003;278:2228-35.

Zvonic S, Story DJ, Stephens JM, Mynatt RL. Growth hormone, but not insulin, activates STAT5 proteins in adipocytes in vitro and in vivo. *Biochem Biophys Res Commun* 2003;302:359-62.

## **2004**

Albarado DC, McClaine J, Stephens JM, et al. Impaired coordination of nutrient intake and substrate oxidation in melanocortin-4 receptor knockout mice. *Endocrinology* 2004;145:243-52.

Alfonzo-Gonzalez G, Doucet E, Almeras N, Bouchard C, Tremblay A. Estimation of daily energy needs with the FAO/WHO/UNU 1985 procedures in adults: comparison to whole-body indirect calorimetry measurements. *Eur J Clin Nutr* 2004;58:1125-31.

Amstalden M, Zieba DA, Garcia MR, et al. Evidence that lamprey GnRH-III does not release FSH selectively in cattle. *Reproduction* 2004;127:35-43.

Antunes-Rodrigues J, De Castro M, Elias LLK, Valenca MM, McCann SM. Neuroendocrine control of body fluid metabolism. *Physiol Rev* 2004;84:169-208.

Arden CI, Katzmarzyk PT, Janssen I, et al. Race and sex similarities in exercise-induced changes in blood lipids and fatness. *Med Sci Sports Exerc* 2004;36:1610-5.

Aust L, Cooper L, Devlin B, et al. Adipose tissue-derived adult stem cells: Potential for cell therapy. In: Burt RK, Marmont AM, eds. *Stem Cell Therapy for Autoimmune Disease*. Georgetown, TX: Landes Bioscience; 2004.

Aust L, Devlin B, Foster SJ, et al. Yield of human adipose-derived adult stem cells from liposuction aspirates. *Cytotherapy* 2004;6:7-14.

Awad HA, Wickham MQ, Leddy HA, Gimble JM, Guilak F. Chondrogenic differentiation of adipose-derived adult stem cells in agarose, alginate, and gelatin scaffolds. *Biomaterials* 2004;25:3211-22.

Bai F, Rankinen T, Charbonneau C, et al. Functional dimorphism of two hAgRP promoter SNPs in linkage disequilibrium. *J Med Genet* 2004;41:350-3.

Beasley TM, Page GR, Brand JPL. Chebyshev's inequality for nonparametric testing with small N and alpha in microarray research. *Journal of the Royal Statistical Society Series C-Applied Statistics* 2004;53:95-108.

Bentz BG, Williamson DA, Franks SF. Debiasing of pessimistic judgments associated with anxiety. *J Psychopathol Behav Assess* 2004;26:173-80.

Berthoud HR. Anatomy and function of sensory hepatic nerves. *Anatomical Record Part A-Discoveries In Molecular, Cellular And Evolutionary Biology* 2004;280A:827-35.

Berthoud HR. The caudal brainstem and the control of food intake and energy balance. In: Stricker EM, Woods SC, eds. *Neurobiology of Food and Fluid Intake*. 2nd ed. New York, NY: Kluwer Academic/Plenum Publishers; 2004:195-239.

Berthoud HR. Mind versus metabolism in the control of food intake and energy balance. *Physiol Behav* 2004;81:781-93.

Berthoud HR. Neural control of appetite: Cross-talk between homeostatic and non-homeostatic systems. *Appetite* 2004;43:315-7.

Berthoud HR, Blackshaw LA, Brookes SJH, Grundy D. Neuroanatomy of extrinsic afferents supplying the gastrointestinal tract. *Neurogastroenterol Motil* 2004;16:28-33.

Berthoud HR, Scheurink AJ. Ingestive behavior and the obesity crisis. *Physiol Behav* 2004;81:717-8.

Bodenlos JS, Grothe KB, Kendra K, Whitehead D, Copeland AL, Brantley PJ. Attitudes toward HIV health care providers scale: Development and validation. *AIDS Patient Care STDS* 2004;18:714-20.

Bogacka I, Roane DS, Xi X, et al. Expression levels of genes likely involved in glucose-sensing in the obese Zucker rat brain. *Nutr Neurosci* 2004;7:67-74.

Bogacka I, Xie H, Bray GA, Smith SR. The effect of pioglitazone on peroxisome proliferator-activated receptor-gamma target genes related to lipid storage in vivo. *Diabetes Care* 2004;27:1660-7.

Bogle M, Santell R, Weber J, et al. Self-reported health of residents of the Mississippi Delta. *J Health Care Poor Underserved* 2004;15:645-62.

Bornstein SR, Schumann RR, Rettori V, McCann SM, Zacharowski K. Toll-like receptor 2 and Toll-like receptor 4 expression in human adrenals. *Horm Metab Res* 2004;36:470-3.

Bornstein SR, Zacharowski P, Schumann RR, et al. Impaired adrenal stress response in Toll-like receptor 2-deficient mice. *Proc Natl Acad Sci U S A* 2004;101:16695-700.

Bosse Y, Chagnon YC, Despres JP, et al. Compendium of genome-wide scans of lipid-related phenotypes: Adding a new genome-wide search of apolipoprotein levels. *J Lipid Res* 2004;45:2174-84.

Bosse Y, Chagnon YC, Despres JP, et al. Genome-wide linkage scan reveals multiple susceptibility loci influencing lipid and lipoprotein levels in the Quebec Family Study. *J Lipid Res* 2004;45:419-26.

Bouchard C. Gene-physical activity interactions and the cardiovascular disease risk profile. *Jpn Heart J* 2004;45:S94-S101.

Bouchard C, Perusse L. The genetics of human obesity. In: DeFronzo RA, Ferrannini E, Keen H, Zimmet P, eds. *International Textbook of Diabetes Mellitus*. 3rd ed. Chichester, West Sussex, UK; Hoboken, NJ: John Wiley and Sons Ltd.; 2004:597-622.

Bouchard C, Perusse L, Rice T, Rao DC. Genetics of human obesity. In: Bray GA, Bouchard C, James WPT, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:157-200.

Bouchard L, Drapeau V, Provencher V, et al. Neuromedin beta: A strong candidate gene linking eating behaviors and susceptibility to obesity. *Am J Clin Nutr* 2004;80:1478-86.

Bouchard L, Weisnagel SJ, Engert JC, et al. Human resistin gene polymorphism is associated with visceral obesity and fasting and oral glucose stimulated C-peptide in the Quebec Family Study. *J Endocrinol Invest* 2004;27:1003-9.

Brantley PJ, Dutton GR, Wood KB. The Beck Depression Inventory-II (BDI-II) and the Beck Depression Inventory - Primary Care (BDI-PC). In: Maruish ME, ed. *The Use of Psychological Testing for Treatment Planning and Outcomes Assessment*. 3rd ed. Mahwah, NJ: Lawrence Erlbaum Associates; 2004:313-26.

Bray GA. Classification and evaluation of the overweight patient. In: Bray GA, Bouchard C, eds. *Handbook of Obesity*:

Clinical Applications. 2nd ed. New York, NY: Marcel Dekker; 2004:1-32.

Bray GA. Don't throw the baby out with the bath water. *Am J Clin Nutr* 2004;79:347-9.

Bray GA. The epidemic of obesity and changes in food intake: The Fluoride Hypothesis. *Physiol Behav* 2004;82:115-21.

Bray GA. Historical framework for the development of ideas about obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:1-32.

Bray GA. How do we get fat? An epidemiologic and metabolic approach. *Clin Dermatol* 2004;22:281-8.

Bray GA. Medical consequences of obesity. *J Clin Endocrinol Metab* 2004;89:2583-9.

Bray GA. Noradrenergic, serotonergic, antiepileptic, and herbal drugs. In: Hofbauer KG, Keller U, Boss O, eds. *Pharmacotherapy of Obesity: Options and Alternatives*. Boca Raton, FL: CRC Press; 2004:267-84.

Bray GA. Obesity is a chronic, relapsing neurochemical disease. *Int J Obes* 2004;28:34-8.

Bray GA, ed. *Office Management of Obesity*. Philadelphia, PA: Saunders; 2004.

Bray GA. Risks of obesity. In: Bray GA, ed. *Office Management of Obesity*. Philadelphia, PA: Saunders; 2004:107-26.

Bray GA. Treatment of obesity. In: Johnson LR, ed. *Encyclopedia of Gastroenterology*. Amsterdam ; Boston, MA: Elsevier Academic Press; 2004.

Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 2nd ed. New York, NY: Marcel Dekker; 2004.

Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004.

Bray GA, Champagne CM. Obesity and the metabolic syndrome: Implications for dietetics practitioners. *J Am Diet Assoc* 2004;104:86-9.

Bray GA, Nielsen SJ, Popkin BM. Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *Am J Clin Nutr* 2004;79:review.

Bray GA, Paeratakul S, Popkin BM. Dietary fat and obesity: A review of animal, clinical and epidemiological studies. *Physiol Behav* 2004;83:549-55.

Bray GA, Ryan DH. Sympathomimetic and serotonergic drugs used to treat obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 2nd ed. New York, NY: Marcel Dekker; 2004:201-52.

Bray GA, Vollmer WM, Sacks FM, Obarzanek E, Svetkey LP, Appel LI. A further subgroup analysis of the effects of the DASH diet and three dietary sodium levels on blood pressure: Results of the DASH-sodium trial. *Am J Cardiol* 2004;94:222-7.

Carnio EC, Rettori V, Del Bel EA, McCann SM, Antunes-Rodrigues J. Hypertension induced by nitric oxide synthase inhibition activates the atrial natriuretic peptide (ANP) system. *Regul Pept* 2004;117:117-22.

Caterson ID, Hubbard V, Bray GA, et al. Prevention Conference VII: Obesity, a worldwide epidemic related to heart disease and stroke: Group III: worldwide comorbidities of obesity. *Circulation* 2004;110:e476-e83.

Cefalu W. Economics of diabetes - cost impact of not treating diabetes early and intensively. *Clin Cornerstone* 2004;6:51-60.

Cefalu WT. Concept, strategies, and feasibility of noninvasive insulin delivery. *Diabetes Care* 2004;27:239-46.

Cefalu WT. Evolving strategies for insulin delivery and therapy. *Drugs* 2004;64:1149-61.

Cefalu WT, Hu FB. Role of chromium in human health and in diabetes. *Diabetes Care* 2004;27:2741-51.

Cefalu WT, LeRoith D, Gerich J, eds. *CADRE's Handbook of Diabetes Management*. New York, NY: CMD Publishing; 2004.

Cefalu WT, Wang ZQ, Bell-Farrow AD, Collins J, Morgan T, Wagner JD. Caloric restriction and cardiovascular aging in cynomolgus monkeys (*Macaca fascicularis*): Metabolic, physiologic, and atherosclerotic measures from a 4-year intervention trial. *Journals of Gerontology Series A-Biological Sciences And Medical Sciences* 2004;59:1007-14.

Cefalu WT, Wang ZQ, Schneider DJ, et al. Effects of insulin sensitizers on plaque vulnerability associated with elevated lipid content in atheroma in ApoE-knockout mice. *Acta Diabetol* 2004;41:25-31.

Champagne CM. Diets for weight loss: Low carbohydrate or low fat? On the Cutting Edge - *Diabetes Care and Education* 2004;25:17-9.

Champagne CM, Allen HR. From the mainframe to the internet: The evolution of Moore's Extended Nutrient (MENU) database. *Journal of Food Composition and Analysis* 2004;17:267-76.

Champagne CM, Bogle ML, McGee BB, et al. Dietary intake in the lower Mississippi Delta region: Results from the Foods of Our Delta Study. *J Am Diet Assoc* 2004;104:199-207.

Charbonneau C, Bai F, Smith Richards B, Argyropoulos G. Central and peripheral interactions between the agouti-related protein and leptin. *Biochem Biophys Res Commun* 2004;319:518-24.

Civitaresse AE, Jenkinson CP, Richardson D, et al. Adiponectin receptors gene expression and insulin sensitivity in non-diabetic Mexican Americans with or without a family history of Type 2 diabetes. *Diabetologia* 2004;47:816-20.

Clarke SD. The multi-dimensional regulation of gene expression by fatty acids: polyunsaturated fats as nutrient sensors. *Curr Opin Lipidol* 2004;15:13-8.

Collaku A, Rankinen T, Rice T, et al. A genome-wide linkage scan for dietary energy and nutrient intakes: The Health, Risk Factors, Exercise Training, and Genetics (HERITAGE) Family Study. *Am J Clin Nutr* 2004;79:881-6.

DeLany JP, Bray GA, Harsha DW, Volaufova J. Energy expenditure in African American and white boys and girls in a 2-y follow-up of the Baton Rouge Children's Study. *Am J Clin Nutr* 2004;79:268-73.

Drapeau V, Despres JP, Bouchard C, et al. Modifications in food-group consumption are related to long-term body-weight changes. *Am J Clin Nutr* 2004;80:29-37.

Dutton GR, Grothe KB, Jones GN, Whitehead D, Kendra K, Brantley PJ. Use of the Beck Depression Inventory-II with African American primary care patients. *Gen Hosp Psychiatry* 2004;26:437-42.

Dutton GR, Martin PD, Brantley PJ. Ideal weight goals of African American women participating in a weight management program. *Body Image* 2004;1:305-10.

Dutton GR, Martin PD, Rhode PC, Brantley PJ. Use of the weight efficacy lifestyle questionnaire with African American women: validation and extension of previous findings. *Eat Behav* 2004;5:375-84.

Eckel RH, York DA, Rossner S, et al. Prevention Conference VII: Obesity, a worldwide epidemic related to heart disease

and stroke: executive summary. *Circulation* 2004;110:2968-75.

Edwards IJ, Wagner JD, Vogl-Willis CA, Litwak KN, Cefalu WT. Arterial heparan sulfate is negatively associated with hyperglycemia and atherosclerosis in diabetic monkeys. *Cardiovascular Diabetology* 2004;3:6.

Estes BT, Gimble JM, Guilak F. Mechanical signals as regulators of stem cell fate. In: *Stem Cells in Development and Disease*; 2004:91-126.

Fernandez-Solari J, Scorticati C, Mohn C, et al. Alcohol inhibits luteinizing hormone-releasing hormone release by activating the endocannabinoid system. *Proc Natl Acad Sci U S A* 2004;101:3264-8.

Fonseca VA, Kelley DE, Cefalu W, et al. Hypoglycemic potential of nateglinide versus glyburide in patients with type 2 diabetes mellitus. *Metabolism* 2004;53:1331-5.

Gao ZG, Zhang XY, Zuberi A, et al. Inhibition of insulin sensitivity by free fatty acids requires activation of multiple serine kinases in 3T3-L1 adipocytes. *Mol Endocrinol* 2004;18:2024-34.

Gawronska-Kozak B. Regeneration in the ears of immunodeficient mice: Identification and lineage analysis of mesenchymal stem cells. *Tissue Eng* 2004;10:1251-65.

Gelling RW, Overduin J, Morrison CD, et al. Effect of uncontrolled diabetes on plasma ghrelin concentrations and ghrelin-induced feeding. *Endocrinology* 2004;145:4575-82.

Gettys TW. Leptin. In: Lennarz W, Lane M, eds. *Encyclopedia of Biological Chemistry*. Oxford, UK: Elsevier Press; 2004:541-5.

Gimble JM, Nuttall ME. Bone and fat: Old questions, new insights. *Endocrine* 2004;23:183-8.

Gouvier WD, Pinkston JB, Lovejoy JC, et al. Neuropsychological and emotional changes during simulated microgravity: Effects of triiodothyronine alendronate, and testosterone. *Arch Clin Neuropsychol* 2004;19:153-63.

Green JS, Stanforth PR, Rankinen T, et al. The effects of exercise training on abdominal visceral fat, body composition, and indicators of the metabolic syndrome in postmenopausal women with and without estrogen replacement therapy: The HERITAGE Family Study. *Metabolism* 2004;53:1192-6.

Greenway FL. Clinical evaluation of the obese patient. In: Bray GA, ed. *Office Management of Obesity*. Philadelphia, PA: Saunders; 2004:141-56.

Greenway FL, de Jonge L, Blanchard D, Frisard M, Smith SR. Effect of a dietary herbal supplement containing caffeine and ephedra on weight, metabolic rate, and body composition. *Obes Res* 2004;12:1152-7.

Greenway FL, Greenway SE, Raum WJ. The physiology of the brain, the gut and the fat cells in the morbidly obese. In: Martin LF, ed. *Obes Surg*. New York, NY: McGraw-Hill Medical Publishing Division; 2004:49-65.

Greenway FL, Heber D. Herbal and alternative approaches to obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 2nd ed. New York, NY: Marcel Dekker; 2004:329-58.

Guilak F, Awad HA, Fermor B, Leddy HA, Gimble JM. Adipose-derived adult stem cells for cartilage tissue engineering. *Biorheology* 2004;41:389-99.

Guilak F, Gimble JM. Adipose derived adult stem cells for musculoskeletal tissue engineering. In: Sandell LJ, Grodzinsky AJ, eds. *Tissue Engineering in Musculoskeletal Clinical Practice*. Rosemont, IL: American Academy of Orthopaedic Surgeons; 2004:363-76.



Guo X, Warden BA, Paeratakul S, Bray GA. Healthy Eating Index and obesity. *Eur J Clin Nutr* 2004;58:1580-6.

Hamilton M, Greenway F. Evaluating commercial weight loss programmes: An evolution in outcomes research. *Obes Rev* 2004;5:217-32.

Hamilton M, Greenway FL. Obesity and associated complications. In: Hofbauer KG, Keller U, Boss O, eds. *Pharmacotherapy of Obesity: Options and Alternatives*. Boca Raton, FL: CRC Press; 2004:87-118.

Hardman WE. (n-3) fatty acids and cancer therapy. *J Nutr* 2004;134:3427S-30S.

Harris RB, Gu H, Mitchell TD, Endale L, Russo M, Ryan DH. Increased glucocorticoid response to a novel stress in rats that have been restrained. *Physiol Behav* 2004;81:557-68.

Harsha DW, Sacks FM, Obarzanek E, et al. Effect of dietary sodium intake on blood lipids - results from the DASH-Sodium trial. *Hypertension* 2004;43:393-8.

Hausman DB, Lu J, Ryan DH, Flatt WP, Harris RBS. Compensatory growth of adipose tissue after partial lipectomy: involvement of serum factors. *Exp Biol Med* 2004;229:512-20.

Hegde V, Wang M, Deutsch WA. Characterization of human ribosomal protein S3 binding to 7,8-dihydro-8-oxoguanine and abasic sites by surface plasmon resonance. *DNA Repair* 2004;3:121-6.

Hegde V, Wang M, Deutsch WA. Human ribosomal protein S3 interacts with DNA base excision repair proteins hAPE/Ref-1 and hOGG1. *Biochemistry (Mosc)* 2004;43:14211-7.

Heilbronn L, Smith SR, Ravussin E. Failure of fat cell proliferation, mitochondrial function and fat oxidation results in ectopic fat storage, insulin resistance and type II diabetes mellitus. *Int J Obes* 2004;28:S12-S21.

Heilbronn LK, Rood J, Janderova L, et al. Relationship between serum resistin concentrations and insulin resistance in nonobese, obese, and obese diabetic subjects. *J Clin Endocrinol Metab* 2004;89:1844-8.

Herbert JD, Rheingold AA, Gaudio BA, Myers VH. Standard versus extended cognitive behavior therapy for social anxiety disorder: A randomized-controlled trial. *Behav Cogn Psychother* 2004;32:131-47.

Hermann GE, Hebert SL, Van Meter MJ, Holmes GM, Rogers RC. TNF alpha-p55 receptors: medullary brainstem immunocytochemical localization in normal and vagus nerve-transected rats. *Brain Res* 2004;1004:156-66.

Hicok KC, Du Laney TV, Zhou YS, et al. Human adipose-derived adult stem cells produce osteoid in vivo. *Tissue Eng* 2004;10:371-80.

Holmes GM, Hebert SL, Rogers RC, Hermann GE. Immunocytochemical localization of TNF type 1 and type 2 receptors in the rat spinal cord. *Brain Res* 2004;1025:210-9.

Hoyt RW, Buller MJ, Santee WR, Yokota M, Weyand PG, DeLany JP. Total energy expenditure estimated using foot-ground contact pedometry. *Diabetes Technol Ther* 2004;6:71-81.

Ishihara Y, White CL, Kageyama H, Kageyama A, York DA, Bray GA. Effects of diet and time of the day on serum and CSF leptin levels in Osborne-Mendel and S5B/PI rats. *Obes Res* 2004;12:1067-76.

Jankowski M, Danalache B, Wang DH, et al. Oxytocin in cardiac ontogeny. *Proc Natl Acad Sci U S A* 2004;101:13074-9.

Janssen I, Katzmarzyk PT, Ross R, et al. Fitness alters the associations of BMI and waist circumference with total and abdominal fat. *Obes Res* 2004;12:525-37.

Jennings SF, Ptitsyn AA, Wilkins D, Bruhn RE, Slikker W, Jr., Wren JD. Regional societies: Fostering competitive research through virtual infrastructures. *PLoS Biol* 2004;2:2039-40.

Jung RT, Bray GA. Drugs on the horizon and drugs relegated to history. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 2nd ed. New York, NY: Marcel Dekker; 2004:297-314.

Karanja N, Erlinger T, Pao-Hwa L, Miller ER, Bray GA. The DASH diet for high blood pressure: from clinical trial to dinner table. *Cleve Clin J Med* 2004;71:745-53.

Karanth S, Yu WH, Mastronardi CA, McCann SM. Inhibition of melatonin-induced ascorbic acid and LHRH release by a nitric oxide synthase and cyclic GMP inhibitor. *Exp Biol Med* 2004;229:650-6.

Karanth S, Yu WH, Mastronardi CA, McCann SM. Inhibition of stimulated ascorbic acid and luteinizing hormone-releasing hormone release by nitric oxide synthase or guanyl cyclase inhibitors. *Exp Biol Med* 2004;229:72-9.

Karanth S, Yu WH, Mastronardi CM, McCann SM. 17 beta-estradiol stimulates ascorbic acid and LHRH release from the medial basal hypothalamus in adult male rats. *Exp Biol Med* 2004;229:926-34.

Katzmarzyk PT, Srinivasan SR, Chen W, Malina RM, Bouchard C, Berenson GS. Body mass index, waist circumference, and clustering of cardiovascular disease risk factors in a biracial sample of children and adolescents. *Pediatrics* 2004;114:e198-e205.

Klein S, Burke LE, Bray GA, et al. Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. *Circulation* 2004;110:2952-67.

Koivukoski L, Fisher SA, Kanninen T, et al. Meta-analysis of genome-wide scans for hypertension and blood pressure in Caucasians shows evidence of susceptibility regions on chromosomes 2 and 3. *Hum Mol Genet* 2004;13:2325-32.

Koza RA, Flurkey K, Graunke DM, et al. Contributions of dysregulated energy metabolism to type 2 diabetes development in NZO/H1Lt mice with polygenic obesity. *Metabolism* 2004;53:799-808.

Kris-Etherton PM, Lefevre M, Beecher GR, Gross MD, Keen CL, Etherton TD. Bioactive compounds in nutrition and health-research methodologies for establishing biological function: The antioxidant and anti-inflammatory effects of flavonoids on atherosclerosis. *Annu Rev Nutr* 2004;24:511-38.

Kuklin AI, Mynatt RL, Klebig ML, et al. Liver-specific expression of the agouti gene in transgenic mice promotes liver carcinogenesis in the absence of obesity and diabetes. *Mol Cancer* 2004;3:17.

Kumar CSSR, Leuschner C, Doomes EE, Henry L, Juban M, Hormes J. Efficacy of lytic peptide-bound magnetite nanoparticles in destroying breast cancer cells. *J Nanosci Nanotechnol* 2004;4:245-9.

Lakka HM, Tremblay A, Despres JP, Bouchard C. Effects of long-term negative energy balance with exercise on plasma lipid and lipoprotein levels in identical twins. *Atherosclerosis* 2004;172:127-33.

Lakka TA, Bouchard C. Genetics, physical activity, fitness and health: What does the future hold? *J R Soc Health* 2004;124:14-5.

Lakka TA, Rankinen T, Weisnagel SJ, et al. Leptin and leptin receptor gene polymorphisms and changes in glucose homeostasis in response to regular exercise in nondiabetic individuals: the HERITAGE Family Study. *Diabetes* 2004;53:1603-8.

Lefevre M, Kris-Etherton PM, Zhao G, Tracy RP. Dietary fatty acids, hemostasis, and cardiovascular disease risk. *J Am Diet Assoc* 2004;104:410-9; quiz 92.

Leon AS, Togashi K, Rankinen T, et al. Association of apolipoprotein E polymorphism with blood lipids and maximal oxygen uptake in the sedentary state and after exercise training in the HERITAGE Family Study. *Metabolism* 2004;53:108-16.

Leuschner C, Hansel W. Membrane disrupting lytic peptides for cancer treatments. *Curr Pharm Des* 2004;10:2299-310.

Licinio J, Caglayan S, Ozata M, et al. Phenotypic effects of leptin replacement on morbid obesity, diabetes mellitus, hypogonadism, and behavior in leptin-deficient adults. *Proc Natl Acad Sci U S A* 2004;101:4531-6.

Lin L, York DA. Amygdala enterostatin induces c-Fos expression in regions of hypothalamus that innervate the PVN. *Brain Res* 2004;1020:147-53.

Liu X, York DA, Bray GA. Regulation of ghrelin gene expression in stomach and feeding response to a ghrelin analogue in two strains of rats. *Peptides* 2004;25:2171-7.

Loos RJ, Rankinen T, Leon AS, et al. Calcium intake is associated with adiposity in black and white men and white women of the HERITAGE Family Study. *J Nutr* 2004;134:1772-8.

Malina RM, Bouchard C, Bar-Or O. *Growth, Maturation, and Physical Activity*. 2nd ed. Champaign, IL: Human Kinetics; 2004.

Markov MS, Williams CD, Cameron IL, Hardman WE, Salvadore JR. Can magnetic fields inhibit angiogenesis and tumor growth? In: Rosch PJ, Markov MS, eds. *Bioelectromagnetic Medicine: Informa Health Care*; 2004:625-36.

Martin PD, Brantley PJ. Stress, coping, and social support in health and behavior. In: Raczynski JM, Leviton LC, eds. *Handbook of Clinical Health Psychology, Volume 2: Disorders of Behavior and Health*. Washington, DC: APA Books; 2004.

Martin PD, Dutton GR, Brantley PJ. Self-efficacy as a predictor of weight change in African-American women. *Obes Res* 2004;12:646-51.

Martinez-Pena y Valenzuela I, Rogers RC, Hermann GE, Travagli RA. Norepinephrine effects on identified neurons of the rat dorsal motor nucleus of the vagus. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2004;286:G333-G9.

Mayer-Davis EJ, Sparks KC, Hirst K, et al. Dietary intake in the Diabetes Prevention Program cohort: Baseline and 1-year post randomization. *Ann Epidemiol* 2004;14:763-72.

McDuffie JR, Adler-Wailes DC, Elberg J, et al. Prediction equations for resting energy expenditure in overweight and normal-weight black and white children. *Am J Clin Nutr* 2004;80:365-73.

McGuire HL, Svetkey LP, Harsha DW, Elmer PJ, Appel LJ, Ard JD. Comprehensive lifestyle modification and blood pressure control: A review of the PREMIER trial. *J Clin Hypertens* 2004;6:383-90.

Most MM. Estimated phytochemical content of the dietary approaches to stop hypertension (DASH) diet is higher than in the control study diet. *J Am Diet Assoc* 2004;104:1725-7.

Newton RL, Perri MG. A randomized pilot trial of exercise promotion on sedentary African-American adults. *Ethn Dis* 2004;14:548-57.

Niswender KD, Clegg DJ, Morrison CD, Morton GJ, Benoit SC. The human obesity epidemic: a physiological perspective. *Current Medicinal Chemistry - Immunology, Endocrine and Metabolic Agents* 2004;4:91-104.

Nuttall ME, Gimble JM. Controlling the balance between osteoblastogenesis and adipogenesis and the consequent therapeutic implications. *Curr Opin Pharmacol* 2004;4:290-4.

O'Hea EL, Boudreaux ED, Jeffries SK, Carmack Taylor CL, Scarinci IC, Brantley PJ. Stage of change movement across three health behaviors: The role of self-efficacy. *Am J Health Promot* 2004;19:94-102.

Okura T, Nakata Y, Yamabuki K, Tanaka K. Regional body composition changes exhibit opposing effects on coronary heart disease risk factors. *Arteriosclerosis Thrombosis and Vascular Biology* 2004;24:923-9.

O'Neil PM, Martin CK. Management of obesity. In: Egan BM, Basile JN, Lackland DT, eds. *Hypertension*. Philadelphia, PA: Hanley & Belfus; 2004:203-13.

Ott V, Fasshauer M, Meier B, et al. Ciliary neurotrophic factor influences endocrine adipocyte function: inhibition of leptin via PI 3-kinase. *Mol Cell Endocrinol* 2004;224:21-7.

Pan W, Akerstrom V, Zhang J, Pejovic V, Kastin AJ. Modulation of feeding-related peptide/protein signals by the blood-brain barrier. *J Neurochem* 2004;90:455-61.

Pan W, Kastin AJ, Pick CG. The staircase test in mice after spinal cord injury. *International Journal of Neuroprotection and Neuroregeneration* 2004;1:32-27.

Pan W, Kastin AJ, Zankel TC, van Kerkhof P, Terasaki T, Bu G. Efficient transfer of receptor-associated protein (RAP) across the blood-brain barrier. *J Cell Sci* 2004;117:5071-8.

Pan WH, Kastin AJ. Why study transport of peptides and proteins at the neurovascular interface. *Brain Research Reviews* 2004;46:32-43.

Papanicolaou DA, Amsterdam JD, Levine S, et al. Neuroendocrine aspects of chronic fatigue syndrome. *Neuroimmunomodulation* 2004;11:65-74.

Park M, Lin L, Thomas S, et al. The F(1)-ATPase beta-subunit is the putative enterostatin receptor. *Peptides* 2004;25:2127-33.

Provencher V, Drapeau V, Tremblay A, Despres JP, Bouchard C, Lemieux S. Eating behaviours, dietary profile and body composition according to dieting history in men and women of the Quebec Family Study. *Br J Nutr* 2004;91:997-1004.

Ptitsyn A. Class discovery analysis of the lung cancer gene expression data. *DNA Cell Biol* 2004;23:715-21.

Rankinen T, Bouchard C. Dose-response issues concerning the relations between regular physical activity and health. In: Corbin CB, Pangrazi RP, Franks BD, eds. *Toward a Better Understanding of Physical Fitness and Activity: Selected Topics*. Scottsdale, AZ: Holcomb Hathaway Publishers; 2004:73-80.

Rankinen T, Perusse L, Rauramaa R, Rivera MA, Wolfarth B, Bouchard C. The human gene map for performance and health-related fitness phenotypes: The 2003 update. *Med Sci Sports Exerc* 2004;36:1451-69.

Rankinen T, Tiwari H. Genome scans for human nutritional traits: What have we learned? *Nutrition* 2004;20:9-13.

Rauramaa R, Halonen P, Vaisanen SB, et al. Effects of aerobic physical exercise on inflammation and atherosclerosis in men: The DNASCO Study - a six-year randomized, controlled trial. *Ann Intern Med* 2004;140:1007-14.

Ravussin E. A tribute to Roy Walford: From biosphere 2 to CALERIE. *Exp Gerontol* 2004;39:923-5.

Ravussin E, Kozak LP. Energy homeostasis. In: Hofbauer KG, Keller U, Boss O, eds. *Pharmacotherapy of Obesity: Options and Alternatives*. Boca Raton, FL: CRC Press; 2004:3-24.

Ravussin E, Kozak LP. The role of energy expenditure in the regulation of energy balance. In: Defronzo RA, Ferrannini E, Keen H, Zimmet P, eds. *International Textbook of Diabetes Mellitus*. 3rd ed. Chichester, West Sussex, UK; Hoboken, NJ: John Wiley and Sons Ltd.; 2004:623-40.

Ravussin E, Macdonald IA. Sympathoadrenal system and metabolism. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:693-704.

Rico-Sanz J, Rankinen T, Rice T, et al. Quantitative trait loci for maximal exercise capacity phenotypes and their responses to training in the HERITAGE Family Study. *Physiol Genomics* 2004;16:256-60.

Ricquier D, Kozak LP. Uncoupling proteins. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:539-58.

Rim JS, Xue BZ, Gawronska-Kozak B, Kozak LP. Sequestration of thermogenic transcription factors in the cytoplasm during development of brown adipose tissue. *J Biol Chem* 2004;279:25916-26.

Roberts A, King J, Greenway F. Class III obesity continues to rise in African-American women. *Obes Surg* 2004;14:533-5.

Russell RD, Redmann SM, Ravussin E, Hunter GR, Larson-Meyer DE. Reproducibility of endurance performance on a treadmill using a preloaded time trial. *Med Sci Sports Exerc* 2004;36:717-24.

Ryan DH. Clinical use of sibutramine. *Drugs of Today* 2004;40:41-54.

Ryan DH. Sibutramine. In: Hofbauer KG, Keller U, Boss O, eds. *Pharmacotherapy of Obesity: Options and Alternatives*. Boca Raton, FL: CRC Press; 2004:245-66.

Ryan DH. Use of sibutramine to treat obesity. In: Bray GA, ed. *Office Management of Obesity*. Philadelphia, PA: Saunders; 2004:201-22.

Ryan DH, Stewart TM. Medical management of obesity in women: Office-based approaches to weight management. *Clin Obstet Gynecol* 2004;47:914-27; discussion 80-1.

Safford KM, Safford SD, Gimble JM, Shetty AK, Rice HE. Characterization of neuronal/glial differentiation of murine adipose-derived adult stromal cells. *Exp Neurol* 2004;187:319-28.

Sato M, Gettys TW, Lanier SM. AGS3 and signal integration by G alpha(s)- and G alpha(i)-coupled receptors: AGS3 blocks the sensitization of adenylyl cyclase following prolonged stimulation of a G alpha(i)-coupled receptor by influencing processing of G alpha(i). *J Biol Chem* 2004;279:13375-82.

Scorticati C, Fernandez-Solari J, De Laurentiis A, et al. The inhibitory effect of anandamide on luteinizing hormone-releasing hormone secretion is reversed by estrogen. *Proc Natl Acad Sci U S A* 2004;101:11891-6.

Scott LK, Vachharajani V, Mynatt RL, Minagar A, Conrad SA. Brain RNA expression in obese vs lean mice after LPS-induced systemic inflammation. *Front Biosci* 2004;9:2686-96.

Shephard RJ, Rankinen T, Bouchard C. Test-retest errors and the apparent heterogeneity of training response. *Eur J Appl Physiol* 2004;91:199-203.

Sjostrom L, Lindroos AK, Peltonen M, et al. Lifestyle, diabetes, and cardiovascular risk factors 10 years after bariatric surgery. *N Engl J Med* 2004;351:2683-93.

Sklan EH, Lowenthal A, Korner M, et al. Acetylcholinesterase/paraoxonase genotype and expression predict anxiety

scores in Health, Risk Factors, Exercise Training, and Genetics study. *Proc Natl Acad Sci U S A* 2004;101:5512-7.

Smith JV, Heilbronn LK, Ravussin E. Energy restriction and aging. *Curr Opin Clin Nutr Metab Care* 2004;7:615-22.

Smith Richards BK, Belton BN, York B, Volaufova J. Mice bearing Acads mutation display altered postingestive but not 5-s orosensory response to dietary fat. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2004;286:R311-9.

Smith SR. Lipodystrophy and lipoatrophy. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:533-8.

Smith SR. Metabolic syndrome targets. *Current Drug Targets: CNS and Neurological Disorders* 2004;3:431-9.

Smith SR, Ptitsyn A, Graunke DM, Xie H, Koza RA. Solving clinical problems in nutrition research with microarrays. In: Berdanier CD, Moustaid-Moussa N, eds. *Genomics and Proteomics in Nutrition*. New York, NY: Marcel Dekker; 2004:205-35.

Snyder EE, Walts B, Perusse L, et al. The human obesity gene map: The 2003 update. *Obes Res* 2004;12:369-439.

Sothorn MS. Obesity prevention in children: Physical activity and nutrition. *Nutrition* 2004;20:704-8.

Stanforth PR, Jackson AS, Green JS, et al. Generalized abdominal visceral fat prediction models for black and white adults aged 17-65 y: The HERITAGE Family Study. *Int J Obes* 2004;28:925-32.

Staten R, Schully SD, Noor MAF. A microsatellite linkage map of *Drosophila mojavensis*. *BMC Genetics* 2004;5:12.

Stewart TM. Light on body image treatment: acceptance through mindfulness. *Behav Modif* 2004;28:783-811.

Stewart TM, Williamson DA. Assessment of body image disturbances. In: Thompson JK, ed. *Handbook of Eating Disorders and Obesity*. Hoboken, NJ: John Wiley & Sons; 2004:495-514.

Stewart TM, Williamson DA. Assessment of eating disorders. In: Hersen M, ed. *Psychological Assessment in Clinical Practice: A Pragmatic Guide*. New York, NY: Brunner-Routledge; 2004:175-96.

Stewart TM, Williamson DA. Multidisciplinary treatment of eating disorders--Part 1: structure and costs of treatment. *Behav Modif* 2004;28:812-30.

Stewart TM, Williamson DA. Multidisciplinary treatment of eating disorders--Part 2: primary goals and content of treatment. *Behav Modif* 2004;28:831-53.

Stuff JE, Horton JA, Bogle ML, et al. High prevalence of food insecurity and hunger in households in the rural Lower Mississippi Delta. *J Rural Health* 2004;20:173-80.

Sutton GM, Patterson LM, Berthoud HR. Extracellular signal-regulated kinase 1/2 signaling pathway in solitary nucleus mediates cholecystokinin-induced suppression of food intake in rats. *J Neurosci* 2004;24:10240-7.

Svetkey LP, Simons-Morton DG, Proschan MA, et al. Effect of the Dietary Approaches to Stop Hypertension diet and reduced sodium intake on blood pressure control. *J Clin Hypertens* 2004;6:373-81.

Tanaka K, Okutra T, Shigematsu R, et al. Target value of intraabdominal fat area for improving coronary heart disease risk factors. *Obes Res* 2004;12:695-703.

Tanaka S, Togashi K, Rankinen T, et al. Sex differences in the relationships of abdominal fat to cardiovascular disease risk among normal-weight white subjects. *Int J Obes* 2004;28:320-3.

- Teran-Garcia M, Despres JP, Couillard C, Tremblay A, Bouchard C. Effects of long-term overfeeding on plasma lipoprotein levels in identical twins. *Atherosclerosis* 2004;173:277-83.
- Tharion WJ, Baker-Fulco CJ, Bovill ME, et al. Adequacy of Garrison feeding for Special Forces soldiers during training. *Mil Med* 2004;169:483-90.
- Tharion WJ, Hoyt RW, Cline AD, DeLany JP, Lieberman HR. Energy expenditure and water turnover assessed by doubly labeled water during manual work in a dry and warm environment. *Journal of the Human-Environment System* 2004;7:11-7.
- Tharion WJ, Yokota M, Buller MJ, DeLany JP, Hoyt RW. Total energy expenditure estimated using a foot-contact pedometer. *Medical Science Monitor* 2004;10:CR504-CR9.
- Thomas JL, Brantley PJ. Factor structure of the Center for Epidemiologic Studies Depression Scale in low-income women attending primary care clinics. *European Journal of Psychological Assessment* 2004;20:106-15.
- Thomis MAI, Huygens W, Heuninckx S, et al. Exploration of myostatin polymorphisms and the angiotensin-converting enzyme insertion/deletion genotype in responses of human muscle to strength training. *Eur J Appl Physiol* 2004;92:267-74.
- Thyfault JP, Richmond SR, Carper MJ, Potteiger JA, Hulver MW. Postprandial metabolism in resistance-trained versus sedentary males. *Med Sci Sports Exerc* 2004;36:709-16.
- Travagli RA, Browning KN, Gillis RA. Studies of the dorsal motor nucleus of the vagus (DMV), a major CNS center for controlling outflow to the upper gastrointestinal tract. In: Quigley EMM, Pfeiffer R, eds. *Neuro-gastroenterology*. Philadelphia, PA: Butterworth-Heinemann; 2004.
- Tremblay A, Perusse L, Bouchard C. Energy balance and body-weight stability: impact of gene-environment interactions. *Br J Nutr* 2004;92:S63-S6.
- Udall JN, Sothorn MS. Obesity in childhood and adolescence. In: Martin LF, ed. *Obes Surg*. New York, NY: McGraw-Hill Medical Publishing Division; 2004:335-46.
- Ukkola O, Bouchard C. Role of candidate genes in the responses to long-term overfeeding: Review of findings. *Obes Rev* 2004;5:3-12.
- Ukkola O, Kesaniemi YA, Tremblay A, Bouchard C. Two variants in the resistin gene and the response to long-term overfeeding. *Eur J Clin Nutr* 2004;58:654-9.
- Van Gaal LF, Bray GA. Drugs that modify fat absorption and alter metabolism. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 2nd ed. New York, NY: Marcel Dekker; 2004:253-74.
- Volaufova J. Some estimation problems in multistage linear models. *Linear Algebra and Its Applications* 2004;388:389-97.
- Walden HM, Martin CK, Ortego LE, Ryan DH, Williamson DA. A new dental approach for reducing food intake. *Obes Res* 2004;12:1773-80.
- Wang S, Leonard SS, Ye J, Gao N, Wang L, Shi X. Role of reactive oxygen species and Cr(VI) in Ras-mediated signal transduction. *Mol Cell Biochem* 2004;255:119-27.
- White CL, Ishihara Y, Dotson TL, Hughes DA, Bray GA, York DA. Effect of a beta-3 agonist on food intake in two strains of rats that differ in susceptibility to obesity. *Physiol Behav* 2004;82:489-96.

White MA, Martin PD, Newton RL, et al. Mediators of weight loss in a family-based intervention presented over the internet. *Obes Res* 2004;12:1050-9.

Williamson DA, Allen HR, Martin PD, Alfonso A, Gerald B, Hunt A. Digital photography: A new method for estimating food intake in cafeteria settings. *Eat Weight Disord* 2004;9:24-8.

Williamson DA, Creel DB. Bulimia nervosa. In: Watson TS, Skinner CH, eds. *Encyclopedia of School Psychology*. New York, NY: Kluwer Academic/Plenum Publishers; 2004:56-8.

Williamson DA, Martin CK, Stewart T. Psychological aspects of eating disorders. *Best Practice & Research: Clinical Gastroenterology* 2004;18:1073-88.

Williamson DA, O'Neil PM. Obesity and quality of life. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:1005-22.

Williamson DA, Rzeznikiewicz AE. Anorexia nervosa. In: Watson TS, Skinner CH, eds. *Encyclopedia of School Psychology*. New York, NY: Kluwer Academic/Plenum Publishers; 2004:21-3.

Williamson DA, White MA, York-Crowe E, Stewart TM. Cognitive-behavioral theories of eating disorders. *Behav Modif* 2004;28:711-38.

Wing RR, Hamman RF, Bray GA, et al. Achieving weight and activity goals among diabetes prevention program lifestyle participants. *Obes Res* 2004;12:1426-34.

Yang D, Zakharkin SO, Page GP, et al. Applications of Bayesian statistical methods in microarray data analysis. *Am J Pharmacogenomics* 2004;4:53-62.

Yildiz BO, Suchard MA, Wong ML, McCann SM, Licinio J. Alterations in the dynamics of circulating ghrelin, adiponectin, and leptin in human obesity. *Proc Natl Acad Sci U S A* 2004;101:10434-9.

York DA. Animal models of obesity. In: DeFronzo RA, Ferrannini E, Keen H, Zimmet P, eds. *International Textbook of Diabetes Mellitus*. 3rd ed. Chichester, West Sussex, UK; Hoboken, NJ: John Wiley and Sons Ltd.; 2004:251-81.

York DA. Rodent models of obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Etiology and Pathophysiology*. 2nd ed. New York, NY: Marcel Dekker; 2004:255-81.

York DA, Rossner S, Caterson I, et al. Prevention Conference VII: Obesity, a worldwide epidemic related to heart disease and stroke: Group I: worldwide demographics of obesity. *Circulation* 2004;110:e463-e70.

Yu Y, Jawa A, Pan W, Kastin AJ. Effects of peptides, with emphasis on feeding, pain, and behavior: A 5-year (1999-2003) review of publications in Peptides. *Peptides* 2004;25:2257-89.

Zaleska M, Waclawik A, Bodek G, et al. Growth repression in diethylstilbestrol/dimethylbenz[a]anthracene-induced rat mammary gland tumor using Hecate-CG beta conjugate. *Exp Biol Med* 2004;229:335-44.

Zderic TW, Davidson CJ, Schenk S, Byerley LO, Coyle EF. High-fat diet elevates resting intramuscular triglyceride concentration and whole body lipolysis during exercise. *American Journal of Physiology: Endocrinology and Metabolism* 2004;286:E217-E25.

Zderic TW, Schenk S, Davidson CJ, Byerley LO, Coyle EF. Manipulation of dietary carbohydrate and muscle glycogen affects glucose uptake during exercise when fat oxidation is impaired by beta-adrenergic blockade. *American Journal of Physiology: Endocrinology and Metabolism* 2004;287:E1195-E201.



Zhang HG, Hyde K, Page GP, et al. Novel tumor necrosis factor alpha-regulated genes in rheumatoid arthritis. *Arthritis Rheum* 2004;50:420-31.

Zhang Y, Zhou J, Corll C, Porter JR, Martin RJ, Roane DS. Evidence for hypothalamic K-ATP(+) channels in the modulation of glucose homeostasis. *Eur J Pharmacol* 2004;492:71-9.

Zvonic S, Hogan JC, Arbour-Reily P, Mynatt RL, Stephens JM. Effects of cardiotrophin on adipocytes. *J Biol Chem* 2004;279:47572-9.

## 2005

An P, Borecki IB, Rankinen T, et al. Evidence of major genes for plasma HDL, LDL cholesterol and triglyceride levels at baseline and in response to 20 weeks of endurance training: The HERITAGE Family Study. *Int J Sports Med* 2005;26:414-9.

An P, Teran-Garcia M, Rice T, et al. Genome-wide linkage scans for prediabetes phenotypes in response to 20 weeks of endurance exercise training in non-diabetic whites and blacks: the HERITAGE Family Study. *Diabetologia* 2005;48:1142-9.

Anderson R, Cefalu W. Chromium. In: Coates P, Blackman M, Cragg G, Levine M, Moss J, White J, eds. *Encyclopedia of Dietary Supplements*. 1st edition and online updates ed. New York, NY: Marcel Dekker, Inc.; 2005.

Anton SD, Perri MG, Riley J, et al. Differential predictors of adherence in exercise programs with moderate versus higher levels of intensity and frequency. *Journal of Sport & Exercise Psychology* 2005;27:171-87.

Argyropoulos G, Smith SR, Bouchard C. Genetics of the metabolic syndrome. In: Kumar S, O'Rahilly SO, eds. *Insulin Resistance: Insulin Action and Its Disturbances in Disease*. Chichester, UK: John Wiley & Sons; 2005:401-50.

Bai FL, Sozen MA, Lukiw WJ, Argyropoulos G. Expression of AgRP, NPY, POMC and CART in human fetal and adult hippocampus. *Neuropeptides* 2005;39:439-43.

Baptista V, Zheng Z, Coleman FH, Rogers RC, Travagli RA. Cholecystokinin octapeptide increases spontaneous glutamatergic synaptic transmission to neurons of the nucleus tractus solitarius centralis. *J Neurophysiol* 2005;94:2763-71.

Baptista V, Zheng ZL, Coleman FH, Rogers RC, Travagli RA. Characterization of neurons of the nucleus tractus solitarius pars centralis. *Brain Res* 2005;1052:139-46.

Bellanger TM, Bray GA. Obesity related morbidity and mortality. *J La State Med Soc* 2005;157 Spec No 1:S42-9; quiz 9.

Berggren JR, Hulver MW, Houmard JA. Fat as an endocrine organ: Influence of exercise. *J Appl Physiol* 2005;99:757-64.

Berthoud HR. Brain, appetite and obesity. *Physiol Behav* 2005;85:1-2.

Berthoud HR. First step to losing fat: Central melanocortin signaling and sympathetic lipolytic drive. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2005;289:R1236-R7.

Berthoud HR. A new role for leptin as a direct satiety signal from the stomach. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2005;288:R796-R7.

Berthoud HR, Patterson LM, Sutton GM, Morrison C, Zheng H. Orexin inputs to caudal raphe neurons involved in thermal, cardiovascular, and gastrointestinal regulation. *Histochem Cell Biol* 2005;123:147-56.

Bing N, Hoeschele I, Ye K, Eilertsen KJ. Finite mixture model analysis of microarray expression data on samples of uncertain biological type with application to reproductive efficiency. *Vet Immunol Immunopathol* 2005;105:187-96.

Blouin K, Despres JP, Couillard C, et al. Contribution of age and declining androgen levels to features of the metabolic syndrome in men. *Metabolism* 2005;54:1034-40.

Bogacka I, Ukropcova B, McNeil M, Gimble JM, Smith SR. Structural and functional consequences of mitochondrial biogenesis in human adipocytes in vitro. *J Clin Endocrinol Metab* 2005;90:6650-6.

Bogacka I, Xie H, Bray GA, Smith SR. Pioglitazone induces mitochondrial biogenesis in human subcutaneous adipose tissue in vivo. *Diabetes* 2005;54:1392-9.

Bosse Y, Bouchard L, Despres JP, Bouchard C, Perusse L, Vohl MC. Haplotypes in the phospholipid transfer protein gene are associated with obesity-related phenotypes: The Quebec Family Study. *Int J Obes* 2005;29:1338-45.

Bosse Y, Feitosa MF, Despres JP, et al. Detection of a major gene effect for LDL peak particle diameter and association with apolipoprotein H gene haplotype. *Atherosclerosis* 2005;182:231-9.

Bouchard C, Rankinen T. Genetics and obesity: What does it mean to the clinician? *Obesity Management* 2005;1:100-4.

Bouchard L, Mauriege P, Vohl MC, Bouchard C, Perusse L. Plasminogen-activator inhibitor-1 polymorphisms are associated with obesity and fat distribution in the Quebec Family Study: Evidence of interactions with menopause. *Menopause* 2005;12:136-43.

Boule NG, Bouchard C, Tremblay A. Physical fitness and the metabolic syndrome in adults from the Quebec Family Study. *Canadian Journal of Applied Physiology-Revue Canadienne de Physiologie Appliquee* 2005;30:140-56.

Boule NG, Weisnagel SJ, Lakka TA, et al. Effects of exercise training on glucose homeostasis: The HERITAGE Family Study. *Diabetes Care* 2005;28:108-14.

Bowers RR, Gettys TW, Prpic V, Harris RB, Bartness TJ. Short photoperiod exposure increases adipocyte sensitivity to noradrenergic stimulation in Siberian hamsters. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2005;288:R1354-R60.

Brantley PJ, Dutton GR, Grothe KB, Bodenlos JS, Howe J, Jones GN. Minor life events as predictors of medical utilization in low income African American family practice patients. *J Behav Med* 2005;28:395-401.

Brantley PJ, Myers VH, Roy HJ. Environmental and lifestyle influences on obesity. *J La State Med Soc* 2005;157 S19-27.

Bray GA. Drug insight: Appetite suppressants. *Nature Clinical Practice Gastroenterology & Hepatology* 2005;2:89-95.

Bray GA. Drug treatment of obesity. *Psychiatr Clin North Am* 2005;28:193-217.

Bray GA. Epidemiology, risks and pathogenesis of obesity. *Meat Sci* 2005;71:2-7.

Bray GA. Is there something special about low-carbohydrate diets? *Ann Intern Med* 2005;142:469-70.

Bray GA. Pharmacological treatment of obesity. In: Munsch S, Beglinger C, eds. *Obesity and Binge Eating Disorder*. Basel; New York, NY: Karger; 2005:81-101.

Bray GA. Pharmacotherapy of obesity. In: Goldstein DJ, ed. *The Management of Eating Disorders and Obesity*. 2nd ed. Totowa, NJ: Humana Press; 2005:241-75.

Bray GA, Champagne CM. Beyond energy balance: There is more to obesity than kilocalories. *J Am Diet Assoc* 2005;105:17-23.

Brown SC, Geiselman PJ, Copeland AL, et al. Cardiac assessment risk evaluation (CARE Study) of African American college women. *Health Educ J* 2005;64:13-30.

Browning KN, Coleman FH, Travagli RA. Characterization of pancreas-projecting rat dorsal motor nucleus of vagus neurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2005;288:G950-G5.

Browning KN, Coleman FH, Travagli RA. Effects of pancreatic polypeptide on pancreas-projecting rat dorsal motor nucleus of the vagus neurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2005;289:G209-G19.

Buff PR, Morrison CD, Ganjam VK, Keisler DH. Effects of short-term feed deprivation and melatonin implants on circadian patterns of leptin in the horse. *J Anim Sci* 2005;83:1023-32.

Castellani JW, Francis JR, Stulz DA, et al. Body fluid regulation in a simulated disabled submarine: effects of cold, reduced O<sub>2</sub>, and elevated CO<sub>2</sub>. *Aviat Space Environ Med* 2005;76:753-9.

Cefalu CA, Cefalu WT. Controlling hypoglycemia in type 2 diabetes: Which agent for which patient? *J Fam Pract* 2005;54:855-62.

Cefalu WT. Glycemic control and cardiovascular disease - should we reassess clinical goals? *N Engl J Med* 2005;353:2707-9.

Chen J, Yan Y, Li J, et al. Differential requirement of signal pathways for benzo[a]pyrene (B[a]P)-induced nitric oxide synthase (iNOS) in rat esophageal epithelial cells. *Carcinogenesis* 2005;26:1035-43.

Civitarese A, Ravussin E. Obesity and gene discovery approaches. In: Antel J, Finer N, Heal D, Krause G, eds. *Obesity and Metabolic Disorders: 4*. Amsterdam: ISO Press; 2005:123-42.

Civitarese AE, Hesselink MK, Russell AP, Ravussin E, Schrauwen P. Glucose ingestion during exercise blunts exercise induced gene expression of skeletal muscle fat oxidative genes. *American Journal of Physiology: Endocrinology and Metabolism* 2005;289:E1023-E9.

de Jonge WJ, van der Zanden EP, The FO, et al. Stimulation of the vagus nerve attenuates macrophage activation by activating the Jak2-STAT3 signaling pathway. *Nat Immunol* 2005;6:844-51.

DeFronzo RA, Bergenstal RM, Cefalu WT, et al. Efficacy of inhaled insulin in patients with type 2 diabetes not controlled with diet and exercise: a 12-week, randomized, comparative trial. *Diabetes Care* 2005;28:1922-8.

DeLany JP, Floyd ZE, Zvonic S, et al. Proteomic analysis of primary cultures of human adipose-derived stem cells: Modulation by adipogenesis. *Mol Cell Proteomics* 2005;4:731-40.

Deutsch WA, Hegde V. Analysis of DNA strand cleavage at abasic sites. In: Keohavong P, Grant SG, eds. *Molecular Toxicology Protocols*. Totowa, N.J.: Humana Press; 2005:39-46.

Devireddy RV, Thirumala S, Gimble JM. Cellular response of adipose derived passage-4 adult stem cells to freezing stress. *J Biomech Eng* 2005;127:1081-6.

Ding Y, Kastin AJ, Pan W. Neural plasticity after spinal cord injury. *Curr Pharm Des* 2005;11:1441-50.

Dubois S, Halvorsen YD, Ravussin E, Gimble JM. Primary stromal cell culture from adipose tissue: from liposuction to needle biopsy. *Adipocytes* 2005;1:139-44.

Duncan GE, Anton SD, Sydeaman SJ, et al. Prescribing exercise at varied levels of intensity and frequency: A randomized trial. *Arch Intern Med* 2005;165:2362-9.

Dutton GR, Johnson J, Whitehead D, Bodenlos JS, Brantley PJ. Barriers to physical activity among predominantly low-income African-American patients with type 2 diabetes. *Diabetes Care* 2005;28:1209-10.

Eisenmann JC, Katzmarzyk PT, Perusse L, Tremblay A, Despres JP, Bouchard C. Aerobic fitness, body mass index, and CVD risk factors among adolescents: The Quebec Family Study. *Int J Obes* 2005;29:1077-83.

Elliott KC. Developmental systems theory and human embryos: A response to Austriaco. *National Catholic Bioethics Quarterly* 2005;5:249-59.

Feinglos M, Dailey G, Cefalu W, et al. Effect on glycemic control of the addition of 2.5 mg glipizide GITS to metformin in patients with T2DM. *Diabetes Res Clin Pract* 2005;68:167-75.

Feitosa MF, Borecki IB, Rankinen T, et al. Evidence of QTLs on chromosomes 1q42 and 8q24 for LDL-cholesterol and apoB levels in the HERITAGE Family Study. *J Lipid Res* 2005;46:281-6.

Feitosa MF, Rice T, Rankinen T, et al. Common genetic and environmental effects on lipid phenotypes: The HERITAGE Family Study. *Hum Hered* 2005;59:34-40.

Feitosa MF, Rice T, Rankinen T, et al. Evidence of QTLs on chromosomes 13q and 14q for triglycerides before and after 20 weeks of exercise training: The HERITAGE Family Study. *Atherosclerosis* 2005;182:349-60.

Franks PW, Ravussin E, Hanson RL, et al. Habitual physical activity in children: The role of genes and the environment. *Am J Clin Nutr* 2005;82:901-8.

Frisard MI, Greenway FL, DeLany JP. Comparison of methods to assess body composition changes during a period of weight loss. *Obes Res* 2005;13:845-54.

Gao Z, Chiao P, Zhang X, et al. Coactivators and corepressors of NF-KB in Ikb ALPHA gene promoter. *J Biol Chem* 2005;280:21091-8.

Gielen M, Pinto-Sietsma SJ, Zeegers MP, et al. Birth weight and creatinine clearance in young adult twins: Influence of genetic, prenatal, and maternal factors. *J Am Soc Nephrol* 2005;16:2471-6.

Gimble JM. *Academia to Biotechnology: Career Changes at Any Stage*. London, UK: Elsevier Academic Press; 2005.

Gold PW, Wong ML, Goldstein DS, et al. Cardiac implications of increased arterial entry and reversible 24-h central and peripheral norepinephrine levels in melancholia. *Proc Natl Acad Sci U S A* 2005;102:8303-8.

Greenway F. Another type of intervention: Treating obesity with medication. *J Am Diet Assoc* 2005;105:895-8.

Greenway F. There is insufficient evidence about the efficacy of commercial weight loss programmes. *Commentary. Evidence-based Cardiovascular Medicine* 2005;9:142-4.

Greenway FL, Caruso MK. Safety of obesity drugs. *Expert Opin Drug Saf* 2005;4:1083-95.

Grothe KB, Dutton GR, Jones GN, Bodenlos J, Ancona M, Brantley PJ. Validation of the Beck Depression Inventory-II in a low-income African American sample of medical outpatients. *Psychol Assess* 2005;17:110-4.

Hall DM, Most MM. Dietary adherence in well-controlled feeding studies. *J Am Diet Assoc* 2005;105:1285-8.

Hansel W. Targeting breast, prostate, ovarian, and testicular cancers through their hormone receptors. *Biol Reprod* 2005;73:850-.

Hardman WE. Omega-3 fatty acids as an adjuvant to cancer therapy In: Landow MV, ed. *Trends in Dietary Fats Research*: Nova Publishers; 2005:113-31.

Hardman WE, Sun L, Short N, Cameron IL. Dietary omega-3 fatty acids and ionizing irradiation on human breast cancer xenograft growth and angiogenesis. *Cancer Cell International* 2005;5:12-6.

Hausman DB, Bartness TJ, Digirolamo M, Fine JB, Plunkett S, Martin RJ. Proliferative activity of adipose tissue conditioned media correlates with fat cell size in animal models of obesity. *Adipocytes* 2005;1:25-34.

Heilbronn LK, Civitarese AE, Bogacka I, Smith SR, Hulver M, Ravussin E. Glucose tolerance and skeletal muscle gene expression in response to alternate day fasting. *Obes Res* 2005;13:574-81.

Heilbronn LK, Ravussin E. Calorie restriction extends life span - but which calories? *PLoS Med* 2005;2:721-3.

Heilbronn LK, Smith SR, Martin CK, Anton SD, Ravussin E. Alternate-day fasting in nonobese subjects: Effects on body weight, body composition, and energy metabolism. *Am J Clin Nutr* 2005;81:69-73.

Herbert JD, Gaudio BA, Rheingold AA, Myers VH, Dalrymple K, Nolan EM. Social skills training augments the effectiveness of cognitive behavioral group therapy for social anxiety disorder. *Behav Ther* 2005;36:125-38.

Hermann GE, Holmes GM, Rogers RC. TNF(alpha) modulation of visceral and spinal sensory processing. *Curr Pharm Des* 2005;11:1391-409.

Hermann GE, Nasse JS, Rogers RC. Alpha-1 adrenergic input to solitary nucleus neurones: calcium oscillations, excitation and gastric reflex control. *J Physiol* 2005;562:553-68.

Holmes GM. 5-Hydroxytryptamine(2C) receptors on pudendal motoneurons innervating the external anal sphincter. *Brain Res* 2005;1057:65-71.

Holmes GM, Van Meter MJ, Beattie MS, Bresnahan JC. Serotonergic fiber sprouting to external anal sphincter motoneurons after spinal cord contusion. *Exp Neurol* 2005;193:29-42.

Hulver MW, Berggren JR, Carper MJ, et al. Elevated stearoyl-CoA desaturase-1 expression in skeletal muscle contributes to abnormal fatty acid partitioning in obese humans. *Cell Metab* 2005;2:251-61.

Hunter GR, Bamman MM, Larson-Meyer DE, et al. Inverse relationship between exercise economy and oxidative capacity in muscle. *Eur J Appl Physiol* 2005;94:558-68.

Janssen I, Katzmarzyk PT, Srinivasan SR, et al. Combined influence of body mass index and waist circumference on coronary artery disease risk factors among children and adolescents. *Pediatrics* 2005;115:1623-30.

Janssen I, Katzmarzyk PT, Srinivasan SR, et al. Utility of childhood BMI in the prediction of adulthood disease: Comparison of national and international references. *Obes Res* 2005;13:1106-15.

Jovanovic L, Knopp RH, Kim H, et al. Elevated pregnancy losses at high and low extremes of maternal glucose in early normal and diabetic pregnancy: Evidence for a protective adaptation in diabetes. *Diabetes Care* 2005;28:1113-7.

Jozsa R, Halberg F, Cornelissen G, et al. Chronomics, neuroendocrine feedsideways and the recording and consulting of nowcasts--forecasts of geomagnetics. *Biomed Pharmacother* 2005;59 S24-S30.

Jozsa R, Olah A, Cornelissen G, et al. Circadian and extracircadian exploration during daytime hours of circulating

corticosterone and other endocrine chronomes. *Biomed Pharmacother* 2005;59 S109-S16.

Kastin AJ, Pan W. Targeting neurite growth inhibitors to induce CNS regeneration. *Curr Pharm Des* 2005;11:1247-53.

Katzmarzyk PT, Bouchard C. Genetic influences on human body composition. In: Heymsfield SB, Lohman TG, Wang Z, Going SB, eds. *Human Body Composition*. 2nd ed. Champaign, IL: Human Kinetics; 2005:243-57.

Kennedy BM, Conlin PR, Ernst D, Reams P, Charleston JB, Appel LJ. Successfully recruiting a multicultural population: the DASH-Sodium experience. *Ethn Dis* 2005;15:123-9.

Kennedy BM, Paeratakul S, Champagne CM, et al. A pilot church-based weight loss program for African-American adults using church members as health educators: a comparison of individual and group intervention. *Ethn Dis* 2005;15:373-8.

Kumar CSSR, Hormes J, Leuschner C. *Nanofabrication Towards Biomedical Applications: Techniques, Tools, Applications, and Impact*. Weinheim: Wiley-VCH; 2005.

Laaksonen DE, Lindstrom J, Lakka TA, et al. Physical activity in the prevention of type 2 diabetes: The Finnish Diabetes Prevention Study. *Diabetes* 2005;54:158-65.

Lakka TA, Bouchard C. Physical activity, obesity and cardiovascular diseases. *Handb Exp Pharmacol* 2005:137-63.

Lakka TA, Lakka HM, Rankinen T, et al. Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. *Eur Heart J* 2005;26:2018-25.

Lee JY, Lowell CA, Lemay DG, et al. The regulation of the expression of inducible nitric oxide synthase by Src-family tyrosine kinases mediated through MyD88-independent signaling pathways of toll-like receptor 4. *Biochem Pharmacol* 2005;70:1231-40.

Lee K, Li B, Xi X, Suh Y, Martin RJ. Role of neuronal energy status in the regulation of adenosine 5'-monophosphate-activated protein kinase, orexigenic neuropeptides expression, and feeding behavior. *Endocrinology* 2005;146:3-10.

Lefevre M, Champagne CM, Tulley RT, Rood JC, Most MM. Individual variability in cardiovascular disease risk factor responses to low-fat and low-saturated-fat diets in men: Body mass index, adiposity, and insulin resistance predict changes in LDL cholesterol. *Am J Clin Nutr* 2005;82:957-63.

Lefevre M, Lovejoy JC, Smith SR, et al. Comparison of the acute response to meals enriched with cis- or trans-fatty acids on glucose and lipids in overweight individuals with differing FABP2 genotypes. *Metabolism* 2005;54:1652-8.

Leuschner C, Hansel W. Targeting breast and prostate cancers through their hormone receptors. *Biol Reprod* 2005;73:860-5.

Leuschner C, Kumar CSSR. Nanoparticles for cancer drug delivery. In: Kumar CSSR, Hormes J, Leuschner C, eds. *Nanofabrication Towards Biomedical Applications: Techniques, Tools, Applications, and Impact*. Weinheim: Wiley-VCH; 2005:289-326.

Leuschner C, Kumar CSSR. Nanotechnology in cancer drug delivery. In: Kumar CSSR, Hormes J, Leuschner C, eds. *Nanofabrication Towards Biomedical Applications: Techniques, Tools, Applications, and Impact*. Weinheim: Wiley-VCH; 2005.

Leuschner C, Kumar CSSR, Hansel W, Hormes J. Targeting breast cancer cells and their metastases through luteinizing hormone releasing hormone (LHRH) receptors using magnetic nanoparticles. *J Biomed Nanotechnol* 2005;1:229-33.

- Li F, Drel VR, Szabo C, Stevens MJ, Obrosova IG. Low-dose poly (ADP-ribose) polymerase inhibitor-containing combination therapies reverse early peripheral diabetic neuropathy. *Diabetes* 2005;54:1514-22.
- Li F, Obrosova IG, Abatan O, et al. Taurine replacement attenuates hyperalgesia and abnormal calcium signaling in sensory neurons of STZ-D rats. *American Journal of Physiology: Endocrinology and Metabolism* 2005;288:E29-E36.
- Lin L, York DA. 5-HT1B receptors modulate the feeding inhibitory effects of enterostatin. *Brain Res* 2005;1062:26-31.
- Liu D, Gao ZG, Zhang J, Ye JP, Liu ZJ. Bioassay-guided fractionation of *Rubus suavissimus* leaf extracts possessing NF-kappa B inhibitory activities and a separable cytotoxicity. *Pharm Biol* 2005;43:713-7.
- Liu Z, Schwimer J, Liu D, Greenway FL, Anthony CT, Woltering EA. Black raspberry extract and fractions contain angiogenesis inhibitors. *J Agric Food Chem* 2005;53:3909-15.
- Loos RJ, Rankinen T. Gene-diet interactions on body weight changes. *J Am Diet Assoc* 2005;105:29-34.
- Loos RJ, Rankinen T, Rice T, et al. Two ethnic-specific polymorphisms in the human Agouti-related protein gene are associated with macronutrient intake. *Am J Clin Nutr* 2005;82:1097-101.
- Loos RJ, Rankinen T, Tremblay A, Perusse L, Chagnon Y, Bouchard C. Melanocortin-4 receptor gene and physical activity in the Quebec Family Study. *Int J Obes* 2005;29:420-8.
- Malhotra A, Coon H, Feitosa MF, et al. Meta-analysis of genome-wide linkage studies for quantitative lipid traits in African Americans. *Hum Mol Genet* 2005;14:3955-62.
- Martin CK, Williamson DA, Geiselman PJ, et al. Consistency of food intake over four eating sessions in the laboratory. *Eat Behav* 2005;6:365-72.
- Martin PD, McKnight GT, Barbera B, Brantley PJ. Satisfaction with the multidisciplinary treatment team: A predictor of hemodialysis patient compliance. *Dialysis & Transplantation* 2005;34:12-8.
- Mastronardi CA, Srivastava V, Yu WH, Dees WL, McCann SM. Lipopolysaccharide-induced leptin synthesis and release are differentially controlled by alpha-melanocyte-stimulating hormone. *Neuroimmunomodulation* 2005;12:182-8.
- McLean DC, Jr., Spruill I, Argyropoulos G, Page GP, Shriver MD, Garvey WT. Mitochondrial DNA (mtDNA) haplotypes reveal maternal population genetic affinities of Sea Island Gullah-speaking African Americans. *Am J Phys Anthropol* 2005;127:427-38.
- Morrison CD, Morton GJ, Niswender KD, Gelling RW, Schwartz MW. Leptin inhibits hypothalamic Npy and Agrp gene expression via a mechanism that requires phosphatidylinositol 3-OH-kinase signaling. *American Journal of Physiology: Endocrinology and Metabolism* 2005;289:E1051-E7.
- Morton GJ, Gelling RW, Niswender KD, Morrison CD, Rhodes CJ, Schwartz MW. Leptin regulates insulin sensitivity via phosphatidylinositol-3-OH kinase signaling in mediobasal hypothalamic neurons. *Cell Metab* 2005;2:411-20.
- Most MM. Fibre supplementation may help to reduce blood pressure. Commentary. *Evidence-based Cardiovascular Medicine* 2005;9:95-7.
- Most MM, Tulley R, Morales S, Lefevre M. Rice bran oil, not fiber, lowers cholesterol in humans. *Am J Clin Nutr* 2005;81:64-8.
- Nedergaard J, Ricquier D, Kozak LP. Uncoupling proteins: Current status and therapeutic prospects. *EMBO Rep* 2005;6:917-21.

Newcomer BR, Sirikul B, Hunter GR, Larson-Meyer E, Bamman M. Exercise over-stress and maximal muscle oxidative metabolism: A <sup>31</sup>P magnetic resonance spectroscopy case report. *Br J Sports Med* 2005;39:302-6.

Newton RL, Jr. Weight management in African American women: Practical issues. *Obesity Management* 2005;1:243-6.

Newton RL, Alfonso A, White MA, et al. Percent body fat measured by BIA and DEXA in obese, African-American adolescent girls. *Int J Obes* 2005;29:594-602.

Nonas C, Ryan DH. Weight loss as the primary treatment for type 2 diabetes. *Obesity Management* 2005;1:96-9.

Obrosova IG. Increased sorbitol pathway activity generates oxidative stress in tissue sites for diabetic complications. *Antioxidants & Redox Signaling* 2005;7:1543-52.

Obrosova IG, Drel VR, Pacher P, et al. Oxidative-nitrosative stress and poly (ADP-ribose) polymerase (PARP) activation in experimental diabetic neuropathy: the relation is revisited. *Diabetes* 2005;54:3435-41.

Obrosova IG, Julius UA. Role for poly (ADP-ribose) polymerase activation in diabetic nephropathy, neuropathy and retinopathy. *Curr Vasc Pharmacol* 2005;3:267-83.

Obrosova IG, Mabley JG, Zsengeller Z, et al. Role for nitrosative stress in diabetic neuropathy: Evidence from studies with a peroxynitrite decomposition catalyst. *FASEB J* 2005;19:401-3.

Obrosova IG, Pacher P, Szabo C, et al. Aldose reductase inhibition counteracts oxidative-nitrosative stress and poly (ADP-ribose) polymerase activation in tissue sites for diabetes complications. *Diabetes* 2005;54:234-42.

O'Hea EL, Grothe KB, Bodenlos JS, Boudreaux ED, White MA, Brantley PJ. Predicting medical regimen adherence: the interactions of health locus of control beliefs. *J Health Psychol* 2005;10:705-17.

Pacher P, Obrosova IG, Mabley JG, Szabo C. Role of nitrosative stress and peroxynitrite in the pathogenesis of diabetic complications. Emerging new therapeutical strategies. *Curr Med Chem* 2005;12:267-75.

Pan W, Kastin AJ, Yu Y, et al. Selective tissue uptake of AgRP (82-131) and its modulation by fasting. *Endocrinology* 2005;146:5533-9.

Pan W, Yu Y, Cain CM, Nyberg F, Couraud PO, Kastin AJ. Permeation of growth hormone across the blood-brain barrier. *Endocrinology* 2005;146:4898-904.

Pan WH. Spinal cord injury and repair - Part I. *Curr Pharm Des* 2005;11:1209-10.

Pan WH. Spinal cord injury and repair - Part II. *Curr Pharm Des* 2005;11:1351-.

Perusse L, Rankinen T, Zuberi A, et al. The human obesity gene map: The 2004 update. *Obes Res* 2005;13:381-490.

Pfister-Genskow M, Myers C, Childs LA, et al. Identification of differentially expressed genes in individual bovine preimplantation embryos produced by nuclear transfer: Improper reprogramming of genes required for development. *Biol Reprod* 2005;72:546-55.

Poeggeler B, Cornelissen G, Huether G, et al. Chronomics affirm extending scope of lead in phase of duodenal vs. pineal circadian melatonin rhythms. *Biomed Pharmacother* 2005;59 S220-S4.

Primeaux SD, Wilson SP, Cusick MC, York DA, Wilson MA. Effects of altered amygdalar neuropeptide Y expression on anxiety-related behaviors. *Neuropsychopharmacology* 2005;30:1589-97.

Provencher V, Perusse L, Bouchard L, et al. Familial resemblance in eating behaviors in men and women from the



Quebec Family Study. *Obes Res* 2005;13:1624-9.

Ptitsyn A, Hide W. CLU: A new algorithm for EST clustering. *BMC Bioinformatics* 2005;6 S3 (1-10).

Rankinen T, Bouchard C. Genes, genetic heterogeneity, and exercise phenotypes. In: Mooren FC, Volker K, eds. *Molecular and Cellular Exercise Physiology*. Champaign, IL: Human Kinetics; 2005:39-54.

Ravussin E. Physiology. A NEAT way to control weight? *Science* 2005;307:530-1.

Rim JS, Mynatt RL, Gawronska-Kozak B. Mesenchymal stem cells from the outer ear: A novel adult stem cell model system for the study of adipogenesis. *FASEB J* 2005;19:1205-7.

Roberts AT, de Jonge-Levitan L, Parker CC, Greenway F. The effect of an herbal supplement containing black tea and caffeine on metabolic parameters in humans. *Altern Med Rev* 2005;10:321-5.

Rosenstock J, Zinman B, Murphy LJ, et al. Inhaled insulin improves glycemic control when substituted for or added to oral combination therapy in type 2 diabetes: A randomized, controlled trial. *Ann Intern Med* 2005;143:549-58.

Ryan D. Risks and benefits of weight loss: challenges to obesity research. *European Heart Journal Supplements* 2005;7:L27-L31.

Ryan DH, Champagne CM. Politics of the obesity epidemic: Results of the 2003 Louisiana Physicians Survey. *J La State Med Soc* 2005;157 S28-S33.

Santoro N, Rankinen T, Perusse L, Loos RJ, Bouchard C. MC4R marker associated with stature in children and young adults: A longitudinal study. *J Pediatr Endocrinol Metab* 2005;18:859-63.

Schneider L, El-Yazidi C, Dace A, et al. Expression of the 1,25-(OH)<sub>2</sub> vitamin D<sub>3</sub> receptor gene during the differentiation of mouse Ob17 preadipocytes and cross talk with the thyroid hormone receptor signalling pathway. *J Mol Endocrinol* 2005;34:221-35.

Scott LK, Vachharajani V, Minagar A, Mynatt RL, Conrad SA. Differential RNA expression of hepatic tissue in lean and obese mice after LPS-induced systemic inflammation. *Front Biosci* 2005;10:1828-34.

Seeley RJ, York DA. Fuel sensing and the central nervous system (CNS): Implications for the regulation of energy balance and the treatment for obesity. *Obes Rev* 2005;6:259-65.

Shriver MD, Mei R, Parra EJ, et al. Large-scale SNP analysis reveals clustered and continuous patterns of human genetic variation. *Hum Genomics* 2005;2:81-9.

Smith SR, de Jonge L, Volaufova J, Li Y, Xie H, Bray GA. Effect of pioglitazone on body composition and energy expenditure: A randomized controlled trial. *Metabolism* 2005;54:24-32.

Smith SR, Ravussin E. Genetic and physiological factors in obesity. *J La State Med Soc* 2005;157 S12-S8.

Sparks LM, Xie H, Koza RA, et al. A high-fat diet coordinately downregulates genes required for mitochondrial oxidative phosphorylation in skeletal muscle. *Diabetes* 2005;54:1926-33.

Stebelova K, Zeman M, Cornelissen G, et al. Chronomics reveal and quantify circadian rhythmic melatonin in duodenum of rats. *Biomed Pharmacother* 2005;59 S209-S12.

Stutz AM, Morrison CD, Argyropoulos G. The Agouti-related protein and its role in energy homeostasis. *Peptides* 2005;26:1771-81.

Suchankova G, Tekle M, Saha AK, Ruderman NB, Clarke SD, Gettys TW. Dietary polyunsaturated fatty acids enhance hepatic AMP-activated protein kinase activity in rats. *Biochem Biophys Res Commun* 2005;326:851-8.

Sutton GM, Duos B, Patterson LM, Berthoud HR. Melanocortinergic modulation of cholecystokinin-induced suppression of feeding through extracellular signal-regulated kinase signaling in rat solitary nucleus. *Endocrinology* 2005;146:3739-47.

Svetkey LP, Erlinger TP, Vollmer WM, et al. Effect of lifestyle modifications on blood pressure by race, sex, hypertension status, and age. *J Hum Hypertens* 2005;19:21-31.

Teran-Garcia M, Rankinen T, Koza RA, Rao DC, Bouchard C. Endurance training-induced changes in insulin sensitivity and gene expression. *American Journal of Physiology: Endocrinology and Metabolism* 2005;288:E1168-E78.

Teran-Garcia M, Santoro N, Rankinen T, et al. Hepatic lipase gene variant -514C>T is associated with lipoprotein and insulin sensitivity response to regular exercise: The HERITAGE Family Study. *Diabetes* 2005;54:2251-5.

Tharion WJ, Lieberman HR, Montain SJ, et al. Energy requirements of military personnel. *Appetite* 2005;44:47-65.

Thirumala S, Gimble JM, Devireddy RV. Transport phenomena during freezing of adipose tissue derived adult stem cells. *Biotechnol Bioeng* 2005;92:372-83.

Thirumala S, Zvonic S, Floyd E, Gimble JM, Devireddy RV. Effect of various freezing parameters on the immediate post-thaw membrane integrity of adipose tissue derived adult stem cells. *Biotechnol Prog* 2005;21:1511-24.

Trevaskis J, Walder K, Foletta V, et al. Src homology 3-domain growth factor receptor-bound 2-like (endophilin) interacting protein 1, a novel neuronal protein that regulates energy balance. *Endocrinology* 2005;146:3757-64.

Trevaskis JL, Butler AA. Double leptin and melanocortin-4 receptor gene mutations have an additive effect on fat mass and are associated with reduced effects of leptin on weight loss and food intake. *Endocrinology* 2005;146:4257-65.

Trivedi P, Edwards JW, Wang J, et al. HDBStat!: a platform-independent software suite for statistical analysis of high dimensional biology data. *BMC Bioinformatics* 2005;6:86 (1-10).

Tucker KL, Maras J, Champagne C, et al. A regional food-frequency questionnaire for the US Mississippi Delta. *Public Health Nutr* 2005;8:87-96.

Tulley RT, Vaidyanathan J, Wilson JB, et al. Daily intake of multivitamins during long-term intake of olestra in men prevents declines in serum vitamins A and E but not carotenoids. *J Nutr* 2005;135:1456-61.

Tuuri G, Keenan MJ, West KM, DeLany JP, Loftin JM. Body water indices as markers of aging in male masters swimmers. *Journal of Sports Science and Medicine* 2005;4:406-14.

Ukkola O, Rankinen T, Lakka T, et al. Protein tyrosine phosphatase 1B variant associated with fat distribution and insulin metabolism. *Obes Res* 2005;13:829-34.

Ukkola O, Santaniemi M, Rankinen T, et al. Adiponectin polymorphisms, adiposity and insulin metabolism: HERITAGE Family Study and Oulu Diabetic Study. *Ann Med* 2005;37:141-50.

Ukropcova B, McNeil M, Sereda O, et al. Dynamic changes in fat oxidation in human primary myocytes mirror metabolic characteristics of the donor. *J Clin Invest* 2005;115:1934-41.

Valencia ME, Weil EJ, Nelson RG, et al. Impact of lifestyle on prevalence of kidney disease in Pima Indians in Mexico and the United States. *Kidney International Supplement* 2005;97:S141-S4.

Vollmer WM, Appel LJ, Svetkey LP, et al. Comparing office-based and ambulatory blood pressure monitoring in clinical trials. *J Hum Hypertens* 2005;19:77-82.

Walder K, Kerr-Bayles L, Civitaresse A, et al. The mitochondrial rhomboid protease PSARL is a new candidate gene for type 2 diabetes. *Diabetologia* 2005;48:459-68.

Wang DW, Fermor B, Gimble JM, Awad HA, Guilak F. Influence of oxygen on the proliferation and metabolism of adipose derived adult stem cells. *J Cell Physiol* 2005;204:184-91.

White CL, Braymer HD, York DA, Bray GA. Effect of a high or low ambient perinatal temperature on adult obesity in Osborne-Mendel and S5B/Pl rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2005;288:R1376-R84.

White CL, Ishii Y, Mendoza T, et al. Effect of a selective OX(1)R antagonist on food intake and body weight in two strains of rats that differ in susceptibility to dietary-induced obesity. *Peptides* 2005;26:2331-8.

Williamson DA, Gleaves DH, Stewart TM. Categorical versus dimensional models of eating disorders: An examination of the evidence. *Int J Eat Disord* 2005;37:1-10.

Williamson DA, Martin CK. Behavioral weight control therapy with children. In: Hersen M, ed. *Encyclopedia of Behavior Modification and Cognitive Behavior Therapy*. Thousand Oaks, CA: Sage Publications; 2005:742-6.

Williamson DA, Martin CK, Stewart TM. Behavioral weight control treatments. In: Hersen M, ed. *Encyclopedia of Behavior Modification and Cognitive Behavior Therapy*. Thousand Oaks, CA: Sage Publications; 2005:167-71.

Williamson DA, Martin PD, White MA, et al. Efficacy of an internet-based behavioral weight loss program for overweight adolescent African-American girls. *Eat Weight Disord* 2005;10:193-203.

Williamson DA, Ravussin E, Wong ML, et al. Microanalysis of eating behavior of three leptin deficient adults treated with leptin therapy. *Appetite* 2005;45:75-80.

Williamson DA, Stewart TM. Behavior and lifestyle: Approaches to treatment of obesity. *J La State Med Soc* 2005;157:S50-S5.

Williamson DA, White MA, Newton R, Jr., Alfonso A, Stewart TM. Association of body size estimation and age in African-American females. *Eat Weight Disord* 2005;10:216-21.

Wolfarth B, Bray MS, Hagberg JM, et al. The human gene map for performance and health-related fitness phenotypes: The 2004 update. *Med Sci Sports Exerc* 2005;37:881-903.

Wood RH, Gardner RE, Ferachi KA, et al. Physical function and quality of life in older adults: Sex differences. *South Med J* 2005;98:504-12.

Xiang S, Pan W, Kastin AJ. Strategies to create a regenerating environment for the injured spinal cord. *Curr Pharm Des* 2005;11:1267-77.

Xue B, Coulter A, Rim JS, Koza RA, Kozak LP. Transcriptional synergy and the regulation of UCP1 during brown adipocyte induction in white fat depots. *Mol Cell Biol* 2005;25:8311-22.

York-Crowe EE, Williamson DA. Health and appearance concerns in young Caucasian and African-American women. *Eat Weight Disord* 2005;10:e38-e44.

Young DR, Aickin M, Brantley P, et al. Physical activity, cardiorespiratory fitness, and their relationship to cardiovascular risk factors in African Americans and non-African Americans with above-optimal blood pressure. *J*

Community Health 2005;30:107-24.

Zeman M, Jozsa R, Cornelissen G, et al. Chronomics: Circadian lead of extrapineal vs. pineal melatonin rhythms with an infradian hypothalamic exploration. *Biomed Pharmacother* 2005;59 S213-S9.

Zhang Y, Kilroy GE, Henagan TM, et al. Targeted deletion of melanocortin receptor subtypes 3 and 4, but not CART, alters nutrient partitioning and compromises behavioral and metabolic responses to leptin. *FASEB J* 2005;19:1482-91.

Zheng H, Patterson LM, Berthoud HR. Orexin-A projections to the caudal medulla and orexin-induced c-Fos expression, food intake, and autonomic function. *J Comp Neurol* 2005;485:127-42.

Zheng H, Patterson LM, Morrison C, et al. Melanin concentrating hormone innervation of caudal brainstem areas involved in gastrointestinal functions and energy balance. *Neuroscience* 2005;135:611-25.

Zheng H, Patterson LM, Phifer CB, Berthoud HR. Brain stem melanocortinergic modulation of meal size and identification of hypothalamic POMC projections. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2005;289:R247-R58.

Zheng Z, Lewis MW, Travagli RA. In vitro analysis of the effects of cholecystokinin on rat brain stem motoneurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2005;288:G1066-G73.

Zhou J, Deo BK, Hosoya K, et al. Increased JNK phosphorylation and oxidative stress in response to increased glucose flux through increased GLUT1 expression in rat retinal endothelial cells. *Invest Ophthalmol Vis Sci* 2005;46:3403-10.

Zvonic S, Baugh JE, Jr., Arbour-Reily P, Mynatt RL, Stephens JM. Cross-talk among gp130 cytokines in adipocytes. *J Biol Chem* 2005;280:33856-63.

## **2006**

Adamson AW, Suchankova G, Rufo C, et al. Hepatocyte nuclear factor-4alpha contributes to carbohydrate-induced transcriptional activation of hepatic fatty acid synthase. *Biochem J* 2006;399:285-95.

Aissani B, Perusse L, Lapointe G, et al. A quantitative trait locus for body fat on chromosome 1q43 in French Canadians: Linkage and association studies. *Obesity* 2006;14:1605-15.

Alfonzo-Gonzalez G, Doucet E, Bouchard C, Tremblay A. Greater than predicted decrease in resting energy expenditure with age: cross-sectional and longitudinal evidence. *Eur J Clin Nutr* 2006;60:18-24.

An P, Rice T, Rankinen T, et al. Genome-wide scan to identify quantitative trait loci for baseline resting heart rate and its response to endurance exercise training: The HERITAGE Family Study. *Int J Sports Med* 2006;27:31-6.

Anderson KL, Myers VH, Broussard AP. Clinical case report: Extreme obesity with no option for surgery. *Obesity Management* 2006;2:195-6.

Anton SD, Han H, Newton RL, Jr., et al. Reformulation of the Children's Eating Attitudes Test (ChEAT): Factor structure and scoring method in a non-clinical population. *Eat Weight Disord* 2006;11:201-10.

Anton SD, Newton RL, Jr., Sothorn M, Martin CK, Stewart TM, Williamson DA. Association of depression with body mass index, sedentary behavior, and maladaptive eating attitudes and behaviors in 11- to 13-year-old children. *Eat Weight Disord* 2006;11:e102-e8.

Azain MJ, Broderson JR, Martin RJ. Effect of long-term somatotropin treatment on body composition and life span in aging obese Zucker rats. *Exp Biol Med* 2006;231:76-83.

Bailey SD, Loredano-Osti JC, Lepage P, et al. Common polymorphisms in the promoter of the visfatin gene (PBEF1) influence plasma insulin levels in a French-Canadian population. *Diabetes* 2006;55:2896-902.

Barengo NC, Kastarinen M, Lakka T, Nissinen A, Tuomilehto J. Different forms of physical activity and cardiovascular risk factors among 24-64-year-old men and women in Finland. *Eur J Cardiovasc Prev Rehabil* 2006;13:51-9.

Barnes MJ, Holmes G, Primeaux SD, York DA, Bray GA. Increased expression of mu opioid receptors in animals susceptible to diet-induced obesity. *Peptides* 2006;27:3292-8.

Bathalon GP, McGraw SM, Sharp MA, Williamson DA, Young AJ, Friedl KE. The effect of proposed improvements to the Army Weight Control Program on female soldiers. *Mil Med* 2006;171:800-5.

Baur JA, Pearson KJ, Price NL, et al. Resveratrol improves health and survival of mice on a high-calorie diet. *Nature* 2006;444:337-42.

Berthoud HR. Homeostatic and non-homeostatic pathways involved in the control of food intake and energy balance. *Obesity* 2006;14 197S-200S.

Berthoud HR, Fox EA, Neuhuber W. Vagaries of adipose tissue innervation. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2006;291:1240-2.

Berthoud HR, Sutton GM, Townsend RL, Patterson LM, Zheng H. Brainstem mechanisms integrating gut-derived satiety signals and descending forebrain information in the control of meal size. *Physiol Behav* 2006;89:517-24.

Bethhauser JM, Pfister-Genskow M, Xu H, et al. Nucleoplasmin facilitates reprogramming and in vivo development of bovine nuclear transfer embryos. *Mol Reprod Dev* 2006;73:977-86.

Blumer JB, Kuriyama R, Gettys TW, Lanier SM. The G-protein regulatory (GPR) motif-containing Leu-Gly-Asn-enriched protein (LGN) and Gialpha3 influence cortical positioning of the mitotic spindle poles at metaphase in symmetrically dividing mammalian cells. *Eur J Cell Biol* 2006;85:1233-40.

Bonilla C, Panguluri RK, Taliaferro-Smith L, et al. Agouti-related protein promoter variant associated with leanness and decreased risk for diabetes in West Africans. *Int J Obes* 2006;30:715-21.

Bouchard C. A focus on pediatric obesity is imperative, and IJPO is a timely new publication. *Int J Pediatr Obes* 2006;1:3-4.

Brantley PJ, Wood KB, Dutton GR. The role of stress, anger and hostility in coronary heart disease. In: Nikcevic AV, Kuczmierczyk AR, Bruch M, eds. *Formulation and Treatment in Clinical Health Psychology*. London and New York: Routledge Taylor & Francis Group; 2006.

Bray GA. Obesity is a major health problem: Causes and natural history. In: McElroy SL, Allison DB, Bray GA, eds. *Obesity and Mental Disorders*. New York, NY: Taylor & Francis; 2006:1-20.

Bray GA. Obesity: The disease. *J Med Chem* 2006;49:4001-7.

Bray GA. Surgical treatment of the overweight patient. In: Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome: From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006:307-27.

Bray GA, Bellanger T. Epidemiology, trends, and morbidities of obesity and the metabolic syndrome. *Endocrine* 2006;29:109-18.

Bray GA, Ryan DH. CORE report. Report from the CORE at Pennington Biomedical Research Center. *Obesity*

Management 2006;2:190-2.

Bray GA, Ryan DH. Evaluation of the overweight and obese patient. In: Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006:169-86.

Bray GA, Ryan DH. Medical approaches to treatment of the obese patient. In: Mantzoros CS, ed. *Obesity and Diabetes*. Totowa, NJ: Humana Press; 2006:457-68.

Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome: From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006.

Bray GA, Ryan DH. Supplements used in weight management. *Obesity Management* 2006;2:186-9.

Browning KN, Travagli RA. Short-term receptor trafficking in the dorsal vagal complex: An overview. *Autonomic Neuroscience-Basic & Clinical* 2006;126-127:2-8.

Browning KN, Zheng Z, Gettys TW, Travagli RA. Vagal afferent control of opioidergic effects in rat brainstem circuits. *J Physiol* 2006;575:761-76.

Buff PR, Spader BR, Morrison CD, Keisler DH. Endocrine responses in mares undergoing abrupt changes in nutritional management. *J Anim Sci* 2006;84:2700-7.

Butler AA. The melanocortin system and energy balance. *Peptides* 2006;27:281-90.

Butler AA, Trevaskis JL, Morrison CM. Neuroendocrine control of food intake. In: Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome: From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006:1-21.

Cameron IL, Kent JE, Philo R, Barnes CJ, Hardman WE. Numerical distribution of lymphoid nodules in the human sigmoid colon, rectosigmoidal junction, rectum, and anal canal. *Clin Anat* 2006;19:164-70.

Caruso MK, Guillot TS, Nguyen T, Greenway FL. The cost effectiveness of three different measures of breast volume. *Aesthetic Plast Surg* 2006;30:16-20.

Casey PH, Simpson PM, Gossett JM, et al. The association of child and household food insecurity with childhood overweight status. *Pediatrics* 2006;118:e1406-e13.

Castellani JW, DeLany JP, O'Brien C, Hoyt RW, Santee WR, Young AJ. Energy expenditure in men and women during 54 h of exercise and caloric deprivation. *Med Sci Sports Exerc* 2006;38:894-900.

Cefalu WT. Animal models of type 2 diabetes: clinical presentation and pathophysiological relevance to the human condition. *ILAR J* 2006;47:186-98.

Cefalu WT. Bariatric surgery: part of the answer to the obesity epidemic. *Cleve Clin J Med* 2006;73:969-70.

Cefalu WT, Greenway F. Pharmacologic agents and nutritional supplements in the treatment of obesity. In: Fonseca VA, ed. *Clinical Diabetes: Translating Research into Practice*. Philadelphia, PA: Saunders Elsevier; 2006:417-28.

Cefalu WT, Smith SR, Blonde L, Fonseca V. The Hurricane Katrina aftermath and its impact on diabetes care: observations from "ground zero": lessons in disaster preparedness of people with diabetes. *Diabetes Care* 2006;29:158-60.

Champagne CM. Dietary interventions on blood pressure: The Dietary Approaches to Stop Hypertension (DASH) trials. *Nutr Rev* 2006;64:S53-S6.

Champagne CM. Hypertension: Nutritional management. In: Caballero B, Allen L, Prentice A, eds. *Encyclopedia of Human Nutrition*. UK: Elsevier/Academic Press; 2006:513-23.

Civitarese AE, Ukropcova B, Carling S, et al. Role of adiponectin in human skeletal muscle bioenergetics. *Cell Metab* 2006;4:75-87.

Copeland AL, Martin PD, Geiselman PJ, Rash CJ, Kendzor DE. Predictors of pretreatment attrition from smoking cessation among pre- and postmenopausal, weight-concerned women. *Eat Behav* 2006;7:243-51.

Copeland AL, Martin PD, Geiselman PJ, Rash CJ, Kendzor DE. Smoking cessation for weight-concerned women: Group vs. individually tailored, dietary, and weight-control follow-up sessions. *Addict Behav* 2006;31:115-27.

Cortright RN, Sandhoff KM, Basilio JL, et al. Skeletal muscle fat oxidation is increased in African-American and white women after 10 days of endurance exercise training. *Obesity* 2006;14:1201-10.

Davies SS, Zackert W, Luo Y, Cunningham CC, Frisard M, Roberts LJ, 2nd. Quantification of dinor, dihydro metabolites of F2-isoprostanes in urine by liquid chromatography/tandem mass spectrometry. *Anal Biochem* 2006;348:185-91.

Davis-Jackson R, Correa H, Horswell R, et al. Antithrombin III (AT) and recombinant tissue plasminogen activator (R-TPA) used singly and in combination versus supportive care for treatment of endotoxin-induced disseminated intravascular coagulation (DIC) in the neonatal pig. *Thrombosis Journal* 2006;4:7.

Del Rey A, Roggero E, Randolph A, et al. IL-1 resets glucose homeostasis at central levels. *Proc Natl Acad Sci U S A* 2006;103:16039-44.

DeLany JP, Bray GA, Harsha DW, Volaufova J. Energy expenditure and substrate oxidation predict changes in body fat in children. *Am J Clin Nutr* 2006;84:862-70.

Desilets MC, Garrel D, Couillard C, et al. Ethnic differences in body composition and other markers of cardiovascular disease risk: study in matched Haitian and White subjects from Quebec. *Obesity* 2006;14:1019-27.

Deutsch WA, Hegde V. Characterization of enzymes that initiate base excision repair at abasic sites. In: Henderson DS, ed. *DNA Repair Protocols: Mammalian Systems*. 2nd ed. Totowa, NJ: Humana Press; 2006:355-64.

Dishman RK, Berthoud HR, Booth FW, et al. Neurobiology of exercise. *Obesity* 2006;14:345-56.

Dreesen TD, Adamson AW, Tekle M, et al. A newly discovered member of the fatty acid desaturase gene family: A non-coding, antisense RNA gene to Delta5-desaturase. *Prostaglandins Leukot Essent Fatty Acids* 2006;75:97-106.

Drel VR, Mashtalir N, Ilnytska O, et al. The leptin-deficient (ob/ob) mouse: a new animal model of peripheral neuropathy of type 2 diabetes and obesity. *Diabetes* 2006;55:3335-43.

Drel VR, Pacher P, Stevens MJ, Obrosova IG. Aldose reductase inhibition counteracts nitrosative stress and poly(ADP-ribose) polymerase activation in diabetic rat kidney and high-glucose-exposed human mesangial cells. *Free Radic Biol Med* 2006;40:1454-65.

Dube MC, Joanisse DR, Prud'homme D, et al. Muscle adiposity and body fat distribution in type 1 and type 2 diabetes: Varying relationships according to diabetes type. *Int J Obes* 2006;30:1721-8.

Dubois SG, Heilbronn LK, Smith SR, Albu JB, Kelley DE, Ravussin E. Decreased expression of adipogenic genes in obese subjects with type 2 diabetes. *Obesity* 2006;14:1543-52.

Elliott K. The case of chemical hormesis: How scientific anomaly shapes environmental science and policy. In: Guston DH, Sarewitz DR, eds. *Shaping Science and Technology Policy: The Next Generation of Research*. Madison, WI:

University of Wisconsin Press; 2006:x, 370 p.

Elmer PJ, Obarzanek E, Vollmer WM, et al. Effects of comprehensive lifestyle modification on diet, weight, physical fitness, and blood pressure control: 18-month results of a randomized trial. *Ann Intern Med* 2006;144:485-95.

Erondu N, Gantz I, Musser B, et al. Neuropeptide Y5 receptor antagonism does not induce clinically meaningful weight loss in overweight and obese adults. *Cell Metab* 2006;4:275-82.

Feitosa ME, Rice T, Borecki IB, et al. Pleiotropic QTL on chromosome 12q23-q24 influences triglyceride and high-density lipoprotein cholesterol levels: the HERITAGE family study. *Hum Biol* 2006;78:317-27.

Feitosa MF, Rice T, North KE, et al. Pleiotropic QTL on chromosome 19q13 for triglycerides and adiposity: The HERITAGE Family Study. *Atherosclerosis* 2006;185:426-32.

Finer N, Ryan DH, Renz CL, Hewkin AC. Prediction of response to sibutramine therapy in obese non-diabetic and diabetic patients. *Diabetes Obes Metab* 2006;8:206-13.

Floyd ZE, Zvonic S, Nuttall ME, Gimble JM. Fine-tuning reception in the bone: PPARgamma and company. *PPAR Research* 2006;2006:52950.

Frisard M, Ravussin E. Energy metabolism and oxidative stress: impact on the metabolic syndrome and the aging process. *Endocrine* 2006;29:27-32.

Fujioka K, Greenway F, Sheard J, Ying Y. The effects of grapefruit on weight and insulin resistance: relationship to the metabolic syndrome. *J Med Food* 2006;9:49-54.

Gao Z, He Q, Peng B, Chiao PJ, Ye J. Regulation of nuclear translocation of HDAC3 by I{kappa}B{alpha} is required for tumor necrosis factor inhibition of peroxisome proliferator-activated receptor {gamma} function. *J Biol Chem* 2006;281:4540-7.

Gawronska-Kozak B, Bogacki M, Rim JS, Monroe WT, Manuel JA. Scarless skin repair in immunodeficient mice. *Wound Repair and Regeneration* 2006;14:265-76.

Geiselman PJ, Smith SR. Estrogen's role in the regulation of appetite and body fat. In: Kohlstadt I, ed. *Scientific Evidence for Musculoskeletal, Bariatric, and Sports Nutrition*. Boca Raton, FL: CRC Press; 2006:231-51.

Gelling RW, Morton GJ, Morrison CD, et al. Insulin action in the brain contributes to glucose lowering during insulin treatment of diabetes. *Cell Metab* 2006;3:67-73.

Gibson CA, Bailey BW, Carper MJ, et al. Author contacts for retrieval of data for a meta-analysis on exercise and diet restriction. *Int J Technol Assess Health Care* 2006;22:267-70.

Gielen M, Lindsey PJ, Derom C, et al. Curves of placental weights of live-born twins. *Twin Res Hum Genet* 2006;9:664-72.

Gimble JM, Zvonic S, Floyd ZE, Kassem M, Nuttall ME. Playing with bone and fat. *J Cell Biochem* 2006;98:251-66.

Greenway F. Virus-induced obesity. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2006;290:R188-R9.

Greenway F, de Jonge-Levitan L, Martin C, Roberts A, Grundy I, Parker C. Dietary herbal supplements with phenylephrine for weight loss. *J Med Food* 2006;9:572-8.

Greenway FL, Bray GA. Obesity medications: Where are we headed? *Obesity Management* 2006;2:181-5.



Greenway FL, Bray GA. A status of drugs on the horizon for obesity and the metabolic syndrome-a comprehensive review 2005. In: Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006:281-306.

Greenway FL, Liu Z, Martin CK, et al. Safety and efficacy of NT, an herbal supplement, in treating human obesity. *Int J Obes* 2006;30:1737-41.

Guilak F, Lott KE, Awad HA, et al. Clonal analysis of the differentiation potential of human adipose-derived adult stem cells. *J Cell Physiol* 2006;206:229-37.

Halberg F, Cornelissen G, Kanabrocki E, et al. Peptide chromatics. In: Kastin AJ, ed. *Handbook of Biologically Active Peptides*. London, UK: Academic Press; 2006:1529-64.

Hamman RF, Wing RR, Edelstein SL, et al. Effect of weight loss with lifestyle intervention on risk of diabetes. *Diabetes Care* 2006;29:2102-7.

Hausman GJ, Poulos SP, Richardson RL, et al. Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells. *J Anim Sci* 2006;84:1666-81.

Hautala AJ, Rankinen T, Kiviniemi AM, et al. Heart rate recovery after maximal exercise is associated with acetylcholine receptor M2 (CHRM2) gene polymorphism. *American Journal of Physiology: Heart and Circulatory Physiology* 2006;291:H459-H66.

Hebert K, Horswell R, Arcement L, Hare J, Stevenson L. The effect of anemia on mortality in indigent patients with mild-to-moderate chronic heart failure. *Congest Heart Fail* 2006;12:75-9.

Hebert K, McKinnie J, Horswell R, Arcement L, Stevenson L. Expansion of heart failure device therapy into a rural indigent population in Louisiana: potential economic and health policy implications. *J Card Fail* 2006;12:689-93.

Hebert KA, Horswell RL, Dy S, et al. Mortality benefit of a comprehensive heart failure disease management program in indigent patients. *Am Heart J* 2006;151:478-83.

Hegde V, Wang M, Mian IS, Spyres L, Deutsch WA. The high binding affinity of human ribosomal protein S3 to 7,8-dihydro-8-oxoguanine is abrogated by a single amino acid change. *DNA Repair* 2006;5:810-5.

Heilbronn LK, de Jonge L, Frisard MI, et al. Effect of 6-month calorie restriction on biomarkers of longevity, metabolic adaptation, and oxidative stress in overweight individuals: A randomized controlled trial. *JAMA* 2006;295:1539-48.

Heisler LK, Jobst EE, Sutton GM, et al. Serotonin reciprocally regulates melanocortin neurons to modulate food intake. *Neuron* 2006;51:239-49.

Hermann GE, Barnes MJ, Rogers RC. Leptin and thyrotropin-releasing hormone: Cooperative action in the hindbrain to activate brown adipose thermogenesis. *Brain Res* 2006;1117:118-24.

Hermann GE, Travagli RA, Rogers RC. Esophageal-gastric relaxation reflex in rat: Dual control of peripheral nitrenergic and cholinergic transmission. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2006;290:R1570-E6.

Higami Y, Barger JL, Page GP, et al. Energy restriction lowers the expression of genes linked to inflammation, the cytoskeleton, the extracellular matrix, and angiogenesis in mouse adipose tissue. *J Nutr* 2006;136:343-52.

Hill YR. Women and weight. Management strategies throughout the life cycle. *Adv Nurse Pract* 2006;14:43-6.

Hoyt RW, Opstad PK, Haugen AH, DeLany JP, Cymerman A, Friedl KE. Negative energy balance in male and female rangers: Effects of 7 d of sustained exercise and food deprivation. *Am J Clin Nutr* 2006;83:1068-75.

Hsu HC, Scott DK, Zhang P, et al. CD8 T-cell immune phenotype of successful aging. *Mech Ageing Dev* 2006;127:231-9.

Hughes TA, Stentz F, Gettys T, Smith SR. Combining beta-adrenergic and peroxisome proliferator-activated receptor gamma stimulation improves lipoprotein composition in healthy moderately obese subjects. *Metabolism* 2006;55:26-34.

Ilnytska O, Lyzogubov VV, Stevens MJ, et al. Poly(ADP-ribose) polymerase inhibition alleviates experimental diabetic sensory neuropathy. *Diabetes* 2006;55:1686-94.

Izadpanah R, Trygg C, Patel B, et al. Biologic properties of mesenchymal stem cells derived from bone marrow and adipose tissue. *J Cell Biochem* 2006;99:1285-97.

Jacobson P, Rankinen T, Tremblay A, Perusse L, Chagnon YC, Bouchard C. Resting metabolic rate and respiratory quotient: Results from a genome-wide scan in the Quebec Family Study. *Am J Clin Nutr* 2006;84:1527-33.

Julius U, Obrosova IG, Pietzsch J. Protein oxidation in diabetes mellitus. In: Pietzsch J, ed. *Protein Oxidation and Disease: Research Signpost*; 2006:293-327.

Kastin AJ, ed. *Handbook of Biologically Active Peptides*. London, UK: Academic Press; 2006.

Kastin AJ, Pan W. Intranasal leptin: blood-brain barrier bypass (BBB) for obesity? *Endocrinology* 2006;147:2086-7.

Katzmarzyk PT, Janssen I, Ross R, Church TS, Blair SN. The importance of waist circumference in the definition of metabolic syndrome: prospective analyses of mortality in men. *Diabetes Care* 2006;29:404-9.

Keenan MJ, Zhou J, McCutcheon KL, et al. Effects of resistant starch, a non-digestible fermentable fiber, on reducing body fat. *Obesity* 2006;14:1523-34.

Keith SW, Redden DT, Katzmarzyk PT, et al. Putative contributors to the secular increase in obesity: exploring the roads less traveled. *Int J Obes* 2006;30:1585-94.

Kheterpal I, Cook KD, Wetzel R, eds. *Amyloid, Prions, and Other Protein Aggregates*, PT C. 2006/10/19 ed. San Diego, CA: Elsevier Academic Press; 2006.

Kheterpal I, Cook KD, Wetzel R. Hydrogen/deuterium exchange mass spectrometry analysis of protein aggregates. In: Kheterpal I, Wetzel R, eds. *Amyloid, Prions, and Other Protein Aggregates*, Part C. 2006/10/19 ed. San Diego, CA: Elsevier Academic Press; 2006:140-66.

Kheterpal I, Wetzel R. Hydrogen/deuterium exchange mass spectrometry--a window into amyloid structure. *Acc Chem Res* 2006;39:584-93.

Koza RA, Nikonova L, Hogan J, et al. Changes in gene expression foreshadow diet-induced obesity in genetically identical mice. *PLoS Genet* 2006;2:769-80.

Kriska AM, Edelstein SL, Hamman RF, et al. Physical activity in individuals at risk for diabetes: Diabetes prevention program. *Med Sci Sports Exerc* 2006;38:826-32.

Lakka HM, Lakka TA, Rankinen T, et al. The TNF-alpha G-308A polymorphism is associated with C-reactive protein levels: The HERITAGE Family Study. *Vascul Pharmacol* 2006;44:377-83.

Lakka TA, Rankinen T, Rice T, et al. Quantitative trait locus on chromosome 20q13 for plasma levels of C-reactive protein in healthy whites: The HERITAGE Family Study. *Physiol Genomics* 2006;27:103-7.

Larson-Meyer DE, Heilbronn LK, Redman LM, et al. Effect of calorie restriction with or without exercise on insulin sensitivity, beta-cell function, fat cell size, and ectopic lipid in overweight subjects. *Diabetes Care* 2006;29:1337-44.

Larson-Meyer DE, Smith SR, Heilbronn LK, et al. Muscle-associated triglyceride measured by computed tomography and magnetic resonance spectroscopy. *Obesity* 2006;14:73-87.

Le KA, Faeh D, Stettler R, et al. A 4-wk high-fructose diet alters lipid metabolism without affecting insulin sensitivity or ectopic lipids in healthy humans. *Am J Clin Nutr* 2006;84:1374-9.

Lee GD, Wilson MA, Zhu M, et al. Dietary deprivation extends lifespan in *Caenorhabditis elegans*. *Aging Cell* 2006;5:515-24.

Lee J, Bricker TM, Lefevre M, Pinson SRM, Oard JH. Proteomic and genetic approaches to identifying defence-related proteins in rice challenged with the fungal pathogen *Rhizoctonia solani*. *Molecular Plant Pathology* 2006;7:405-16.

Lenard NR, Prpic V, Adamson AW, Rogers RC, Gettys TW. Differential coupling of beta3A- and beta3B-adrenergic receptors to endogenous and chimeric G $\alpha$ s and G $\alpha$ i. *American Journal of Physiology: Endocrinology and Metabolism* 2006;291:E704-E15.

Leuschner C. Nanoparticles for targeted delivery and controlled release for anticancer agents. In: Kumar CSSR, ed. *Nanomaterials for Cancer Therapy*. 1st ed. Weinheim: Wiley-VCH; 2006:xix, 413 p.

Leuschner C, Kumar CS, Hansel W, Soboyejo W, Zhou J, Hormes J. LHRH-conjugated magnetic iron oxide nanoparticles for detection of breast cancer metastases. *Breast Cancer Res Treat* 2006;99:163-76.

Li B, Lee K, Martin RJ. Overexpression of glucose transporter 2 in GT1-7 cells inhibits AMP-activated protein kinase and agouti-related peptide expression. *Brain Res* 2006;1118:1-5.

Li F, Abatan OI, Kim H, et al. Taurine reverses neurological and neurovascular deficits in Zucker diabetic fatty rats. *Neurobiol Dis* 2006;22:669-76.

Lichtenstein AH, Appel LJ, Brands M, et al. Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96.

Lichtenstein AH, Appel LJ, Brands M, et al. Summary of American Heart Association diet and lifestyle recommendations revision 2006. *Arteriosclerosis Thrombosis and Vascular Biology* 2006;26:2186-91.

Lillo JL, Bray G, Woods SC, Henry RR, Hadley RD. Cardiometabolic risk modification: Current trends and emerging therapies. *JAAPA* 2006;Suppl Cardiometabolic:3-14; quiz 5-6.

Lin L, Park M, Hulver M, York DA. Different metabolic responses to central and peripheral injection of enterostatin. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2006;290:R909-R15.

Liu Z, Schwimer J, Liu D, et al. Gallic acid is partially responsible for the antiangiogenic activities of *Rubus* leaf extract. *Phytother Res* 2006;20:806-13.

Look Ahead Research Group, Bray G, Gregg E, et al. Baseline characteristics of the randomised cohort from the Look AHEAD (Action for Health in Diabetes) study. *Diab Vasc Dis Res* 2006;3:202-15.

Loos RJ, Rankinen T, Chagnon Y, Tremblay A, Perusse L, Bouchard C. Polymorphisms in the leptin and leptin receptor genes in relation to resting metabolic rate and respiratory quotient in the Quebec Family Study. *Int J Obes*

2006;30:183-90.

Lundgren JD, O'Neil P M, Martin CK, Binks M. Smoking status and weight loss in three weight loss programs. *Eat Behav* 2006;7:61-8.

Lustig RH, Greenway F, Velasquez-Mieyer P, et al. A multicenter, randomized, double-blind, placebo-controlled, dose-finding trial of a long-acting formulation of octreotide in promoting weight loss in obese adults with insulin hypersecretion. *Int J Obes* 2006;30:331-41.

Mah S, Nelson MR, Delisi LE, et al. Identification of the semaphorin receptor PLXNA2 as a candidate for susceptibility to schizophrenia. *Mol Psychiatry* 2006;11:471-8.

Manuel JA, Gawronska-Kozak B. Matrix metalloproteinase 9 (MMP-9) is upregulated during scarless wound healing in athymic nude mice. *Matrix Biol* 2006;25:505-14.

Martin CK, O'Neil PM, Pawlow L. Changes in food cravings during low-calorie and very-low-calorie diets. *Obesity* 2006;14:115-21.

Martin J, Wang ZQ, Zhang XH, et al. Chromium picolinate supplementation attenuates body weight gain and increases insulin sensitivity in subjects with type 2 diabetes. *Diabetes Care* 2006;29:1826-32.

Martin PD, Rhode PC, Dutton GR, Redmann SM, Ryan DH, Brantley PJ. A primary care weight management intervention for low-income African-American women. *Obesity* 2006;14:1412-20.

Martin PD, Williamson DA, Alfonso AJ, Ryan DH. Psychological adjustment during Army basic training. *Mil Med* 2006;171:157-60.

McElroy SL, Allison DB, Bray GA, eds. *Obesity and Mental Disorders*. New York, NY: Taylor & Francis; 2006.

McIntosh K, Zvonic S, Garrett S, et al. The immunogenicity of human adipose-derived cells: Temporal changes in vitro. *Stem Cells* 2006;24:1246-53.

Mellen PB, Cefalu WT, Herrington DM. Diabetes, the metabolic syndrome, and angiographic progression of coronary arterial disease in postmenopausal women. *Arteriosclerosis Thrombosis and Vascular Biology* 2006;26:189-93.

Mitchell JB, McIntosh K, Zvonic S, et al. Immunophenotype of human adipose-derived cells: Temporal changes in stromal-associated and stem cell-associated markers. *Stem Cells* 2006;24:376-85.

Most MM. Expert opinion: A close look at the DASH diet. In: Wardlaw GM, Hampl J, eds. *Perspectives in Nutrition*. 7th ed ed. New York, NY: McGraw-Hill Companies, Inc.; 2006.

Myers VH, Martin PD. Family-based behavioral counseling in group settings. In: Sothorn M, Gordon ST, Von Almen TK, eds. *Handbook of Pediatric Obesity: Clinical Management*. Boca Raton, FL: CRC Press/Taylor & Francis Group; 2006:402 p.

Myers VH, Ryan DH. Follow-up strategies for the treatment of obesity in primary care settings. In: Apovian CM, Lenders CM, eds. *A Clinical Guide for Management of Overweight and Obese Children and Adults: A Clinical Guidebook*: CRC Press; 2006:157-76.

Neuhuber WL, Raab M, Berthoud HR, Worl J. *Innervation of the Mammalian Esophagus*. Heidelberg, Germany: Springer; 2006.

Newton RL, Jr., Alfonso A, York-Crowe E, et al. Comparison of body composition methods in obese African-American women. *Obesity* 2006;14:415-22.

- Newton RL, Jr., Kennedy B, Champagne C, Cerniauskas B. Clinical questions and answers. *Obesity Management* 2006;2:193-4.
- Ni XP, Butler AA, Cone RD, Humphreys MH. Central receptors mediating the cardiovascular actions of melanocyte stimulating hormones. *J Hypertens* 2006;24:2239-46.
- Obrosova IG. Peroxynitrite and cardiomyocyte cell death: an evolving story A commentary on "Peroxynitrite is a major trigger of cardiomyocyte apoptosis in vitro and in vivo". *Free Radic Biol Med* 2006;41:866-8.
- Obrosova IG, Drel VR, Kumagai AK, Szabo C, Pacher P, Stevens MJ. Early diabetes-induced biochemical changes in the retina: comparison of rat and mouse models. *Diabetologia* 2006;49:2525-33.
- Okura T, Rankinen T, Gagnon J, et al. Effect of regular exercise on homocysteine concentrations: the HERITAGE Family Study. *Eur J Appl Physiol* 2006;98:394-401.
- Ottinger MA, Mattison JA, Chachich M, Lane M, Roth GS, Ingram DK. The rhesus macaque as a model of human aging and age-related disease. In: Conn PM, ed. *Handbook of Models for Human Aging*. Amsterdam; Boston, MA: Elsevier Academic Press; 2006:457-68.
- Paeratakul S, Bray GA, Popkin BM. Diet in the prevention and treatment of obesity. In: Temple NJ, Wilson T, Jacobs DRJ, eds. *Nutritional Health: Strategies for Disease Prevention*. 2nd ed. Totowa, NJ: Humana Press; 2006:223-38.
- Pahor M, Blair SN, Espeland M, et al. Effects of a physical activity intervention on measures of physical performance: Results of the lifestyle interventions and independence for Elders Pilot (LIFE-P) study. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2006;61:1157-65.
- Pan W. Permeability of the blood-brain barrier to neurotrophic peptides. In: Kastin AJ, ed. *Handbook of Biologically Active Peptides*. London, UK: Academic Press; 2006:1435-41.
- Pan W, Cain C, Yu Y, Kastin AJ. Receptor-mediated transport of LIF across blood-spinal cord barrier is upregulated after spinal cord injury. *J Neuroimmunol* 2006;174:119-25.
- Pan W, Ding Y, Yu Y, Ohtaki H, Nakamachi T, Kastin AJ. Stroke upregulates TNFalpha transport across the blood-brain barrier. *Exp Neurol* 2006;198:222-33.
- Pan W, Tu H, Kastin AJ. Differential BBB interactions of three ingestive peptides: Obestatin, ghrelin, and adiponectin. *Peptides* 2006;27:911-6.
- Pan W, Xiang X, Tu H, Kastin AJ. Cytokines interact with the blood-brain barrier. In: Dermietzel R, Spray DC, Nedergaard M, eds. *The Blood-Brain Barriers: From Ontogeny to Artificial Interfaces*. Weinheim, Germany: Wiley-VCH; 2006:247-64.
- Pan W, Yu Y, Nyberg F, Kastin AJ. Growth hormone, insulin, and insulin-like growth factor-1: Do they interact at the blood-brain barrier? In: Nyberg F, ed. *The Somatotropic Axis in Brain Function*. San Diego, CA: Elsevier; 2006:75-9.
- Pan W, Yu Y, Yemane R, Cain C, Yu C, Kastin AJ. Permeation of hepatocyte growth factor across the blood-brain barrier. *Exp Neurol* 2006;201:99-104.
- Park JJ, Berggren JR, Hulver MW, Houmard JA, Hoffman EP. GRB14, GPD1, and GDF8 as potential network collaborators in weight loss-induced improvements in insulin action in human skeletal muscle. *Physiol Genomics* 2006;27:114-21.
- Pasarica M, Shin AC, Yu M, et al. Human adenovirus 36 induces adiposity, increases insulin sensitivity, and alters

hypothalamic monoamines in rats. *Obesity* 2006;14:1905-13.

Poirier P, Giles TD, Bray GA, et al. Obesity and cardiovascular disease: Pathophysiology, evaluation, and effect of weight loss. *Arteriosclerosis Thrombosis and Vascular Biology* 2006;26:968-76.

Poirier P, Giles TD, Bray GA, et al. Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss: an update of the 1997 American Heart Association Scientific Statement on Obesity and Heart Disease from the Obesity Committee of the Council on Nutrition, Physical Activity, and Metabolism. *Circulation* 2006;113:898-918.

Popkin BM, Armstrong LE, Bray GM, Caballero B, Frei B, Willett WC. A new proposed guidance system for beverage consumption in the United States. *Am J Clin Nutr* 2006;83:529-42.

Price SA, Gardiner NJ, Duran-Jimenez B, Zeef LA, Obrosova IG, Tomlinson DR. Thioredoxin interacting protein is increased in sensory neurons in experimental diabetes. *Brain Res* 2006;1116:206-14.

Primeaux SD, Wilson SP, Bray GA, York DA, Wilson MA. Overexpression of neuropeptide Y in the central nucleus of the amygdala decreases ethanol self-administration in "anxious" rats. *Alcoholism: Clinical and Experimental Research* 2006;30:791-801.

Primeaux SD, York DA, Bray GA. Neuropeptide Y administration into the amygdala alters high fat food intake. *Peptides* 2006;27:1644-51.

Ptitsyn A, Hulver M, Cefalu W, York D, Smith SR. Unsupervised clustering of gene expression data points at hypoxia as possible trigger for metabolic syndrome. *BMC Genomics* 2006;7:318.

Ptitsyn AA, Zvonic S, Conrad SA, Scott LK, Mynatt RL, Gimble JM. Circadian clocks are resounding in peripheral tissues. *PLoS Comput Biol* 2006;2:126-35.

Ptitsyn AA, Zvonic S, Gimble JM. Permutation test for periodicity in short time series data. *BMC Bioinformatics* 2006;7:S10.

Qin J, Cao QV. Using disaggregation to link individual-tree and whole-stand growth models. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere* 2006;36:953-60.

Rankinen T. Genetics, physical activity and cancer. In: McTiernan A, ed. *Cancer Prevention and Management Through Exercise and Weight Control*. Boca Raton, FL: Taylor & Francis; 2006:209-15.

Rankinen T. Human gene map, physical activity and aging. In: Zhu W, Chodzko-Zajko WJ, eds. *Measurement Issues in Aging and Physical Activity*. Champaign, IL: Human Kinetics; 2006:3-10.

Rankinen T, Bouchard C. Genetics of food intake and eating behavior phenotypes in humans. *Annu Rev Nutr* 2006;26:413-34.

Rankinen T, Bray MS, Hagberg JM, et al. The human gene map for performance and health-related fitness phenotypes: The 2005 update. *Med Sci Sports Exerc* 2006;38:1863-88.

Rankinen T, Zuberi A, Chagnon YC, et al. The human obesity gene map: The 2005 update. *Obesity* 2006;14:529-644.

Rathod MA, Dhurandhar NV. The role of pathogens in obesity: Implications and applications. *SCAN's PULSE* 2006;25:7-11.

Redman LM. Physical activity and its effects on reproduction. *Reprod Biomed Online* 2006;12:579-86.

Redmann SM, Jr., Argyropoulos G. AgRP-deficiency could lead to increased lifespan. *Biochem Biophys Res Commun* 2006;351:860-4.

Ribnicky DM, Poulev A, Watford M, Cefalu WT, Raskin I. Antihyperglycemic activity of Tarralin (TM), an ethanolic extract of *Artemisia dracunculus* L. *Phytomedicine* 2006;13:550-7.

Rice T, Cooper RS, Wu X, et al. Meta-analysis of genome-wide scans for blood pressure in African American and Nigerian samples. The National Heart, Lung, and Blood Institute GeneLink Project. *Am J Hypertens* 2006;19:270-4.

Roberts A, Parker C, Grundy I, et al. Globin digest: no evidence for a weight loss mechanism. *J Med Food* 2006;9:579-81.

Rogers RC, Hermann GE, Travagli RA. Brainstem control of gastric function. In: Johnson LR, ed. *Physiology of the Gastrointestinal Tract*. 4th ed ed: Academic Press; 2006:851-76.

Rogers RC, Hermann GE, Travagli RA. Stress and the colon: Central-vagal or direct peripheral effect of CRF? *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2006;290:R1535-R6.

Rogers RC, Nasse JS, Hermann GE. Live-cell imaging methods for the study of vagal afferents within the nucleus of the solitary tract. *J Neurosci Methods* 2006;150:47-58.

Rogers RC, Van Meter MJ, Hermann GE. Tumor necrosis factor potentiates central vagal afferent signaling by modulating ryanodine channels. *J Neurosci* 2006;26:12642-6.

Schulz LO, Bennett PH, Ravussin E, et al. Effects of traditional and western environments on prevalence of type 2 diabetes in Pima Indians in Mexico and the U.S. *Diabetes Care* 2006;29:1866-71.

Simon V, Guidry J, Gettys TW, Tobin AB, Lanier SM. The proto-oncogene SET interacts with muscarinic receptors and attenuates receptor signaling. *J Biol Chem* 2006;281:40310-20.

Smith Richards B, Berthoud HR. Staying slim on a low-GABA diet. *Nat Med* 2006;12:504-6.

Smith SR. Importance of diagnosing and treating the metabolic syndrome in reducing cardiovascular risk. *Obesity* 2006;14:128S-34S.

Smith SR, Ravussin E. Role of adipocyte in metabolism and endocrine function. In: DeGroot LJ, Jameson LJ, eds. *Endocrinology*. 5th ed ed. Philadelphia, PA: Elsevier Saunders; 2006:1045-62.

Smith SR, Wilson PW. Free fatty acids and atherosclerosis - guilty or innocent? *J Clin Endocrinol Metab* 2006;91:2506-8.

Smith SR, Xie H, Baghian S, et al. Pioglitazone changes the distribution of adipocyte size in type 2 diabetics. *Adipocytes* 2006;2:11-22.

Solinas G, Summermatter S, Mainieri D, et al. Corticotropin-releasing hormone directly stimulates thermogenesis in skeletal muscle possibly through substrate cycling between de novo lipogenesis and lipid oxidation. *Endocrinology* 2006;147:31-8.

Song L, Li J, Zhang D, et al. IKKbeta programs to turn on the GADD45alpha-MKK4-JNK apoptotic cascade specifically via p50 NF-kappaB in arsenite response. *J Cell Biol* 2006;175:607-17.

Sparks LM, Xie H, Koza RA, Mynatt R, Bray GA, Smith SR. High-fat/low-carbohydrate diets regulate glucose metabolism via a long-term transcriptional loop. *Metabolism* 2006;55:1457-63.

Stewart T. Genes and binge eating: Are we missing the target? *Obesity Management* 2006;2:223-6.

Stewart TM, Williamson DA. Eating disorders. In: Hersen M, ed. *Clinician's Handbook of Adult Behavioral Assessment*. England: Elsevier; 2006:253-77.

Stuff JE, Casey PH, Connell CL, et al. Household food insecurity and obesity, chronic disease, and chronic disease risk factors. *Journal of Hunger & Environmental Nutrition* 2006;1:43-62.

Sutton GM, Trevaskis JL, Hulver MW, et al. Diet-genotype interactions in the development of the obese, insulin-resistant phenotype of C57BL/6J mice lacking melanocortin-3 or -4 receptors. *Endocrinology* 2006;147:2183-96.

Swinburn BA, Jolley D, Kremer PJ, Salbe AD, Ravussin E. Estimating the effects of energy imbalance on changes in body weight in children. *Am J Clin Nutr* 2006;83:859-63.

Travagli RA, Hermann GE, Browning KN, Rogers RC. Brainstem circuits regulating gastric function. *Annu Rev Physiol* 2006;68:279-305.

Turley KR, Stanforth PR, Rankinen T, et al. Scaling submaximal exercise cardiac output and stroke volume: the HERITAGE Family Study. *Int J Sports Med* 2006;27:993-9.

Ukropec J, Anunciado RP, Ravussin Y, Hulver MW, Kozak LP. UCP1-independent thermogenesis in white adipose tissue of cold-acclimated Ucp1<sup>-/-</sup> mice. *J Biol Chem* 2006;281:31894-908.

Ukropec J, Anunciado RV, Ravussin Y, Kozak LP. Leptin is required for UCP1-independent thermogenesis during cold stress. *Endocrinology* 2006;147:2468-80.

Van Buuren S, Brand JPL, Groothuis-Oudshoorn CGM, Rubin DB. Fully conditional specification in multivariate imputation. *Journal of Statistical Computation and Simulation* 2006;76:1049-64.

Vander Wal JS, Waller SM, Klurfeld DM, et al. Effect of a post-dinner snack and partial meal replacement program on weight loss. *Int J Food Sci Nutr* 2006;57:97-106.

Vidal MA, Kilroy GE, Johnson JR, Lopez MJ, Moore RM, Gimble JM. Cell growth characteristics and differentiation frequency of adherent equine bone marrow-derived mesenchymal stromal cells: Adipogenic and osteogenic capacity. *Vet Surg* 2006;35:601-10.

Wadden TA, West DS, Delahanty LM, et al. The Look AHEAD Study: A description of the lifestyle intervention and the evidence supporting it. *Obesity* 2006;14:737-52.

Wang H, Parry S, Macones G, et al. A functional SNP in the promoter of the SERPINH1 gene increases risk of preterm premature rupture of membranes in African Americans. *Proc Natl Acad Sci U S A* 2006;103:13463-7.

Wang ZQ, Zhang XH, Russell JC, Hulver M, Cefalu WT. Chromium picolinate enhances skeletal muscle cellular insulin signaling in vivo in obese, insulin-resistant JCR:LA-cp rats. *J Nutr* 2006;136:415-20.

Williamson DA, Geiselman PJ, Lovejoy J, et al. Effects of consuming mycoprotein, tofu or chicken upon subsequent eating behaviour, hunger and safety. *Appetite* 2006;46:41-8.

Williamson DA, Martin CK, Stewart TM. Behavioral strategies for controlling obesity. In: Bray GA, Ryan DH, eds. *Overweight and the Metabolic Syndrome: From Bench to Bedside*. Boston, MA: Springer Science+Business Media, LLC; 2006:219-32.

Williamson DA, Newton RL, Walden HM. Obesity. In: Nikcevic AV, Kuczmierczyk A, Bruch M, eds. *Formulation and*



Treatment in Clinical Health Psychology. London, UK: Brunner-Routledge; 2006:42-60.

Williamson DA, Walden H, York-Crowe E, Stewart TM. Internet-based treatment for pediatric obesity. In: Sothorn M, Gordon S, von Almen T, eds. Handbook of Pediatric Obesity. Boca Raton, FL: CRC Press; 2006:201-7.

Williamson DA, Walden HM, White MA, et al. Two-year Internet-based randomized controlled trial for weight loss in African-American girls. *Obesity* 2006;14:1231-43.

Wilson MA, Shukitt-Hale B, Kalt W, Ingram DK, Joseph JA, Wolkow CA. Blueberry polyphenols increase lifespan and thermotolerance in *Caenorhabditis elegans*. *Aging Cell* 2006;5:59-68.

Wong ML, Whelan F, Deloukas P, et al. Phosphodiesterase genes are associated with susceptibility to major depression and antidepressant treatment response. *Proc Natl Acad Sci U S A* 2006;103:15124-9.

Yang JC, Wong RK, Park MJ, et al. Leucine regulation of glucokinase and ATP synthase sensitizes glucose-induced insulin secretion in pancreatic beta-cells. *Diabetes* 2006;55:193-201.

York DA, Lin L, Thomas SR, Braymer HD, Park M. Procolipase gene expression in the rat brain: source of endogenous enterostatin production in the brain. *Brain Res* 2006;1087:52-9.

York-Crowe EE, White MA, Paeratakul S, Williamson DA. The diet and health knowledge survey: development of a short interview format. *Eat Behav* 2006;7:235-42.

Yu Y, Kastin AJ, Pan W. Reciprocal interactions of insulin and insulin-like growth factor I in receptor-mediated transport across the blood-brain barrier. *Endocrinology* 2006;147:2611-5.

Zacharowski K, Zacharowski PA, Koch A, et al. Toll-like receptor 4 plays a crucial role in the immune-adrenal response to systemic inflammatory response syndrome. *Proc Natl Acad Sci U S A* 2006;103:6392-7.

Zhou J, Hegsted M, McCutcheon KL, et al. Peptide YY and proglucagon mRNA expression patterns and regulation in the gut. *Obesity* 2006;14:683-9.

Zhou J, Leuschner C, Kumar C, Hormes J, Soboyejo WO. A TEM study of functionalized magnetic nanoparticles targeting breast cancer cells. *Materials Science & Engineering C-Biomimetic and Supramolecular Systems* 2006;26:1451-5.

Zhou J, Leuschner C, Kumar C, Hormes JF, Soboyejo WO. Sub-cellular accumulation of magnetic nanoparticles in breast tumors and metastases. *Biomaterials* 2006;27:2001-8.

Zvonic S, Ptitsyn AA, Conrad SA, et al. Characterization of peripheral circadian clocks in adipose tissues. *Diabetes* 2006;55:962-70.

## **2007**

Abrahamson DR, St John PL, Isom K, Robert B, Miner JH. Partial rescue of glomerular laminin alpha5 mutations by wild-type endothelia produce hybrid glomeruli. *J Am Soc Nephrol* 2007;18:2285-93.

Arsenault BJ, Lachance D, Lemieux I, et al. Visceral adipose tissue accumulation, cardiorespiratory fitness, and features of the metabolic syndrome. *Arch Intern Med* 2007;167:1518-25.

Astrup A, Greenway FL, Ling W, et al. Randomized controlled trials of the D1/D5 antagonist ecapipam for weight loss in obese subjects. *Obesity* 2007;15:1717-31.

Azuma K, Heilbronn LK, Albu JB, et al. Adipose tissue distribution in relation to insulin resistance in type 2 diabetes mellitus. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E435-E42.

Baptista V, Browning KN, Travagli RA. Effects of cholecystokinin-8s in the nucleus tractus solitarius of vagally deafferented rats. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2007;292:R1092-R100.

Baugh JE, Jr., Floyd ZE, Stephens JM. The modulation of STAT5A/GR complexes during fat cell differentiation and in mature adipocytes. *Obesity* 2007;15:583-90.

Berglund L, Lefevre M, Ginsberg HN, et al. Comparison of monounsaturated fat with carbohydrates as a replacement for saturated fat in subjects with a high metabolic risk profile: Studies in the fasting and postprandial states. *Am J Clin Nutr* 2007;86:1611-20.

Berthoud HR. Interactions between the "cognitive" and "metabolic" brain in the control of food intake. *Physiol Behav* 2007;91:486-98.

Berthoud HR, Fox EA, Neuhuber WL. Rebuttal: Controversial white adipose tissue innervation by the vagus nerve: Seeing is believing - letter. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2007;293:R553-R4.

Beyhan Z, Forsberg EJ, Eilertsen KJ, Kent-First M, First NL. Gene expression in bovine nuclear transfer embryos in relation to donor cell efficiency in producing live offspring. *Mol Reprod Dev* 2007;74:18-27.

Blache D, Lussier-Cacan S, Gagnon J, et al. Effect of exercise training on in vitro LDL oxidation and free radical-induced hemolysis: The HERITAGE Family Study. *Antioxidants & Redox Signaling* 2007;9:123-30.

Bodenlos JS, Grothe KB, Whitehead D, Konkle-Parker DJ, Jones GN, Brantley PJ. Attitudes toward health care providers and appointment attendance in HIV/AIDS patients. *JANAC* 2007;18:65-73.

Bogacka I, Gettys TW, de Jonge L, et al. The effect of beta-adrenergic and peroxisome proliferator-activated receptor-gamma stimulation on target genes related to lipid metabolism in human subcutaneous adipose tissue. *Diabetes Care* 2007;30:1179-86.

Bosse Y, Despres JP, Chagnon YC, et al. Quantitative trait locus on 15q for a metabolic syndrome variable derived from factor analysis. *Obesity* 2007;15:544-50.

Bouchard C. The biological predisposition to obesity: beyond the thrifty genotype scenario. *Int J Obes* 2007;31:1337-9.

Bouchard C. BMI, fat mass, abdominal adiposity and visceral fat: Where is the 'beef'? *Int J Obes* 2007;31:1552-3.

Bouchard C. Time to move on. *Obesity* 2007;15:797.

Bouchard C, Blair SN, Haskell WL, eds. *Physical Activity and Health*. Champaign, IL: Human Kinetics; 2007.

Bouchard C, Blair SN, Haskell WL. Why study physical activity and health? In: Bouchard C, Blair SN, Haskell WL, eds. *Physical Activity and Health*. Champaign, IL: Human Kinetics; 2007:3-20.

Bouchard L, Bouchard C, Chagnon YC, Perusse L. Evidence of linkage and association with body fatness and abdominal fat on chromosome 15q26. *Obesity* 2007;15:2061-70.

Bouchard L, Tremblay A, Bouchard C, Perusse L. Contribution of several candidate gene polymorphisms in the determination of adiposity changes: results from the Quebec Family Study. *Int J Obes* 2007;31:891-9.

Brantley PJ, Bodenlos JS, Cowles M, Whitehead D, Ancona M, Jones GN. Development and validation of the weekly stress inventory-short form. *J Psychopathol Behav Assess* 2007;29:55-60.

Bray GA. Anthropometric assessment: Historical perspectives. In: Berdanier CD, Dwyer J, Feldman EB, eds. *Handbook of Nutrition and Food*. 2nd ed. Boca Raton, FL: CRC Press; 2007:577-9.

Bray GA. *The Battle of the Bulge: A History of Obesity Research*. Pittsburgh, PA: Dorrance Publishing; 2007.

Bray GA. Causes of childhood obesity. In: Davies HD, Fitzgerald HE, eds. *Obesity in Childhood and Adolescence*: Praeger; 2007:25-57.

Bray GA. Drug management of obesity. In: Buchwald H, Cowan GSM, Pories WJ, eds. *Surgical Management of Obesity*. 1st ed. Philadelphia, PA: Saunders Elsevier; 2007:73-82.

Bray GA. How bad is fructose? *Am J Clin Nutr* 2007;86:895-6.

Bray GA. Medical therapy for obesity - current status and future hopes. *Med Clin North Am* 2007;91:1225-53.

Bray GA. *The Metabolic Syndrome and Obesity*. Totowa, N.J.: Humana Press; 2007.

Bray GA. The missing link - lose weight, live longer. *N Engl J Med* 2007;357:818-20.

Bray GA, Champagne CM. The complexity of obesity: Beyond energy balance. In: Schlenker ED, Long S, eds. *Williams' Essentials of Nutrition and Diet Therapy*. 9th ed. St. Louis, MO: Mosby Elsevier; 2007:369-79.

Bray GA, Greenway FL. Pharmacological treatment of the overweight patient. *Pharmacol Rev* 2007;59:151-84.

Bray GA, Greenway FL. Weight loss drugs: Current and on the horizon. In: Kushner RF, Bessesen DH, eds. *Treatment of the Obese Patient*. Totowa, NJ: Humana Press; 2007:241-368.

Bray GA, Most M, Rood J, Redmann S, Smith SR. Hormonal responses to a fast-food meal compared with nutritionally comparable meals of different composition. *Ann Nutr Metab* 2007;51:163-71.

Bray GA, Popkin BM. Epidemics of obesity and metabolic disorders: Are dietary fats or sugars involved? *Current Nutrition & Food Science* 2007;3:113-21.

Bray GA, Ryan DH. Drug treatment of the overweight patient. *Gastroenterology* 2007;132:2239-52.

Browning KN, Travagli RA. Functional organization of presynaptic metabotropic glutamate receptors in vagal brainstem circuits. *J Neurosci* 2007;27:8979-88.

Burk DH, Zhong RQ, Ye ZH. The katanin microtubule severing protein in plants. *Journal of Integrative Plant Biology* 2007;49:1174-82.

Cafalu WT, Cannon CP, eds. *Atlas of Cardiometabolic Risk*. New York, NY: Informa Healthcare USA; 2007.

Carlson O, Martin B, Stote KS, et al. Impact of reduced meal frequency without caloric restriction on glucose regulation in healthy, normal-weight middle-aged men and women. *Metabolism* 2007;56:1729-34.

Caruso MK, Pekarovic S, Raum WJ, Greenway F. Topical fat reduction from the waist. *Diabetes Obes Metab* 2007;9:300-3.

Cefalu WT. Classification and evolution of increased cardiometabolic risk states. In: Cafalu WT, Cannon CP, eds. *Atlas of Cardiometabolic Risk*. New York, NY: Informa Healthcare USA; 2007:13-6.

Cefalu WT. Clinical effects of chromium supplements on human health. In: Vincent JB, ed. *The Nutritional Biochemistry of Chromium(III)*: Elsevier Press; 2007:163-81.

Cefalu WT. Insulin resistance and cardiometabolic risk. In: Cefalu WT, Cannon CP, eds. *Atlas of Cardiometabolic Risk*. New York, NY: Informa Healthcare USA; 2007:27-38.

Cefalu WT. The new diabetes inhalers: New tools for the clinician. *Curr Diab Rep* 2007;7:165-7.

Cefalu WT. Pharmacotherapy for the treatment of patients with type 2 diabetes mellitus: rationale and specific agents. *Clin Pharmacol Ther* 2007;81:636-49.

Cefalu WT. Physiologic systems regulating energy balance, including the EC system. In: Cefalu WT, Cannon CP, eds. *Atlas of Cardiometabolic Risk*. New York, NY: Informa Healthcare USA; 2007:55-68.

Cefalu WT. Point: Pulmonary inhalation of insulin: another "brick in the wall". *Diabetes Care* 2007;30:439-41.

Cefalu WT. Role of obesity and body fat distribution in cardiometabolic risk. In: Cefalu WT, Cannon CP, eds. *Atlas of Cardiometabolic Risk*. New York, NY: Informa Healthcare USA; 2007:39-54.

Cefalu WT, Urquhart S. Clinical management strategies for type 2 diabetes. *JAAPA* 2007;Suppl:9-14.

Cefalu WT, Wang ZQ. Clinical research observations with use of exubera in patients with type 1 and 2 diabetes. *Diabetes Technol Ther* 2007;9:S28-S40.

Champagne CM, Casey PH, Connell CL, et al. Poverty and food intake in rural america: Diet quality is lower in food insecure adults in the Mississippi delta. *J Am Diet Assoc* 2007;107:1886-94.

Chaput JP, Despres JP, Bouchard C, Tremblay A. Association of sleep duration with type 2 diabetes and impaired glucose tolerance. *Diabetologia* 2007;50:2298-304.

Chaput JP, Despres JP, Bouchard C, Tremblay A. Short sleep duration is associated with reduced leptin levels and increased adiposity: Results from the Quebec family study. *Obesity* 2007;15:253-61.

Chen M, Cook KD, Kheterpal I, Wetzel R. A triaxial probe for on-line proteolysis coupled with hydrogen/deuterium exchange-electrospray mass spectrometry. *J Am Soc Mass Spectrom* 2007;18:208-17.

Chintalacharuvu SR, Sandusky GE, Burris TP, Burmer GC, Nagpal S. Liver X receptor is a therapeutic target in collagen-induced arthritis. *Arthritis Rheum* 2007;56:1365-7.

Choquette AC, Bouchard L, Houde A, Bouchard C, Perusse L, Vohl MC. Associations between USF1 gene variants and cardiovascular risk factors in the Quebec Family Study. *Clin Genet* 2007;71:245-53.

Chumlea WC, Lamonte MJ, Bray GA. Anthropometric assessment: Stature, weight, and the body mass Index in adults. In: Berdanier CD, Dwyer J, Feldman EB, eds. *Handbook of Nutrition and Food*. 2nd ed. Boca Raton, FL: CRC Press; 2007:581-7.

Church TS, Earnest CP, Skinner JS, Blair SN. Effects of different doses of physical activity on cardiorespiratory fitness among sedentary, overweight or obese postmenopausal women with elevated blood pressure: a randomized controlled trial. *JAMA* 2007;297:2081-91.

Church TS, Levine BD, McGuire DK, et al. Coronary artery calcium score, risk factors, and incident coronary heart disease events. *Atherosclerosis* 2007;190:224-31.

Civitarese AE, Carling S, Heilbronn LK, et al. Calorie restriction increases muscle mitochondrial biogenesis in healthy humans. *PLoS Med* 2007;4:485-94.

Civitarese AE, Smith SR, Ravussin E. Diet, energy metabolism and mitochondrial biogenesis. *Curr Opin Clin Nutr Metab Care* 2007;10:679-87.

Copeland AL, Diefendorff JM, Kendzor DE, et al. Measurement of smoking outcome expectancies in children: The Smoking Consequences Questionnaire-Child. *Psychol Addict Behav* 2007;21:469-77.

Das SK, Gilhooly CH, Golden JK, et al. Long-term effects of 2 energy-restricted diets differing in glycemic load on dietary adherence, body composition, and metabolism in CALERIE: A 1-y randomized controlled trial. *Am J Clin Nutr* 2007;85:1023-30.

de Jonge L, DeLany JP, Nguyen T, et al. Validation study of energy expenditure and intake during calorie restriction using doubly labeled water and changes in body composition. *Am J Clin Nutr* 2007;85:73-9.

de Jonge L, Redman LM, Nguyen T, Ravussin E. Validation of energy intake during calorie restriction with the doubly labeled water method and changes in body composition - Reply to L Bowman and AB Loucks. *Am J Clin Nutr* 2007;86:1251-2; author reply 2-3.

Devan BD, Pistell PJ, Daffin LW, Jr., et al. Sildenafil citrate attenuates a complex maze impairment induced by intracerebroventricular infusion of the NOS inhibitor Nomega-nitro-L-arginine methyl ester. *Eur J Pharmacol* 2007;563:134-40.

Dixit VD, Yang H, Sun Y, et al. Ghrelin promotes thymopoiesis during aging. *J Clin Invest* 2007;117:2778-90.

Dolley G, Berthier MT, Lamarche B, et al. Influences of the phosphatidylcholine transfer protein gene variants on the LDL peak particle size. *Atherosclerosis* 2007;195:297-302.

Drel VR, Pacher P, Vareniuk I, et al. A peroxynitrite decomposition catalyst counteracts sensory neuropathy in streptozotocin-diabetic mice. *Eur J Pharmacol* 2007;569:48-58.

Drel VR, Pacher P, Vareniuk I, et al. Evaluation of the peroxynitrite decomposition catalyst Fe(III) tetra-mesitylporphyrin octasulfonate on peripheral neuropathy in a mouse model of type 1 diabetes. *Int J Mol Med* 2007;20:783-92.

Dutton GR, Martin PD, Welsch MA, Brantley PJ. Promoting physical activity for low-income minority women in primary care. *Am J Health Behav* 2007;31:622-31.

Early JL, Apovian CM, Aronne LJ, et al. Sibutramine plus meal replacement therapy for body weight loss and maintenance in obese patients. *Obesity* 2007;15:1464-72.

Earnest CP, Mikus CR, Lemieux I, Arsenault BJ, Church TS. Examination of encapsulated phytosterol ester supplementation on lipid indices associated with cardiovascular disease. *Nutrition* 2007;23:625-33.

Eilertsen KJ, Power RA, Harkins LL, Misica P. Targeting cellular memory to reprogram the epigenome, restore potential, and improve somatic cell nuclear transfer. *Anim Reprod Sci* 2007;98:129-46.

Eisenmann JC, Malina RM, Tremblay A, Bouchard C. Adiposity and cardiac dimensions among 9- to 18-year-old youth: The Quebec Family Study. *J Hum Hypertens* 2007;21:114-9.

Erondu N, Wadden T, Gantz I, et al. Effect of NPY5R antagonist MK-0557 on weight regain after very-low-calorie diet-induced weight loss. *Obesity* 2007;15:895-905.

Faeh D, William J, Tappy L, Ravussin E, Bovet P. Prevalence, awareness and control of diabetes in the Seychelles and

relationship with excess body weight. *BMC Public Health* 2007;7:163.

Finley CE, Barlow CE, Greenway FL, Rock CL, Rolls BJ, Blair SN. Retention rates and weight loss in a commercial weight loss program. *Int J Obes* 2007;31:292-8.

Flessner MF, Credit K, Henderson K, et al. Peritoneal changes after exposure to sterile solutions by catheter. *J Am Soc Nephrol* 2007;18:2294-302.

Floyd ZE, Gimble JM. PPARs, RXRs, and stem cells. *PPAR Research* 2007;2007:93578.

Floyd ZE, Kilroy G, Wu X, Gimble JM. Effects of prolyl hydroxylase inhibitors on adipogenesis and hypoxia inducible factor 1 alpha levels under normoxic conditions. *J Cell Biochem* 2007;101:1545-57.

Floyd ZE, Segura BM, He F, Stephens JM. Degradation of STAT5 proteins in 3T3-L1 adipocytes is induced by TNF- $\alpha$  and cycloheximide in a manner independent of STAT5A activation. *American Journal of Physiology: Endocrinology and Metabolism* 2007;292:E461-E8.

Fonseca VA, Bennett MV, Booker B, et al. American Diabetes Association Statement on Emergency and Disaster Preparedness: A report of the Disaster Response Task Force. *Diabetes Care* 2007;30:2395-8.

Frisard MI, Broussard A, Davies SS, et al. Aging, resting metabolic rate, and oxidative damage: Results from the Louisiana Healthy Aging Study. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2007;62:752-9.

Frisard MI, Fabre JM, Russell RD, et al. Physical activity level and physical functionality in nonagenarians compared to individuals aged 60-74 years. *Journals of Gerontology Series A-Biological Sciences and Medical Sciences* 2007;62:783-8.

Fujimoto WY, Jablonski KA, Bray GA, et al. Body size and shape changes and the risk of diabetes in the diabetes prevention program. *Diabetes* 2007;56:1680-5.

Gao Z, Wang Z, Zhang X, et al. Inactivation of PKC $\theta$  leads to increased susceptibility to obesity and dietary insulin resistance in mice. *American Journal of Physiology: Endocrinology and Metabolism* 2007;292:E84-E91.

Gawronska-Kozak B, Manuel JA, Prpic V. Ear mesenchymal stem cells (EMSC) can differentiate into spontaneously contracting muscle cells. *J Cell Biochem* 2007;102:122-35.

Gimble JM. Beyond 'baby fat': Adipose-derived stem cells are coming of age. *Cytotherapy* 2007;9:413-.

Gimble JM, Katz AJ, Bunnell BA. Adipose-derived stem cells for regenerative medicine. *Circ Res* 2007;100:1249-60.

Giri B, Dixit VD, Ghosh MC, et al. CXCL12-induced partitioning of flotillin-1 with lipid rafts plays a role in CXCR4 function. *Eur J Immunol* 2007;37:2104-16.

Goh BC, Thirumala S, Kilroy G, Devireddy RV, Gimble JM. Cryopreservation characteristics of adipose-derived stem cells: maintenance of differentiation potential and viability. *J Tissue Eng Regen Med* 2007;1:322-4.

Goh BC, Wu X, Evans AE, Johnson ML, Hill MR, Gimble JM. Food entrainment of circadian gene expression altered in PPAR $\alpha$ -/- brown fat and heart. *Biochem Biophys Res Commun* 2007;360:828-33.

Govorko D, Logendra S, Wang Y, et al. Polyphenolic compounds from *Artemisia dracuncululus* L. inhibit PEPCK gene expression and gluconeogenesis in an H4IIE hepatoma cell line. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E1503-E10.

Greenway F, Caruso MK. The safety of obesity drugs - authors' response - letter. *Expert Opin Drug Saf* 2007;6:477-8.

Greenway F, O'Neil CE, Stewart L, Rood J, Keenan M, Martin R. Fourteen weeks of treatment with Viscofiber increased fasting levels of glucagon-like peptide-1 and peptide-YY. *J Med Food* 2007;10:720-4.

Greenway F, Zheng J. Electrical stimulation as treatment for obesity and diabetes. *J Diabetes Sci Technol* 2007;1:251-9.

Greenway FL, Liu Z, Yu Y, et al. An assay to measure angiogenesis in human fat tissue. *Obes Surg* 2007;17:510-5.

Greenway FL, Martin CK, Gupta AK, et al. Using intranasal lidocaine to reduce food intake. *Int J Obes* 2007;31:858-63.

Gupta AK, Greenway FL. Safety of obesity drugs. In: Bagchi D, Preuss HG, eds. *Obesity: Epidemiology, Pathophysiology, and Prevention*. New York, NY: CRC Press, Taylor and Francis Group; 2007:199-216.

Hansel W, Enright F, Leuschner C. Destruction of breast cancers and their metastases by lytic peptide conjugates in vitro and in vivo. *Mol Cell Endocrinol* 2007;260-262:183-9.

Hansel W, Leuschner C, Enright F. Conjugates of lytic peptides and LHRH or betaCG target and cause necrosis of prostate cancers and metastases. *Mol Cell Endocrinol* 2007;269:26-33.

Harvey AJ, Gibson TC, Quebedeaux TM, Brenner CA. Impact of assisted reproductive technologies: a mitochondrial perspective of cytoplasmic transplantation. In: St. John J, Schatten G, eds. *Mitochondrion in the Germline and Early Development*; 2007:229-49.

Haskell WL, Blair SN, Bouchard C. An integrated view of physical activity, fitness and health. In: Bouchard C, Blair SN, Haskell WL, eds. *Physical Activity and Health*. Champaign, IL: Human Kinetics; 2007:359-74.

Hautala AJ, Leon AS, Skinner JS, Rao DC, Bouchard C, Rankinen T. Peroxisome proliferator-activated receptor-delta polymorphisms are associated with physical performance and plasma lipids: The HERITAGE Family Study. *American Journal of Physiology: Heart and Circulatory Physiology* 2007;292:H2498-H505.

Hegde V, Yadavilli S, Deutsch WA. Knockdown of ribosomal protein S3 protects human cells from genotoxic stress. *DNA Repair* 2007;6:94-9.

Hsuchou H, Pan W, Kastin AJ. The fasting polypeptide FGF21 can enter brain from blood. *Peptides* 2007;28:2382-6.

Ingram DK, Young J, Mattison JA. Calorie restriction in nonhuman primates: Assessing effects on brain and behavioral aging. *Neuroscience* 2007;145:1359-64.

Israyelyan AH, Melancon JM, Lomax LG, et al. Effective treatment of human breast tumor in a mouse xenograft model with herpes simplex virus type 1 specifying the NV1020 genomic deletion and the gBsyn3 syncytial mutation enabling high viral replication and spread in breast cancer cells. *Hum Gene Ther* 2007;18:457-73.

Jacobson P, Torgerson JS, Sjostrom L, Bouchard C. Spouse resemblance in body mass index: Effects on adult obesity prevalence in the offspring generation. *Am J Epidemiol* 2007;165:101-8.

Janiszewski PM, Oeffinger KC, Church TS, et al. Abdominal obesity, liver fat, and muscle composition in survivors of childhood acute lymphoblastic leukemia. *J Clin Endocrinol Metab* 2007;92:3816-21.

Johannsen DL, Redman LM, Ravussin E. The role of physical activity in maintaining a reduced weight. *Curr Atheroscler Rep* 2007;9:463-71.

Johnson JB, Summer W, Cutler RG, et al. Alternate day calorie restriction improves clinical findings and reduces markers of oxidative stress and inflammation in overweight adults with moderate asthma. *Free Radic Biol Med*

2007;42:665-74.

Kaaman M, Sparks LM, van Harmelen V, et al. Strong association between mitochondrial DNA copy number and lipogenesis in human white adipose tissue. *Diabetologia* 2007;50:2526-33.

Kang HS, Angers M, Beak JY, et al. Gene expression profiling reveals a regulatory role for ROR alpha and ROR gamma in phase I and phase II metabolism. *Physiol Genomics* 2007;31:281-94.

Karanja N, Lancaster KJ, Vollmer WM, et al. Acceptability of sodium-reduced research diets, including the Dietary Approaches To Stop Hypertension diet, among adults with prehypertension and stage 1 hypertension. *J Am Diet Assoc* 2007;107:1530-8.

Katzmarzyk PT, Tremblay MS. Limitations of Canada's physical activity data: Implications for monitoring trends. *Can J Public Health* 2007;98 S185-S94.

Kendzor DE, Copeland AL, Stewart TM, Businelle MS, Williamson DA. Weight-related concerns associated with smoking in young children. *Addict Behav* 2007;32:598-607.

Kennedy BM, Ard JD, Harrison L, Jr., et al. Cultural characteristics of African Americans: implications for the design of trials that target behavior and health promotion programs. *Ethn Dis* 2007;17:548-54.

Kennedy BM, Ard JD, Harrison L, et al. Understanding African American culture for successful weight-loss programs. *Ethn Dis* 2007;17:587.

Kennedy BM, Burnett MF. Clinical research trials: Factors that influence and hinder participation. *J Cult Divers* 2007;14:141-7.

Kennedy BM, Paeratakul S, Ryan DH, Bray GA. Socioeconomic status and health disparity in the United States. In: Hall JC, Bowie SL, eds. *African American Behavior in the Social Environment: New Perspectives*. New York, NY: Haworth Press; 2007:13-23.

Kilroy GE, Foster SJ, Wu X, et al. Cytokine profile of human adipose-derived stem cells: Expression of angiogenic, hematopoietic, and pro-inflammatory factors. *J Cell Physiol* 2007;212:702-9.

Kreider RB, Earnest CP, Lundberg J, et al. Effects of ingesting protein with various forms of carbohydrate following resistance-exercise on substrate availability and markers of anabolism, catabolism, and immunity. *J Int Soc Sports Nutr* 2007;4:18.

Kremsler C, Albers M, Burris TP, Deuschle U, Koegl M. Panning for SNuRMs: Using cofactor profiling for the rational discovery of selective nuclear receptor modulators. *Drug Discov Today* 2007;12:860-9.

Kumar CS, Leuschner C, Urbina M, Ozkaya T, Hormes J. Glutaric acid as a spacer facilitates improved intracellular uptake of LHRH-SPION into human breast cancer cells. *Int J Nanomedicine* 2007;2:175-9.

Kumar KG, Poole AC, York B, Volaufova J, Zuberi A, Richards BK. Quantitative trait loci for carbohydrate and total energy intake on mouse chromosome 17: Congenic strain confirmation and candidate gene analyses (Glo1, Glp1r). *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2007;292:R207-R16.

Lahiri DK, Chen D, Maloney B, et al. The experimental Alzheimer's disease drug posiphen [(+)-phenserine] lowers amyloid-beta peptide levels in cell culture and mice. *J Pharmacol Exp Ther* 2007;320:386-96.

Lakka HM, Bouchard C. Etiology of obesity. In: Buchwald H, Cowan GSM, Pories WJ, eds. *Surgical Management of Obesity*. Philadelphia, PA: Saunders Elsevier; 2007:18-28.



Lane MA, Roth GS, Ingram DK. Caloric restriction mimetics: A novel approach for biogerontology. In: Tollesbol TO, ed. *Biological Aging: Methods and Protocols*. 2007/07/20 ed. Totowa, NJ: Humana Press; 2007:143-9.

Ledikwe JH, Rolls BJ, Smiciklas-Wright H, et al. Reductions in dietary energy density are associated with weight loss in overweight and obese participants in the PREMIER trial. *Am J Clin Nutr* 2007;85:1212-21.

Leuschner C. LHRH conjugated magnetic nanoparticles for diagnosis and treatment of cancers. In: Kumar CSSR, ed. *Nanomaterials for Cancer Diagnosis*. Weinheim: Wiley-VCH; 2007:174-213.

Leuschner C, Kumar C, Urbina M, et al. The use of ligand conjugated superparamagnetic iron oxide nanoparticles (SPION) for early detection of metastases. In: *Technical Proceedings of the 2005 NSTI Nanotechnology Conference and Trade Show*: CRC; 2007:5-6.

Lien LF, Brown AJ, Ard JD, et al. Effects of PREMIER lifestyle modifications on participants with and without the metabolic syndrome. *Hypertension* 2007;50:609-16.

Lin L, Park M, York DA. Enterostatin inhibition of dietary fat intake is modulated through the melanocortin system. *Peptides* 2007;28:643-9.

Lin PH, Appel LJ, Funk K, et al. The PREMIER intervention helps participants follow the Dietary Approaches to Stop Hypertension dietary pattern and the current Dietary Reference Intakes recommendations. *J Am Diet Assoc* 2007;107:1541-51.

Loos RJ, Rankinen T, Perusse L, Tremblay A, Despres JP, Bouchard C. Association of lipin 1 gene polymorphisms with measures of energy and glucose metabolism. *Obesity* 2007;15:2723-32.

Loos RJ, Ruchat S, Rankinen T, Tremblay A, Perusse L, Bouchard C. Adiponectin and adiponectin receptor gene variants in relation to resting metabolic rate, respiratory quotient, and adiposity-related phenotypes in the Quebec Family Study. *Am J Clin Nutr* 2007;85:26-34.

Losso B, Shin J, Drel VR, Obrosova IG. Poly(ADP-ribose) polymerase inhibitor counteracts albuminuria in diabetic rats. *Ethn Dis* 2007;17:S12-S3.

Manaye KF, Wang PC, O'Neil JN, et al. Neuropathological quantification of dtg APP/PS1: Neuroimaging, stereology, and biochemistry. *Age* 2007;29:87-96.

Markward NJ. Quantifying genomic variation at the individual level: putting the "person" in personalized medicine. *AMIA Annu Symp Proc* 2007:1041.

Martin CK, Anton SD, Han H, et al. Examination of cognitive function during six months of calorie restriction: Results of a randomized controlled trial. *Rejuvenation Res* 2007;10:179-90.

Martin CK, Anton SD, Walden H, Arnett C, Greenway FL, Williamson DA. Slower eating rate reduces the food intake of men, but not women: implications for behavioral weight control. *Behav Res Ther* 2007;45:2349-59.

Martin CK, Anton SD, York-Crowe E, et al. Empirical evaluation of the ability to learn a calorie counting system and estimate portion size and food intake. *Br J Nutr* 2007;98:439-44.

Martin CK, Bellanger DE, Rau KK, Coulon S, Greenway FL. Safety of the Ullorex oral intragastric balloon for the treatment of obesity. *J Diabetes Sci Technol* 2007;1:574-81.

Martin CK, Drab-Hudson DL, York-Crowe E, Mayville SB, Yu Y, Greenway FL. Continuation of weight loss treatment is associated with the number of self-selected treatment modalities. *International Journal of Behavioral Consultation and Therapy* 2007;3:394-402.

Martin CK, Heilbronn LK, de Jonge L, et al. Effect of calorie restriction on resting metabolic rate and spontaneous physical activity. *Obesity* 2007;15:2964-73.

Martin CK, Newton RL, Jr., Anton SD, et al. Measurement of children's food intake with digital photography and the effects of second servings upon food intake. *Eat Behav* 2007;8:148-56.

Mattison JA, Ottinger MA, Powell D, Longo DL, Ingram DK. Endometriosis: Clinical monitoring and treatment procedures in Rhesus monkeys. *J Med Primatol* 2007;36:391-8.

Mattison JA, Roth GS, Lane MA, Ingram DK. Dietary restriction in aging nonhuman primates. *Interdisciplinary Topics in Gerontology* 2007;35:137-58.

Mauney JR, Nguyen T, Gillen K, Kirker-Head C, Gimble JM, Kaplan DL. Engineering adipose-like tissue in vitro and in vivo utilizing human bone marrow and adipose-derived mesenchymal stem cells with silk fibroin 3D scaffolds. *Biomaterials* 2007;28:5280-90.

Mazumdar M, Sakharkar AJ, Singru PS, Subhedar N. Reproduction phase-related variations in neuropeptide Y immunoreactivity in the olfactory system, forebrain, and pituitary of the female catfish, *clarias batrachus* (Linn.). *J Comp Neurol* 2007;504:450-69.

McCabe-Sellers BJ, Bowman S, Stuff JE, Champagne CM, Simpson PM, Bogle ML. Assessment of the diet quality of US adults in the Lower Mississippi Delta. *Am J Clin Nutr* 2007;86:697-706.

McMillan KP, Kuk JL, Church TS, Blair SN, Ross R. Independent associations between liver fat, visceral adipose tissue, and metabolic risk factors in men. *Appl Physiol Nutr Metab* 2007;32:265-72.

Minor RK, Smith CI, De Cabo R, Ingram DK. Food for life: Maximising lifespan through the diet. *Agro Food Industry Hi-Tech* 2007;18:36-9.

Moore CM, Dunn BG, McMahan CA, et al. Effects of calorie restriction on chromosomal stability in rhesus monkeys (*Macaca mulatta*). *Age* 2007;29:15-28.

Moro C, Langin D, Berlan M, Lafontan M. [Atrial natriuretic peptide: A functional link between adipose tissue metabolism and inflammation]. *Obesity* 2007;2:254-9.

Morrison CD, Berthoud HR. Neurobiology of nutrition and obesity. *Nutr Rev* 2007;65:517-34.

Morrison CD, White CL, Wang Z, et al. Increased hypothalamic protein tyrosine phosphatase 1B contributes to leptin resistance with age. *Endocrinology* 2007;148:433-40.

Morrison CD, Xi X, White CL, Ye J, Martin RJ. Amino acids inhibit *AgRP* gene expression via an mTOR-dependent mechanism. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E165-E71.

Myers VH, Boyer BA, Herbert JD, Barakat LP, Scheiner G. Fear of hypoglycemia and self reported posttraumatic stress in adults with type I diabetes treated by intensive regimens. *Journal of Clinical Psychology in Medical Settings* 2007;14:11-21.

Myers VH, Champagne CM. Nutritional effects on blood pressure. *Curr Opin Lipidol* 2007;18:20-4.

Nindl BC, Alemany JA, Kellogg MD, et al. Utility of circulating IGF-1 as a biomarker for assessing body composition changes in men during periods of high physical activity superimposed upon energy and sleep restriction. *J Appl Physiol* 2007;103:340-6.

Nogueiras R, Wiedmer P, Perez-Tilve D, et al. The central melanocortin system directly controls peripheral lipid metabolism. *J Clin Invest* 2007;117:3475-88.

Norwood P, Dumas R, Cefalu W, et al. Randomized study to characterize glycemic control and short-term pulmonary function in patients with type 1 diabetes receiving inhaled human insulin (exubera). *J Clin Endocrinol Metab* 2007;92:2211-4.

Obarzanek E, Vollmer WM, Lin PH, et al. Effects of individual components of multiple behavior changes: The PREMIER trial. *Am J Health Behav* 2007;31:545-60.

Obrosova IG. Hyperglycemia-initiated mechanisms in diabetic neuropathy. In: Veves A, Malik RA, eds. *Diabetic Neuropathy: Clinical Management*. 2nd ed. Totowa, NJ: Humana Press Inc.; 2007.

Obrosova IG, Drel VR, Oltman CL, et al. Role of nitrosative stress in early neuropathy and vascular dysfunction in streptozotocin-diabetic rats. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E1645-E55.

Obrosova IG, Ilnytska O, Lyzogubov VV, et al. High-fat diet induced neuropathy of pre-diabetes and obesity: effects of "healthy" diet and aldose reductase inhibition. *Diabetes* 2007;56:2598-608.

O'Neil JN, Mouton PR, Tizabi Y, et al. Catecholaminergic neuronal loss in locus coeruleus of aged female dtg APP/PS1 mice. *J Chem Neuroanat* 2007;34:102-7.

Oner FH, Bezerra Y, Peyman GA, et al. Antiangiogenic effect of a Chinese sweet leaf tea extract in experimental corneal neovascularization. *Pharm Biol* 2007;45:44-7.

Otto MW, Church TS, Craft LL, Greer TL, Smits JA, Trivedi MH. Exercise for mood and anxiety disorders. *J Clin Psychiatry* 2007;68:669-76.

Pan W, Hsueh H, Kastin AJ. Nesfatin-1 crosses the blood-brain barrier without saturation. *Peptides* 2007;28:2223-8.

Pan W, Kastin AJ. Adipokines and the blood-brain barrier. *Peptides* 2007;28:1317-30.

Pan W, Kastin AJ. From MIF-1 to endomorphin: The Tyr-MIF-1 family of peptides. *Peptides* 2007;28:2411-34.

Pan W, Kastin AJ. In vivo techniques quantifying blood-brain barrier permeability to small proteins in mice. In: Gozes I, ed. *Neuropeptide Techniques*. Totowa, NJ: Humana Press; 2007:97-113.

Pan W, Kastin AJ. Mahogany, blood-brain barrier, and fat mass surge in AVY mice. *Int J Obes* 2007;31:1030-2.

Pan W, Kastin AJ. Peptide/polypeptide transport in the central nervous system. In: Lajtha A, Reith EA, eds. *Handbook of Neurochemistry and Molecular Neurobiology: Neural Membranes and Transport*. New York, NY: Springer; 2007:406-22.

Pan W, Kastin AJ. Tumor necrosis factor and stroke: Role of the blood-brain barrier. *Prog Neurobiol* 2007;83:363-74.

Pan W, Kastin AJ, Daniel J, Yu C, Baryshnikova LM, von Bartheld CS. TNF $\alpha$  trafficking in cerebral vascular endothelial cells. *J Neuroimmunol* 2007;185:47-56.

Pan W, Tu H, Hsueh H, Daniel J, Kastin AJ. Unexpected amplification of leptin-induced stat3 signaling by urocortin: implications for obesity. *J Mol Neurosci* 2007;33:232-8.

Pan W, Tu H, Yu C, Hsueh H, Yang Y, Kastin AJ. Differential role of TNF receptors in cellular trafficking of intact TNF. *Cell Physiol Biochem* 2007;20:559-68.

Pasarica M, Dhurandhar NV. Infectobesity: Obesity of infectious origin. *Adv Food Nutr Res* 2007;52:61-102.

Pasarica M, Zachwieja JJ, Dejonge L, Redman S, Smith SR. Effect of growth hormone on body composition and visceral adiposity in middle-aged men with visceral obesity. *J Clin Endocrinol Metab* 2007;92:4265-70.

Pistell PJ, Daffin LW, Jr., Nelson CM, et al. Combined administration of subthreshold doses of the nitric oxide inhibitor, nitro-L-arginine, and muscarinic receptor antagonist, scopolamine, impairs complex maze learning in rats. *Behav Pharmacol* 2007;18:801-5.

Pi-Sunyer X, Blackburn G, Brancati FL, et al. Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: one-year results of the look AHEAD trial. *Diabetes Care* 2007;30:1374-83.

Power RA, Hulver MW, Zhang JY, et al. Carnitine revisited: potential use as adjunctive treatment in diabetes. *Diabetologia* 2007;50:824-32.

Primeaux SD, Barnes MJ, Bray GA. Olfactory bulbectomy increases food intake and hypothalamic neuropeptide Y in obesity-prone but not obesity-resistant rats. *Behav Brain Res* 2007;180:190-6.

Primeaux SD, Tong M, Holmes GM. Effects of chronic spinal cord injury on body weight and body composition in rats fed a standard chow diet. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2007;293:R1102-R9.

Prouty M, Lu ZH, Leuschner C, Lvov Y. Layer-by-layer engineered nanoparticles for sustained release of Phor21-beta CG(ala) anticancer peptide. *J Biomed Nanotechnol* 2007;3:184-9.

Ptitsyn AA, Gimble JM. Analysis of circadian pattern reveals tissue-specific alternative transcription in leptin signaling pathway. *BMC Bioinformatics* 2007;8 S15.

Ptitsyn AA, Zvonic S, Gimble JM. Digital signal processing reveals circadian baseline oscillation in majority of mammalian genes. *PLoS Comput Biol* 2007;3:1108-14.

Qin J, Cao QV, Blouin DC. Projection of a diameter distribution through time. *Canadian Journal of Forest Research-Revues Canadiennes De Recherche Forestiere* 2007;37:188-94.

Raghuram S, Stayrook KR, Huang P, et al. Identification of heme as the ligand for the orphan nuclear receptors REV-ERBalpha and REV-ERBbeta. *Nat Struct Mol Biol* 2007;14:1207-13.

Rajesh M, Mukhopadhyay P, Batkai S, et al. Cannabidiol attenuates high glucose-induced endothelial cell inflammatory response and barrier disruption. *American Journal of Physiology: Heart and Circulatory Physiology* 2007;293:H610-H9.

Rankinen T, Bouchard C. Genetic differences in the relationships among physical activity, fitness and health. In: Bouchard C, Blair SN, Haskell WL, eds. *Physical Activity and Health*. Champaign, IL: Human Kinetics; 2007:337-58.

Rankinen T, Bouchard C. Invited commentary: Physical activity, mortality, and genetics. *Am J Epidemiol* 2007;166:260-2.

Rankinen T, Church T, Rice T, et al. Effect of endothelin 1 genotype on blood pressure is dependent on physical activity or fitness levels. *Hypertension* 2007;50:1120-5.

Rankinen T, Church TS, Rice T, Bouchard C, Blair SN. Cardiorespiratory fitness, BMI, and risk of hypertension: The HYPGENE study. *Med Sci Sports Exerc* 2007;39:1687-92.

Rathod M, Vangipuram SD, Krishnan B, Heydari AR, Holland TC, Dhurandhar NV. Viral mRNA expression but not DNA

replication is required for lipogenic effect of human adenovirus Ad-36 in preadipocytes. *Int J Obes* 2007;31:78-86.

Ravussin E, Redman LM. Caloric restriction and longevity. *Journ Annu Diabetol Hotel Dieu* 2007:111-25.

Redman LM, de Jonge L, Fang X, et al. Lack of an effect of a novel beta3-adrenoceptor agonist, TAK-677, on energy metabolism in obese individuals: A double-blind, placebo-controlled randomized study. *J Clin Endocrinol Metab* 2007;92:527-31.

Redman LM, Heilbronn LK, Martin CK, et al. Effect of calorie restriction with or without exercise on body composition and fat distribution. *J Clin Endocrinol Metab* 2007;92:865-72.

Redman LM, Ravussin E. Could calorie restriction increase longevity in humans? *Aging Health* 2007;3:1-4.

Redman LM, Ravussin E. Energy expenditure in obesity. In: Kushner RF, Bessesen DH, eds. *Treatment of the Obese Patient*. Totowa, NJ: Humana Press; 2007:151-72.

Redman LM, Teran-Garcia M, Ravussin E. Preventing metabolic syndrome: Diet, exercise, both or more? *Review of Endocrinology* 2007;Jul:23-5.

Rice S, McAllister EJ, Dhurandhar NV. Fast food: Friendly? *Int J Obes* 2007;31:884-6.

Roberts AT, Martin CK, Liu Z, et al. The safety and efficacy of a dietary herbal supplement and gallic acid for weight loss. *J Med Food* 2007;10:184-8.

Robitaille J, Perusse L, Bouchard C, Vohl MC. Genes, fat intake, and cardiovascular disease risk factors in the Quebec Family Study. *Obesity* 2007;15:2336-47.

Roth GS, Ingram DK, Joseph JA. Nutritional interventions in aging and age-associated diseases. *Ann N Y Acad Sci* 2007;1114:369-71.

Ryan D. Obesity in women: A life cycle of medical risk. *Int J Obes* 2007;31:S3-S7; discussion S31-S2.

Ryan DH. The relationship among risk factor clustering, abdominal obesity, and residual risk for cardiovascular events. *Rev Cardiovasc Med* 2007;8:9-16.

Sathishkumar K, Xi XC, Martin R, Uppu RM. Cholesterol secoaldehyde, an ozonation product of cholesterol, induces amyloid aggregation and apoptosis in murine GT1-7 hypothalamic neurons. *Journal of Alzheimers Disease* 2007;11:261-74.

Singru PS, Mazumdar M, Sakharkar AJ, et al. Immunohistochemical localization of cocaine- and amphetamine-regulated transcript peptide in the brain of the catfish, *Clarias batrachus* (Linn.). *J Comp Neurol* 2007;502:215-35.

Sjostrom L, Narbro K, Sjostrom CD, et al. Effects of bariatric surgery on mortality in Swedish obese subjects. *N Engl J Med* 2007;357:741-52.

Smith SR, Blundell JE, Burns C, et al. Pramlintide treatment reduces 24-h caloric intake and meal sizes and improves control of eating in obese subjects: A 6-wk translational research study. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E620-E7.

Song L, Li J, Ye J, et al. p85alpha acts as a novel signal transducer for mediation of cellular apoptotic response to UV radiation. *Mol Cell Biol* 2007;27:2713-31.

Sozen MA, de Jonge LH, Greenway F, Ravussin E, Smith SR, Argyropoulos G. A rare mutation in AgRP, +79G>A, affects

promoter activity. *Eur J Clin Nutr* 2007;61:809-12.

Spielmann N, Leon AS, Rao DC, et al. CETP genotypes and HDL-cholesterol phenotypes in the HERITAGE Family Study. *Physiol Genomics* 2007;31:25-31.

Spielmann N, Leon AS, Rao DC, et al. Genome-wide linkage scan for submaximal exercise heart rate in the HERITAGE family study. *American Journal of Physiology: Heart and Circulatory Physiology* 2007;293:H3366-H71.

Starr AN, Famula TR, Markward NJ, et al. Hereditary evaluation of multiple developmental abnormalities in the Havanese dog breed. *J Hered* 2007;98:510-7.

Staszkiwicz J, Horswell R, Argyropoulos G. Chronic consumption of a low-fat diet leads to increased hypothalamic agouti-related protein and reduced leptin. *Nutrition* 2007;23:665-71.

Stevens MJ, Li F, Drel VR, et al. Nicotinamide reverses neurological and neurovascular deficits in streptozotocin diabetic rats. *J Pharmacol Exp Ther* 2007;320:458-64.

Stewart TM, Williamson DA. Eating disorders. In: Hersen M, Thomas JC, eds. *Handbook of Clinical Interviewing with Adults*. Thousand Oaks, CA: Sage Publications; 2007:266-81.

Stote KS, Baer DJ, Spears K, et al. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. *Am J Clin Nutr* 2007;85:981-8.

Stutz AM, Staszkiwicz J, Ptitsyn A, Argyropoulos G. Circadian expression of genes regulating food intake. *Obesity* 2007;15:607-15.

Sun HD, Malabunga M, Tonra JR, et al. Monoclonal antibody antagonists of hypothalamic FGFR1 cause potent but reversible hypophagia and weight loss in rodents and monkeys. *American Journal of Physiology: Endocrinology and Metabolism* 2007;292:E964-E76.

Tchkonina T, Lenburg M, Thomou T, et al. Identification of depot-specific human fat cell progenitors through distinct expression profiles and developmental gene patterns. *Am J Physiol Endocrinol Metab* 2007;292:E298-307.

Tchoukalova Y, Koutsari C, Jensen M. Committed subcutaneous preadipocytes are reduced in human obesity. *Diabetologia* 2007;50:151-7.

Teran-Garcia M, Adamson AW, Yu G, et al. Polyunsaturated fatty acid suppression of fatty acid synthase (FASN): evidence for dietary modulation of NF-Y binding to the Fasn promoter by SREBP-1c. *Biochem J* 2007;402:591-600.

Teran-Garcia M, Bouchard C. Genetics of the metabolic syndrome. *Appl Physiol Nutr Metab* 2007;32:89-114.

Teran-Garcia M, Rankinen T, Rice T, et al. Variations in the four and a half LIM domains 1 gene (FHL1) are associated with fasting insulin and insulin sensitivity responses to regular exercise. *Diabetologia* 2007;50:1858-66.

Thomas JL, Jones GN, Scarinci IC, Brantley PJ. Social support and the association of type 2 diabetes and depressive and anxiety disorders among low-income adults seen in primary care clinics. *Journal of Clinical Psychology in Medical Settings* 2007;14:351-9.

Travagli RA. The nucleus tractus solitarius: An integrative centre with "task-matching" capabilities. *J Physiol* 2007;582:471.

Trevaskis JL, Gawronska-Kozak B, Sutton GM, et al. Role of adiponectin and inflammation in insulin resistance of Mc3r and Mc4r knockout mice. *Obesity* 2007;15:2664-72.

Tschop MH, Ravussin E. Peptide YY: Obesity's cause and cure? *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E1131-E3.

Tu H, Kastin AJ, Bjorbaek C, Pan W. Urocortin trafficking in cerebral microvessel endothelial cells. *J Mol Neurosci* 2007;31:171-81.

Tu H, Kastin AJ, Pan W. Corticotropin-releasing hormone receptor (CRHR)1 and CRHR2 are both trafficking and signaling receptors for urocortin. *Mol Endocrinol* 2007;21:700-11.

Tu H, Pan W, Feucht L, Kastin AJ. Convergent trafficking pattern of leptin after endocytosis mediated by ObRa-ObRd. *J Cell Physiol* 2007;212:215-22.

Ukropcova B, Sereda O, de Jonge L, et al. Family history of diabetes links impaired substrate switching and reduced mitochondrial content in skeletal muscle. *Diabetes* 2007;56:720-7.

Utsuki T, Uchimura N, Irikura M, et al. Preclinical investigation of the topical administration of phenserine: transdermal flux, cholinesterase inhibition, and cognitive efficacy. *J Pharmacol Exp Ther* 2007;321:353-61.

Vander Wal JS, Johnston KA, Dhurandhar NV. Psychometric properties of the State and Trait Food Cravings Questionnaires among overweight and obese persons. *Eat Behav* 2007;8:211-23.

Vander Wal JS, McBurney MI, Cho S, Dhurandhar NV. Ready-to-eat cereal products as meal replacements for weight loss. *Int J Food Sci Nutr* 2007;58:331-40.

Vangipuram SD, Yu M, Tian J, et al. Adipogenic human adenovirus-36 reduces leptin expression and secretion and increases glucose uptake by fat cells. *Int J Obes* 2007;31:87-96.

Vareniuk I, Pavlov IA, Drel VR, et al. Nitrosative stress and peripheral diabetic neuropathy in leptin-deficient (ob/ob) mice. *Exp Neurol* 2007;205:425-36.

Viard E, Zheng Z, Wan S, Travagli RA. Vagally mediated, nonparacrine effects of cholecystokinin-8s on rat pancreatic exocrine secretion. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2007;293:G493-G500.

Vidal MA, Kilroy GE, Lopez MJ, Johnson JR, Moore RM, Gimble JM. Characterization of equine adipose tissue-derived stromal cells: Adipogenic and osteogenic capacity and comparison with bone marrow-derived mesenchymal stromal cells. *Vet Surg* 2007;36:613-22.

Wal JSV, McBurney MI, Moellering N, Marth J, Dhurandhar NV. Moderate-carbohydrate low-fat versus low-carbohydrate high-fat meal replacements for weight loss. *Int J Food Sci Nutr* 2007;58:321-9.

Wan F, Anderson DE, Barnitz RA, et al. Ribosomal protein S3: a KH domain subunit in NF-kappaB complexes that mediates selective gene regulation. *Cell* 2007;131:927-39.

Wan S, Browning KN, Travagli RA. Glucagon-like peptide-1 modulates synaptic transmission to identified pancreas-projecting vagal motoneurons. *Peptides* 2007;28:2184-91.

Wan S, Coleman FH, Travagli RA. Cholecystokinin-8s excites identified rat pancreatic-projecting vagal motoneurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2007;293:G484-G92.

Wan S, Coleman FH, Travagli RA. Glucagon-like peptide-1 excites pancreas-projecting preganglionic vagal motoneurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2007;292:G1474-G82.

Wang ZQ, Qin J, Martin J, et al. Phenotype of subjects with type 2 diabetes mellitus may determine clinical response to chromium supplementation. *Metabolism* 2007;56:1652-5.

Wang ZQ, Zuberi AR, Zhang XH, et al. Effects of dietary fibers on weight gain, carbohydrate metabolism, and gastric ghrelin gene expression in mice fed a high-fat diet. *Metabolism* 2007;56:1635-42.

Whigham LD, Dhurandhar NV, Rahko PS, Atkinson RL. Comparison of combinations of drugs for treatment of obesity: Body weight and echocardiographic status. *Int J Obes* 2007;31:850-7.

White CL, Ishihara Y, York DA, Bray GA. Effect of meta-chlorophenylpiperazine and cholecystokinin on food intake of Osborne-Mendel and S5B/P1 rats. *Obesity* 2007;15:624-31.

Whitehead D, Bodenlos JS, Cowles ML, Jones GN, Brantley PJ. A stage-targeted physical activity intervention among a predominantly African-American low-income primary care population. *Am J Health Promot* 2007;21:160-3.

Williamson DA. Does the evidence point to a binge eating phenotype?: Comment on Gordon et al. (2007) and Wonderlich et al. (2007). *Int J Eat Disord* 2007;40:S72-S5.

Williamson DA, Copeland AL, Anton SD, et al. Wise Mind project: A school-based environmental approach for preventing weight gain in children. *Obesity* 2007;15:906-17.

Williamson DA, Martin CK, York-Crowe E, et al. Measurement of dietary restraint: Validity tests of four questionnaires. *Appetite* 2007;48:183-92.

Wilson JB, Welsch M, Allen J, Thomson J, Tulley R, Lefevre M. The association of homocysteine and related factors to brachial artery diameter and flow-mediated dilation. *Metabolism* 2007;56:641-8.

Wolfarth B, Rankinen T, Muhlbauer S, et al. Association between a beta(2)-adrenergic receptor polymorphism and elite endurance performance. *Metabolism* 2007;56:1649-51.

Wonderlich SA, Joiner TE, Jr., Keel PK, Williamson DA, Crosby RD. Eating disorder diagnoses: empirical approaches to classification. *Am Psychol* 2007;62:167-80.

Wu X, Zvonic S, Floyd ZE, et al. Induction of circadian gene expression in human subcutaneous adipose-derived stem cells. *Obesity* 2007;15:2560-70.

Xue B, Rim JS, Hogan JC, Coulter AA, Koza RA, Kozak LP. Genetic variability affects the development of brown adipocytes in white fat but not in interscapular brown fat. *J Lipid Res* 2007;48:41-51.

Yadavilli S, Hegde V, Deutsch WA. Translocation of human ribosomal protein S3 to sites of DNA damage is dependant on ERK-mediated phosphorylation following genotoxic stress. *DNA Repair* 2007;6:1453-62.

Yan J, Gao Z, Yu G, He Q, Weng J, Ye J. Nuclear corepressor is required for inhibition of phosphoenolpyruvate carboxykinase expression by tumor necrosis factor-alpha. *Mol Endocrinol* 2007;21:1630-41.

Yang H, Youm YH, Nakata C, Dixit VD. Chronic caloric restriction induces forestomach hypertrophy with enhanced ghrelin levels during aging. *Peptides* 2007;28:1931-6.

Ye J. Role of insulin in the pathogenesis of free fatty acid-induced insulin resistance in skeletal muscle. *Endocrine, Metabolic & Immune Disorders - Drug Targets* 2007;7:65-74.

Ye J, Gao Z, Yin J, He Q. Hypoxia is a potential risk factor for chronic inflammation and adiponectin reduction in adipose tissue of ob/ob and dietary obese mice. *American Journal of Physiology: Endocrinology and Metabolism* 2007;293:E1118-E28.

York DA, Thomas S, Greenway FL, Liu Z, Rood JC. Effect of an herbal extract Number Ten (NT) on body weight in rats.



Chin Med 2007;2:10.

Yu C, Kastin AJ, Ding Y, Pan W. Gamma glutamyl transpeptidase is a dynamic indicator of endothelial response to stroke. *Exp Neurol* 2007;203:116-22.

Yu C, Kastin AJ, Pan W. TNF reduces LIF endocytosis despite increasing NFkappaB-mediated gp130 expression. *J Cell Physiol* 2007;213:161-6.

Yu C, Kastin AJ, Tu H, Pan W. Opposing effects of proteasomes and lysosomes on LIFR: modulation by TNF. *J Mol Neurosci* 2007;32:80-9.

Yu C, Kastin AJ, Tu H, Waters S, Pan W. TNF activates p-glycoprotein in cerebral microvascular endothelial cells. *Cell Physiol Biochem* 2007;20:853-8.

Zahn JM, Poosala S, Owen AB, et al. AGEMAP: A gene expression database for aging in mice. *PLoS Genet* 2007;3:2326-37.

Zhang J, Yu Y, Liu D, Liu Z. Extraction and composition of three naturally occurring anti-cancer alkaloids in *Camptotheca acuminata* seed and leaf extracts. *Phytomedicine* 2007;14:50-6.

Zheng H, Berthoud HR. Eating for pleasure or calories. *Curr Opin Pharmacol* 2007;7:607-12.

Zheng H, Patterson LM, Berthoud HR. Orexin signaling in the ventral tegmental area is required for high-fat appetite induced by opioid stimulation of the nucleus accumbens. *J Neurosci* 2007;27:11075-82.

Zheng Z, Travagli RA. Dopamine effects on identified rat vagal motoneurons. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2007;292:G1002-G8.

Zhou L, Sutton GM, Rochford JJ, et al. Serotonin 2C receptor agonists improve type 2 diabetes via melanocortin-4 receptor signaling pathways. *Cell Metab* 2007;6:398-405.

Zhu M, Lee GD, Ding L, et al. Adipogenic signaling in rat white adipose tissue: modulation by aging and calorie restriction. *Exp Gerontol* 2007;42:733-44.

Zou S, Sinclair J, Wilson MA, et al. Comparative approaches to facilitate the discovery of longevity interventions: Effects of tocopherols on lifespan of three invertebrate species. *Mech Ageing Dev* 2007;128:222-6.

Zvonic S, Floyd ZE, Mynatt RL, Gimble JM. Circadian rhythms and the regulation of metabolic tissue function and energy homeostasis. *Obesity* 2007;15:539-43.

Zvonic S, Lefevre M, Kilroy G, et al. Secretome of primary cultures of human adipose-derived stem cells: Modulation of serpins by adipogenesis. *Mol Cell Proteomics* 2007;6:18-28.

Zvonic S, Ptitsyn AA, Kilroy G, et al. Circadian oscillation of gene expression in murine calvarial bone. *J Bone Miner Res* 2007;22:357-65.

## **2008**

Addy C, Wright H, Van Laere K, et al. The acyclic CB1R inverse agonist taranabant mediates weight loss by increasing energy expenditure and decreasing caloric intake. *Cell Metab* 2008;7:68-78.

Aggarwal S, Kim SW, Ryu SH, Chung WC, Koo JS. Growth suppression of lung cancer cells by targeting cyclic AMP response element-binding protein. *Cancer Res* 2008;68:981-8.

Agurs-Collins T, Bouchard C. Gene-nutrition and gene-physical activity interactions in the etiology of obesity INTRODUCTION. *Obesity* 2008;16:S2-S4.

Allard JS, Heilbronn LK, Smith C, et al. In vitro cellular adaptations of indicators of longevity in response to treatment with serum collected from humans on calorie restricted diets. *PLoS ONE* 2008;3:e3211.

Allison DB, Downey M, Atkinson RL, et al. Obesity as a disease: A white paper on evidence and arguments commissioned by the Council of the Obesity Society. *Obesity* 2008;16:1161-77.

Angers M, Uldry M, Kong D, Gimble JM, Jetten AM. Mfsd2a encodes a novel major facilitator superfamily domain-containing protein highly induced in brown adipose tissue during fasting and adaptive thermogenesis. *Biochem J* 2008;416:347-55.

Ansari MA, Keller JN, Scheff SW. Protective effect of Pycnogenol in human neuroblastoma SH-SY5Y cells following acrolein-induced cytotoxicity. *Free Radic Biol Med* 2008;45:1510-9.

Anton SD, Exner A, Newton RL. Intentions are not sufficient to change behavior: Strategies that promote behavior change and healthy weight management. In: Pierce RW, Schwartz RI, eds. *New Perspectives on Knowledge, Attitudes and Practices in Health*. New York, NY: Nova Science Publishers; 2008:173-86.

Anton SD, Martin CK, Redman L, et al. Psychosocial and behavioral pre-treatment predictors of weight loss outcomes. *Eat Weight Disord* 2008;13:30-7.

Anton SD, Morrison CD, Cefalu WT, et al. Effects of chromium picolinate on food intake and satiety. *Diabetes Technol Ther* 2008;10:405-12.

Anunciado-Koza R, Ukropec J, Koza RA, Kozak LP. Inactivation of UCP1 and the glycerol phosphate cycle synergistically increases energy expenditure to resist diet-induced obesity. *J Biol Chem* 2008;283:27688-97.

Ard JD, Kumanyika S, Stevens VJ, et al. Effect of group racial composition on weight loss in African Americans. *Obesity* 2008;16:306-10.

Barak N, Greenway FL, Fujioka K, Aronne LJ, Kushner RF. Effect of histaminergic manipulation on weight in obese adults: a randomized placebo controlled trial. *Int J Obes* 2008;32:1559-65.

Barnes MJ, Primeaux SD, Bray GA. Food deprivation increases the mRNA expression of mu-opioid receptors in the ventral medial hypothalamus and arcuate nucleus. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2008;295:R1385-R90.

Barnes S, Birt DF, Cassileth BR, et al. Technologies and experimental approaches at the National Institutes of Health Botanical Research Centers. *Am J Clin Nutr* 2008;87:476s-80s.

Barnett TA, Gauvin L, Craig CL, Katzmarzyk PT. Distinct trajectories of leisure time physical activity and predictors of trajectory class membership: A 22- year cohort study. *Int J Behav Nutr Phys Act* 2008;5:57.

Bays HE, Gonzalez-Campoy JM, Bray GA, et al. Pathogenic potential of adipose tissue and metabolic consequences of adipocyte hypertrophy and increased visceral adiposity. *Expert Rev Cardiovasc Ther* 2008;6:343-68.

Berthoud HR. Paying the price for eating ice cream: is excessive GLP-1 signaling in the brain the culprit? *Endocrinology* 2008;149:4765-7.

Berthoud HR. Vagal and hormonal gut-brain communication: from satiation to satisfaction. *Neurogastroenterol Motil* 2008;20 Suppl 1:64-72.

Berthoud HR. The vagus nerve, food intake and obesity. *Regul Pept* 2008;149:15-25.

Berthoud HR, Morrison C. The brain, appetite, and obesity. *Annu Rev Psychol* 2008;59:55-92.

Bhattacharya C, Aggarwal S, Kumar M, Ali A, Matin A. Mouse apolipoprotein B editing complex 3 (APOBEC3) is expressed in germ cells and interacts with dead-end (DND1). *PLoS ONE* 2008;3:e2315.

Blumer JB, Lord K, Saunders TL, et al. Activator of G protein signaling 3 null mice: I. Unexpected alterations in metabolic and cardiovascular function. *Endocrinology* 2008;149:3842-9.

Bogacki M, Enright FM, Todd WJ, Hansel W. Immune response to lytic peptides conjugated to a betaCG fragment in treated BALB/C mice. *Reprod Biol* 2008;8:135-47.

Bonekamp S, Ghosh P, Crawford S, et al. Quantitative comparison and evaluation of software packages for assessment of abdominal adipose tissue distribution by magnetic resonance imaging. *Int J Obes* 2008;32:100-11.

Bonfili L, Cecarini V, Amici M, et al. Natural polyphenols as proteasome modulators and their role as anti-cancer compounds. *FEBS J* 2008;275:5512-26.

Bouchard C. Gene-environment interactions in the etiology of obesity: defining the fundamentals. *Obesity (Silver Spring)* 2008;16 Suppl 3:S5-S10.

Bouchard C. How much progress have we made over the last few decades? *Int J Obes* 2008;32:S2-7.

Bouchard C. The magnitude of the energy imbalance in obesity is generally underestimated. *Int J Obes* 2008;32:879-80.

Bouchard C. Response to 'The thrifty gene hypothesis: Maybe everyone is right?' - letter. *Int J Obes* 2008;32:725-6.

Bouchard C, Agurs-Collins T. Studying gene-behavior interactions: Summary of recommendations. *Obesity* 2008;16:S95-S6.

Bouchard C, Rankinen T. Exciting advances and new opportunities. In: Clément K, Sorensen TIA, eds. *Obesity: Genomics and Postgenomics*. New York, NY: Informa Healthcare USA, Inc.; 2008:549-62.

Bouchard C, Rankinen T. Experimental twin studies. In: Clément K, Sorensen TIA, eds. *Obesity: Genomics and Postgenomics*. New York, NY: Informa Healthcare USA, Inc.; 2008:49-58.

Boule NG, Chaput JP, Doucet E, et al. Glucose homeostasis predicts weight gain: prospective and clinical evidence. *Diabetes Metab Res Rev* 2008;24:123-9.

Boyer BA, Myers VH, Lehman D. Psychological aspects of type 1 diabetes in adults. In: Jabbour S, Stephens EA, eds. *Type 1 Diabetes in Adults: Principles and Practice*. New York, NY: Informa Healthcare USA; 2008:231-46.

Branch-Mays GL, Dawson DR, Gunsolley JC, et al. The effects of a calorie-reduced diet on periodontal inflammation and disease in a non-human primate model. *J Periodontol* 2008;79:1184-91.

Brantley P, Appel L, Hollis J, et al. Design considerations and rationale of a multi-center trial to sustain weight loss: the Weight Loss Maintenance Trial. *Clin Trials* 2008;5:546-56.

Bray GA. Are non-prescription medications needed for weight control? *Obesity* 2008;16:509-14.

Bray GA. Cannabinoid receptor antagonists as potential antiobesity agents. In: Bray GA, Bouchard C, eds. *Handbook of*

Obesity: Clinical Applications. 3rd ed. New York, NY: Informa Healthcare; 2008:335-40.

Bray GA. Classification and evaluation of the overweight patient. In: Bray GA, Bouchard C, eds. Handbook of Obesity: Clinical Applications. 3rd ed. New York, NY: Informa Healthcare; 2008:1-28.

Bray GA. Fructose: should we worry? *Int J Obes* 2008;32:S127-31.

Bray GA. Fructose--how worried should we be? *Medscape J Med* 2008;10:159.

Bray GA. Is new hope on the horizon for obesity? *Lancet* 2008;372:1859-60.

Bray GA. Lifestyle and pharmacological approaches to weight loss: efficacy and safety. *J Clin Endocrinol Metab* 2008;93:S81-8.

Bray GA. Medications for weight reduction. *Endocrinol Metab Clin North Am* 2008;37:923-42.

Bray GA. No unique role for fructose sweeteners in obesity or cardiorenal disease - Reply - letter. *Am J Clin Nutr* 2008;87:1064-5.

Bray GA. Some historical aspects of drug treatment for obesity. In: Wilding JPH, ed. *Pharmacotherapy of Obesity*. Basel: Birkhäuser Verlag AG; 2008:11-9.

Bray GA. Treatment of the metabolic syndrome with weight loss, exercise, hormones, and surgery. In: Hansen BC, Bray GA, eds. *The Metabolic Syndrome: Epidemiology, Clinical Treatment, and Underlying Mechanisms*. Totowa, NJ: Humana; 2008:57-74.

Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 3rd ed. New York, NY: Informa Healthcare; 2008.

Bray GA, Flatt JP, Volaufova J, Delany JP, Champagne CM. Corrective responses in human food intake identified from an analysis of 7-d food-intake records. *Am J Clin Nutr* 2008;88:1504-10.

Bray GA, Jablonski KA, Fujimoto WY, et al. Relation of central adiposity and body mass index to the development of diabetes in the Diabetes Prevention Program. *Am J Clin Nutr* 2008;87:1212-8.

Bray GA, Van Gaal L. Drugs that modify fat absorption and alter metabolism. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 3rd ed. New York, NY: Informa Healthcare; 2008:315-34.

Bray GA, Wilson JF. In the clinic. Obesity. *Ann Intern Med* 2008;149:ITC4-1-15; quiz ITC4-6.

Brown SC, Geiselman PJ, Copeland AL, Gordon C, Richard-Eaglin A. Reliability and validity of the Personal Wellness Profile (PWP) Questionnaire in African American college women. *J Cult Divers* 2008;15:163-7.

Bunnell BA, Estes BT, Guilak F, Gimble JM. Differentiation of adipose stem cells. In: Yang K, ed. *Adipose Tissue Protocols*. 2nd ed ed: Springer; 2008:155-72.

Burns Kraft TF, Dey M, Rogers RB, et al. Phytochemical composition and metabolic performance-enhancing activity of dietary berries traditionally used by Native North Americans. *J Agric Food Chem* 2008;56:654-60.

Burris TP. Nuclear hormone receptors for heme: REV-ERB $\alpha$  and REV-ERB $\beta$  are ligand-regulated components of the mammalian clock. *Mol Endocrinol* 2008;22:1509-20.

Caruso MK, Roberts AT, Bissoon L, Self KS, Guillot TS, Greenway FL. An evaluation of mesotherapy solutions for inducing lipolysis and treating cellulite. *J Plast Reconstr Aesthet Surg* 2008;61:1321-4.

Cecarini V, Bonfili L, Amici M, Angeletti M, Keller JN, Eleuteri AM. Amyloid peptides in different assembly states and related effects on isolated and cellular proteasomes. *Brain Res* 2008;1209:8-18.

Cefalu WT. Diabetic dyslipidemia and the metabolic syndrome. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews* 2008;2:208-22.

Cefalu WT. Glycemic targets and cardiovascular disease. *N Engl J Med* 2008;358:2633-5.

Cefalu WT. *Stop Diabetes Now*. New York, NY: Penguin Publishing; 2008.

Cefalu WT, Bohannon NJ, Fineberg SE, et al. Assessment of long-term immunological and pulmonary safety of inhaled human insulin with up to 24 months of continuous therapy. *Curr Med Res Opin* 2008;24:3073-83.

Cefalu WT, Brantley PJ. Botanicals and cardiometabolic risk: positioning science to address the hype. *Metabolism* 2008;57:S1-2.

Cefalu WT, Champagne C, Greenway F. Weight loss agents and the metabolic syndrome. In: Fonseca V, ed. *Therapeutic Strategies in Metabolic Syndrome: Clinical Publishing Services*; 2008:55-67.

Cefalu WT, Mathieu C, Davidson J, Freemantle N, Gough S, Canovatchel W. Patients' perceptions of subcutaneous insulin in the OPTIMIZE study: a multicenter follow-up study. *Diabetes Technol Ther* 2008;10:25-38.

Cefalu WT, Watson K. Intensive glycemic control and cardiovascular disease observations from the ACCORD study: now what can a clinician possibly think? *Diabetes* 2008;57:1163-5.

Cefalu WT, Ye J, Wang ZQ. Efficacy of dietary supplementation with botanicals on carbohydrate metabolism in humans. *Endocr Metab Immune Disord Drug Targets* 2008;8:78-81.

Cefalu WT, Ye J, Zuberi A, et al. Botanicals and the metabolic syndrome. *Am J Clin Nutr* 2008;87:481S-7S.

Champagne CM. Magnesium in hypertension, cardiovascular disease, metabolic syndrome, and other conditions: a review. *Nutr Clin Pract* 2008;23:142-51.

Champagne CM. Milk and milk products - essential components of the DASH Diet. *Can J Diet Pract Res* 2008;69:184-.

Chandra V, Huang P, Hamuro Y, et al. Structure of the intact PPAR-gamma-RXR- nuclear receptor complex on DNA. *Nature* 2008;456:350-6.

Chaput JP, Despres JP, Bouchard C, Tremblay A. The association between sleep duration and weight gain in adults: a 6-year prospective study from the Quebec Family Study. *Sleep* 2008;31:517-23.

Chaput JP, Tremblay A, Rimm EB, Bouchard C, Ludwig DS. A novel interaction between dietary composition and insulin secretion: effects on weight gain in the Quebec Family Study. *Am J Clin Nutr* 2008;87:303-9.

Choquette AC, Lemieux S, Tremblay A, et al. Evidence of a quantitative trait locus for energy and macronutrient intakes on chromosome 3q27.3: The Quebec Family Study. *Am J Clin Nutr* 2008;88:1142-8.

Christensen CJ, Johnson WD, Abell TL. Patients with cyclic vomiting pattern and diabetic gastropathy have more migraines, abnormal electrogastrograms, and gastric emptying. *Scand J Gastroenterol* 2008;43:1076-81.

Church T. Exercise and weight management. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 3rd ed. New York, NY: Informa Healthcare; 2008:291-302.

Church TS, Gill TM, Newman AB, Blair SN, Earnest CP, Pahor M. Maximal fitness testing in sedentary elderly at substantial risk of disability: LIFE-P study experience. *J Aging Phys Act* 2008;16:408-15.

Civitarese AE, Ravussin E. Mitochondrial energetics and insulin resistance. *Endocrinology* 2008;149:950-4.

Courneya KS, Katzmarzyk PT, Bacon E. Physical activity and obesity in Canadian cancer survivors: Population-based estimates from the 2005 Canadian Community Health Survey. *Cancer* 2008;112:2475-82.

Crandall JP, Knowler WC, Kahn SE, et al. The prevention of type 2 diabetes. *Nat Clin Pract Endocrinol Metab* 2008;4:382-93.

Creel WB, Abell TL, Lobrano A, et al. To clot or not to clot: are there predictors of clinically significant thrombus formation in patients with gastroparesis and prolonged IV access? *Dig Dis Sci* 2008;53:1532-6.

Dai SY, Chalmers MJ, Bruning J, et al. Prediction of the tissue-specificity of selective estrogen receptor modulators by using a single biochemical method. *Proc Natl Acad Sci U S A* 2008;105:7171-6.

de Jonge L, Smith SR. Macronutrients and exercise. *Obesity Management* 2008;4:11-3.

Dixit VD. Adipose-immune interactions during obesity and caloric restriction: reciprocal mechanisms regulating immunity and health span. *J Leukoc Biol* 2008;84:882-92.

Dixit VD. Hormonal, neural, and metabolic regulation of immunity. *J Leukoc Biol* 2008;84:881.

Do R, Bailey SD, Desbiens K, et al. Genetic variants of FTO influence adiposity, insulin sensitivity, leptin levels, and resting metabolic rate in the Quebec Family Study. *Diabetes* 2008;57:1147-50.

Dolley G, Lamarche B, Despres JP, Bouchard C, Perusse L, Vohl MC. Myeloperoxidase gene sequence variations are associated with low-density-lipoprotein characteristics. *J Hum Genet* 2008;53:439-46.

Donkor J, Sparks LM, Xie H, Smith SR, Reue K. Adipose tissue lipin-1 expression is correlated with peroxisome proliferator-activated receptor alpha gene expression and insulin sensitivity in healthy young men. *J Clin Endocrinol Metab* 2008;93:233-9.

Downs JL, Mattison JA, Ingram DK, Urbanski HF. Effect of age and caloric restriction on circadian adrenal steroid rhythms in rhesus macaques. *Neurobiol Aging* 2008;29:1412-22.

Drel VR, Pacher P, Ali TK, et al. Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. *Int J Mol Med* 2008;21:667-76.

Dubois SG, Floyd EZ, Zvonic S, et al. Isolation of human adipose-derived stem cells from biopsies and liposuction specimens. In: Prockop DJ, Phinney DG, Bunnell BA, eds. *Mesenchymal Stem Cells: Methods and Protocols*. 2008/03/29 ed. Totowa, NJ: Humana Press; 2008:69-79.

Dubois SG, Tchoukalova YD, Heilbronn LK, et al. Potential role of increased matrix metalloproteinase-2 (MMP2) transcription in impaired adipogenesis in type 2 diabetes mellitus. *Biochem Biophys Res Commun* 2008;367:725-8.

Duffy KB, Spangler EL, Devan BD, et al. A blueberry-enriched diet provides cellular protection against oxidative stress and reduces a kainate-induced learning impairment in rats. *Neurobiol Aging* 2008;29:1680-9.

Earnest CP. Exercise interval training: an improved stimulus for improving the physiology of pre-diabetes. *Med Hypotheses* 2008;71:752-61.

Earnest CP, Lavie CJ, Blair SN, Church TS. Heart rate variability characteristics in sedentary postmenopausal women

following six months of exercise training: the DREW study. *PLoS ONE* 2008;3:e2288.

Ebersole JL, Steffen MJ, Reynolds MA, et al. Differential gender effects of a reduced-calorie diet on systemic inflammatory and immune parameters in nonhuman primates. *J Periodontol Res* 2008;43:500-7.

Effros RB, Austad S, Blau H, et al. The biological sciences section program at the 60th Annual Meeting of the Gerontological Society of America. *J Gerontol A Biol Sci Med Sci* 2008;63:331-7.

Eilertsen KJ, Floyd ZE, Gimble JM. The epigenetics of adult (somatic) stem cells. *Crit Rev Eukaryot Gene Expr* 2008;18:189-206.

El-Hage N, Bruce-Keller AJ, Knapp PE, Hauser KF. CCL5/RANTES gene deletion attenuates opioid-induced increases in glial CCL2/MCP-1 immunoreactivity and activation in HIV-1 Tat-exposed mice. *J Neuroimmune Pharmacol* 2008;3:275-85.

El-Hage N, Bruce-Keller AJ, Yakovleva T, et al. Morphine exacerbates HIV-1 Tat-induced cytokine production in astrocytes through convergent effects on  $[Ca^{2+}]_i$ , NF-kappaB trafficking and transcription. *PLoS ONE* 2008;3:e4093.

Elston RC, Johnson WD. *Basic Biostatistics for Geneticists and Epidemiologists: A Practical Approach*. Chichester, UK: John Wiley & Sons Ltd.; 2008.

Floyd ZE, Wang ZQ, Kilroy G, Cefalu WT. Modulation of peroxisome proliferator-activated receptor gamma stability and transcriptional activity in adipocytes by resveratrol. *Metabolism* 2008;57:S32-8.

Funk KL, Elmer PJ, Stevens VJ, et al. PREMIER--a trial of lifestyle interventions for blood pressure control: intervention design and rationale. *Health Promot Pract* 2008;9:271-80.

Galgani J, Ravussin E. Energy metabolism, fuel selection and body weight regulation. *Int J Obes* 2008;32 Suppl 7:S109-19.

Galgani JE, Heilbronn LK, Azuma K, et al. Metabolic flexibility in response to glucose is not impaired in people with type 2 diabetes after controlling for glucose disposal rate. *Diabetes* 2008;57:841-5.

Galgani JE, Moro C, Ravussin E. Metabolic flexibility and insulin resistance. *American Journal of Physiology: Endocrinology and Metabolism* 2008;295:E1009-E117.

Gao Z, Ye J. Inhibition of transcriptional activity of c-JUN by SIRT1. *Biochem Biophys Res Commun* 2008;376:793-6.

Gimble JM, Bunnell BA, Guilak F. Fat stem cells. In: Polak JM, ed. *Advances in Tissue Engineering*. London, UK: Imperial College Press; 2008:143-.

Gimble JM, Floyd ZE, Kassem M, Nutthal ME. Aging and bone. In: Duque G, Kiel DP, eds. *Osteoporosis in Older Persons: Pathophysiology and Therapeutic Approach*. London, UK: Springer; 2008:xviii, 186 p.

Gimble JM, Guilak F, Nuttall ME, Sathishkumar S, Vidal M, Bunnell BA. In vitro Differentiation Potential of Mesenchymal Stem Cells. *Transfus Med Hemother* 2008;35:228-38.

Gorelick-Feldman J, Maclean D, Ilic N, et al. Phytoecdysteroids increase protein synthesis in skeletal muscle cells. *J Agric Food Chem* 2008;56:3532-7.

Gorin AA, Niemeier HM, Hogan P, et al. Binge eating and weight loss outcomes in overweight and obese individuals with type 2 diabetes: results from the Look AHEAD trial. *Arch Gen Psychiatry* 2008;65:1447-55.

Gouras P, Ivert L, Landauer N, Mattison JA, Ingram DK, Neuringer M. Drusenoid maculopathy in rhesus monkeys

(*Macaca mulatta*): effects of age and gender. *Graefes Arch Clin Exp Ophthalmol* 2008;246:1395-402.

Gouras P, Ivert L, Mattison JA, Ingram DK, Neuringer M. Drusenoid maculopathy in rhesus monkeys: autofluorescence, lipofuscin and drusen pathogenesis. *Graefes Arch Clin Exp Ophthalmol* 2008;246:1403-11.

Grace MH, Cheng DM, Raskin I, Lila MA. Neo-Clerodane Diterpenes from *Ajuga turkestanica*. *Phytochem Lett* 2008;1:81-4.

Greenway F. Preventing type 2 diabetes mellitus. In: Pasupuleti VK, Anderson JW, eds. *Nutraceuticals, Glycemic Health & Type 2 Diabetes*. Ames, IA: Blackwell Publishing and the Institute of Food Technologists; 2008:29-48.

Greenway FL, Bray GA. Treatment of hypothalamic obesity with caffeine and ephedrine. *Endocr Pract* 2008;14:697-703.

Greenway FL, Cefalu WT. Obesity and its treatment in type 2 diabetes. In: Feinglos MN, Bethel MA, eds. *Type 2 Diabetes Mellitus: An Evidence-based Approach to Practical Management*. Totowa, NJ: Humana Press; 2008:333-50.

Greenway FL, Heber D. Herbal and alternative approaches to obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 3rd ed. New York, NY: Informa Healthcare; 2008:425-51.

Grothe KB, Bodenlos JS, Whitehead D, Olivier J, Brantley PJ. The psychosocial vulnerability model of hostility as a predictor of coronary heart disease in low-income African Americans. *J Clin Psychol Med Settings* 2008;15:163-9.

Gupta AK, Greenway FL, Cornelissen G, Pan W, Halberg F. Prediabetes is associated with abnormal circadian blood pressure variability. *J Hum Hypertens* 2008;22:627-33.

Hansen BC, Bray GA, eds. *The Metabolic Syndrome: Epidemiology, Clinical Treatment, and Underlying Mechanisms*. Totowa, N.J.: Humana; 2008.

Hansen BC, Peternel R, Bray GA. Metabolic syndrome - past and future: An introduction to the features of this book. In: Hansen BC, Bray GA, eds. *The Metabolic Syndrome: Epidemiology, Clinical Treatment, and Underlying Mechanisms*. Totowa, NJ: Humana; 2008:1-10.

Harsha DW, Bray GA. Weight loss and blood pressure control (Pro). *Hypertension* 2008;51:1420-5; discussion 5.

Hermann GE, Rogers RC. TNFalpha: a trigger of autonomic dysfunction. *Neuroscientist* 2008;14:53-67.

Hermann GE, Van Meter MJ, Rogers RC. CXCR4 receptors in the dorsal medulla: implications for autonomic dysfunction. *Eur J Neurosci* 2008;27:855-64.

Heshka S, Ruggiero A, Bray GA, et al. Altered body composition in type 2 diabetes mellitus. *Int J Obes* 2008;32:780-7.

Hollis JF, Gullion CM, Stevens VJ, et al. Weight loss during the intensive intervention phase of the weight-loss maintenance trial. *Am J Prev Med* 2008;35:118-26.

Horswell R, Butler MK, Kaiser M, et al. Disease management programs for the underserved. *Dis Manag* 2008;11:145-52.

Horton E, Cefalu WT, Haines ST, Siminerio LM. Multidisciplinary interventions: mapping new horizons in diabetes care. *Diabetes Educ* 2008;34 Suppl 4:78S-89S.

Ilnytska O, Argyropoulos G. The role of the Agouti-Related Protein in energy balance regulation. *Cell Mol Life Sci* 2008;65:2721-31.

Jackman MR, Ravussin E, Rowe MJ, Pratley R, Milner MR, Willis WT. Effect of a polymorphism in the ND1



mitochondrial gene on human skeletal muscle mitochondrial function. *Obesity (Silver Spring)* 2008;16:363-8.

Jia L, Noker PE, Piazza GA, et al. Pharmacokinetics and pharmacodynamics of Phor21-betaCG(ala), a lytic peptide conjugate. *J Pharm Pharmacol* 2008;60:1441-8.

Johannsen DL, DeLany JP, Frisard MI, et al. Physical activity in aging: comparison among young, aged, and nonagenarian individuals. *J Appl Physiol* (1985) 2008;105:495-501.

Johannsen DL, Ravussin E. Spontaneous physical activity: relationship between fidgeting and body weight control. *Curr Opin Endocrinol Diabetes Obes* 2008;15:409-15.

Jordan J, Greenway FL, Leiter LA, et al. Stimulation of cholecystokinin-A receptors with GI181771X does not cause weight loss in overweight or obese patients. *Clin Pharmacol Ther* 2008;83:281-7.

Kahn SE, Cefalu WT. Glucose control, macro- and microvascular disease, and the Food and Drug Administration: let's keep our eye on the ball. *J Clin Endocrinol Metab* 2008;93:3727-9.

Kastin AJ, Pan W. Blood-brain barrier and feeding: regulatory roles of saturable transport systems for ingestive peptides. *Curr Pharm Des* 2008;14:1615-9.

Kastin AJ, Pan W. Peptides and hormesis. *Crit Rev Toxicol* 2008;38:629-31.

Katzmarzyk PT. Obesity and physical activity among Aboriginal Canadians. *Obesity* 2008;16:184-90.

Katzmarzyk PT, Baur LA, Blair SN, Lambert EV, Oppert JM, Riddoch C. Expert panel report from the International Conference on Physical Activity and Obesity in Children, 24-27 June 2007, Toronto, Ontario: summary statement and recommendations. *Appl Physiol Nutr Metab* 2008;33:371-88.

Katzmarzyk PT, Baur LA, Blair SN, et al. International conference on physical activity and obesity in children: summary statement and recommendations. *Int J Pediatr Obes* 2008;3:3-21.

Kennedy BM, Newton RL, Jr., York-Crowe E, et al. Recruiting African American girls and parents for a secondary weight gain prevention study. *J Cult Divers* 2008;15:181-6.

Khan NA, Hemmelgarn B, Herman RJ, et al. The 2008 Canadian Hypertension Education Program recommendations for the management of hypertension: part 2 - therapy. *Can J Cardiol* 2008;24:465-75.

Kirk H, Cefalu WT, Ribnicky D, Liu Z, Eilertsen KJ. Botanicals as epigenetic modulators for mechanisms contributing to development of metabolic syndrome. *Metabolism* 2008;57:S16-23.

Klonoff DC, Greenway F. Drugs in the pipeline for the obesity market. *J Diabetes Sci Technol* 2008;2:913-8.

Kojetin DJ, Burris TP, Jensen EV, Khan SA. Implications of the binding of tamoxifen to the coactivator recognition site of the estrogen receptor. *Endocr Relat Cancer* 2008;15:851-70.

Komatsu T, Chiba T, Yamaza H, et al. Manipulation of caloric content but not diet composition, attenuates the deficit in learning and memory of senescence-accelerated mouse strain P8. *Exp Gerontol* 2008;43:339-46.

Koska J, Stefan N, Permana PA, et al. Increased fat accumulation in liver may link insulin resistance with subcutaneous abdominal adipocyte enlargement, visceral adiposity, and hypoadiponectinemia in obese individuals. *Am J Clin Nutr* 2008;87:295-302.

Koska J, Stefan N, Votruba SB, Smith SR, Krakoff J, Bunt JC. Distribution of subcutaneous fat predicts insulin action in obesity in sex-specific manner. *Obesity (Silver Spring)* 2008;16:2003-9.

Kozak LP, Anunciado-Koza R. UCP1: its involvement and utility in obesity. *Int J Obes* 2008;32:S32-8.

Kuk JL, Church TS, Blair SN, Ross R. Associations between changes in abdominal and thigh muscle quantity and quality. *Med Sci Sports Exerc* 2008;40:1277-81.

Kumar KG, Byerley LO, Volaufova J, et al. Genetic variation in Glp1r expression influences the rate of gastric emptying in mice. *Am J Physiol Regul Integr Comp Physiol* 2008;294:R362-71.

Kumar KG, Smith Richards BK. Transcriptional profiling of chromosome 17 quantitative trait Loci for carbohydrate and total calorie intake in a mouse congenic strain reveals candidate genes and pathways. *J Nutrigenet Nutrigenomics* 2008;1:155-71.

Kumar KG, Trevaskis JL, Lam DD, et al. Identification of adropin as a secreted factor linking dietary macronutrient intake with energy homeostasis and lipid metabolism. *Cell Metab* 2008;8:468-81.

Lafontan M, Moro C, Berlan M, Crampes F, Sengenès C, Galitzky J. Control of lipolysis by natriuretic peptides and cyclic GMP. *Trends Endocrinol Metab* 2008;19:130-7.

Larson-Meyer DE, Borkhsenius ON, Gullett JC, et al. Effect of dietary fat on serum and intramyocellular lipids and running performance. *Med Sci Sports Exerc* 2008;40:892-902.

Larson-Meyer DE, Newcomer BR, Heilbronn LK, et al. Effect of 6-month calorie restriction and exercise on serum and liver lipids and markers of liver function. *Obesity (Silver Spring)* 2008;16:1355-62.

Le KA, Faeh D, Stettler R, et al. Effects of four-week high-fructose diet on gene expression in skeletal muscle of healthy men. *Diabetes Metab* 2008;34:82-5.

Lefevre M, Wiles JE, Zhang X, et al. Gene expression microarray analysis of the effects of grape anthocyanins in mice: a test of a hypothesis-generating paradigm. *Metabolism* 2008;57:S52-7.

Lenard NR, Berthoud HR. Central and peripheral regulation of food intake and physical activity: Pathways and genes. *Obesity* 2008;16:S11-S22.

Li F, Zhang L, Craddock J, et al. Aging and dietary restriction effects on ubiquitination, sumoylation, and the proteasome in the heart. *Mech Ageing Dev* 2008;129:515-21.

Liu D, Schwimer J, Liu ZJ, Woltering E, Greenway F. Antiangiogenic effect of curcumin in pure versus in extract forms. *Pharm Biol* 2008;46:677-82.

Loos RJ, Bouchard C. FTO: the first gene contributing to common forms of human obesity. *Obes Rev* 2008;9:246-50.

Lovejoy JC, Champagne CM, de Jonge L, Xie H, Smith SR. Increased visceral fat and decreased energy expenditure during the menopausal transition. *Int J Obes* 2008;32:949-58.

Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, Blair SN. Maximal exercise electrocardiography responses and coronary heart disease mortality among men with diabetes mellitus. *Circulation* 2008;117:2734-42.

Major GC, Doucet E, Jacqmain M, St-Onge M, Bouchard C, Tremblay A. Multivitamin and dietary supplements, body weight and appetite: results from a cross-sectional and a randomised double-blind placebo-controlled study. *Br J Nutr* 2008;99:1157-67.

Martin CK, O'Neil PM, Tollefson G, Greenway FL, White MA. The association between food cravings and consumption of specific foods in a laboratory taste test. *Appetite* 2008;51:324-6.

Martin CK, Stewart TM, Anton S, Copeland A, Williamson DA. Health psychology. In: Hersen M, Gross AM, eds. *Handbook of Clinical Psychology*. Hoboken, NJ: John Wiley and Sons; 2008:693-723.

Martin PD, Dutton GR, Rhode PC, Horswell RL, Ryan DH, Brantley PJ. Weight loss maintenance following a primary care intervention for low-income minority women. *Obesity (Silver Spring)* 2008;16:2462-7.

Mason C, Craig CL, Katzmarzyk PT. Influence of central and extremity circumferences on all-cause mortality in men and women. *Obesity (Silver Spring)* 2008;16:2690-5.

Mather KJ, Funahashi T, Matsuzawa Y, et al. Adiponectin, change in adiponectin, and progression to diabetes in the Diabetes Prevention Program. *Diabetes* 2008;57:980-6.

McClain JJ, Abraham TL, Brusseau TA, Jr., Tudor-Locke C. Epoch length and accelerometer outputs in children: comparison to direct observation. *Med Sci Sports Exerc* 2008;40:2080-7.

McCoin M, Sikand G, Johnson EQ, et al. The effectiveness of medical nutrition therapy delivered by registered dietitians for disorders of lipid metabolism: a call for further research. *J Am Diet Assoc* 2008;108:233-9.

Messaoudi I, Fischer M, Warner J, et al. Optimal window of caloric restriction onset limits its beneficial impact on T-cell senescence in primates. *Aging Cell* 2008;7:908-19.

Minocha A, Johnson WD, Wigington WC. Prevalence of abdominal and pelvic surgeries in patients with irritable bowel syndrome: comparison between Caucasian and African Americans. *Am J Med Sci* 2008;335:82-8.

Minor RK, Villarreal J, McGraw M, Percival SS, Ingram DK, de Cabo R. Calorie restriction alters physical performance but not cognition in two models of altered neuroendocrine signaling. *Behav Brain Res* 2008;189:202-11.

Mitchell T, Church T, Zucker M. *Move Yourself: The Cooper Clinic Medical Director's Guide to All the Healing Benefits of Exercise (Even a Little!)*. Hoboken, NJ: John Wiley & Sons, Inc.; 2008.

Moro C, Bajpeyi S, Smith SR. Determinants of intramyocellular triglyceride turnover: implications for insulin sensitivity. *Am J Physiol Endocrinol Metab* 2008;294:E203-13.

Morrison C. Interaction between exercise and leptin in the treatment of obesity. *Diabetes* 2008;57:534-5.

Morrison CD. Leptin resistance and the response to positive energy balance. *Physiol Behav* 2008;94:660-3.

Murphy G, Jr., Rouse RL, Polk WW, et al. Combustion-derived hydrocarbons localize to lipid droplets in respiratory cells. *Am J Respir Cell Mol Biol* 2008;38:532-40.

Nasse J, Terman D, Venugopal S, Hermann G, Rogers R, Travers JB. Local circuit input to the medullary reticular formation from the rostral nucleus of the solitary tract. *Am J Physiol Regul Integr Comp Physiol* 2008;295:R1391-408.

Newton RL, Jr. Exercise for African-Americans. *Obesity Management* 2008;4:17-9.

Newton RLJ, Milsom VA, Nackers LM, Anton SD. Supporting behavior change in overweight patients: A guide for the primary care physician. *Journal of Clinical Outcomes Management* 2008;15:536-44.

Nicklas BJ, Hsu FC, Brinkley TJ, et al. Exercise training and plasma C-reactive protein and interleukin-6 in elderly people. *J Am Geriatr Soc* 2008;56:2045-52.

Nikonova L, Koza RA, Mendoza T, Chao PM, Curley JP, Kozak LP. Mesoderm-specific transcript is associated with fat mass expansion in response to a positive energy balance. *FASEB J* 2008;22:3925-37.

Obrosova IG, Xu W, Lyzogubov VV, et al. PARP inhibition or gene deficiency counteracts intraepidermal nerve fiber loss and neuropathic pain in advanced diabetic neuropathy. *Free Radic Biol Med* 2008;44:972-81.

Olivier J, Johnson WD, Marshall GD. The logarithmic transformation and the geometric mean in reporting experimental IgE results: what are they and when and why to use them? *Ann Allergy Asthma Immunol* 2008;100:333-7.

Pan A, Franco OH, Ye J, et al. Soy protein intake has sex-specific effects on the risk of metabolic syndrome in middle-aged and elderly Chinese. *J Nutr* 2008;138:2413-21.

Pan W, Barron M, Hsueh H, Tu H, Kastin AJ. Increased leptin permeation across the blood-brain barrier after chronic alcohol ingestion. *Neuropsychopharmacology* 2008;33:859-66.

Pan W, Hsueh H, He Y, et al. Astrocyte leptin receptor (ObR) and leptin transport in adult-onset obese mice. *Endocrinology* 2008;149:2798-806.

Pan W, Hsueh H, Tu H, Kastin AJ. Developmental changes of leptin receptors in cerebral microvessels: unexpected relation to leptin transport. *Endocrinology* 2008;149:877-85.

Pan W, Hsueh H, Yu C, Kastin AJ. Permeation of blood-borne IL15 across the blood-brain barrier and the effect of LPS. *J Neurochem* 2008;106:313-9.

Pan W, Kastin AJ. Cytokine transport across the injured blood-spinal cord barrier. *Curr Pharm Des* 2008;14:1620-4.

Pan W, Kastin AJ. Urocortin and the brain. *Prog Neurobiol* 2008;84:148-56.

Pan W, Yu C, Hsueh H, Zhang Y, Kastin AJ. Neuroinflammation facilitates LIF entry into brain: role of TNF. *Am J Physiol Cell Physiol* 2008;294:C1436-42.

Pan WH, Kastin AJ. Commentaries on Viewpoint: Effect of altitude on leptin levels, does it go up or down? CONTROL OF LEPTIN WITH ALTITUDE EXPOSURE - letter. *J Appl Physiol* 2008;105:1686-7.

Pang C, Gao Z, Yin J, Zhang J, Jia W, Ye J. Macrophage infiltration into adipose tissue may promote angiogenesis for adipose tissue remodeling in obesity. *Am J Physiol Endocrinol Metab* 2008;295:E313-22.

Park M, Lyons J, 3rd, Oh H, et al. Enterostatin inhibition of angiogenesis: possible role of pAMPK and vascular endothelial growth factor A (VEGF-A). *Int J Obes* 2008;32:922-9.

Pasarica M, Loiler S, Dhurandhar NV. Acute effect of infection by adipogenic human adenovirus Ad36. *Arch Virol* 2008;153:2097-102.

Pasarica M, Mashtalir N, McAllister EJ, et al. Adipogenic human adenovirus Ad-36 induces commitment, differentiation, and lipid accumulation in human adipose-derived stem cells. *Stem Cells* 2008;26:969-78.

Pavlinkova G, Salbaum JM, Kappen C. Wnt signaling in caudal dysgenesis and diabetic embryopathy. *Birt Defects Res A Clin Mol Teratol* 2008;82:710-9.

Pearson KJ, Baur JA, Lewis KN, et al. Resveratrol delays age-related deterioration and mimics transcriptional aspects of dietary restriction without extending life span. *Cell Metab* 2008;8:157-68.

Pearson KJ, Lewis KN, Price NL, et al. Nrf2 mediates cancer protection but not longevity induced by caloric restriction. *Proc Natl Acad Sci U S A* 2008;105:2325-30.

Penman AD, Johnson WD. A SAS program for calculating cumulative incidence of events (with confidence limits) and number at risk at specified time intervals with partially censored data. *Comput Methods Programs Biomed* 2008;89:50-5.

Pigeon E, Couillard E, Tremblay A, Bouchard C, Weisnagel SJ, Joanisse DR. Mid-thigh subcutaneous adipose tissue and glucose tolerance in the Quebec family study. *Obes Facts* 2008;1:310-8.

Pistell PJ, Falls WA. Extended fear conditioning reveals a role for both N-methyl-D-aspartic acid and non-N-methyl-D-aspartic acid receptors in the amygdala in the acquisition of conditioned fear. *Neuroscience* 2008;155:1011-20.

Pistell PJ, Zhu M, Ingram DK. Acquisition of conditioned taste aversion is impaired in the amyloid precursor protein/presenilin 1 mouse model of Alzheimer's disease. *Neuroscience* 2008;152:594-600.

Primeaux SD, Blackmon C, Barnes MJ, Braymer HD, Bray GA. Central administration of the RFamide peptides, QRFP-26 and QRFP-43, increases high fat food intake in rats. *Peptides* 2008;29:1994-2000.

Rankinen T, Bouchard C. Gene-physical activity interactions: overview of human studies. *Obesity (Silver Spring)* 2008;16 Suppl 3:S47-50.

Rankinen T, Bouchard C. Genetics of physical activity. In: Clément K, Sorensen TIA, eds. *Obesity: Genomics and Postgenomics*. New York, NY: Informa Healthcare USA, Inc.; 2008:277-86.

Rankinen T, Church T, Rice T, Markward N, Blair SN, Bouchard C. A major haplotype block at the rho-associated kinase 2 locus is associated with a lower risk of hypertension in a recessive manner: the HYPGENE study. *Hypertens Res* 2008;31:1651-7.

Redman LM, Martin CK, Williamson DA, Ravussin E. Effect of caloric restriction in non-obese humans on physiological, psychological and behavioral outcomes. *Physiol Behav* 2008;94:643-8.

Redman LM, Rood J, Anton SD, et al. Calorie restriction and bone health in young, overweight individuals. *Arch Intern Med* 2008;168:1859-66.

Ribnicky DM, Poulev A, Schmidt B, Cefalu WT, Raskin I. Evaluation of botanicals for improving human health. *Am J Clin Nutr* 2008;87:472S-5S.

Rogers PM, Ying L, Burris TP. Relationship between circadian oscillations of Rev-erb $\alpha$  expression and intracellular levels of its ligand, heme. *Biochem Biophys Res Commun* 2008;368:955-8.

Rogers RC, Hermann GE. Mechanisms of action of CCK to activate central vagal afferent terminals. *Peptides* 2008;29:1716-25.

Rood J, Smith SR. Triglyceride concentrations and endotoxemia. *Am J Clin Nutr* 2008;88:248-9; author reply 9-50.

Rosenstock J, Cefalu WT, Hollander PA, et al. Two-year pulmonary safety and efficacy of inhaled human insulin (Exubera) in adult patients with type 2 diabetes. *Diabetes Care* 2008;31:1723-8.

Ross R, Berentzen T, Bradshaw AJ, et al. Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference? *Obes Rev* 2008;9:312-25.

Roy HJ. LSU AgCenter employee knowledge of genetically modified (GM) products. *Louisiana Agriculture* 2008;51:2, 19.

Ruchat SM, Despres JP, Weisnagel SJ, Chagnon YC, Bouchard C, Perusse L. Genome-wide linkage analysis for

circulating levels of adipokines and C-reactive protein in the Quebec family study (QFS). *J Hum Genet* 2008;53:629-36.

Ruchat SM, Girard M, Weisnagel SJ, Bouchard C, Vohl MC, Perusse L. Association between micro-opioid receptor-1 102T>C polymorphism and intermediate type 2 diabetes phenotypes: Results from the Quebec Family Study (QFS). *Clin Exp Pharmacol Physiol* 2008;35:1018-22.

Ruchat SM, Loos RJ, Rankinen T, et al. Associations between glucose tolerance, insulin sensitivity and insulin secretion phenotypes and polymorphisms in adiponectin and adiponectin receptor genes in the Quebec Family Study. *Diabet Med* 2008;25:400-6.

Ryan DH. Sibutramine in the management of obesity. In: Bray GA, Bouchard C, eds. *Handbook of Obesity: Clinical Applications*. 3rd ed. New York, NY: Informa Healthcare; 2008.

Ryan DH, Bray GA. Pharmacotherapy pipeline. In: Jones SB, Jones DB, eds. *Obesity Surgery: Patient Safety and Best Practices*. Woodbury, CT: Cine-Med, Inc.; 2008:47-59.

Schmidt B, Ribnicky DM, Poulev A, Logendra S, Cefalu WT, Raskin I. A natural history of botanical therapeutics. *Metabolism* 2008;57:S3-9.

Shuger SL, Sui X, Church TS, Meriwether RA, Blair SN. Body mass index as a predictor of hypertension incidence among initially healthy normotensive women. *Am J Hypertens* 2008;21:613-9.

Shukitt-Hale B, Lau FC, Carey AN, et al. Blueberry polyphenols attenuate kainic acid-induced decrements in cognition and alter inflammatory gene expression in rat hippocampus. *Nutr Neurosci* 2008;11:172-82.

Sisson SB, Katzmarzyk PT. International prevalence of physical activity in youth and adults. *Obes Rev* 2008;9:606-14.

Sisson SB, McClain JJ, Tudor-Locke C. Campus walkability, pedometer-determined steps, and moderate-to-vigorous physical activity: a comparison of 2 university campuses. *J Am Coll Health* 2008;56:585-92.

Smith SR, Aronne LJ, Burns CM, Kesty NC, Halseth AE, Weyer C. Sustained weight loss following 12-month pramlintide treatment as an adjunct to lifestyle intervention in obesity. *Diabetes Care* 2008;31:1816-23.

Smith SR, Lovejoy JC, Bray GA, Rood J, Most MM, Ryan DH. Triiodothyronine increases calcium loss in a bed rest antigravity model for space flight. *Metabolism* 2008;57:1696-703.

Staszkiwicz J, Gimble JM, Manuel JA, Gawronska-Kozak B. IFATS collection: Stem cell antigen-1-positive ear mesenchymal stem cells display enhanced adipogenic potential. *Stem Cells* 2008;26:2666-73.

Stayrook KR, Rogers PM, Savkur RS, et al. Regulation of human 3 alpha-hydroxysteroid dehydrogenase (AKR1C4) expression by the liver X receptor alpha. *Mol Pharmacol* 2008;73:607-12.

Stevens VJ, Funk KL, Brantley PJ, et al. Design and implementation of an interactive website to support long-term maintenance of weight loss. *J Med Internet Res* 2008;10:e1.

Stewart LK, Soileau JL, Ribnicky D, et al. Quercetin transiently increases energy expenditure but persistently decreases circulating markers of inflammation in C57BL/6J mice fed a high-fat diet. *Metabolism* 2008;57:S39-46.

Stewart T, May S, Allen HR, et al. Development of an internet/population-based weight management program for the U.S. Army. *J Diabetes Sci Technol* 2008;2:116-26.

Stewart TM, Williamson DA. Bulimia nervosa. In: Hersen M, Rosqvist J, eds. *Handbook of Psychological Assessment, Case Conceptualization, and Treatment (HACT)*. New York, NY: John Wiley and Sons; 2008:463-97.

Stranahan AM, Lee K, Pistell PJ, et al. Accelerated cognitive aging in diabetic rats is prevented by lowering corticosterone levels. *Neurobiol Learn Mem* 2008;90:479-83.

Stull AJ, Apolzan JW, Thalacker-Mercer AE, Iglay HB, Campbell WW. Liquid and solid meal replacement products differentially affect postprandial appetite and food intake in older adults. *J Am Diet Assoc* 2008;108:1226-30.

Sui X, Church TS, Meriwether RA, Lobelo F, Blair SN. Uric acid and the development of metabolic syndrome in women and men. *Metabolism* 2008;57:845-52.

Sui X, Hooker SP, Lee IM, et al. A prospective study of cardiorespiratory fitness and risk of type 2 diabetes in women. *Diabetes Care* 2008;31:550-5.

Sutton GM, Josephine Babin M, Gu X, Hruby VJ, Butler AA. A derivative of the melanocortin receptor antagonist SHU9119 (PG932) increases food intake when administered peripherally. *Peptides* 2008;29:104-11.

Sutton GM, Perez-Tilve D, Nogueiras R, et al. The melanocortin-3 receptor is required for entrainment to meal intake. *J Neurosci* 2008;28:12946-55.

Svetkey LP, Stevens VJ, Brantley PJ, et al. Comparison of strategies for sustaining weight loss: the weight loss maintenance randomized controlled trial. *JAMA* 2008;299:1139-48.

Taylor H, Liu J, Wilson G, et al. Distinct component profiles and high risk among African Americans with metabolic syndrome: the Jackson Heart Study. *Diabetes Care* 2008;31:1248-53.

Tchoukalova YD, Koutsari C, Karpyak MV, Votruba SB, Wendland E, Jensen MD. Subcutaneous adipocyte size and body fat distribution. *Am J Clin Nutr* 2008;87:56-63.

Teran-Garcia M, Despres JP, Tremblay A, Bouchard C. Effects of cholesterol ester transfer protein (CETP) gene on adiposity in response to long-term overfeeding. *Atherosclerosis* 2008;196:455-60.

Teran-Garcia M, Rankinen T, Bouchard C. Genes, exercise, growth, and the sedentary, obese child. *J Appl Physiol* 2008;105:988-1001.

Thompson AM, Church TS, Janssen I, Katzmarzyk PT, Earnest CP, Blair SN. Cardiorespiratory fitness as a predictor of cancer mortality among men with pre-diabetes and diabetes. *Diabetes Care* 2008;31:764-9.

Thompson AM, Mikus CR, Rodarte RQ, et al. Inflammation and exercise (INFLAME): study rationale, design, and methods. *Contemp Clin Trials* 2008;29:418-27.

Torres S, Guerra MP, Lencastre L, Williamson DA, Roma-Torres A, Vieira F. [Contribution to the Portuguese adaptation of the Interview for the Diagnosis of Eating Disorders-IV (IDED-IV) specifically for anorexia nervosa]. *Arquivos de Medicina* 2008;22:113-9.

Trevaskis JL, Meyer EA, Galgani JE, Butler AA. Counterintuitive effects of double-heterozygous null melanocortin-4 receptor and leptin genes on diet-induced obesity and insulin resistance in C57BL/6J mice. *Endocrinology* 2008;149:174-84.

Trevaskis JL, Sutton GM, Xu AW, Butler AA. Transgenic models targeting the central nervous system. In: Clement K, Sorensen TIA, eds. *Obesity: Genomics and Postgenomics*. New York, NY: Informa Healthcare USA, Inc.; 2008:89-108.

Tu H, Kastin AJ, Hsueh H, Pan W. Soluble receptor inhibits leptin transport. *J Cell Physiol* 2008;214:301-5.

Tudor-Locke C, Giles-Corti B, Knuiaman M, McCormack G. Tracking of pedometer-determined physical activity in adults who relocate: results from RESIDE. *Int J Behav Nutr Phys Act* 2008;5:39.

Tudor-Locke C, Ham SA. Walking behaviors reported in the American Time Use Survey 2003-2005. *J Phys Act Health* 2008;5:633-47.

Tudor-Locke C, Hatano Y, Pangrazi RP, Kang M. Revisiting "how many steps are enough?". *Med Sci Sports Exerc* 2008;40:S537-43.

Ukkola O, Teran-Garcia M, Tremblay A, Despres JP, Bouchard C. Adiponectin concentration and insulin indicators following overfeeding in identical twins. *J Endocrinol Invest* 2008;31:132-7.

Umegaki H, Roth GS, Ingram DK. Aging of the striatum: Mechanisms and interventions. *Age* 2008;30:251-61.

Van Horn L, McCoin M, Kris-Etherton PM, et al. The evidence for dietary prevention and treatment of cardiovascular disease. *J Am Diet Assoc* 2008;108:287-331.

Vander Wal JS, Gupta A, Khosla P, Dhurandhar NV. Egg breakfast enhances weight loss. *Int J Obes* 2008;32:1545-51.

Vareniuk I, Pavlov IA, Obrosova IG. Inducible nitric oxide synthase gene deficiency counteracts multiple manifestations of peripheral neuropathy in a streptozotocin-induced mouse model of diabetes. *Diabetologia* 2008;51:2126-33.

Venditti EM, Bray GA, Carrion-Petersen ML, et al. First versus repeat treatment with a lifestyle intervention program: attendance and weight loss outcomes. *Int J Obes* 2008;32:1537-44.

Vidal MA, Robinson SO, Lopez MJ, et al. Comparison of chondrogenic potential in equine mesenchymal stromal cells derived from adipose tissue and bone marrow. *Vet Surg* 2008;37:713-24.

Wan S, Browning KN. D-glucose modulates synaptic transmission from the central terminals of vagal afferent fibers. *Am J Physiol Gastrointest Liver Physiol* 2008;294:G757-63.

Wan S, Browning KN. Glucose increases synaptic transmission from vagal afferent central nerve terminals via modulation of 5-HT<sub>3</sub> receptors. *Am J Physiol Gastrointest Liver Physiol* 2008;295:G1050-7.

Wan S, Browning KN, Coleman FH, et al. Presynaptic melanocortin-4 receptors on vagal afferent fibers modulate the excitability of rat nucleus tractus solitarius neurons. *J Neurosci* 2008;28:4957-66.

Wang QP, Guan JL, Pan W, Kastin AJ, Shioda S. A diffusion barrier between the area postrema and nucleus tractus solitarius. *Neurochem Res* 2008;33:2035-43.

Wang Y, Rogers PM, Stayrook KR, et al. The selective Alzheimer's disease indicator-1 gene (Seladin-1/DHCR24) is a liver X receptor target gene. *Mol Pharmacol* 2008;74:1716-21.

Wang Y, Rogers PM, Su C, Varga G, Stayrook KR, Burris TP. Regulation of cholesterologenesis by the oxysterol receptor, LXRalpha. *J Biol Chem* 2008;283:26332-9.

Wang YF, Yancy WS, Jr., Yu D, Champagne C, Appel LJ, Lin PH. The relationship between dietary protein intake and blood pressure: results from the PREMIER study. *J Hum Hypertens* 2008;22:745-54.

Wang ZQ, Ribnicky D, Zhang XH, Raskin I, Yu Y, Cefalu WT. Bioactives of *Artemisia dracuncululus* L enhance cellular insulin signaling in primary human skeletal muscle culture. *Metabolism* 2008;57:S58-64.

Welsch MA, Dobrosielski DA, Arce-Esquivel AA, et al. The association between flow-mediated dilation and physical function in older men. *Med Sci Sports Exerc* 2008;40:1237-43.

Whisenhunt BL, Williamson DA, Drab-Hudson DL, Walden H. Intervening with coaches to promote awareness and



prevention of weight pressures in cheerleaders. *Eat Weight Disord* 2008;13:102-10.

White UA, Stewart WC, Mynatt RL, Stephens JM. Neuropoietin attenuates adipogenesis and induces insulin resistance in adipocytes. *J Biol Chem* 2008;283:22505-12.

Williamson DA, Champagne CM, Harsha D, et al. Louisiana (LA) Health: design and methods for a childhood obesity prevention program in rural schools. *Contemp Clin Trials* 2008;29:783-95.

Williamson DA, Martin CK, Anton SD, et al. Is caloric restriction associated with development of eating-disorder symptoms? Results from the CALERIE trial. *Health Psychol* 2008;27:S32-42.

Wolf A, Bray GA, Popkin BM. A short history of beverages and how our body treats them. *Obes Rev* 2008;9:151-64.

Wolfarth B, Rankinen T, Muhlbauer S, et al. Endothelial nitric oxide synthase gene polymorphism and elite endurance athlete status: The Genathlete study. *Scand J Med Sci Sports* 2008;18:485-90.

Wright JT, Jr., Harris-Haywood S, Pressel S, et al. Clinical outcomes by race in hypertensive patients with and without the metabolic syndrome: Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). *Arch Intern Med* 2008;168:207-17.

Wu X, Yu G, Parks H, et al. Circadian mechanisms in murine and human bone marrow mesenchymal stem cells following dexamethasone exposure. *Bone* 2008;42:861-70.

Xu AW, Butler AA, Barsh GS. Natural monogenic models. In: Clement K, Sorensen TIA, eds. *Obesity: Genomics and Postgenomics*. New York, NY: Informa Healthcare USA, Inc.; 2008:77-88.

Yang H, Dixit VD, Patel K, et al. Reduction in hypophyseal growth hormone and prolactin expression due to deficiency in ghrelin receptor signaling is associated with Pit-1 suppression: relevance to the immune system. *Brain Behav Immun* 2008;22:1138-45.

Ye J. Botanical treatments for diabetes and obesity. *Endocr Metab Immune Disord Drug Targets* 2008;8:77.

Ye J. Regulation of leptin by hypoxia. *J Appl Physiol* (1985) 2008;105:1687-90.

Ye J. Regulation of PPAR gamma function by TNF-alpha. *Biochem Biophys Res Commun* 2008;374:405-8.

Ye J. Role of adipose hypoxia in endocrine alterations: A possible new anti-inflammatory therapeutic target in obesity? - interview. *Expert Review of Endocrinology and Metabolism* 2008;3:9-11.

Ye J, Kraegen T. Insulin resistance: central and peripheral mechanisms. The 2007 Stock Conference Report. *Obes Rev* 2008;9:30-4.

Yin J, Gao Z, Liu D, Liu Z, Ye J. Berberine improves glucose metabolism through induction of glycolysis. *Am J Physiol Endocrinol Metab* 2008;294:E148-56.

Yin J, Xing H, Ye J. Efficacy of berberine in patients with type 2 diabetes mellitus. *Metabolism* 2008;57:712-7.

Yin J, Zhang H, Ye J. Traditional chinese medicine in treatment of metabolic syndrome. *Endocr Metab Immune Disord Drug Targets* 2008;8:99-111.

Yin J, Zuberi A, Gao Z, et al. Effect of Shilianhua extract and its fractions on body weight of obese mice. *Metabolism* 2008;57:S47-51.

Yu C, Argyropoulos G, Zhang Y, Kastin AJ, Hsueh H, Pan W. Neuroinflammation activates Mdr1b efflux transport

through NFkappaB: promoter analysis in BBB endothelia. *Cell Physiol Biochem* 2008;22:745-56.

Zannettino AC, Paton S, Arthur A, et al. Multipotential human adipose-derived stromal stem cells exhibit a perivascular phenotype in vitro and in vivo. *J Cell Physiol* 2008;214:413-21.

Zhang J, Gao Z, Yin J, Quon MJ, Ye J. S6K directly phosphorylates IRS-1 on Ser-270 to promote insulin resistance in response to TNF-(alpha) signaling through IKK2. *J Biol Chem* 2008;283:35375-82.

Zhang L, Fos PJ, Johnson WD, et al. Body mass index and health related quality of life in elementary school children: a pilot study. *Health Qual Life Outcomes* 2008;6:77.

Zheng H, Berthoud HR. Neural systems controlling the drive to eat: mind versus metabolism. *Physiology (Bethesda)* 2008;23:75-83.

Zhou J, Martin RJ, Tulley RT, et al. Dietary resistant starch upregulates total GLP-1 and PYY in a sustained day-long manner through fermentation in rodents. *Am J Physiol Endocrinol Metab* 2008;295:E1160-6.

Zuberi AR. Strategies for assessment of botanical action on metabolic syndrome in the mouse and evidence for a genotype-specific effect of Russian tarragon in the regulation of insulin sensitivity. *Metabolism* 2008;57:S10-5.

Zuberi AR, Townsend L, Patterson L, Zheng H, Berthoud HR. Increased adiposity on normal diet, but decreased susceptibility to diet-induced obesity in mu-opioid receptor-deficient mice. *Eur J Pharmacol* 2008;585:14-23.