

2009

- Agardh CD, Agardh E, Obrosova IG, Smith ML. The aldose reductase inhibitor fidarestat suppresses ischemia-reperfusion-induced inflammatory response in rat retina. *Pharmacology* 2009;84:257-63.
- Aggarwal S, Hansel W, Gimble J, Chakravarti N. Adipogenic risk factors in breast cancer. In: Ramonde PR, Fochas EH, eds. *Obesity and Cancer Research*: Nova Science Publishers; 2009.
- Ahmet I, Spangler E, Shukitt-Hale B, et al. Blueberry-enriched diet protects rat heart from ischemic damage. *PLoS ONE* 2009;4:e5954.
- Anaya SA, Church TS, Blair SN, Myers JN, Earnest CP. Exercise dose-response of the V(E)/VCO(2) slope in postmenopausal women in the DREW study. *Med Sci Sports Exerc* 2009;41:971-6.
- Anton SD, Han H, York E, Martin CK, Ravussin E, Williamson DA. Effect of calorie restriction on subjective ratings of appetite. *J Hum Nutr Diet* 2009;22:141-7.
- Argyropoulos G, Stutz AM, Ilnytska O, et al. KIF5B gene sequence variation and response of cardiac stroke volume to regular exercise. *Physiol Genomics* 2009;36:79-88.
- Arsenault BJ, Cartier A, Cote M, et al. Body composition, cardiorespiratory fitness, and low-grade inflammation in middle-aged men and women. *Am J Cardiol* 2009;104:240-6.
- Arsenault BJ, Cote M, Cartier A, et al. Effect of exercise training on cardiometabolic risk markers among sedentary, but metabolically healthy overweight or obese post-menopausal women with elevated blood pressure. *Atherosclerosis* 2009;207:530-3.
- Arsenault BJ, Earnest CP, Despres JP, Blair SN, Church TS. Obesity, coffee consumption and CRP levels in postmenopausal overweight/obese women: importance of hormone replacement therapy use. *Eur J Clin Nutr* 2009;63:1419-24.
- Artal R, Bray GA, Champagne CM, Zavorsky GS. The role of exercise, diet and medical intervention in weight management. In: *Precis: Primary and Preventive Care*. 4th ed ed; 2009.
- Babic T, Townsend RL, Patterson LM, Sutton GM, Zheng H, Berthoud HR. Phenotype of neurons in the nucleus of the solitary tract that express CCK-induced activation of the ERK signaling pathway. *Am J Physiol Regul Integr Comp Physiol* 2009;296:R845-54.
- Barengo NC, Hu G, Kastarinen M, Antikainen R, Tuomilehto J. The effects of awareness, treatment and control of hypertension on future stroke incidence in a community-based population study in Finland. *J Hypertens* 2009;27:1459-65.
- Begrache K, Sutton GM, Fang J, Butler AA. The role of melanocortin neuronal pathways in circadian biology: a new homeostatic output involving melanocortin-3 receptors? *Obes Rev* 2009;10 Suppl 2:14-24.
- Bonfili L, Amici M, Cecarini V, et al. Wheat sprout extract-induced apoptosis in human cancer cells by proteasomes modulation. *Biochimie* 2009;91:1131-44.
- Bouchard C. Childhood obesity: Are genetic differences involved? *Am J Clin Nutr* 2009;89:S1494-S501.
- Bouchard C, Rankinen T. Genetic determinants of physical performance. In: Maughan RJ, ed. *Olympic Textbook of Science in Sport*. Hoboken, N.J.: Wiley-Blackwell; 2009:181-201.

Bouchard L, Faucher G, Tchernof A, et al. Association of OSBPL11 gene polymorphisms with cardiovascular disease risk factors in obesity. *Obesity (Silver Spring)* 2009;17:1466-72.

Branca RT, Chen YM, Mouraviev V, et al. iDQC anisotropy map imaging for tumor tissue characterization in vivo. *Magn Reson Med* 2009;61:937-43.

Bray GA. Can we reduce snack food intake? *Am J Clin Nutr* 2009;90:251-2.

Bray GA. Gastrointestinal hormones and weight management. *Lancet* 2009;374:1570-1.

Bray GA. Medications for obesity: mechanisms and applications. *Clin Chest Med* 2009;30:525-38, ix.

Bray GA. Obesity: a failure of homeostasis because of hedonic rewards: response to the letter from Gary Taubes. *Obes Rev* 2009;10:99-102.

Bray GA. Risk factors: The obesity paradox-an artifact of small sample size? *Nat Rev Cardiol* 2009;6:561-2.

Bray GA, Bouchard C, Church TS, et al. Is it time to change the way we report and discuss weight loss? *Obesity (Silver Spring)* 2009;17:619-21.

Bray GA, Champagne CM. Dietary patterns may modify central adiposity. *J Am Diet Assoc* 2009;109:1354-5.

Bray MS, Hagberg JM, Perusse L, et al. The human gene map for performance and health-related fitness phenotypes: the 2006-2007 update. *Med Sci Sports Exerc* 2009;41:35-73.

Browning KN, Travagli RA. Modulation of inhibitory neurotransmission in brainstem vagal circuits by NPY and PYY is controlled by cAMP levels. *Neurogastroenterol Motil* 2009;21:1309-e126.

Bruce-Keller AJ, Keller JN, Morrison CD. Obesity and vulnerability of the CNS. *Biochim Biophys Acta* 2009;1792:395-400.

Bryan SN, Katzmarzyk PT. Are Canadians meeting the guidelines for moderate and vigorous leisure-time physical activity? *Appl Physiol Nutr Metab* 2009;34:707-15.

Bryan SN, Katzmarzyk PT. Estimating leisure-time physical activity energy expenditure in the Canadian population: a comparison of 2 methods. *Appl Physiol Nutr Metab* 2009;34:666-72.

Bryan SN, Katzmarzyk PT. Patterns and trends in walking behaviour among Canadian adults. *Can J Public Health* 2009;100:294-8.

Cartier A, Cote M, Lemieux I, et al. Age-related differences in inflammatory markers in men: contribution of visceral adiposity. *Metabolism* 2009;58:1452-8.

Cartier A, Cote M, Lemieux I, et al. Sex differences in inflammatory markers: what is the contribution of visceral adiposity? *Am J Clin Nutr* 2009;89:1307-14.

Cassidy W, Marioneaux DM, Windham AF, Manning S, Fishbein D, Horswell RL. Factors influencing acceptance of influenza vaccination given in an ED. *Am J Emerg Med* 2009;27:1027-33.

Cefalu WT. Diabetes: HOME reveals new data on a cornerstone of treatment. *Nat Rev Endocrinol* 2009;5:478-9.

Cefalu WT. Inflammation, insulin resistance, and type 2 diabetes: Back to the future? *Diabetes* 2009;58:307-8.

Cefalu WT. Mortality and glycemic targets in the intensive care unit: another paradigm shift? *Diabetes*

2009;58:1469-70.

Cefalu WT. Primary prevention of type 2 diabetes: there are no simple solutions! *Diabetes* 2009;58:1730-1.

Cefalu WT, Ribnicky D. Modulation of insulin action by botanical thearpeutics. *Obesity and Weight Management* 2009;5:277-81.

Champagne CM. The usefulness of a Mediterranean-based diet in individuals with type 2 diabetes. *Curr Diab Rep* 2009;9:389-95.

Chaput JP, Despres JP, Bouchard C, Astrup A, Tremblay A. Sleep duration as a risk factor for the development of type 2 diabetes or impaired glucose tolerance: analyses of the Quebec Family Study. *Sleep Med* 2009;10:919-24.

Chaput JP, Leblanc C, Perusse L, Despres JP, Bouchard C, Tremblay A. Risk factors for adult overweight and obesity in the Quebec Family Study: have we been barking up the wrong tree? *Obesity (Silver Spring)* 2009;17:1964-70.

Chen HH, Lee WJ, Fann CS, Bouchard C, Pan WH. Severe obesity is associated with novel single nucleotide polymorphisms of the ESR1 and PPARgamma locus in Han Chinese. *Am J Clin Nutr* 2009;90:255-62.

Chen LW, Appel LJ, Loria C, et al. Reduction in consumption of sugar-sweetened beverages is associated with weight loss: The PREMIER trial. *Am J Clin Nutr* 2009;89:1299-306.

Cheong SH, McCargar LJ, Paty BW, Tudor-Locke C, Bell RC. The First Step First Bite Program: guidance to increase physical activity and daily intake of low-glycemic index foods. *J Am Diet Assoc* 2009;109:1411-6.

Choquette AC, Lemieux S, Tremblay A, et al. GAD2 gene sequence variations are associated with eating behaviors and weight gain in women from the Quebec family study. *Physiol Behav* 2009;98:505-10.

Church T. The low-fitness phenotype as a risk factor: more than just being sedentary? *Obesity (Silver Spring)* 2009;17 Suppl 3:S39-42.

Church T, Lavie CJ. Exercise and lipids. In: Ballantyne CM, ed. *Clinical Lipidology: A Companion to Braunwald's Heart Disease*. Philadelphia, PA: Saunders; 2009:232-9.

Church TS, Blair SN. When will we treat physical activity as a legitimate medical therapy...even though it does not come in a pill? *Br J Sports Med* 2009;43:80-1.

Church TS, Martin CK, Thompson AM, Earnest CP, Mikus CR, Blair SN. Changes in weight, waist circumference and compensatory responses with different doses of exercise among sedentary, overweight postmenopausal women. *PLoS ONE* 2009;4:e4515.

Church TS, Thompson AM, Katzmarzyk PT, et al. Metabolic syndrome and diabetes, alone and in combination, as predictors of cardiovascular disease mortality among men. *Diabetes Care* 2009;32:1289-94.

Craig CL, Cameron C, Griffiths J, Bauman A, Tudor-Locke C, Andersen RE. Non-response bias in physical activity trend estimates. *BMC Public Health* 2009;9:425.

Crandall JP, Polsky S, Howard AA, et al. Alcohol consumption and diabetes risk in the Diabetes Prevention Program. *Am J Clin Nutr* 2009;90:595-601.

Dasuri K, Nguyen A, Zhang L, et al. Comparison of rat liver and brain proteasomes for oxidative stress-induced inactivation: Influence of ageing and dietary restriction. *Free Radic Res* 2009;43:28-36.

Dasuri K, Zhang L, Ebenezer P, Liu Y, Fernandez-Kim SO, Keller JN. Aging and dietary restriction alter proteasome

biogenesis and composition in the brain and liver. *Mech Ageing Dev* 2009;130:777-83.

Diabetes Prevention Program Research G, Knowler WC, Fowler SE, et al. 10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. *Lancet* 2009;374:1677-86.

Dixit VD, Yang H, Cooper-Jenkins A, Giri BB, Patel K, Taub DD. Reduction of T cell-derived ghrelin enhances proinflammatory cytokine expression: implications for age-associated increases in inflammation. *Blood* 2009;113:5202-5.

Dobrosielski DA, Greenway FL, Welsh DA, Jazwinski SM, Welsch MA, Louisiana Healthy Aging Study. Modification of vascular function after handgrip exercise training in 73- to 90-yr-old men. *Med Sci Sports Exerc* 2009;41:1429-35.

Dolley G, Lamarche B, Despres JP, Bouchard C, Perusse L, Vohl MC. Phosphoinositide cycle gene polymorphisms affect the plasma lipid profile in the Quebec Family Study. *Mol Genet Metab* 2009;97:149-54.

Drel VR, Xu W, Zhang J, et al. Poly(ADP-ribose)polymerase inhibition counteracts cataract formation and early retinal changes in streptozotocin-diabetic rats. *Invest Ophthalmol Vis Sci* 2009;50:1778-90.

Drel VR, Xu W, Zhang J, et al. Poly(Adenosine 5'-diphosphate-ribose) polymerase inhibition counteracts multiple manifestations of experimental type 1 diabetic nephropathy. *Endocrinology* 2009;150:5273-83.

Du X, Zhu B, Hu G, et al. U-shape association between white blood cell count and the risk of diabetes in young Chinese adults. *Diabet Med* 2009;26:955-60.

Earnest CP, Foster C, Hoyos J, Muniesa CA, Santalla A, Lucia A. Time trial exertion traits of cycling's Grand Tours. *Int J Sports Med* 2009;30:240-4.

Earnest CP, Hammar MK, Munsey M, et al. Microencapsulated foods as a functional delivery vehicle for omega-3 fatty acids: a pilot study. *J Int Soc Sports Nutr* 2009;6:12.

Ernst MB, Wunderlich CM, Hess S, et al. Enhanced Stat3 activation in POMC neurons provokes negative feedback inhibition of leptin and insulin signaling in obesity. *J Neurosci* 2009;29:11582-93.

Espeland MA, Bray GA, Neiberg R, et al. Describing patterns of weight changes using principal components analysis: results from the Action for Health in Diabetes (Look AHEAD) research group. *Ann Epidemiol* 2009;19:701-10.

Freedman DS, Katzmarzyk PT, Dietz WH, Srinivasan SR, Berenson GS. Relation of body mass index and skinfold thicknesses to cardiovascular disease risk factors in children: the Bogalusa Heart Study. *Am J Clin Nutr* 2009;90:210-6.

Frisard MI, Rood JC, Fang X, et al. Metabolic syndrome and risk factors for cardiovascular disease: Are nonagenarians protected? *Age* 2009;31:67-75.

Fu Z, Wang M, Gucek M, et al. Milk fat globule protein epidermal growth factor-8: a pivotal relay element within the angiotensin II and monocyte chemoattractant protein-1 signaling cascade mediating vascular smooth muscle cells invasion. *Circ Res* 2009;104:1337-46.

Gabriele JM, Dubbert PM, Reeves RR. Efficacy of behavioural interventions in managing atypical antipsychotic weight gain. *Obes Rev* 2009;10:442-55.

Gafni Y, Ptitsyn AA, Zilberman Y, Pelled G, Gimble JM, Gazit D. Circadian rhythm of osteocalcin in the maxillomandibular complex. *J Dent Res* 2009;88:45-50.

Gao Z, Yin J, Zhang J, He Q, McGuinness OP, Ye J. Inactivation of NF-kappaB p50 leads to insulin sensitization in liver through post-translational inhibition of p70S6K. *J Biol Chem* 2009;284:18368-76.

Gao Z, Yin J, Zhang J, et al. Butyrate improves insulin sensitivity and increases energy expenditure in mice. *Diabetes* 2009;58:1509-17.

Garenc C, Vohl MC, Bouchard C, Perusse L. LIPE C-60G influences the effects of physical activity on body fat and plasma lipid concentrations: the Quebec Family Study. *Hum Genomics* 2009;3:157-68.

Gimble JM, Bray MS, Young A, Pennington S. Circadian biology and sleep: missing links in obesity and metabolism? *Obes Rev* 2009;10 Suppl 2:1-5.

Gimble JM, Floyd ZE. Fat circadian biology. *J Appl Physiol* 2009;107:1629-37.

Gimble JM, Floyd ZE, Bunnell BA. The 4th dimension and adult stem cells: Can timing be everything? *J Cell Biochem* 2009;107:569-78.

Gimble JM, Ptitsyn AA, Goh BC, et al. Delta sleep-inducing peptide and glucocorticoid-induced leucine zipper: potential links between circadian mechanisms and obesity? *Obes Rev* 2009;10 Suppl 2:46-51.

Greenway FL, Dunayevich E, Tollefson G, et al. Comparison of combined bupropion and naltrexone therapy for obesity with monotherapy and placebo. *J Clin Endocrinol Metab* 2009;94:4898-906.

Greenway FL, Whitehouse MJ, Guttadauria M, et al. Rational design of a combination medication for the treatment of obesity. *Obesity (Silver Spring)* 2009;17:30-9.

Guilak F, Cohen DM, Estes BT, Gimble JM, Liedtke W, Chen CS. Control of stem cell fate by physical interactions with the extracellular matrix. *Cell Stem Cell* 2009;5:17-26.

Gupta AK, Smith SR, Greenway FL, Bray GA. Pioglitazone treatment in type 2 diabetes mellitus when combined with portion control diet modifies the metabolic syndrome. *Diabetes Obes Metab* 2009;11:330-7.

Ham SA, Kruger J, Tudor-Locke C. Participation by US adults in sports, exercise, and recreational physical activities. *J Phys Act Health* 2009;6:6-14.

Hauser KF, Hahn YK, Adjan VV, et al. HIV-1 Tat and morphine have interactive effects on oligodendrocyte survival and morphology. *Glia* 2009;57:194-206.

Hautala AJ, Tulppo MP, Kiviniemi AM, et al. Acetylcholine receptor M2 gene variants, heart rate recovery, and risk of cardiac death after an acute myocardial infarction. *Ann Med* 2009;41:197-207.

He Y, Kastin AJ, Hsueh H, Pan W. The Cdk5/p35 kinases modulate leptin-induced STAT3 signaling. *J Mol Neurosci* 2009;39:49-58.

Hebert TL, Wu X, Yu G, et al. Culture effects of epidermal growth factor (EGF) and basic fibroblast growth factor (bFGF) on cryopreserved human adipose-derived stromal/stem cell proliferation and adipogenesis. *J Tissue Eng Regen Med* 2009;3:553-61.

Hegde V, Yadavilli S, McLaughlin LD, Deutsch WA. DNA repair efficiency in transgenic mice over expressing ribosomal protein S3. *Mutat Res* 2009;666:16-22.

Heid IM, Huth C, Loos RJ, et al. Meta-analysis of the INSIG2 association with obesity including 74,345 individuals: does heterogeneity of estimates relate to study design? *PLoS Genet* 2009;5:e1000694.

Hendricks EJ, Rothman RB, Greenway FL. How physician obesity specialists use drugs to treat obesity. *Obesity (Silver Spring)* 2009;17:1730-5.

Herbert JD, Gaudiano BA, Rheingold AA, et al. Cognitive behavior therapy for generalized social anxiety disorder in adolescents: a randomized controlled trial. *J Anxiety Disord* 2009;23:167-77.

Hermann GE, Rogers RC. TNF activates astrocytes and catecholaminergic neurons in the solitary nucleus: implications for autonomic control. *Brain Res* 2009;1273:72-82.

Hermann GE, Van Meter MJ, Rood JC, Rogers RC. Proteinase-activated receptors in the nucleus of the solitary tract: evidence for glial-neural interactions in autonomic control of the stomach. *J Neurosci* 2009;29:9292-300.

Holmes GM, Browning KN, Tong M, Qualls-Creekmore E, Travagli RA. Vagally mediated effects of glucagon-like peptide 1: in vitro and in vivo gastric actions. *J Physiol* 2009;587:4749-59.

Holmes GM, Tong M, Travagli RA. Effects of brain stem cholecystokinin-8s on gastric tone and esophageal-gastric reflex. *American Journal of Physiology: Gastrointestinal and Liver Physiology* 2009;296:G621-G31.

Hsuchou H, He Y, Kastin AJ, et al. Obesity induces functional astrocytic leptin receptors in hypothalamus. *Brain* 2009;132:889-902.

Hsuchou H, Pan W, Barnes MJ, Kastin AJ. Leptin receptor mRNA in rat brain astrocytes. *Peptides* 2009;30:2275-80.

Hsuchou H, Pan W, Wu X, Kastin AJ. Cessation of blood-to-brain influx of interleukin-15 during development of EAE. *J Cereb Blood Flow Metab* 2009;29:1568-78.

Hu G, Antikainen R, Jousilahti P, Kivipelto M, Tuomilehto J. Parkinson disease reply - letter. *Neurology* 2009;72:860-1.

Hu G, Jousilahti P, Tuomilehto J, Antikainen R, Sundvall J, Salomaa V. Association of serum C-reactive protein level with sex-specific type 2 diabetes risk: a prospective finnish study. *J Clin Endocrinol Metab* 2009;94:2099-105.

Hu G, Lakka TA, Barengo NC, Tuomilehto J. Exercise and type 2 diabetes prevention. In: Lignalli AT, ed. *Handbook of Type 2 Diabetes in the Middle Aged and Elderly*: Nova Science Publishers; 2009:93-111.

Hu G, Lakka TA, Tuomilehto J. Physical activity, fitness and prevention of type 2 diabetes. In: Lee IM, ed. *Epidemiologic Methods in Physical Activity Studies*. New York, N.Y.: Oxford University Press; 2009:201-24.

Ilnytska O, Sozen MA, Dauterive R, Argyropoulos G. Control elements in the neighboring ATPase gene influence spatiotemporal expression of the human agouti-related protein. *J Mol Biol* 2009;388:239-51.

Jackson AS, Sui X, Hebert JR, Church TS, Blair SN. Role of lifestyle and aging on the longitudinal change in cardiorespiratory fitness. *Arch Intern Med* 2009;169:1781-7.

Jacobs DR, Gross MD, Steffen L, et al. The effects of dietary patterns on urinary albumin excretion: Results of the Dietary Approaches to Stop Hypertension (DASH) Trial. *Am J Kidney Dis* 2009;53:638-46.

Janssen I, Lam M, Katzmarzyk PT. Influence of overweight and obesity on physician costs in adolescents and adults in Ontario, Canada. *Obes Rev* 2009;10:51-7.

Joe B, Saad Y, Dhindaw S, et al. Positional identification of variants of Adamts16 linked to inherited hypertension. *Hum Mol Genet* 2009;18:2825-38.

Johannsen DL, Ravussin E. The role of mitochondria in health and disease. *Curr Opin Pharmacol* 2009;9:780-6.

Johannsen NM, Lind E, King DS, Sharp RL. Effect of preexercise electrolyte ingestion on fluid balance in men and women. *Med Sci Sports Exerc* 2009;41:2017-25.

Johnson WD, Bouchard C, Newton RL, Jr., Ryan DH, Katzmarzyk PT. Ethnic differences in self-reported and measured obesity. *Obesity (Silver Spring)* 2009;17:571-7.

Johnson WD, Kroon JJ, Greenway FL, Bouchard C, Ryan D, Katzmarzyk PT. Prevalence of risk factors for metabolic syndrome in adolescents: National Health and Nutrition Examination Survey (NHANES), 2001-2006. *Arch Pediatr Adolesc Med* 2009;163:371-7.

Joseph J, Cole G, Head E, Ingram D. Nutrition, brain aging, and neurodegeneration. *J Neurosci* 2009;29:12795-801.

Julius U, Drel VR, Grassler J, Obrosova IG. Nitrosylated proteins in monocytes as a new marker of oxidative-nitrosative stress in diabetic subjects with macroangiopathy. *Exp Clin Endocrinol Diabetes* 2009;117:72-7.

Kamel S, Kruger C, Salbaum JM, Kappen C. Morpholino-mediated knockdown in primary chondrocytes implicates Hoxc8 in regulation of cell cycle progression. *Bone* 2009;44:708-16.

Kang JH, Gimble JM, Kaplan DL. In vitro 3D model for human vascularized adipose tissue. *Tissue Eng Part A* 2009;15:2227-36.

Kang M, Bassett DR, Barreira TV, et al. How many days are enough? A study of 365 days of pedometer monitoring. *Res Q Exerc Sport* 2009;80:445-53.

Kappen C, Salbaum JM. Identification of regulatory elements in the Isl1 gene locus. *Int J Dev Biol* 2009;53:935-46.

Katzmarzyk PT, Church TS, Craig CL, Bouchard C. Sitting time and mortality from all causes, cardiovascular disease, and cancer. *Med Sci Sports Exerc* 2009;41:998-1005.

Katzmarzyk PT, Mason C. The physical activity transition. *J Phys Act Health* 2009;6:269-80.

Keller JN. Special issue: Reciprocal interactions between diet, metabolism, and the nervous system. Foreword. *Biochim Biophys Acta* 2009;1792:393-4.

Kennedy BM, Champagne CM, Ryan DH, et al. The "Rolling Store:" an economical and environmental approach to the prevention of weight gain in African American women. *Ethn Dis* 2009;19:7-12.

Khalangot M, Hu G, Tronko M, Kravchenko V, Guryanov V. Gender risk of nonfatal stroke in type 2 diabetic patients differs depending on the type of treatment. *J Womens Health (Larchmt)* 2009;18:97-103.

Khalangot M, Tronko M, Kravchenko V, Kulchinska J, Hu G. Body mass index and the risk of total and cardiovascular mortality among patients with type 2 diabetes: a large prospective study in Ukraine. *Heart* 2009;95:454-60.

Kheterpal I, Kastin AJ, Mollah S, Yu C, Hsuchou H, Pan W. Mass spectrometric quantification of MIF-1 in mouse brain by multiple reaction monitoring. *Peptides* 2009;30:1276-81.

Kilroy G, Burk DH, Floyd ZE. High efficiency lipid-based siRNA transfection of adipocytes in suspension. *PLoS ONE* 2009;4:e6940.

Kilroy GE, Zhang X, Floyd ZE. PPAR-gamma AF-2 domain functions as a component of a ubiquitin-dependent degradation signal. *Obesity* 2009;17:665-73.

Kizelsztejn P, Govorko D, Komarnytsky S, et al. 20-Hydroxyecdysone decreases weight and hyperglycemia in a diet-induced obesity mice model. *American Journal of Physiology: Endocrinology and Metabolism* 2009;296:E433-E9.

Kline DD, Hendricks G, Hermann G, Rogers RC, Kunze DL. Dopamine inhibits N-type channels in visceral afferents to

reduce synaptic transmitter release under normoxic and chronic intermittent hypoxic conditions. *J Neurophysiol* 2009;101:2270-8.

Koska J, Stefan N, Dubois S, et al. mRNA concentrations of MIF in subcutaneous abdominal adipose cells are associated with adipocyte size and insulin action. *Int J Obes* 2009;33:842-50.

Koza RA, Rogers P, Kozak LP. Inter-individual variation of dietary fat-induced mesoderm specific transcript in adipose tissue within inbred mice is not caused by altered promoter methylation. *Epigenetics* 2009;4:512-8.

Kramer H, Reboussin D, Bertoni AG, et al. Obesity and albuminuria among adults with type 2 diabetes: the Look AHEAD (Action for Health in Diabetes) Study. *Diabetes Care* 2009;32:851-3.

Krishna R, Gumbiner B, Stevens C, et al. Potent and selective agonism of the melanocortin receptor 4 with MK-0493 does not induce weight loss in obese human subjects: energy intake predicts lack of weight loss efficacy. *Clin Pharmacol Ther* 2009;86:659-66.

Kuk JL, Ardern CI, Church TS, Hebert JR, Sui X, Blair SN. Ideal weight and weight satisfaction: association with health practices. *Am J Epidemiol* 2009;170:456-63.

Kumar KG, Sutton GM, Dong JZ, et al. Analysis of the therapeutic functions of novel melanocortin receptor agonists in MC3R- and MC4R-deficient C57BL/6J mice. *Peptides* 2009;30:1892-900.

Lee DC, Sui XM, Church TS, Lee IM, Blair SN. Associations of cardiorespiratory fitness and obesity with risks of impaired fasting glucose and type 2 diabetes in men. *Diabetes Care* 2009;32:257-62.

Lefevre M, Redman LM, Heilbronn LK, et al. Caloric restriction alone and with exercise improves CVD risk in healthy non-obese individuals. *Atherosclerosis* 2009;203:206-13.

Leskela P, Ukkola O, Vartiainen J, et al. Fasting plasma total ghrelin concentrations in monozygotic twins discordant for obesity. *Metabolism* 2009;58:174-9.

Lin Q, Gao Z, Alarcon RM, Ye J, Yun Z. A role of miR-27 in the regulation of adipogenesis. *FEBS J* 2009;276:2348-58.

Lopez MJ, McIntosh KR, Spencer ND, et al. Acceleration of spinal fusion using syngeneic and allogeneic adult adipose derived stem cells in a rat model. *J Orthop Res* 2009;27:366-73.

Losso JN, Holliday DL, Finley JW, et al. Fenugreek bread: a treatment for diabetes mellitus. *J Med Food* 2009;12:1046-9.

Lubans DR, Morgan PJ, Tudor-Locke C. A systematic review of studies using pedometers to promote physical activity among youth. *Prev Med* 2009;48:307-15.

Lyerly GW, Sui X, Lavie CJ, Church TS, Hand GA, Blair SN. The association between cardiorespiratory fitness and risk of all-cause mortality among women with impaired fasting glucose or undiagnosed diabetes mellitus. *Mayo Clin Proc* 2009;84:780-6.

Marshall SJ, Levy SS, Tudor-Locke CE, et al. Translating physical activity recommendations into a pedometer-based step goal: 3000 steps in 30 minutes. *Am J Prev Med* 2009;36:410-5.

Martin B, Golden E, Carlson OD, et al. Exendin-4 improves glycemic control, ameliorates brain and pancreatic pathologies, and extends survival in a mouse model of Huntington's disease. *Diabetes* 2009;58:318-28.

Martin BC, Church TS, Bonnell R, Ben-Joseph R, Borgstadt T. The impact of overweight and obesity on the direct medical costs of truck drivers. *J Occup Environ Med* 2009;51:180-4.

Martin CK, Church TS, Thompson AM, Earnest CP, Blair SN. Exercise dose and quality of life: A randomized controlled trial. *Arch Intern Med* 2009;169:269-78.

Martin CK, Coulon SM, Markward N, Greenway FL, Anton SD. Association between energy intake and viewing television, distractibility, and memory for advertisements. *Am J Clin Nutr* 2009;89:37-44.

Martin CK, Han H, Anton SD, Greenway FL, Smith SR. Effect of valproic acid on body weight, food intake, physical activity and hormones: results of a randomized controlled trial. *J Psychopharmacol* 2009;23:814-25.

Martin CK, Han H, Coulon SM, Allen HR, Champagne CM, Anton SD. A novel method to remotely measure food intake of free-living individuals in real time: the remote food photography method. *Br J Nutr* 2009;101:446-56.

Martin CK, Kaya S, Gunturk BK. Quantification of food intake using food image analysis. *Conf Proc IEEE Eng Med Biol Soc* 2009;2009:6869-72.

Mason C, Gauvin L, Craig CL, Katzmarzyk PT. Opposing Effects of Waist and Extremity Circumferences on the Risk of Incident Type 2 Diabetes. *Canadian Journal of Diabetes* 2009;33:86-92.

Mason C, Katzmarzyk PT. Effect of the site of measurement of waist circumference on the prevalence of the metabolic syndrome. *Am J Cardiol* 2009;103:1716-20.

Mason C, Katzmarzyk PT. Variability in waist circumference measurements according to anatomic measurement site. *Obesity (Silver Spring)* 2009;17:1789-95.

McAllister EJ, Dhurandhar NV, Keith SW, et al. Ten putative contributors to the obesity epidemic. *Crit Rev Food Sci Nutr* 2009;49:868-913.

McAuley PA, Sui X, Church TS, Hardin JW, Myers JN, Blair SN. The joint effects of cardiorespiratory fitness and adiposity on mortality risk in men with hypertension. *Am J Hypertens* 2009;22:1062-9.

McClain JJ, Tudor-Locke C. Objective monitoring of physical activity in children: considerations for instrument selection. *J Sci Med Sport* 2009;12:526-33.

McClung HL, Sigrist LD, Smith TJ, et al. Monitoring energy intake: a hand-held personal digital assistant provides accuracy comparable to written records. *J Am Diet Assoc* 2009;109:1241-5.

McIntosh KR, Lopez MJ, Borneman JN, Spencer ND, Anderson PA, Gimble JM. Immunogenicity of allogeneic adipose-derived stem cells in a rat spinal fusion model. *Tissue Eng Part A* 2009;15:2677-86.

McLaren DG, Kosmatka KJ, Oakes TR, et al. A population-average MRI-based atlas collection of the rhesus macaque. *Neuroimage* 2009;45:52-9.

Meenan RT, Stevens VJ, Funk K, et al. Development and implementation cost analysis of telephone- and Internet-based interventions for the maintenance of weight loss. *Int J Technol Assess Health Care* 2009;25:400-10.

Meng J, Fan J, Galiana G, et al. LHRH-functionalized superparamagnetic iron oxide nanoparticles for breast cancer targeting and contrast enhancement in MRI. *Materials Science & Engineering C-Biomimetic and Supramolecular Systems* 2009;29:1467-79.

Mikus CR, Earnest CP, Blair SN, Church TS. Heart rate and exercise intensity during training: observations from the DREW Study. *Br J Sports Med* 2009;43:750-5.

Moro C, Galgani JE, Luu L, et al. Influence of gender, obesity, and muscle lipase activity on intramyocellular lipids in

sedentary individuals. *J Clin Endocrinol Metab* 2009;94:3440-7.

Moro C, Pasarica M, Elkind-Hirsch K, Redman LM. Aerobic exercise training improves atrial natriuretic peptide and catecholamine-mediated lipolysis in obese women with polycystic ovary syndrome. *J Clin Endocrinol Metab* 2009;94:2579-86.

Morrison CD. Leptin signaling in brain: A link between nutrition and cognition? *Biochim Biophys Acta* 2009;1792:401-8.

Morrison CD, Huypens P, Stewart LK, Gettys TW. Implications of crosstalk between leptin and insulin signaling during the development of diet-induced obesity. *Biochim Biophys Acta* 2009;1792:409-16.

Mouton PR, Chachich ME, Quigley C, Spangler E, Ingram DK. Caloric restriction attenuates amyloid deposition in middle-aged dtg APP/PS1 mice. *Neurosci Lett* 2009;464:184-7.

Muhlhausler B, Smith SR. Early-life origins of metabolic dysfunction: role of the adipocyte. *Trends Endocrinol Metab* 2009;20:51-7.

Muilenburg Legge J, Latham T, Annang L, et al. The home smoking environment: influence on behaviors and attitudes in a racially diverse adolescent population. *Health Educ Behav* 2009;36:777-93.

Myers VH, Barbera BL. Adolescent obesity: Review of the treatment literature. In: James LC, Linton JC, eds. *Handbook of Obesity Intervention for the Lifespan*. New York, NY: Springer Science + Business Media; 2009:43-54.

Mynatt RL. Carnitine and type 2 diabetes. *Diabetes Metab Res Rev* 2009;25 Suppl 1:S45-9.

Ndinguri MW, Solipuram R, Gambrell RP, Aggarwal S, Hammer RP. Peptide targeting of platinum anti-cancer drugs. *Bioconjug Chem* 2009;20:1869-78.

Nelson PT, Smith CD, Abner EA, et al. Human cerebral neuropathology of Type 2 diabetes mellitus. *Biochim Biophys Acta* 2009;1792:454-69.

Niimi M, Tao L, Lin SH, et al. Involvement of an alternatively spliced mitochondrial oxodicarboxylate carrier in adipogenesis in 3T3-L1 cells. *J Biomed Sci* 2009;16:92.

Obrosova IG. Diabetes and the peripheral nerve. *Biochim Biophys Acta* 2009;1792:931-40.

Obrosova IG. Diabetic painful and insensate neuropathy: pathogenesis and potential treatments. *Neurotherapeutics* 2009;6:638-47.

Oeffinger KC, Adams-Huet B, Victor RG, et al. Insulin resistance and risk factors for cardiovascular disease in young adult survivors of childhood acute lymphoblastic leukemia. *J Clin Oncol* 2009;27:3698-704.

O'Hea EL, Bodenlos JS, Moon S, Grothe KB, Brantley PJ. The multidimensional health locus of control scales: testing the factorial structure in sample of African American medical patients. *Ethn Dis* 2009;19:192-8.

O'Hea EL, Moon S, Grothe KB, et al. The interaction of locus of control, self-efficacy, and outcome expectancy in relation to HbA1c in medically underserved individuals with type 2 diabetes. *J Behav Med* 2009;32:106-17.

Pan W, Yu C, Hsueh H, Khan RS, Kastin AJ. Cerebral microvascular IL15 is a novel mediator of TNF action. *J Neurochem* 2009;111:819-27.

Pan WH, Kastin AJ. Evolution of neuropeptide concepts illustrated by MIF-1 and MSH. In: Shioda S, Homma I, Kato N, eds. *Transmitters and Modulators in Health and Disease*. Tokyo: Springer; 2009:3-17

212.

Pasarica M, Gowronska-Kozak B, Burk D, et al. Adipose tissue collagen VI in obesity. *J Clin Endocrinol Metab* 2009;94:5155-62.

Pasarica M, Sereda OR, Redman LM, et al. Reduced adipose tissue oxygenation in human obesity: Evidence for rarefaction, macrophage chemotaxis, and inflammation without an angiogenic response. *Diabetes* 2009;58:718-25.

Pasarica M, Tchoukalova YD, Heilbronn LK, et al. Differential effect of weight loss on adipocyte size subfractions in patients with type 2 diabetes. *Obesity (Silver Spring)* 2009;17:1976-8.

Pasarica M, Xie H, Hymel D, et al. Lower total adipocyte number but no evidence for small adipocyte depletion in patients with type 2 diabetes. *Diabetes Care* 2009;32:900-2.

Pavlinkova G, Salbaum JM, Kappen C. Maternal diabetes alters transcriptional programs in the developing embryo. *BMC Genomics* 2009;10:274.

Peel JB, Sui XM, Matthews CE, et al. Cardiorespiratory fitness and digestive cancer mortality: Findings from the Aerobics Center Longitudinal Study. *Cancer Epidemiology Biomarkers & Prevention* 2009;18:1111-7.

Penman AD, Johnson WD. Complementary log-log regression for the estimation of covariate-adjusted prevalence ratios in the analysis of data from cross-sectional studies. *Biom J* 2009;51:433-42.

Pistell PJ, Nelson CM, Miller MG, Spangler EL, Ingram DK, Devan BD. Striatal lesions interfere with acquisition of a complex maze task in rats. *Behav Brain Res* 2009;197:138-43.

Rankinen T, Bouchard C. Individual responses to physical activity: The role of genetics. In: Lee IM, ed. *Epidemiologic Methods in Physical Activity Studies*. New York, N.Y.: Oxford University Press; 2009:77-99.

Rathod MA, Rogers PM, Vangipuram SD, McAllister EJ, Dhurandhar NV. Adipogenic cascade can be induced without adipogenic media by a human adenovirus. *Obesity* 2009;17:657-64.

Ravussin E, Kozak LP. Have we entered the brown adipose tissue renaissance? *Obes Rev* 2009;10:265-8.

Ravussin E, Redman LM. Adiposity and comorbidities: Favorable impact of caloric restriction. In: Kalhan SC, Prentice AM, Yajnik CS, eds. *Emerging Societies – Coexistence of Childhood Malnutrition and Obesity*. 2009/04/07 ed. Basel: Nestec Ltd., Vevey/S. Karger AG; 2009:135-50, 259-68.

Ravussin E, Smith SR, Mitchell JA, et al. Enhanced weight loss with pramlintide/metreleptin: an integrated neurohormonal approach to obesity pharmacotherapy. *Obesity (Silver Spring)* 2009;17:1736-43.

Redman LM, Heilbronn LK, Martin CK, et al. Metabolic and behavioral compensations in response to caloric restriction: implications for the maintenance of weight loss. *PLoS ONE* 2009;4:e4377.

Redman LM, Ravussin E. Endocrine alterations in response to calorie restriction in humans. *Mol Cell Endocrinol* 2009;299:129-36.

Replogle WH, Johnson WD, Hoover KW. Using evidence to determine diagnostic test efficacy. *Worldviews Evid Based Nurs* 2009;6:87-92.

Reynolds MA, Dawson DR, Novak KF, et al. Effects of caloric restriction on inflammatory periodontal disease. *Nutrition* 2009;25:88-97.

Rheume C, Arsenault BJ, Belanger S, et al. Low cardiorespiratory fitness levels and elevated blood pressure: what is

the contribution of visceral adiposity? *Hypertension* 2009;54:91-7.

Ribnicky DM, Kuhn P, Poulev A, et al. Improved absorption and bioactivity of active compounds from an anti-diabetic extract of *Artemisia dracunculus* L. *Int J Pharm* 2009;370:87-92.

Rogers RC, Barnes MJ, Hermann GE. Leptin "gates" thermogenic action of thyrotropin-releasing hormone in the hindbrain. *Brain Res* 2009;1295:135-41.

Rosenstock J, Cefalu WT, Hollander PA, Klioze SS, Reis J, Duggan WT. Safety and efficacy of inhaled human insulin (exubera) during discontinuation and readministration of therapy in adults with type 2 diabetes: a 3-year randomized controlled trial. *Diabetes Technol Ther* 2009;11:697-705.

Ross R, Blair SN, Godwin M, et al. Prevention and Reduction of Obesity through Active Living (PROACTIVE): rationale, design and methods. *Br J Sports Med* 2009;43:57-63.

Ruchat SM, Elks CE, Loos RJ, et al. Association between insulin secretion, insulin sensitivity and type 2 diabetes susceptibility variants identified in genome-wide association studies. *Acta Diabetol* 2009;46:217-26.

Ruchat SM, Weisnagel JS, Rankinen T, Bouchard C, Vohl MC, Perusse L. Interaction between HNF4A polymorphisms and physical activity in relation to type 2 diabetes-related traits: results from the Quebec Family Study. *Diabetes Res Clin Pract* 2009;84:211-8.

Ruchat SM, Weisnagel SJ, Vohl MC, Rankinen T, Bouchard C, Perusse L. Evidence for interaction between PPARG Pro12Ala and PPARGC1A Gly482Ser polymorphisms in determining type 2 diabetes intermediate phenotypes in overweight subjects. *Exp Clin Endocrinol Diabetes* 2009;117:455-9.

Russel RR, Willis KS, Ravussin E, Larson-Meyer ED. Effects of endurance running and dietary fat on circulating ghrelin and peptide YY. *J Sports Sci Med* 2009;8:574-83.

Sacks FM, Bray GA, Carey VJ, et al. Comparison of weight-loss diets with different compositions of fat, protein, and carbohydrates. *N Engl J Med* 2009;360:859-73.

Sacks FM, Bray GA, Loria C. Comparison of weight-loss diets REPLY - letter. *N Engl J Med* 2009;360:2247-8.

Salbaum JM, Finnell RH, Kappen C. Regulation of folate receptor 1 gene expression in the visceral endoderm. *Birt Defects Res A Clin Mol Teratol* 2009;85:303-13.

Seda Tigli R, Ghosh S, Laha MM, et al. Comparative chondrogenesis of human cell sources in 3D scaffolds. *J Tissue Eng Regen Med* 2009;3:348-60.

Shen L, Keenan MJ, Martin RJ, et al. Dietary resistant starch increases hypothalamic POMC expression in rats. *Obesity* 2009;17:40-5.

Shin AC, Zheng H, Berthoud HR. An expanded view of energy homeostasis: neural integration of metabolic, cognitive, and emotional drives to eat. *Physiol Behav* 2009;97:572-80.

Shumacher D, Amen RJ, Rood JC, Greenway FL. A pilot study in normal volunteers of the effects of the Renuva™ system on growth hormone and insulin-dependent growth factor-1. *Open Nutraceuticals Journal* 2009;2:64-9.

Sisson SB, Camhi SM, Church TS, et al. Leisure time sedentary behavior, occupational/domestic physical activity, and metabolic syndrome in U.S. men and women. *Metab Syndr Relat Disord* 2009;7:529-36.

Sisson SB, Church TS, Martin CK, et al. Profiles of sedentary behavior in children and adolescents: the US National Health and Nutrition Examination Survey, 2001-2006. *Int J Pediatr Obes* 2009;4:353-9.

Sisson SB, Katzmarzyk PT, Earnest CP, Bouchard C, Blair SN, Church TS. Volume of exercise and fitness nonresponse in sedentary, postmenopausal women. *Med Sci Sports Exerc* 2009;41:539-45.

Sisson SB, Katzmarzyk PT, Srinivasan SR, et al. Ethnic differences in subcutaneous adiposity and waist girth in children and adolescents. *Obesity (Silver Spring)* 2009;17:2075-81.

Sjostrom L, Gummesson A, Sjostrom CD, et al. Effects of bariatric surgery on cancer incidence in obese patients in Sweden (Swedish Obese Subjects Study): a prospective, controlled intervention trial. *Lancet Oncol* 2009;10:653-62.

Sloan RA, Sawada SS, Martin CK, Church T, Blair SN. Associations between cardiorespiratory fitness and health-related quality of life. *Health Qual Life Outcomes* 2009;7:47.

Smith SR. Beyond the bout--new perspectives on exercise and fat oxidation. *Exerc Sport Sci Rev* 2009;37:58-9.

Smith SR, Prosser WA, Donahue DJ, et al. Lorcaserin (APD356), a selective 5-HT(2C) agonist, reduces body weight in obese men and women. *Obesity (Silver Spring)* 2009;17:494-503.

Sparks LM, Pasarica M, Sereda O, et al. Effect of adipose tissue on the sexual dimorphism in metabolic flexibility. *Metabolism* 2009;58:1564-71.

Sparks LM, Ukropcova B, Smith J, et al. Relation of adipose tissue to metabolic flexibility. *Diabetes Res Clin Pract* 2009;83:32-43.

Staszkiwicz J, Gimble J, Cain C, et al. Flow cytometric and immunohistochemical detection of in vivo BrdU-labeled cells in mouse fat depots. *Biochem Biophys Res Commun* 2009;378:539-44.

Stewart LK, Wang Z, Ribnicky D, Soileau JL, Cefalu WT, Gettys TW. Failure of dietary quercetin to alter the temporal progression of insulin resistance among tissues of C57BL/6J mice during the development of diet-induced obesity. *Diabetologia* 2009;52:514-23.

Stewart TM, Allen HR, Han H, Williamson DA. The development of the Body Morph Assessment version 2.0 (BMA 2.0): Tests of reliability and validity. *Body Image* 2009;6:67-74.

Studzinski CM, Li F, Bruce-Keller AJ, et al. Effects of short-term Western diet on cerebral oxidative stress and diabetes related factors in APP x PS1 knock-in mice. *J Neurochem* 2009;108:860-6.

Stutz AM, Teran-Garcia M, Rao DC, Rice T, Bouchard C, Rankinen T. Functional identification of the promoter of SLC4A5, a gene associated with cardiovascular and metabolic phenotypes in the HERITAGE Family Study. *Eur J Hum Genet* 2009;17:1481-9.

Sui XM, Laditka JN, Church TS, et al. Prospective study of cardiorespiratory fitness and depressive symptoms in women and men. *J Psychiatr Res* 2009;43:546-52.

Surabattulaa D, Harvey CM, Aghazadeh F, Rood J, Darisipudi A. Usability of home cholesterol test kits and how their results impact patients' decisions. *International Journal of Industrial Ergonomics* 2009;39:167-73.

Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr* 2009;90:1453-6.

Swinburn BA, Sacks G, Lo SK, et al. Estimating the changes in energy flux that characterize the rise in obesity prevalence. *Am J Clin Nutr* 2009;89:1723-8.

Tamariz L, Hassan B, Palacio A, Arcement L, Horswell R, Hebert K. Metabolic syndrome increases mortality in heart

failure. *Clin Cardiol* 2009;32:327-31.

Tchoukalova YD, Nathanielsz PW, Conover CA, Smith SR, Ravussin E. Regional variation in adipogenesis and IGF regulatory proteins in the fetal baboon. *Biochem Biophys Res Commun* 2009;380:679-83.

Thomas DM, Ciesla A, Levine JA, Stevens JG, Martin CK. A mathematical model of weight change with adaptation. *Math Biosci Eng* 2009;6:873-87.

Tian H, Song G, Xie H, Zhang H, Tuomilehto J, Hu G. Prevalence of diabetes and impaired fasting glucose among 769,792 rural Chinese adults. *Diabetes Res Clin Pract* 2009;84:273-8.

Tian H, Xie H, Song G, Zhang H, Hu G. Prevalence of overweight and obesity among 2.6 million rural Chinese adults. *Prev Med* 2009;48:59-63.

Tong M, Holmes GM. Gastric dysreflexia after acute experimental spinal cord injury in rats. *Neurogastroenterol Motil* 2009;21:197-206.

Tudor-Locke C. Promoting Lifestyle Physical Activity: Experiences with the First Step Program. *Am J Lifestyle Med* 2009;3:508-48.

Tudor-Locke C, Burton NW, Brown WJ. Leisure-time physical activity and occupational sitting: Associations with steps/day and BMI in 54-59 year old Australian women. *Prev Med* 2009;48:64-8.

Tudor-Locke C, Hart TL, Washington TL. Correction: Expected values for pedometer-determined physical activity in older populations. *Int J Behav Nutr Phys Act* 2009;6:65.

Tudor-Locke C, Hart TL, Washington TL. Expected values for pedometer-determined physical activity in older populations. *Int J Behav Nutr Phys Act* 2009;6:59.

Tudor-Locke C, Johnson WD, Katzmarzyk PT. Accelerometer-determined steps per day in US adults. *Med Sci Sports Exerc* 2009;41:1384-91.

Tudor-Locke C, Lauzon N, Myers AM, et al. Effectiveness of the First step Program delivered by professionals versus peers. *J Phys Act Health* 2009;6:456-62.

Tudor-Locke C, Lutes L. Why do pedometers work?: a reflection upon the factors related to successfully increasing physical activity. *Sports Med* 2009;39:981-93.

Tudor-Locke C, McClain JJ, Hart TL, Sisson SB, Washington TL. Expected values for pedometer-determined physical activity in youth. *Res Q Exerc Sport* 2009;80:164-74.

Tudor-Locke C, McClain JJ, Hart TL, Sisson SB, Washington TL. Pedometry methods for assessing free-living youth. *Res Q Exerc Sport* 2009;80:175-84.

Tudor-Locke C, Washington TL, Ainsworth BE, Troiano RP. Linking the American Time Use Survey (ATUS) and the Compendium of Physical Activities: methods and rationale. *J Phys Act Health* 2009;6:347-53.

Tudor-Locke C, Washington TL, Hart TL. Expected values for steps/day in special populations. *Prev Med* 2009;49:3-11.

Turchan-Cholewo J, Dimayuga FO, Gupta S, et al. Morphine and HIV-Tat increase microglial-free radical production and oxidative stress: possible role in cytokine regulation. *J Neurochem* 2009;108:202-15.

Turchan-Cholewo J, Dimayuga VM, Gupta S, Gorospe RMC, Keller JN, Bruce-Keller AJ. NADPH oxidase drives cytokine and neurotoxin release from microglia and macrophages in response to HIV-Tat. *Antioxidants & Redox Signaling*

2009;11:193-204.

Vareniuk I, Pacher P, Pavlov IA, Drel VR, Obrosova IG. Peripheral neuropathy in mice with neuronal nitric oxide synthase gene deficiency. *Int J Mol Med* 2009;23:571-80.

Vestergaard S, Patel KV, Walkup MP, et al. Stopping to rest during a 400-meter walk and incident mobility disability in older persons with functional limitations. *J Am Geriatr Soc* 2009;57:260-5.

Vitolins MZ, Anderson AM, Delahanty L, et al. Action for Health in Diabetes (Look AHEAD) trial: baseline evaluation of selected nutrients and food group intake. *J Am Diet Assoc* 2009;109:1367-75.

Wadden TA, West DS, Neiberg RH, et al. One-year weight losses in the Look AHEAD Study: Factors associated with success. *Obesity* 2009;17:713-22.

Wang C, Liu M, Riojas RA, et al. Protein kinase C theta (PKCtheta)-dependent phosphorylation of PDK1 at Ser504 and Ser532 contributes to palmitate-induced insulin resistance. *J Biol Chem* 2009;284:2038-44.

Wang S, Sparks LM, Xie H, Greenway FL, de Jonge L, Smith SR. Subtyping obesity with microarrays: implications for the diagnosis and treatment of obesity. *Int J Obes* 2009;33:481-9.

Wang ZQ, Floyd ZE, Qin J, et al. Modulation of skeletal muscle insulin signaling with chronic caloric restriction in cynomolgus monkeys. *Diabetes* 2009;58:1488-98.

White CL, Pistell PJ, Purpera MN, et al. Effects of high fat diet on Morris maze performance, oxidative stress, and inflammation in rats: contributions of maternal diet. *Neurobiol Dis* 2009;35:3-13.

White CL, Purpera MN, Morrison CD. Maternal obesity is necessary for programming effect of high-fat diet on offspring. *American Journal of Physiology: Regulatory Integrative and Comparative Physiology* 2009;296:R1464-R72.

White CL, Whittington A, Barnes MJ, Wang Z, Bray GA, Morrison CD. HF diets increase hypothalamic PTP1B and induce leptin resistance through both leptin-dependent and -independent mechanisms. *Am J Physiol Endocrinol Metab* 2009;296:E291-9.

Williamson DA, Bathalon GP, Sigrist LD, et al. Military services fitness database: development of a computerized physical fitness and weight management database for the U.S. Army. *Mil Med* 2009;174:1-8.

Williamson DA, Champagne CM, Han H, et al. Increased obesity in children living in rural communities of Louisiana. *Int J Pediatr Obes* 2009;4:160-5.

Williamson DA, Rejeski J, Lang W, Van Dorsten B, Fabricatore AN, Toledo K. Impact of a weight management program on health-related quality of life in overweight adults with type 2 diabetes. *Arch Intern Med* 2009;169:163-71.

Wu X, McLaughlin L, Polk JP, Chalasani M, Greenway FL, Zheng J. A pilot study to evaluate the effect of splanchnic nerve stimulation on body composition and food intake in rats. *Obes Surg* 2009;19:1581-5.

Wu X, Xie H, Yu G, et al. Expression profile of mRNAs encoding core circadian regulatory proteins in human subcutaneous adipose tissue: correlation with age and body mass index. *Int J Obes* 2009;33:971-7.

Yadavilli S, Mayo LD, Higgins M, Lain S, Hegde V, Deutsch WA. Ribosomal protein S3: A multi-functional protein that interacts with both p53 and MDM2 through its KH domain. *DNA Repair (Amst)* 2009;8:1215-24.

Yang H, Youm YH, Dixit VD. Inhibition of thymic adipogenesis by caloric restriction is coupled with reduction in age-related thymic involution. *J Immunol* 2009;183:3040-52.

Yang H, Youm YH, Sun Y, et al. Axin expression in thymic stromal cells contributes to an age-related increase in thymic adiposity and is associated with reduced thymopoiesis independently of ghrelin signaling. *J Leukoc Biol* 2009;85:928-38.

Yang H, Youm YH, Vandanmagsar B, et al. Obesity accelerates thymic aging. *Blood* 2009;114:3803-12.

Ye J. Blood volume and adipose tissue hypoxia - letter. *Int J Obes* 2009;33:606-.

Ye J. Emerging role of adipose tissue hypoxia in obesity and insulin resistance. *Int J Obes* 2009;33:54-66.

Yin J, Gao Z, He Q, Zhou D, Guo Z, Ye J. Role of hypoxia in obesity-induced disorders of glucose and lipid metabolism in adipose tissue. *Am J Physiol Endocrinol Metab* 2009;296:E333-42.

Yin J, Zuberi A, Gao Z, Liu D, Liu Z, Ye J. Shilianhua extract inhibits GSK-3beta and promotes glucose metabolism. *Am J Physiol Endocrinol Metab* 2009;296:E1275-80.

Youm YH, Yang HW, Sun YX, et al. Deficient ghrelin receptor-mediated signaling compromises thymic stromal cell microenvironment by accelerating thymic adiposity. *J Biol Chem* 2009;284:7068-77.

Young DR, Vollmer WM, King AC, et al. Can individuals meet multiple physical activity and dietary behavior goals? *Am J Health Behav* 2009;33:277-86.

Zhang L, Bruce-Keller AJ, Dasuri K, Nguyen AT, Liu Y, Keller JN. Diet-induced metabolic disturbances as modulators of brain homeostasis. *Biochim Biophys Acta* 2009;1792:417-22.

Zhang L, Ebenezer PJ, Dasuri K, Bruce-Keller AJ, Liu Y, Keller JN. Proteasome inhibition modulates kinase activation in neural cells: relevance to ubiquitination, ribosomes, and survival. *J Neurosci Res* 2009;87:3231-8.

Zhang X, Liu E, Tian Z, et al. High birth weight and overweight or obesity among Chinese children 3-6 years old. *Prev Med* 2009;49:172-8.

Zhang Y, Huypens P, Adamson AW, et al. Alternative mRNA splicing produces a novel biologically active short isoform of PGC-1alpha. *J Biol Chem* 2009;284:32813-26.

Zhang Y, Wu X, He Y, et al. Melanocortin potentiates leptin-induced STAT3 signaling via MAPK pathway. *J Neurochem* 2009;110:390-9.

Zheng H, Lenard NR, Shin AC, Berthoud HR. Appetite control and energy balance regulation in the modern world: reward-driven brain overrides repletion signals. *Int J Obes* 2009;33 Suppl 2:S8-13.

Zheng H, Shin AC, Lenard NR, et al. Meal patterns, satiety, and food choice in a rat model of Roux-en-Y gastric bypass surgery. *Am J Physiol Regul Integr Comp Physiol* 2009;297:R1273-82.

Zheng J, DiLorenzo DJ, McLaughlin L, Roberts AT, Greenway FL. Stimulation of sympathetic innervation in the upper gastrointestinal tract as a treatment for obesity. *Med Hypotheses* 2009;72:706-10.

Zhou J, Martin RJ, Tulley RT, et al. Failure to ferment dietary resistant starch in specific mouse models of obesity results in no body fat loss. *J Agric Food Chem* 2009;57:8844-51.

Zou S, Carey JR, Liedo P, et al. The prolongevity effect of resveratrol depends on dietary composition and calorie intake in a tephritid fruit fly. *Exp Gerontol* 2009;44:472-6.

2010

Adarkwah CC, Gandjour A. Cost-effectiveness of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in newly diagnosed type 2 diabetes in Germany. *Int J Technol Assess Health Care* 2010;26:62-70.

Albu JB, Heilbronn LK, Kelley DE, et al. Metabolic changes following a 1-year diet and exercise intervention in patients with type 2 diabetes. *Diabetes* 2010;59:627-33.

Amici M, Cecarini V, Cuccioloni M, et al. Interplay between 20S proteasomes and prion proteins in scrapie disease. *J Neurosci Res* 2010;88:191-201.

Andersen NE, Karl JP, Cable SJ, et al. Vitamin D status in female military personnel during combat training. *J Int Soc Sports Nutr* 2010;7:38.

Anton SD, Martin CK, Han H, et al. Effects of stevia, aspartame, and sucrose on food intake, satiety, and postprandial glucose and insulin levels. *Appetite* 2010;55:37-43.

Arguin H, Sanchez M, Bray GA, et al. Impact of adopting a vegan diet or an olestra supplementation on plasma organochlorine concentrations: results from two pilot studies. *Br J Nutr* 2010;103:1433-41.

Aronne LJ, Tonstad S, Moreno M, et al. A clinical trial assessing the safety and efficacy of taranabant, a CB1R inverse agonist, in obese and overweight patients: a high-dose study. *Int J Obes* 2010;34:919-35.

Babic T, Purpera MN, Banfield BW, Berthoud HR, Morrison CD. Innervation of skeletal muscle by leptin receptor-containing neurons. *Brain Res* 2010;1345:146-55.

Barnes MJ, Argyropoulos G, Bray GA. Preference for a high fat diet, but not hyperphagia following activation of mu opioid receptors is blocked in AgRP knockout mice. *Brain Res* 2010;1317:100-7.

Barnes MJ, Rogers RC, Van Meter MJ, Hermann GE. Co-localization of TRHR1 and LepRb receptors on neurons in the hindbrain of the rat. *Brain Res* 2010;1355:70-85.

Beavers KM, Hsu FC, Isom S, et al. Long-term physical activity and inflammatory biomarkers in older adults. *Med Sci Sports Exerc* 2010;42:2189-96.

Bellanger DE, Hargroder AG, Greenway FL. Mesenteric venous thrombosis after laparoscopic sleeve gastrectomy. *Surg Obes Relat Dis* 2010;6:109-11.

Bidel S, Hu G, Jousilahti P, et al. Coffee consumption and risk of colorectal cancer. *Eur J Clin Nutr* 2010;64:917-23.

Blackburn GL, Wollner S, Heymsfield SB. Lifestyle interventions for the treatment of class III obesity: a primary target for nutrition medicine in the obesity epidemic. *Am J Clin Nutr* 2010;91:289S-92S.

Booth A, Amen RJ, Scott M, Greenway FL. Oral dose-ranging developmental toxicity study of an herbal supplement (NT) and gallic acid in rats. *Adv Ther* 2010;27:250-5.

Boschmann M, Engeli S, Moro C, et al. LMNA mutations, skeletal muscle lipid metabolism, and insulin resistance. *J Clin Endocrinol Metab* 2010;95:1634-43.

Bouchard C. Defining the genetic architecture of the predisposition to obesity: a challenging but not insurmountable task. *Am J Clin Nutr* 2010;91:5-6.

Bouchard C. Genes and obesity. Preface. *Prog Mol Biol Transl Sci* 2010;94:xiii.

Bouchard C. Genetics and genomics of obesity: current status. *Prog Mol Biol Transl Sci* 2010;94:1-8.

Bouchard C. Progress in Molecular Biology and Translational Science: Genes and Obesity; 2010.

Bouchard C, Katzmarzyk PT. Physical Activity and Obesity. 2nd ed. Champaign, IL: Human Kinetics; 2010.

Branca RT, Cleveland ZI, Fubara B, et al. Molecular MRI for sensitive and specific detection of lung metastases. Proc Natl Acad Sci U S A 2010;107:3693-7.

Bray G. Drugs used clinically to reduce body weight. In: Kopelman PG, Caterson ID, Dietz WH, eds. Clinical Obesity in Adults and Children. 3rd ed. Chichester, West Sussex ; Hoboken, N. J.: Wiley-Blackwell; 2010:327-38.

Bray GA. Control of weight: how do we get fat? In: Holt RIG, Goldstein B, Flyvbjerg A, Cockram C, eds. Textbook of Diabetes. 4th ed. Chichester, West Sussex: Wiley-Blackwell; 2010:xx, 1119 p.

Bray GA. Evaluation of the overweight patient. In: Bouchard C, Katzmarzyk PT, eds. Physical Activity and Obesity. 2nd ed. Champaign, IL: Human Kinetics; 2010:26-9.

Bray GA. Medical therapy for obesity. Mt Sinai J Med 2010;77:407-17.

Bray GA. Obesity. In: Sleisenger MH, Feldman M, Friedman LS, Brandt LJ, eds. Sleisenger and Fordtran's Gastrointestinal and Liver Disease : Pathophysiology, Diagnosis, Management. 9th ed. Philadelphia , PA: Saunders/Elsevier; 2010:99-119.

Bray GA. Obesity management and CVD risk reduction. In: Eckel RH, American Heart Association., eds. Metabolic Risk for Cardiovascular Disease. Dallas, TX: American Heart Association ; Wiley-Blackwell; 2010:244 p.

Bray GA. Obesity: maintenance of weight loss: setting our goals higher. Nat Rev Endocrinol 2010;6:657-8.

Bray GA. Soft drink consumption and obesity: it is all about fructose. Curr Opin Lipidol 2010;21:51-7.

Bray GA, Champagne CM. Obesity: understanding and achieving a healthy weight. In: Wilson T, Temple NJ, Bray GA, Struble MB, eds. Nutrition Guide for Physicians. Totowa, N.J.: Humana; 2010:253-74.

Brown DE, Mautz WJ, Warrington M, et al. Relation between C-reactive protein levels and body composition in a multiethnic sample of school children in Hawaii. Am J Hum Biol 2010;22:675-9.

Brown SC, Geiselman PJ, Broussard T. Cardiovascular risk in African American women attending historically Black colleges and universities: the role of dietary patterns and food preferences. J Health Care Poor Underserved 2010;21:1184-93.

Broyles S, Katzmarzyk PT, Srinivasan SR, et al. The pediatric obesity epidemic continues unabated in Bogalusa, Louisiana. Pediatrics 2010;125:900-5.

Bruce-Keller AJ, Gupta S, Parrino TE, et al. NOX activity is increased in mild cognitive impairment. Antioxid Redox Signal 2010;12:1371-82.

Bruce-Keller AJ, White CL, Gupta S, et al. NOX activity in brain aging: exacerbation by high fat diet. Free Radic Biol Med 2010;49:22-30.

Butler AA, Kozak LP. A recurring problem with the analysis of energy expenditure in genetic models expressing lean and obese phenotypes. Diabetes 2010;59:323-9.

Butler MK, Kaiser M, Johnson J, Besse J, Horswell R. Diabetes mellitus disease management in a safety net hospital system: translating evidence into practice. Popul Health Manag 2010;13:319-24.

Byerley LO, Leamy L, Tam SW, Chou CW, Ravussin E, Louisiana Healthy Aging S. Development of a serum profile for healthy aging. *Age* 2010;32:497-507.

Byerley LO, Lee SH, Redmann S, Culbertson C, Clemens M, Lively MO. Evidence for a novel serum factor distinct from zinc alpha-2 glycoprotein that promotes body fat loss early in the development of cachexia. *Nutr Cancer* 2010;62:484-94.

Byun W, Sieverdes JC, Sui X, et al. Effect of positive health factors and all-cause mortality in men. *Med Sci Sports Exerc* 2010;42:1632-8.

Callery EC, Hansel W, Bartlewski PM. The effects of a low therapeutic dose of betaCG fragment-lytic peptide conjugates on ovarian function and gonadotropin secretion in ewes: a randomized controlled trial. *Reprod Biol* 2010;10:195-213.

Camhi SM, Katzmarzyk PT. Tracking of cardiometabolic risk factor clustering from childhood to adulthood. *Int J Pediatr Obes* 2010;5:122-9.

Camhi SM, Katzmarzyk PT, Broyles S, et al. Predicting adult body mass index-specific metabolic risk from childhood. *Metab Syndr Relat Disord* 2010;8:165-72.

Camhi SM, Stefanick ML, Katzmarzyk PT, Young DR. Metabolic syndrome and changes in body fat from a low-fat diet and/or exercise randomized controlled trial. *Obesity (Silver Spring)* 2010;18:548-54.

Camhi SM, Stefanick ML, Ridker PM, Young DR. Changes in C-reactive protein from low-fat diet and/or physical activity in men and women with and without metabolic syndrome. *Metabolism* 2010;59:54-61.

Carnethon MR, Evans NS, Church TS, et al. Joint associations of physical activity and aerobic fitness on the development of incident hypertension: coronary artery risk development in young adults. *Hypertension* 2010;56:49-55.

Cefalu WT. The physiologic role of incretin hormones: clinical applications. *J Am Osteopath Assoc* 2010;110:S8-S14.

Cefalu WT. Translating "Nondiabetic" A1C levels to clinical practice: the art of medicine. *Diabetes* 2010;59:1868-9.

Cefalu WT, Rood J, Pinsonat P, et al. Characterization of the metabolic and physiologic response to chromium supplementation in subjects with type 2 diabetes mellitus. *Metabolism* 2010;59:755-62.

Champagne CM, Bray GA. Nutritional status: overview of methods for assessment. In: Wilson T, Temple NJ, Bray GA, Struble MB, eds. *Nutrition Guide for Physicians*. Totowa, N.J.: Humana; 2010:227-39.

Chang JS, Huypens P, Zhang Y, Black C, Kralli A, Gettys TW. Regulation of NT-PGC-1alpha subcellular localization and function by protein kinase A-dependent modulation of nuclear export by CRM1. *J Biol Chem* 2010;285:18039-50.

Chaput JP, Sjodin AM, Astrup A, Despres JP, Bouchard C, Tremblay A. Risk factors for adult overweight and obesity: the importance of looking beyond the 'big two'. *Obes Facts* 2010;3:320-7.

Chen L, Caballero B, Mitchell DC, et al. Reducing consumption of sugar-sweetened beverages is associated with reduced blood pressure: a prospective study among United States adults. *Circulation* 2010;121:2398-406.

Chiou SJ, Campbell C, Myers L, Culbertson R, Horswell R. Factors influencing inappropriate use of ED visits among type 2 diabetics in an evidence-based management programme. *J Eval Clin Pract* 2010;16:1048-54.

Choi JH, Gimble JM, Lee K, et al. Adipose tissue engineering for soft tissue regeneration. *Tissue Eng Part B Rev*

2010;16:413-26.

Choi JH, Gimble JM, Vunjak-Novakovic G, Kaplan DL. Effects of hyperinsulinemia on lipolytic function of three-dimensional adipocyte/endothelial co-cultures. *Tissue Eng Part C Methods* 2010;16:1157-65.

Church TJ. Physical activity and heart disease in obesity. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:281-3.

Church TS, Blair SN, Cocreham S, et al. Effects of aerobic and resistance training on hemoglobin A1c levels in patients with type 2 diabetes: a randomized controlled trial. *JAMA* 2010;304:2253-62.

Church TS, Earnest CP, Thompson AM, et al. Exercise without weight loss does not reduce C-reactive protein: the INFLAME study. *Med Sci Sports Exerc* 2010;42:708-16.

Civitaresse AE, MacLean PS, Carling S, et al. Regulation of skeletal muscle oxidative capacity and insulin signaling by the mitochondrial rhomboid protease PARL. *Cell Metab* 2010;11:412-26.

Copeland AL, Williamson DA, Kendzor DE, et al. A School-Based Alcohol, Tobacco, and Drug Prevention Program for Children: The Wise Mind Study. *Cognitive Therapy and Research* 2010;34:522-32.

Costford SR, Bajpeyi S, Pasarica M, et al. Skeletal muscle NAMPT is induced by exercise in humans. *Am J Physiol Endocrinol Metab* 2010;298:E117-26.

Craig CL, Cameron C, Griffiths JM, Tudor-Locke C. Descriptive epidemiology of youth pedometer-determined physical activity: CANPLAY. *Med Sci Sports Exerc* 2010;42:1639-43.

Craig CL, Tudor-Locke C, Cragg S, Cameron C. Process and treatment of pedometer data collection for youth: the Canadian Physical Activity Levels among Youth study. *Med Sci Sports Exerc* 2010;42:430-5.

Crawford SA, Costford SR, Aguer C, et al. Naturally occurring R225W mutation of the gene encoding AMP-activated protein kinase (AMPK)gamma(3) results in increased oxidative capacity and glucose uptake in human primary myotubes. *Diabetologia* 2010;53:1986-97.

Dasuri K, Ebenezer P, Zhang L, et al. Increased protein hydrophobicity in response to aging and Alzheimer disease. *Free Radic Biol Med* 2010;48:1330-7.

Dasuri K, Ebenezer PJ, Zhang L, et al. Selective vulnerability of neurons to acute toxicity after proteasome inhibitor treatment: implications for oxidative stress and insolubility of newly synthesized proteins. *Free Radic Biol Med* 2010;49:1290-7.

De Greef K, Deforche B, Tudor-Locke C, De Bourdeaudhuij I. A cognitive-behavioural pedometer-based group intervention on physical activity and sedentary behaviour in individuals with type 2 diabetes. *Health Educ Res* 2010;25:724-36.

de Jonge L, Moreira EA, Martin CK, Ravussin E, Pennington CT. Impact of 6-month caloric restriction on autonomic nervous system activity in healthy, overweight, individuals. *Obesity (Silver Spring)* 2010;18:414-6.

DeFronzo RA, Banerji MA, Bray GA, et al. Determinants of glucose tolerance in impaired glucose tolerance at baseline in the Actos Now for Prevention of Diabetes (ACT NOW) study. *Diabetologia* 2010;53:435-45.

Deiullis JA, Liu LF, Belury MA, Rim JS, Shin S, Lee K. Beta(3)-adrenergic signaling acutely down regulates adipose triglyceride lipase in brown adipocytes. *Lipids* 2010;45:479-89.

Dixit VD. Thymic fatness and approaches to enhance thymopoietic fitness in aging. *Curr Opin Immunol* 2010;22:521-8.

Do R, Bailey SD, Pare G, et al. Fine mapping of the insulin-induced gene 2 identifies a variant associated with LDL cholesterol and total apolipoprotein B levels. *Circ Cardiovasc Genet* 2010;3:454-61.

Doring F, Onur S, Fischer A, et al. A common haplotype and the Pro582Ser polymorphism of the hypoxia-inducible factor-1alpha (HIF1A) gene in elite endurance athletes. *J Appl Physiol* (1985) 2010;108:1497-500.

Doring FE, Onur S, Geisen U, et al. ACTN3 R577X and other polymorphisms are not associated with elite endurance athlete status in the Genathlete study. *J Sports Sci* 2010;28:1355-9.

Dorsey KB, Thornton JC, Heymsfield SB, Gallagher D. Greater lean tissue and skeletal muscle mass are associated with higher bone mineral content in children. *Nutr Metab (Lond)* 2010;7:41.

Downey LH, Castellanos DC, Yadrick K, et al. Capacity building for health through community-based participatory nutrition intervention research in rural communities. *Fam Community Health* 2010;33:175-85.

Drel VR, Lupachyk S, Shevalye H, et al. New therapeutic and biomarker discovery for peripheral diabetic neuropathy: PARP inhibitor, nitrotyrosine, and tumor necrosis factor- α . *Endocrinology* 2010;151:2547-55.

Dubbert PM, Robinson JC, Sung JH, et al. Physical activity and obesity in African Americans: the Jackson Heart Study. *Ethn Dis* 2010;20:383-9.

Earnest C. Physical activity level and dietary intake. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:210-3.

Earnest CP, Blair SN, Church TS. Age attenuated response to aerobic conditioning in postmenopausal women. *Eur J Appl Physiol* 2010;110:75-82.

Earnest CP, Poirier P, Carnethon MR, Blair SN, Church TS. Autonomic function and change in insulin for exercising postmenopausal women. *Maturitas* 2010;65:284-91.

Ebenezer PJ, Weidner AM, LeVine H, 3rd, et al. Neuron specific toxicity of oligomeric amyloid-beta: role for JUN-kinase and oxidative stress. *J Alzheimers Dis* 2010;22:839-48.

Elbaz A, Wu X, Rivas D, Gimble JM, Duque G. Inhibition of fatty acid biosynthesis prevents adipocyte lipotoxicity on human osteoblasts in vitro. *J Cell Mol Med* 2010;14:982-91.

Esparza-Romero J, Valencia ME, Martinez ME, Ravussin E, Schulz LO, Bennett PH. Differences in insulin resistance in Mexican and U.S. Pima Indians with normal glucose tolerance. *J Clin Endocrinol Metab* 2010;95:E358-62.

Estes BT, Diekman BO, Gimble JM, Guilak F. Isolation of adipose-derived stem cells and their induction to a chondrogenic phenotype. *Nat Protoc* 2010;5:1294-311.

Fontaine RJ, Taylor AE, Mancuso JP, et al. Increased food intake and energy expenditure following administration of olanzapine to healthy men. *Obesity (Silver Spring)* 2010;18:1646-51.

Freedman DS, Katzmarzyk PT, Dietz WH, Srinivasan SR, Berenson GS. The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: the Bogalusa Heart Study. *Ann Hum Biol* 2010;37:726-37.

Freitas RM, Jordan J, Feng D. Lipoic acid effects on monoaminergic system after pilocarpine-induced seizures. *Neurosci Lett* 2010;477:129-33.

Frohlich M, Grayson WL, Marolt D, Gimble JM, Kregar-Velikonja N, Vunjak-Novakovic G. Bone grafts engineered from human adipose-derived stem cells in perfusion bioreactor culture. *Tissue Eng Part A* 2010;16:179-89.

Fujiwara S, Kotani K, Brantley PJ, et al. Dietary salt reduction in rural patients with albuminuria using family and community support: the Mima study. *Asia Pac Fam Med* 2010;9:6.

Funk KL, Stevens VJ, Appel LJ, et al. Associations of Internet Website Use With Weight Change in a Long-term Weight Loss Maintenance Program. *J Med Internet Res* 2010;12:e29.

Gabriele JM, Stewart TM, Sample A, et al. Development of an internet-based obesity prevention program for children. *J Diabetes Sci Technol* 2010;4:723-32.

Galgani JE, de Jonge L, Most MM, Bray GA, Smith SR. Effect of a 3-day high-fat feeding period on carbohydrate balance and ad libitum energy intake in humans. *Int J Obes* 2010;34:886-91.

Galgani JE, de Jonge L, Rood JC, Smith SR, Young AA, Ravussin E. Urinary C-peptide excretion: a novel alternate measure of insulin sensitivity in physiological conditions. *Obesity (Silver Spring)* 2010;18:1852-7.

Galgani JE, Greenway FL, Caglayan S, Wong ML, Licinio J, Ravussin E. Leptin replacement prevents weight loss-induced metabolic adaptation in congenital leptin-deficient patients. *J Clin Endocrinol Metab* 2010;95:851-5.

Galgani JE, Ravussin E. Effect of dihydrocapsiate on resting metabolic rate in humans. *Am J Clin Nutr* 2010;92:1089-93.

Galgani JE, Ryan DH, Ravussin E. Effect of capsinoids on energy metabolism in human subjects. *Br J Nutr* 2010;103:38-42.

Gallagher D, Thornton JC, He Q, et al. Quantitative magnetic resonance fat measurements in humans correlate with established methods but are biased. *Obesity (Silver Spring)* 2010;18:2047-54.

Gallant AR, Tremblay A, Perusse L, Bouchard C, Despres JP, Drapeau V. The Three-Factor Eating Questionnaire and BMI in adolescents: results from the Quebec family study. *Br J Nutr* 2010;104:1074-9.

Gamlin PD, McDougal DH. Visual optics: pupil. In: Dartt DA, Besharse JC, Dana R, eds. *Encyclopedia of the Eye*. Boston, MA: Elsevier; 2010.

Gandjour A. Investment in quality improvement: how to maximize the return. *Health Econ* 2010;19:31-42.

Gandjour A. A model to predict the cost-effectiveness of disease management programs. *Health Econ* 2010;19:697-715.

Gandjour A. Theoretical foundation of patient v. population preferences in calculating QALYs. *Med Decis Making* 2010;30:E57-63.

Gangwisch JE, Malaspina D, Posner K, et al. Insomnia and sleep duration as mediators of the relationship between depression and hypertension incidence. *Am J Hypertens* 2010;23:62-9.

Gimble JM, Guilak F, Bunnell BA. Clinical and preclinical translation of cell-based therapies using adipose tissue-derived cells. *Stem Cell Res Ther* 2010;1:19.

Graf BL, Raskin I, Cefalu WT, Ribnicky DM. Plant-derived therapeutics for the treatment of metabolic syndrome. *Curr Opin Investig Drugs* 2010;11:1107-15.

Greenway FL. Role of physical activity in pharmacological weight loss. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:226-8.

Greenway FL, Bray GA. Combination drugs for treating obesity. *Curr Diab Rep* 2010;10:108-15.

Greenway FL, Fujioka K, Plodkowski RA, et al. Effect of naltrexone plus bupropion on weight loss in overweight and obese adults (COR-1): a multicentre, randomised, double-blind, placebo-controlled, phase 3 trial. *Lancet* 2010;376:595-605.

Greig NH, Becker RE, Yu Q, et al. From natural products to Alzheimer experimental therapeutics, eserine based drugs as symptomatic and disease altering agents. *Progress in Nutrition* 2010;12:58-63.

Grunfeld C, Saag M, Cofrancesco J, Jr., et al. Regional adipose tissue measured by MRI over 5 years in HIV-infected and control participants indicates persistence of HIV-associated lipoatrophy. *AIDS* 2010;24:1717-26.

Guilak F, Estes BT, Diekman BO, Moutos FT, Gimple JM. 2010 Nicolas Andry Award: Multipotent adult stem cells from adipose tissue for musculoskeletal tissue engineering. *Clin Orthop Relat Res* 2010;468:2530-40.

Gupta AK, Bray GA, Greenway FL, Martin CK, Johnson WD, Smith SR. Pioglitazone, but not metformin, reduces liver fat in Type-2 diabetes mellitus independent of weight changes. *J Diabetes Complications* 2010;24:289-96.

Gupta AK, Cornelissen G, Greenway FL, Dhoopati V, Halberg F, Johnson WD. Abnormalities in circadian blood pressure variability and endothelial function: pragmatic markers for adverse cardiometabolic profiles in asymptomatic obese adults. *Cardiovasc Diabetol* 2010;9:58.

Gupta AK, Johnson WD. Prediabetes and prehypertension in disease free obese adults correlate with an exacerbated systemic proinflammatory milieu. *J Inflamm (Lond)* 2010;7:36.

Gupta AK, McGlone M, Greenway FL, Johnson WD. Prehypertension in disease-free adults: a marker for an adverse cardiometabolic risk profile. *Hypertens Res* 2010;33:905-10.

Gupta S, Knight AG, Gupta S, et al. HIV-Tat elicits microglial glutamate release: role of NADPH oxidase and the cystine-glutamate antiporter. *Neurosci Lett* 2010;485:233-6.

Hankinson AL, Daviglius ML, Bouchard C, et al. Maintaining a high physical activity level over 20 years and weight gain. *JAMA* 2010;304:2603-10.

Hansel W. The essentiality of the epididymal fat pad for spermatogenesis. *Endocrinology* 2010;151:5565-7.

Harsha DW, Bray GA. Diet and blood pressure: the high and low of it. In: Wilson T, Temple NJ, Bray GA, Struble MB, eds. *Nutrition Guide for Physicians*. Totowa, N.J.: Humana; 2010:311-7.

Hasek BE, Stewart LK, Henagan TM, et al. Dietary methionine restriction enhances metabolic flexibility and increases uncoupled respiration in both fed and fasted states. *Am J Physiol Regul Integr Comp Physiol* 2010;299:R728-39.

He Y, Hsueh H, Wu X, et al. Interleukin-15 receptor is essential to facilitate GABA transmission and hippocampal-dependent memory. *J Neurosci* 2010;30:4725-34.

He Y, Wu X, Khan RS, et al. IL-15 receptor deletion results in circadian changes of locomotor and metabolic activity. *J Mol Neurosci* 2010;41:315-21.

Heber D, Greenway FL, Kaplan LM, et al. Endocrine and nutritional management of the post-bariatric surgery patient: an Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab* 2010;95:4823-43.

Hebert K, Horswell R, Heidenreich P, Miranda J, Arcement L. Handheld ultrasound, B-natriuretic peptide for screening stage B heart failure. *South Med J* 2010;103:616-22.

Hebert K, Lopez B, Horswell R, et al. The impact of a standardized disease management program on race/ethnicity

and gender disparities in care and mortality. *J Health Care Poor Underserved* 2010;21:264-76.

Heo M, Pietrobelli A, Wang D, Heymsfield SB, Faith MS. Obesity and functional impairment: influence of comorbidity, joint pain, and mental health. *Obesity (Silver Spring)* 2010;18:2030-8.

Heymsfield SB. Meal replacements and energy balance. *Physiol Behav* 2010;100:90-4.

Heymsfield SB. Physical activity, weight loss, and maintenance of lean mass. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:240-4.

Heymsfield SB, Pietrobelli A. Body size and human energy requirements: Reduced mass-specific total energy expenditure in tall adults. *Am J Hum Biol* 2010;22:301-9.

Hollander PA, Cefalu WT, Mitnick M, Lawrence D, Rosenstock J. Titration of inhaled human insulin (Exubera) in a treat-to-target regimen for patients with type 2 diabetes. *Diabetes Technol Ther* 2010;12:185-91.

Hsuchou H, Kastin AJ, Tu H, Joan Abbott N, Couraud PO, Pan W. Role of astrocytic leptin receptor subtypes on leptin permeation across hCMEC/D3 human brain endothelial cells. *J Neurochem* 2010;115:1288-98.

Hsuchou H, Kastin AJ, Wu X, Tu H, Pan W. Corticotropin-releasing hormone receptor-1 in cerebral microvessels changes during development and influences urocortin transport across the blood-brain barrier. *Endocrinology* 2010;151:1221-7.

Hu G. Diabetes and women's stroke risk. In: Berhardt LV, ed. *Advances in Medicine and Biology*: Nova Science Pub Inc; 2010:393-404.

Hu G. The gender-specific impact of diabetes on the risk of cardiovascular disease. In: Swahn EI, ed. *Diabetes in Women*: Nova Science Pub Inc; 2010:83-100.

Hu G. Total cholesterol and the risk of Parkinson's disease: a review for some new findings. *Parkinsons Dis* 2010;2010:836962.

Hu G, Jousilahti P, Antikainen R, Katzmarzyk PT, Tuomilehto J. Joint effects of physical activity, body mass index, waist circumference, and waist-to-hip ratio on the risk of heart failure. *Circulation* 2010;121:237-44.

Hu G, Tuomilehto J. Diet and exercise in the prevention and treatment of diabetes and coronary heart disease. In: Toth PP, ed. *The Year in Lipid Disorders*: Clinical Publishing Services; 2010:46-59.

Huo Y, Guo X, Li H, et al. Disruption of inducible 6-phosphofructo-2-kinase ameliorates diet-induced adiposity but exacerbates systemic insulin resistance and adipose tissue inflammatory response. *J Biol Chem* 2010;285:3713-21.

Icks A, Haastert B, Gandjour A, et al. Costs of dialysis--a regional population-based analysis. *Nephrol Dial Transplant* 2010;25:1647-52.

Inoue S, Ohya Y, Odagiri Y, et al. Characteristics of accelerometry respondents to a mail-based surveillance study. *J Epidemiol* 2010;20:446-52.

Jackson AW, Lee DC, Sui X, et al. Muscular strength is inversely related to prevalence and incidence of obesity in adult men. *Obesity (Silver Spring)* 2010;18:1988-95.

Jazwinski SM, Kim S, Dai J, et al. HRAS1 and LASS1 with APOE are associated with human longevity and healthy aging. *Aging Cell* 2010;9:698-708.

Johannsen DL, Calabro MA, Stewart J, Franke W, Rood JC, Welk GJ. Accuracy of armband monitors for measuring daily

energy expenditure in healthy adults. *Med Sci Sports Exerc* 2010;42:2134-40.

Johannsen DL, Ravussin E. Can increased muscle ROS scavenging keep older animals young and metabolically fit? *Cell Metab* 2010;12:557-8.

Johannsen DL, Ravussin E. Obesity in the elderly: is faulty metabolism to blame? *Aging health* 2010;6:159-67.

Johannsen NM, Priest EL, Dixit VD, Earnest CP, Blair SN, Church TS. Association of white blood cell subfraction concentration with fitness and fatness. *Br J Sports Med* 2010;44:588-93.

Kappen C, Pavlinkova G, Kruger C, Salbaum JM. Analysis of altered gene expression in diabetic embryopathy. In: McQueen C, ed. *Comprehensive Toxicology*. Amsterdam: Elsevier; 2010.

Kastin AJ, Pan W. Concepts for biologically active peptides. *Curr Pharm Des* 2010;16:3390-400.

Katzmarzyk PT. The economic cost of obesity. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:53-6.

Katzmarzyk PT. Physical activity, sedentary behavior, and health: paradigm paralysis or paradigm shift? *Diabetes* 2010;59:2717-25.

Katzmarzyk PT, Bouchard C. Future directions in physical activity and obesity research. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:364-7.

Katzmarzyk PT, Bray GA, Greenway FL, et al. Racial differences in abdominal depot-specific adiposity in white and African American adults. *Am J Clin Nutr* 2010;91:7-15.

Keenan MJ, Zhou J, Senevirathene R, Janes M, Martin RJ. Lower gut hormones and health effects associated with consumption of fermentable fibers. In: Aimutis WR, Paeschke TM, eds. *Nondigestible Carbohydrates and Digestive Health*: Wiley-Blackwell; 2010:79-96.

Kennedy BM, Kumanyika S, Ard JD, et al. Overall and minority-focused recruitment strategies in the PREMIER multicenter trial of lifestyle interventions for blood pressure control. *Contemp Clin Trials* 2010;31:49-54.

Khan RS, Yu C, Kastin AJ, et al. Brain Activation by Peptide Pro-Leu-Gly-NH(2) (MIF-1). *Int J Pept* 2010;2010.

Kheterpal I, Coleman L, Ku G, Wang ZQ, Ribnicky D, Cefalu WT. Regulation of insulin action by an extract of *Artemisia dracunculoides* L. in primary human skeletal muscle culture: a proteomics approach. *Phytother Res* 2010;24:1278-84.

Kipnes MS, Hollander P, Fujioka K, et al. A one-year study to assess the safety and efficacy of the CB1R inverse agonist taranabant in overweight and obese patients with type 2 diabetes. *Diabetes Obes Metab* 2010;12:517-31.

Kisby GE, Kohama SG, Olivas A, et al. Effect of caloric restriction on base-excision repair (BER) in the aging rat brain. *Exp Gerontol* 2010;45:208-16.

Kozak LP. Brown fat and the myth of diet-induced thermogenesis. *Cell Metab* 2010;11:263-7.

Kozak LP, Koza RA. The genetics of brown adipose tissue. *Prog Mol Biol Transl Sci* 2010;94:75-123.

Kozak LP, Koza RA, Anunciado-Koza R. Brown fat thermogenesis and body weight regulation in mice: relevance to humans. *Int J Obes* 2010;34 Suppl 1:S23-7.

Kozak LP, Newman S, Chao PM, Mendoza T, Koza RA. The early nutritional environment of mice determines the capacity for adipose tissue expansion by modulating genes of caveolae structure. *PLoS ONE* 2010;5:e11015.

Kreider RB, Wilborn CD, Taylor L, et al. ISSN exercise & sport nutrition review: research & recommendations. *J Int Soc Sports Nutr* 2010;7:7.

Kruger C, Kappen C. Expression of cartilage developmental genes in Hoxc8- and Hoxd4-transgenic mice. *PLoS ONE* 2010;5:e8978.

Kruger C, Kappen C. Microarray Analysis of Defective Cartilage in Hoxc8- and Hoxd4-Transgenic Mice. *Cartilage* 2010;1:217-32.

Kuk JL, Church TS, Blair SN, Ross R. Measurement site and the association between visceral and abdominal subcutaneous adipose tissue with metabolic risk in women. *Obesity (Silver Spring)* 2010;18:1336-40.

Kumar KG, DiCarlo LM, Volaufova J, Zuberi AR, Richards BK. Increased physical activity cosegregates with higher intake of carbohydrate and total calories in a subcongenic mouse strain. *Mamm Genome* 2010;21:52-63.

Larson-Meyer DE, Ravussin E, Heilbronn L, DeJonge L. Ghrelin and peptide YY in postpartum lactating and nonlactating women. *Am J Clin Nutr* 2010;91:366-72.

Larson-Meyer DE, Redman L, Heilbronn LK, Martin CK, Ravussin E. Caloric restriction with or without exercise: the fitness versus fatness debate. *Med Sci Sports Exerc* 2010;42:152-9.

Lenard NR, Zheng H, Berthoud HR. Chronic suppression of mu-opioid receptor signaling in the nucleus accumbens attenuates development of diet-induced obesity in rats. *Int J Obes* 2010;34:1001-10.

Leshan RL, Opland DM, Louis GW, et al. Ventral tegmental area leptin receptor neurons specifically project to and regulate cocaine- and amphetamine-regulated transcript neurons of the extended central amygdala. *J Neurosci* 2010;30:5713-23.

Lin PH, Miwa S, Li YJ, et al. Factors influencing dietary protein sources in the PREMIER trial population. *J Am Diet Assoc* 2010;110:291-5.

Lin X, Racette SB, Lefevre M, et al. The effects of phytosterols present in natural food matrices on cholesterol metabolism and LDL-cholesterol: a controlled feeding trial. *Eur J Clin Nutr* 2010;64:1481-7.

Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, Blair SN. Maximal exercise electrocardiographic responses and coronary heart disease mortality among men with metabolic syndrome. *Mayo Clin Proc* 2010;85:239-46.

Malik VS, Popkin BM, Bray GA, Despres JP, Hu FB. Sugar-sweetened beverages, obesity, type 2 diabetes mellitus, and cardiovascular disease risk. *Circulation* 2010;121:1356-64.

Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care* 2010;33:2477-83.

Martin CK, Gupta AK, Smith SR, Greenway FL, Han H, Bray GA. Effect of pioglitazone on energy intake and ghrelin in diabetic patients. *Diabetes Care* 2010;33:742-4.

Martin CK, Talamini L, Johnson A, Hymel AM, Khavjou O. Weight loss and retention in a commercial weight-loss program and the effect of corporate partnership. *Int J Obes* 2010;34:742-50.

Martin CK, Thomson JL, LeBlanc MM, et al. Children in school cafeterias select foods containing more saturated fat and energy than the Institute of Medicine recommendations. *J Nutr* 2010;140:1653-60.

Martins D, Maia J, Seabra A, et al. Correlates of changes in BMI of children from the Azores islands. *Int J Obes*

2010;34:1487-93.

Mason C, Katzmarzyk PT. Waist circumference thresholds for the prediction of cardiometabolic risk: is measurement site important? *Eur J Clin Nutr* 2010;64:862-7.

McClain JJ, Hart TL, Getz RS, Tudor-Locke C. Convergent validity of 3 low cost motion sensors with the ActiGraph accelerometer. *J Phys Act Health* 2010;7:662-70.

McDonough SM, Tully MA, O'Connor SR, et al. The Back 2 activity trial: education and advice versus education and advice plus a structured walking programme for chronic low back pain. *BMC Musculoskelet Disord* 2010;11:163.

McDougal DH, Gamlin PD. The influence of intrinsically-photosensitive retinal ganglion cells on the spectral sensitivity and response dynamics of the human pupillary light reflex. *Vision Res* 2010;50:72-87.

Melendez-Ramirez LY, Richards RJ, Cefalu WT. Complications of type 1 diabetes. *Endocrinol Metab Clin North Am* 2010;39:625-40.

Mikkelsen TS, Xu Z, Zhang X, et al. Comparative epigenomic analysis of murine and human adipogenesis. *Cell* 2010;143:156-69.

Minor RK, Smith DL, Jr., Sossong AM, et al. Chronic ingestion of 2-deoxy-D-glucose induces cardiac vacuolization and increases mortality in rats. *Toxicol Appl Pharmacol* 2010;243:332-9.

Mitchell JA, Bornstein DB, Sui X, et al. The impact of combined health factors on cardiovascular disease mortality. *Am Heart J* 2010;160:102-8.

Mitchell JA, Church TS, Rankinen T, Earnest CP, Sui X, Blair SN. FTO genotype and the weight loss benefits of moderate intensity exercise. *Obesity (Silver Spring)* 2010;18:641-3.

Morrison CD. Physical activity level and hypothalamic peptides. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:155-8.

Morrison CD, Pistell PJ, Ingram DK, et al. High fat diet increases hippocampal oxidative stress and cognitive impairment in aged mice: implications for decreased Nrf2 signaling. *J Neurochem* 2010;114:1581-9.

Muller MJ, Bosity-Westphal A, Heymsfield SB. Is there evidence for a set point that regulates human body weight? *F1000 Med Rep* 2010;2:59.

Munzberg H. Leptin-signaling pathways and leptin resistance. *Forum Nutr* 2010;63:123-32.

Naqvi A, Hoffman TA, DeRicco J, et al. A single-nucleotide variation in a p53-binding site affects nutrient-sensitive human SIRT1 expression. *Hum Mol Genet* 2010;19:4123-33.

Newton RL. U.S. ethnic differences in physical activity and sedentary behavior. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:85-8.

Newton RL, Jr., Han H, Anton SD, et al. An environmental intervention to prevent excess weight gain in African-American students: a pilot study. *Am J Health Promot* 2010;24:340-3.

Obrosova IG, Chung SS, Kador PF. Diabetic cataracts: mechanisms and management. *Diabetes Metab Res Rev* 2010;26:172-80.

Obrosova IG, Maksimchyk Y, Pacher P, et al. Evaluation of the aldose reductase inhibitor fidarestat on ischemia-reperfusion injury in rat retina. *Int J Mol Med* 2010;26:135-42.

Obrosova IG, Stavniichuk R, Drel VR, et al. Different roles of 12/15-lipoxygenase in diabetic large and small fiber peripheral and autonomic neuropathies. *Am J Pathol* 2010;177:1436-47.

Ortega FB, Lee DC, Sui X, et al. Cardiorespiratory fitness, adiposity, and incident asthma in adults. *J Allergy Clin Immunol* 2010;125:271-3 e1-5.

Pan W, Yu C, Hsueh H, Kastin AJ. The role of cerebral vascular NFkappaB in LPS-induced inflammation: differential regulation of efflux transporter and transporting cytokine receptors. *Cell Physiol Biochem* 2010;25:623-30.

Pasarica M, Rood J, Ravussin E, Schwarz JM, Smith SR, Redman LM. Reduced oxygenation in human obese adipose tissue is associated with impaired insulin suppression of lipolysis. *J Clin Endocrinol Metab* 2010;95:4052-5.

Pereira SA, Seabra AT, Silva RG, Katzmarzyk PT, Beunen GP, Maia JA. Prevalence of overweight, obesity and physical activity levels in children from Azores Islands. *Ann Hum Biol* 2010;37:682-91.

Perez-Tilve D, Hofmann SM, Basford J, et al. Melanocortin signaling in the CNS directly regulates circulating cholesterol. *Nat Neurosci* 2010;13:877-82.

Phillips EM, Katula J, Miller ME, et al. Interruption of physical activity because of illness in the Lifestyle Interventions and Independence for Elders Pilot trial. *J Aging Phys Act* 2010;18:61-74.

Picou R, Moses JP, Wellman AD, Kheterpal I, Gilman SD. Analysis of monomeric A β (1-40) peptide by capillary electrophoresis. *Analyst* 2010;135:1631-5.

Pistell PJ, Gupta S, Knight AG, et al. Metabolic and neurologic consequences of chronic lopinavir/ritonavir administration to C57BL/6 mice. *Antiviral Res* 2010;88:334-42.

Pistell PJ, Ingram DK. Development of a water-escape motivated version of the Stone T-maze for mice. *Neuroscience* 2010;166:61-72.

Pistell PJ, Morrison CD, Gupta S, et al. Cognitive impairment following high fat diet consumption is associated with brain inflammation. *J Neuroimmunol* 2010;219:25-32.

Plaisance EP, Henagan TM, Echlin H, et al. Role of beta-adrenergic receptors in the hyperphagic and hypermetabolic responses to dietary methionine restriction. *Am J Physiol Regul Integr Comp Physiol* 2010;299:R740-50.

Primeaux SD, Barnes MJ, Braymer HD, Bray GA. Sensitivity to the satiating effects of exendin 4 is decreased in obesity-prone Osborne-Mendel rats compared to obesity-resistant S5B/PI rats. *Int J Obes* 2010;34:1427-33.

Proietto J, Rissanen A, Harp JB, et al. A clinical trial assessing the safety and efficacy of the CB1R inverse agonist taranabant in obese and overweight patients: low-dose study. *Int J Obes* 2010;34:1243-54.

Qualls-Creekmore E, Tong M, Holmes GM. Gastric emptying of enterally administered liquid meal in conscious rats and during sustained anaesthesia. *Neurogastroenterol Motil* 2010;22:181-5.

Qualls-Creekmore E, Tong M, Holmes GM. Time-course of recovery of gastric emptying and motility in rats with experimental spinal cord injury. *Neurogastroenterol Motil* 2010;22:62-9, e27-8.

Racette SB, Lin X, Lefevre M, et al. Dose effects of dietary phytosterols on cholesterol metabolism: a controlled feeding study. *Am J Clin Nutr* 2010;91:32-8.

Rankinen T. Genetics and physical activity level. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:73-5.

Rankinen T, Argyropoulos G, Rice T, Rao DC, Bouchard C. CREB1 is a strong genetic predictor of the variation in exercise heart rate response to regular exercise: the HERITAGE Family Study. *Circ Cardiovasc Genet* 2010;3:294-9.

Rankinen T, Rice T, Teran-Garcia M, Rao DC, Bouchard C. FTO genotype is associated with exercise training-induced changes in body composition. *Obesity (Silver Spring)* 2010;18:322-6.

Rankinen T, Roth SM, Bray MS, et al. Advances in exercise, fitness, and performance genomics. *Med Sci Sports Exerc* 2010;42:835-46.

Ravussin E. The presence and role of brown fat in adult humans. *Curr Diab Rep* 2010;10:90-2.

Redman L, Ravussin E. The effect of caloric restriction on physiological, psychological and behavioral outcomes in humans: Results from CALERIE. In: Everitt AV, Rattan SIS, Couteur DG, Cabo R, eds. *Calorie Restriction, Aging and Longevity*. 1st ed. New York: Springer; 2010.

Redman LM, Ravussin E. Lorcaserin for the treatment of obesity. *Drugs Today (Barc)* 2010;46:901-10.

Redman LM, Veldhuis JD, Rood J, et al. The effect of caloric restriction interventions on growth hormone secretion in nonobese men and women. *Aging Cell* 2010;9:32-9.

Redmon JB, Bertoni AG, Connelly S, et al. Effect of the look AHEAD study intervention on medication use and related cost to treat cardiovascular disease risk factors in individuals with type 2 diabetes. *Diabetes Care* 2010;33:1153-8.

Replogle WH, Barrett GR, Johnson WD. Outcome evaluation of ACL reconstruction using patellar tendon allograft. *Arthroscopy* 2010;26:1018-9; author reply 9.

Rojo LE, Villano CM, Joseph G, et al. Wound-healing properties of nut oil from *Pouteria lucuma*. *J Cosmet Dermatol* 2010;9:185-95.

Ruchat SM, Rankinen T, Weisnagel SJ, et al. Improvements in glucose homeostasis in response to regular exercise are influenced by the PPARG Pro12Ala variant: results from the HERITAGE Family Study. *Diabetologia* 2010;53:679-89.

Ruchat SM, Vohl MC, Weisnagel SJ, Rankinen T, Bouchard C, Perusse L. Combining genetic markers and clinical risk factors improves the risk assessment of impaired glucose metabolism. *Ann Med* 2010;42:196-206.

Ruiz JC, Ludlow JW, Sherwood S, Yu G, Wu X, Gimble JM. Differentiated human adipose-derived stem cells exhibit hepatogenic capability in vitro and in vivo. *J Cell Physiol* 2010;225:429-36.

Ryan DH. Approaching an employee about her weight. *Am Fam Physician* 2010;82:524.

Ryan DH, Johnson WD, Myers VH, et al. Nonsurgical weight loss for extreme obesity in primary care settings: results of the Louisiana Obese Subjects Study. *Arch Intern Med* 2010;170:146-54.

Ryan DH, Kushner R. The state of obesity and obesity research. *JAMA* 2010;304:1835-6.

Salbaum JM, Kappen C. Neural tube defect genes and maternal diabetes during pregnancy. *Birt Defects Res A Clin Mol Teratol* 2010;88:601-11.

Salgado AJ, Reis RL, Sousa NJ, Gimble JM. Adipose tissue derived stem cells secretome: soluble factors and their roles in regenerative medicine. *Curr Stem Cell Res Ther* 2010;5:103-10.

Samuel-Hodge CD, Gizlice Z, Cai J, Brantley PJ, Ard JD, Svetkey LP. Family functioning and weight loss in a sample of african americans and whites. *Ann Behav Med* 2010;40:294-301.

Santos DA, Silva AM, Matias CN, Fields DA, Heymsfield SB, Sardinha LB. Accuracy of DXA in estimating body composition changes in elite athletes using a four compartment model as the reference method. *Nutr Metab (Lond)* 2010;7:22.

Santos IM, de Freitas RL, da Silva EP, et al. Effects of ubiquinone on hydroperoxide concentration and antioxidant enzymatic activities in the rat hippocampus during pilocarpine-induced seizures. *Brain Res* 2010;1315:33-40.

Santos IM, Tome Ada R, Feitosa CM, et al. Lipoic acid blocks seizures induced by pilocarpine via increases in delta-aminolevulinic dehydratase and Na⁺, K⁺-ATPase activity in rat brain. *Pharmacol Biochem Behav* 2010;95:88-91.

Sarzynski MA, Rankinen T, Sternfeld B, et al. Association of single-nucleotide polymorphisms from 17 candidate genes with baseline symptom-limited exercise test duration and decrease in duration over 20 years: the Coronary Artery Risk Development in Young Adults (CARDIA) fitness study. *Circ Cardiovasc Genet* 2010;3:531-8.

Shevalye H, Maksimchyk Y, Watcho P, Obrosova IG. Poly(ADP-ribose) polymerase-1 (PARP-1) gene deficiency alleviates diabetic kidney disease. *Biochim Biophys Acta* 2010;1802:1020-7.

Shevalye H, Stavniichuk R, Xu W, et al. Poly(ADP-ribose) polymerase (PARP) inhibition counteracts multiple manifestations of kidney disease in long-term streptozotocin-diabetic rat model. *Biochem Pharmacol* 2010;79:1007-14.

Shin AC, Pistell PJ, Phifer CB, Berthoud HR. Reversible suppression of food reward behavior by chronic mu-opioid receptor antagonism in the nucleus accumbens. *Neuroscience* 2010;170:580-8.

Shin AC, Zheng H, Townsend RL, Sigalet DL, Berthoud HR. Meal-induced hormone responses in a rat model of Roux-en-Y gastric bypass surgery. *Endocrinology* 2010;151:1588-97.

Sieverdes JC, Sui X, Lee DC, et al. Physical activity, cardiorespiratory fitness and the incidence of type 2 diabetes in a prospective study of men. *Br J Sports Med* 2010;44:238-44.

Silva AM, Fields DA, Heymsfield SB, Sardinha LB. Body composition and power changes in elite judo athletes. *Int J Sports Med* 2010;31:737-41.

Silva AM, Shen W, Heo M, et al. Ethnicity-related skeletal muscle differences across the lifespan. *Am J Hum Biol* 2010;22:76-82.

Sisson SB, Broyles ST, Baker BL, Katzmarzyk PT. Screen time, physical activity, and overweight in U.S. youth: national survey of children's health 2003. *J Adolesc Health* 2010;47:309-11.

Sisson SB, Camhi SM, Church TS, Tudor-Locke C, Johnson WD, Katzmarzyk PT. Accelerometer-determined steps/day and metabolic syndrome. *Am J Prev Med* 2010;38:575-82.

Sitzmann BD, Leone EH, Mattison JA, et al. Effects of moderate calorie restriction on testosterone production and semen characteristics in young rhesus macaques (*Macaca mulatta*). *Biol Reprod* 2010;83:635-40.

Sitzmann BD, Mattison JA, Ingram DK, Roth GS, Ottinger MA, Urbanski HF. Impact of Moderate Calorie Restriction on the Reproductive Neuroendocrine Axis of Male Rhesus Macaques. *Open Longev Sci* 2010;3:38-47.

Smith DL, Jr., Elam CF, Jr., Mattison JA, et al. Metformin supplementation and life span in Fischer-344 rats. *J Gerontol A Biol Sci Med Sci* 2010;65:468-74.

Smith SR. Physical activity and substrate oxidation. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:136-41.

Staszkiwicz J, Frazier TP, Rowan BG, et al. Cell growth characteristics, differentiation frequency, and immunophenotype of adult ear mesenchymal stem cells. *Stem Cells Dev* 2010;19:83-92.

Stavniichuk R, Drel VR, Shevalye H, et al. Role of 12/15-lipoxygenase in nitrosative stress and peripheral prediabetic and diabetic neuropathies. *Free Radic Biol Med* 2010;49:1036-45.

Stewart LK, Earnest CP, Blair SN, Church TS. Effects of different doses of physical activity on C-reactive protein among women. *Med Sci Sports Exerc* 2010;42:701-7.

Stull AJ, Cash KC, Johnson WD, Champagne CM, Cefalu WT. Bioactives in blueberries improve insulin sensitivity in obese, insulin-resistant men and women. *J Nutr* 2010;140:1764-8.

Stull AJ, Galgani JE, Johnson WD, Cefalu WT. The contribution of race and diabetes status to metabolic flexibility in humans. *Metabolism* 2010;59:1358-64.

Sui X, Lee DC, Matthews CE, et al. Influence of cardiorespiratory fitness on lung cancer mortality. *Med Sci Sports Exerc* 2010;42:872-8.

Sullivan R, Johnson WD, Katzmarzyk PT. Waist circumference is an independent correlate of errors in self-reported BMI. *Obesity (Silver Spring)* 2010;18:2237-9.

Sun Q, van Dam RM, Spiegelman D, Heymsfield SB, Willett WC, Hu FB. Comparison of dual-energy x-ray absorptiometric and anthropometric measures of adiposity in relation to adiposity-related biologic factors. *Am J Epidemiol* 2010;172:1442-54.

Sutton GM, Begriche K, Kumar KG, et al. Central nervous system melanocortin-3 receptors are required for synchronizing metabolism during entrainment to restricted feeding during the light cycle. *FASEB J* 2010;24:862-72.

Sutton GM, Centanni AV, Butler AA. Protein malnutrition during pregnancy in C57BL/6J mice results in offspring with altered circadian physiology before obesity. *Endocrinology* 2010;151:1570-80.

Swahn EI. *Diabetes in Women*: Nova Science Pub Inc; 2010.

Tang T, Zhang J, Yin J, et al. Uncoupling of inflammation and insulin resistance by NF-kappaB in transgenic mice through elevated energy expenditure. *J Biol Chem* 2010;285:4637-44.

Taqi E, Wallace LE, de Heuvel E, et al. The influence of nutrients, biliary-pancreatic secretions, and systemic trophic hormones on intestinal adaptation in a Roux-en-Y bypass model. *J Pediatr Surg* 2010;45:987-95.

Tchoukalova YD, Koutsari C, Votruba SB, et al. Sex- and depot-dependent differences in adipogenesis in normal-weight humans. *Obesity (Silver Spring)* 2010;18:1875-80.

Tchoukalova YD, Votruba SB, Tchkonina T, Giorgadze N, Kirkland JL, Jensen MD. Regional differences in cellular mechanisms of adipose tissue gain with overfeeding. *Proc Natl Acad Sci U S A* 2010;107:18226-31.

Thanos PK, Kim R, Cho J, et al. Obesity-resistant S5B rats showed greater cocaine conditioned place preference than the obesity-prone OM rats. *Physiol Behav* 2010;101:713-8.

Thirumala S, Gimble JM, Devireddy RV. Cryopreservation of stromal vascular fraction of adipose tissue in a serum-free freezing medium. *J Tissue Eng Regen Med* 2010;4:224-32.

Thirumala S, Gimble JM, Devireddy RV. Evaluation of methylcellulose and dimethyl sulfoxide as the cryoprotectants in a serum-free freezing media for cryopreservation of adipose-derived adult stem cells. *Stem Cells Dev* 2010;19:513-22.

Thirumala S, Wu X, Gimble JM, Devireddy RV. Evaluation of polyvinylpyrrolidone as a cryoprotectant for adipose tissue-derived adult stem cells. *Tissue Eng Part C Methods* 2010;16:783-92.

Thomas D, Das SK, Levine JA, et al. New fat free mass - fat mass model for use in physiological energy balance equations. *Nutr Metab (Lond)* 2010;7:39.

Thomas DM, Schoeller DA, Redman LA, Martin CK, Levine JA, Heymsfield SB. A computational model to determine energy intake during weight loss. *Am J Clin Nutr* 2010;92:1326-31.

Tian Z, Ye T, Zhang X, et al. Sleep duration and hyperglycemia among obese and nonobese children aged 3 to 6 years. *Arch Pediatr Adolesc Med* 2010;164:46-52.

Timmons JA, Knudsen S, Rankinen T, et al. Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. *J Appl Physiol* 2010;108:1487-96.

Tome AR, Feng D, Freitas RM. The effects of alpha-tocopherol on hippocampal oxidative stress prior to in pilocarpine-induced seizures. *Neurochem Res* 2010;35:580-7.

Tompkins CL, Cefalu W, Ravussin E, et al. Feasibility of intravenous glucose tolerance testing prior to puberty. *Int J Pediatr Obes* 2010;5:51-5.

Toth PP. *The Year in Lipid Disorders: Clinical Publishing Services*; 2010.

Tu H, Hsueh H, Kastin AJ, Wu X, Pan W. Unique leptin trafficking by a tailless receptor. *FASEB J* 2010;24:2281-91.

Tudor-Locke C. A short list about what I do and don't know: about objective monitoring of physical activity. *Curr Sports Med Rep* 2010;9:71-2.

Tudor-Locke C. Steps to better cardiovascular health: how many steps does it take to achieve good health and how confident are we in this number? *Curr Cardiovasc Risk Rep* 2010;4:271-6.

Tudor-Locke C, Brashear MM, Johnson WD, Katzmarzyk PT. Accelerometer profiles of physical activity and inactivity in normal weight, overweight, and obese U.S. men and women. *Int J Behav Nutr Phys Act* 2010;7:60.

Tudor-Locke C, Johnson WD, Katzmarzyk PT. Accelerometer-determined steps per day in U.S. children and youth. *Med Sci Sports Exerc* 2010;42:2244-50.

Tudor-Locke C, Johnson WD, Katzmarzyk PT. Frequently reported activities by intensity for U.S. adults: the American Time Use Survey. *Am J Prev Med* 2010;39:e13-20.

Tudor-Locke CE. Physical activity level and mode of transportation. In: Bouchard C, Katzmarzyk PT, eds. *Physical Activity and Obesity*. 2nd ed. Champaign, IL: Human Kinetics; 2010:196-8.

Uranga RM, Bruce-Keller AJ, Morrison CD, et al. Intersection between metabolic dysfunction, high fat diet consumption, and brain aging. *J Neurochem* 2010;114:344-61.

Uranga RM, Keller JN. Diet and age interactions with regards to cholesterol regulation and brain pathogenesis. *Curr Gerontol Geriatr Res* 2010:219683.

van der Ploeg HP, Tudor-Locke C, Marshall AL, et al. Reliability and validity of the international physical activity questionnaire for assessing walking. *Res Q Exerc Sport* 2010;81:97-101.

Vilsboll T, Rosenstock J, Yki-Jarvinen H, et al. Efficacy and safety of sitagliptin when added to insulin therapy in

patients with type 2 diabetes. *Diabetes Obes Metab* 2010;12:167-77.

Wadden TA, Fujioka K, Toubro S, et al. A randomized trial of lifestyle modification and taranabant for maintaining weight loss achieved with a low-calorie diet. *Obesity (Silver Spring)* 2010;18:2301-10.

Wan LQ, Kang SM, Eng G, et al. Geometric control of human stem cell morphology and differentiation. *Integr Biol* 2010;2:346-53.

Wang Y, Hu G. Individual and joint associations of obesity and physical activity on the risk of heart failure. *Congest Heart Fail* 2010;16:292-9.

Wang Y, Tuomilehto J, Jousilahti P, et al. Occupational, commuting, and leisure-time physical activity in relation to heart failure among finnish men and women. *J Am Coll Cardiol* 2010;56:1140-8.

Wang Z, Heymsfield SB, Chen Z, Zhu S, Pierson RN. Estimation of percentage body fat by dual-energy x-ray absorptiometry: evaluation by in vivo human elemental composition. *Phys Med Biol* 2010;55:2619-35.

Wang Z, Heymsfield SB, Ying Z, Pierson RN, Jr., Gallagher D, Gidwani S. A cellular level approach to predicting resting energy expenditure: Evaluation of applicability in adolescents. *Am J Hum Biol* 2010;22:476-83.

Wang Z, Ying Z, Bosy-Westphal A, et al. Specific metabolic rates of major organs and tissues across adulthood: evaluation by mechanistic model of resting energy expenditure. *Am J Clin Nutr* 2010;92:1369-77.

Wang ZQ, Cefalu WT. Current concepts about chromium supplementation in type 2 diabetes and insulin resistance. *Curr Diab Rep* 2010;10:145-51.

Wang ZQ, Yu Y, Zhang XH, Floyd EZ, Cefalu WT. Human adenovirus 36 decreases fatty acid oxidation and increases de novo lipogenesis in primary cultured human skeletal muscle cells by promoting Cidec/FSP27 expression. *Int J Obes* 2010;34:1355-64.

Warren TY, Barry V, Hooker SP, Sui X, Church TS, Blair SN. Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Med Sci Sports Exerc* 2010;42:879-85.

Watcho P, Stavniichuk R, Ribnicky DM, Raskin I, Obrosova IG. High-fat diet-induced neuropathy of prediabetes and obesity: effect of PMI-5011, an ethanolic extract of *Artemisia dracuncululus* L. *Mediators Inflamm* 2010;2010:268547.

White CL, Purpera MN, Ballard K, Morrison CD. Decreased food intake following overfeeding involves leptin-dependent and leptin-independent mechanisms. *Physiol Behav* 2010;100:408-16.

Williamson DA, Anton SD, Han H, et al. Adherence is a multi-dimensional construct in the POUNDS LOST trial. *J Behav Med* 2010;33:35-46.

Williamson DA, Anton SD, Han H, et al. Early behavioral adherence predicts short and long-term weight loss in the POUNDS LOST study. *J Behav Med* 2010;33:305-14.

Wilson T, Temple NJ, Bray GA, Struble MB. *Nutrition Guide for Physicians*. Totowa, N.J.: Humana; 2010.

Wood JT, Williams JS, Pandarinathan L, Janero DR, Lammi-Keefe CJ, Makriyannis A. Dietary docosahexaenoic acid supplementation alters select physiological endocannabinoid-system metabolites in brain and plasma. *J Lipid Res* 2010;51:1416-23.

Wu JM, Takahashi DL, Ingram DK, et al. Ovarian reserve tests and their utility in predicting response to controlled ovarian stimulation in rhesus monkeys. *Am J Primatol* 2010;72:672-80.

Wu X, He Y, Hsueh H, Kastin AJ, Rood JC, Pan W. Essential role of interleukin-15 receptor in normal anxiety behavior. *Brain Behav Immun* 2010;24:1340-6.

Wu X, Kastin AJ, Hsueh H, Pan W. The effects of IL2Rgamma knockout on depression and contextual memory. *Behav Brain Res* 2010;213:319-22.

Wu X, Pan W, He Y, Hsueh H, Kastin AJ. Cerebral interleukin-15 shows upregulation and beneficial effects in experimental autoimmune encephalomyelitis. *J Neuroimmunol* 2010;223:65-72.

Wu X, Pan W, Stone KP, Zhang Y, Hsueh H, Kastin AJ. Expression and signaling of novel IL15Ralpha splicing variants in cerebral endothelial cells of the blood-brain barrier. *J Neurochem* 2010;114:122-9.

Xu F, Gao Z, Zhang J, et al. Lack of SIRT1 (Mammalian Sirtuin 1) activity leads to liver steatosis in the SIRT1+/- mice: a role of lipid mobilization and inflammation. *Endocrinology* 2010;151:2504-14.

Xu X, Mughal MR, Scott Hall F, et al. Dietary restriction mitigates cocaine-induced alterations of olfactory bulb cellular plasticity and gene expression, and behavior. *J Neurochem* 2010;114:323-34.

Yan JH, Gao ZG, Ye JP, Weng JP. Exchange of a nuclear corepressor between NF-kappaB and CREB mediates inhibition of phosphoenolpyruvate carboxykinase transcription by NF-kappaB. *Chin Med J (Engl)* 2010;123:221-6.

Yang H, Youm YH, Vandanmagsar B, et al. Obesity increases the production of proinflammatory mediators from adipose tissue T cells and compromises TCR repertoire diversity: implications for systemic inflammation and insulin resistance. *J Immunol* 2010;185:1836-45.

Ye J, Keller JN. Regulation of energy metabolism by inflammation: a feedback response in obesity and calorie restriction. *Aging* 2010;2:361-8.

Youm YH, Yang H, Amin R, Smith SR, Leff T, Dixit VD. Thiazolidinedione treatment and constitutive-PPARgamma activation induces ectopic adipogenesis and promotes age-related thymic involution. *Aging Cell* 2010;9:478-89.

Young DR, Coughlin J, Jerome GJ, Myers V, Chae SE, Brantley PJ. Effects of the PREMIER interventions on health-related quality of life. *Ann Behav Med* 2010;40:302-12.

Yu G, Wu X, Dietrich MA, et al. Yield and characterization of subcutaneous human adipose-derived stem cells by flow cytometric and adipogenic mRNA analyzes. *Cytotherapy* 2010;12:538-46.

Zhang D, He K, Raghavan N, et al. Metabolism, pharmacokinetics and pharmacodynamics of the factor Xa inhibitor apixaban in rabbits. *J Thromb Thrombolysis* 2010;29:70-80.

Zhang L, Ebenezer PJ, Dasuri K, et al. Activation of PERK kinase in neural cells by proteasome inhibitor treatment. *J Neurochem* 2010;112:238-45.

Zhang L, Wu JX, Johnson WD. Empirical Study of Six Tests for Equality of Populations with Zero-Inflated Continuous Distributions. *Communications in Statistics-Simulation and Computation* 2010;39:1196-211.

Zheng H, Patterson LM, Rhodes CJ, et al. A potential role for hypothalamomedullary POMC projections in leptin-induced suppression of food intake. *Am J Physiol Regul Integr Comp Physiol* 2010;298:R720-8.

Zheng H, Townsend RL, Shin AC, Patterson LM, Phifer CB, Berthoud HR. High-fat intake induced by mu-opioid activation of the nucleus accumbens is inhibited by Y1R-blockade and MC3/4R- stimulation. *Brain Res* 2010;1350:131-8.

Zheng J, Enright F, Keenan M, et al. Resistant starch, fermented resistant starch, and short-chain fatty acids reduce

intestinal fat deposition in *Caenorhabditis elegans*. *J Agric Food Chem* 2010;58:4744-8.

Zhu N, Suarez-Lopez JR, Sidney S, et al. Longitudinal examination of age-predicted symptom-limited exercise maximum HR. *Med Sci Sports Exerc* 2010;42:1519-27.

Zhu S, Kim JE, Ma X, et al. BMI and risk of serious upper body injury following motor vehicle crashes: concordance of real-world and computer-simulated observations. *PLoS Med* 2010;7:e1000250.

Zou S, Carey JR, Liedo P, Ingram DK, Yu B, Ghaedian R. Prolongevity effects of an oregano and cranberry extract are diet dependent in the Mexican fruit fly (*Anastrepha ludens*). *J Gerontol A Biol Sci Med Sci* 2010;65:41-50.

2011

Abell TL, Johnson WD, Kedar A, et al. A double-masked, randomized, placebo-controlled trial of temporary endoscopic mucosal gastric electrical stimulation for gastroparesis. *Gastrointest Endosc* 2011;74:496-503 e3.

Abuznait AH, Cain C, Ingram D, Burk D, Kaddoumi A. Up-regulation of P-glycoprotein reduces intracellular accumulation of beta amyloid: investigation of P-glycoprotein as a novel therapeutic target for Alzheimer's disease. *J Pharm Pharmacol* 2011;63:1111-8.

Adams CE, Greenway FL, Brantley PJ. Lifestyle factors and ghrelin: critical review and implications for weight loss maintenance. *Obes Rev* 2011;12:e211-8.

Adams CE, Myers VH, Barbera B, Brantley PJ. The role of fear of negative evaluation in predicting depression and quality of life four years after bariatric surgery in women. *Psychology* 2011;2:150-4.

Adarkwah CC, Gandjour A. Cost-effectiveness of angiotensin-converting enzyme inhibitors in nondiabetic advanced renal disease. *Expert Rev Pharmacoecon Outcomes Res* 2011;11:215-23.

Adarkwah CC, Gandjour A, Akkerman M, Evers SM. Cost-effectiveness of angiotensin-converting enzyme inhibitors for the prevention of diabetic nephropathy in The Netherlands--a Markov model. *PLoS ONE* 2011;6:e26139.

Agarwal D, Welsch MA, Keller JN, Francis J. Chronic exercise modulates RAS components and improves balance between pro- and anti-inflammatory cytokines in the brain of SHR. *Basic Res Cardiol* 2011;106:1069-85.

Aggarwal S, Ndinguri MW, Solipuram R, et al. [Dlys(6)]-luteinizing hormone releasing hormone-curcumin conjugate inhibits pancreatic cancer cell growth in vitro and in vivo. *Int J Cancer* 2011;129:1611-23.

Ainsworth BE, Haskell WL, Herrmann SD, et al. 2011 Compendium of Physical Activities: a second update of codes and MET values. *Med Sci Sports Exerc* 2011;43:1575-81.

Ajja R, Lee DC, Sui X, Church TS, Steven NB. Usefulness of serum bilirubin and cardiorespiratory fitness as predictors of mortality in men. *Am J Cardiol* 2011;108:1438-42.

Anunciado-Koza RP, Zhang J, Ukropec J, et al. Inactivation of the mitochondrial carrier SLC25A25 (ATP-Mg²⁺/Pi transporter) reduces physical endurance and metabolic efficiency in mice. *J Biol Chem* 2011;286:11659-71.

Araujo JA, Greig NH, Ingram DK, Sandin J, de Rivera C, Milgram NW. Cholinesterase inhibitors improve both memory and complex learning in aged beagle dogs. *J Alzheimers Dis* 2011;26:143-55.

Artero EG, Lee DC, Ruiz JR, et al. A prospective study of muscular strength and all-cause mortality in men with hypertension. *J Am Coll Cardiol* 2011;57:1831-7.

Arvidsson D, Fitch M, Hudes ML, Tudor-Locke C, Fleming SE. Accelerometer response to physical activity intensity in normal-weight versus overweight African American children. *J Phys Act Health* 2011;8:682-92.

Austgen JR, Hermann GE, Dantzer HA, Rogers RC, Kline DD. Hydrogen sulfide augments synaptic neurotransmission in the nucleus of the solitary tract. *J Neurophysiol* 2011;106:1822-32.

Bajpeyi S, Pasarica M, Moro C, et al. Skeletal muscle mitochondrial capacity and insulin resistance in type 2 diabetes. *J Clin Endocrinol Metab* 2011;96:1160-8.

Barreira TV, Harrington DM, Staiano AE, Heymsfield SB, Katzmarzyk PT. Body adiposity index, body mass index, and body fat in white and black adults. *JAMA* 2011;306:828-30.

Bartfield JK, Stevens VJ, Jerome GJ, et al. Behavioral transitions and weight change patterns within the PREMIER trial. *Obesity (Silver Spring)* 2011;19:1609-15.

Baruth M, Lee DC, Sui X, et al. Emotional outlook on life predicts increases in physical activity among initially inactive men. *Health Educ Behav* 2011;38:150-8.

Begrache K, Levasseur PR, Zhang J, et al. Genetic dissection of the functions of the melanocortin-3 receptor, a seven-transmembrane G-protein-coupled receptor, suggests roles for central and peripheral receptors in energy homeostasis. *J Biol Chem* 2011;286:40771-81.

Begrache K, Sutton GM, Butler AA. Homeostatic and non-homeostatic functions of melanocortin-3 receptors in the control of energy balance and metabolism. *Physiol Behav* 2011;104:546-54.

Bellanger DE, Greenway FL. Laparoscopic sleeve gastrectomy, 529 cases without a leak: short-term results and technical considerations. *Obes Surg* 2011;21:146-50.

Berthoud HR. Metabolic and hedonic drives in the neural control of appetite: who is the boss? *Curr Opin Neurobiol* 2011;21:888-96.

Berthoud HR, Lenard NR, Shin AC. Food reward, hyperphagia, and obesity. *Am J Physiol Regul Integr Comp Physiol* 2011;300:R1266-77.

Berthoud HR, Munzberg H. The lateral hypothalamus as integrator of metabolic and environmental needs: from electrical self-stimulation to opto-genetics. *Physiol Behav* 2011;104:29-39.

Berthoud HR, Shin AC, Zheng H. Obesity surgery and gut-brain communication. *Physiol Behav* 2011;105:106-19.

Billes SK, Greenway FL. Combination therapy with naltrexone and bupropion for obesity. *Expert Opin Pharmacother* 2011;12:1813-26.

Bouchard C. Genetics of obesity: are genetic differences contributing to the obesity epidemic? In: Serrano-Rios M, M, OJ, A. G-FJ, eds. *Obesity*. Barcelona: Elsevier Espana; 2011:47-64.

Bouchard C. Overcoming barriers to progress in exercise genomics. *Exerc Sport Sci Rev* 2011;39:212-7.

Bouchard C, Hoffman E, IOC Medical Commission. *Genetic and Molecular Aspects of Sports Performance*. Chichester, West Sussex, UK: Wiley-Blackwell Pub.; 2011.

Bouchard C, Rankinen T, Timmons JA. Genomics and genetics in the biology of adaptation to exercise. *Compr Physiol* 2011;1:1603-48.

Bouchard C, Sarzynski MA, Rice TK, et al. Genomic predictors of the maximal O₂ uptake response to standardized

exercise training programs. *J Appl Physiol* 2011;110:1160-70.

Bowers K, Liu G, Wang P, et al. Birth weight, postnatal weight change, and risk for high blood pressure among Chinese children. *Pediatrics* 2011;127:e1272-9.

Bray GA. *Contemporary Diagnosis and Management of Obesity and the Metabolic Syndrome*. 4th ed. Newtown, PA: Handbooks in Health Care Co.; 2011.

Bray GA. Current guidelines on the identification, evaluation and treatment of overweight and obesity. In: Serrano-Rios M, M. OJ, A. G-FJ, eds. *Obesity*. Barcelona: Elsevier Espana; 2011:247-66.

Bray GA. *A Guide to Obesity and the Metabolic Syndrome : Origins and Treatment*. Boca Raton: CRC Press; 2011.

Bray GA. Medications for weight reduction. *Med Clin North Am* 2011;95:989-1008.

Bray GA, Ryan DH. Drug treatment of obesity. *Psychiatr Clin North Am* 2011;34:871-80.

Brouillette RM, Martin CK, Correa JB, et al. Memory for names test provides a useful confrontational naming task for aging and continuum of dementia. *J Alzheimers Dis* 2011;23:665-71.

Brown DE, Gotshalk LA, Katzmarzyk PT, Allen L. Measures of adiposity in two cohorts of Hawaiian school children. *Ann Hum Biol* 2011;38:492-9.

Broyles ST, Bouchard C, Bray GA, et al. Consistency of fat mass--fat-free mass relationship across ethnicity and sex groups. *Br J Nutr* 2011;105:1272-6.

Broyles ST, Mowen AJ, Theall KP, Gustat J, Rung AL. Integrating social capital into a park-use and active-living framework. *Am J Prev Med* 2011;40:522-9.

Bruce-Keller AJ, Gupta S, Knight AG, et al. Cognitive impairment in humanized APPxPS1 mice is linked to Abeta(1-42) and NOX activation. *Neurobiol Dis* 2011;44:317-26.

Bruce-Keller AJ, Keller JN. Lessons in the study of Alzheimer's disease: a tribute to Dr. William R. Markesbery. *Neuromolecular Med* 2011;13:11-4.

Brusseau TA, Kulinna PH, Tudor-Locke C, Ferry M, van der Mars H, Darst PW. Pedometer-determined segmented physical activity patterns of fourth- and fifth-grade children. *J Phys Act Health* 2011;8:279-86.

Brusseau TA, Kulinna PH, Tudor-Locke C, van der Mars H, Darst PW. Children's Step Counts on Weekend, Physical Education, and Non-Physical Education Days. *Journal of Human Kinetics* 2011;27:125-35.

Bryan SN, Katzmarzyk PT. The association between meeting physical activity guidelines and chronic diseases among Canadian adults. *J Phys Act Health* 2011;8:10-7.

Byun W, Sui X, Hebert JR, et al. Cardiorespiratory fitness and risk of prostate cancer: findings from the Aerobics Center Longitudinal Study. *Cancer Epidemiol* 2011;35:59-65.

Camhi SM, Bray GA, Bouchard C, et al. The relationship of waist circumference and BMI to visceral, subcutaneous, and total body fat: sex and race differences. *Obesity (Silver Spring)* 2011;19:402-8.

Camhi SM, Katzmarzyk PT. Prevalence of cardiometabolic risk factor clustering and body mass index in adolescents. *J Pediatr* 2011;159:303-7.

Camhi SM, Katzmarzyk PT, Broyles ST, et al. Subclinical atherosclerosis and metabolic risk: role of body mass index

and waist circumference. *Metab Syndr Relat Disord* 2011;9:119-25.

Camhi SM, Sisson SB, Johnson WD, Katzmarzyk PT, Tudor-Locke C. Accelerometer-determined lifestyle activities in US adults. *J Phys Act Health* 2011;8:382-9.

Camhi SM, Sisson SB, Johnson WD, Katzmarzyk PT, Tudor-Locke C. Accelerometer-determined moderate intensity lifestyle activity and cardiometabolic health. *Prev Med* 2011;52:358-60.

Caruso-Davis MK, Guillot TS, Podichetty VK, et al. Efficacy of low-level laser therapy for body contouring and spot fat reduction. *Obes Surg* 2011;21:722-9.

Carvalho PP, Wu X, Yu G, et al. The effect of storage time on adipose-derived stem cell recovery from human lipoaspirates. *Cells Tissues Organs* 2011;194:494-500.

Carvalho PP, Wu X, Yu G, et al. Use of animal protein-free products for passaging adherent human adipose-derived stromal/stem cells. *Cytotherapy* 2011;13:594-7.

Cefalu WT. Fractalkine: a cellular link between adipose tissue inflammation and vascular pathologies. *Diabetes* 2011;60:1380-2.

Cefalu WT, Stephens JM, Ribnicky DM. Diabetes and herbal (botanical) medicine. In: Benzie IFF, Wachtel-Galor S, eds. *Herbal medicine : biomolecular and clinical aspects*. 2nd ed. Boca Raton: CRC Press; 2011:xxi, 473 p.

Champagne CM. Nutrition for the diabetic child. In: Ferry RJ, ed. *Management of Pediatric Obesity and Diabetes*. New York: Humana Press; 2011:265-74.

Champagne CM, Broyles ST, Moran LD, et al. Dietary intakes associated with successful weight loss and maintenance during the Weight Loss Maintenance trial. *J Am Diet Assoc* 2011;111:1826-35.

Chaput JP, Despres JP, Bouchard C, Tremblay A. The association between short sleep duration and weight gain is dependent on disinhibited eating behavior in adults. *Sleep* 2011;34:1291-7.

Chaput JP, Després JP, Bouchard C, Tremblay A. Short sleep duration preferentially increases abdominal adiposity in adults: preliminary evidence. *Clin Obes* 2011;1:141-6.

Choi JH, Bellas E, Gimble JM, Vunjak-Novakovic G, Kaplan DL. Lipolytic function of adipocyte/endothelial cocultures. *Tissue Eng Part A* 2011;17:1437-44.

Church T. Exercise in obesity, metabolic syndrome, and diabetes. *Prog Cardiovasc Dis* 2011;53:412-8.

Church TS, Thomas DM, Tudor-Locke C, et al. Trends over 5 decades in U.S. occupation-related physical activity and their associations with obesity. *PLoS ONE* 2011;6:e19657.

Dasari S, Chambers MC, Codreanu SG, et al. Sequence tagging reveals unexpected modifications in toxicoproteomics. *Chem Res Toxicol* 2011;24:204-16.

Dasuri K, Ebenezer PJ, Uranga RM, et al. Amino acid analog toxicity in primary rat neuronal and astrocyte cultures: implications for protein misfolding and TDP-43 regulation. *J Neurosci Res* 2011;89:1471-7.

Dasuri K, Zhang L, Ebenezer P, et al. Proteasome alterations during adipose differentiation and aging: links to impaired adipocyte differentiation and development of oxidative stress. *Free Radic Biol Med* 2011;51:1727-35.

Davidson LE, Wang J, Thornton JC, et al. Predicting fat percent by skinfolds in racial groups: Durnin and Womersley revisited. *Med Sci Sports Exerc* 2011;43:542-9.

de Freitas RM, Feng D, Jordan J. Neuropharmacological effects of lipoic acid and ubiquinone on delta-aminolevulinic dehydratase, Na(+), K(+)-ATPase, and Mg(2+)-ATPase activities in rat hippocampus after pilocarpine-induced seizures. *Fundam Clin Pharmacol* 2011;25:211-6.

De Greef K, Deforche B, Tudor-Locke C, De Bourdeaudhuij I. Increasing physical activity in Belgian type 2 diabetes patients: a three-arm randomized controlled trial. *Int J Behav Med* 2011;18:188-98.

De Greef KP, Deforche BI, Ruige JB, et al. The effects of a pedometer-based behavioral modification program with telephone support on physical activity and sedentary behavior in type 2 diabetes patients. *Patient Educ Couns* 2011;84:275-9.

DeFronzo RA, Tripathy D, Schwenke DC, et al. Pioglitazone for diabetes prevention in impaired glucose tolerance. *N Engl J Med* 2011;364:1104-15.

Dhurandhar EJ, Dubuisson O, Mashtalir N, Krishnapuram R, Hegde V, Dhurandhar NV. E4orf1: a novel ligand that improves glucose disposal in cell culture. *PLoS ONE* 2011;6:e23394.

Dhurandhar NV. A framework for identification of infections that contribute to human obesity. *Lancet Infect Dis* 2011;11:963-9.

Dixit VD, Yang H, Sayeed KS, et al. Controlled meal frequency without caloric restriction alters peripheral blood mononuclear cell cytokine production. *J Inflamm (Lond)* 2011;8:6.

Dodani S, Sullivan D, Pankey S, Champagne C. HEALS: A Faith-Based Hypertension Control and Prevention Program for African American Churches: Training of Church Leaders as Program Interventionists. *Int J Hypertens* 2011;2011:820101.

Dolley G, Boisclair ME, Lamarche B, et al. Interactions between dietary fat intake and FASN genetic variation influence LDL peak particle diameter. *J Nutrigenet Nutrigenomics* 2011;4:137-45.

Dolley G, Lamarche B, Despres JP, Bouchard C, Perusse L, Vohl MC. Investigation of LRP8 gene in 1p31 QTL linked to LDL peak particle diameter in the Quebec family study. *Mol Genet Metab* 2011;102:448-52.

Doring F, Onur S, Kurbitz C, et al. Single nucleotide polymorphisms in the myostatin (MSTN) and muscle creatine kinase (CKM) genes are not associated with elite endurance performance. *Scand J Med Sci Sports* 2011;21:841-5.

Drel VR, Pacher P, Stavniichuk R, et al. Poly(ADP-ribose)polymerase inhibition counteracts renal hypertrophy and multiple manifestations of peripheral neuropathy in diabetic Akita mice. *Int J Mol Med* 2011;28:629-35.

Dubuisson O, Dhurandhar EJ, Krishnapuram R, et al. PPARgamma-independent increase in glucose uptake and adiponectin abundance in fat cells. *Endocrinology* 2011;152:3648-60.

Duma D, Fernandes D, Bonini MG, Stadler K, Mason RP, Assreuy J. NOS-1-derived NO is an essential triggering signal for the development of systemic inflammatory responses. *Eur J Pharmacol* 2011;668:285-92.

Durgan DJ, Tsai JY, Grenett MH, et al. Evidence suggesting that the cardiomyocyte circadian clock modulates responsiveness of the heart to hypertrophic stimuli in mice. *Chronobiol Int* 2011;28:187-203.

Earnest CP, Blair SN, Church TS. Does age attenuate aerobic conditioning response in postmenopausal women? Response. *Eur J Appl Physiol* 2011;111:1559-60.

Earnest CP, Lupo M, White KM, Church TS. Effect of astaxanthin on cycling time trial performance. *Int J Sports Med* 2011;32:882-8.

Elks CM, Reed SD, Mariappan N, et al. A blueberry-enriched diet attenuates nephropathy in a rat model of hypertension via reduction in oxidative stress. *PLoS ONE* 2011;6:e24028.

Fabricatore AN, Wadden TA, Higginbotham AJ, et al. Intentional weight loss and changes in symptoms of depression: a systematic review and meta-analysis. *Int J Obes* 2011;35:1363-76.

Faith MS, Butryn M, Wadden TA, Fabricatore A, Nguyen AM, Heymsfield SB. Evidence for prospective associations among depression and obesity in population-based studies. *Obes Rev* 2011;12:e438-53.

Fielding RA, Rejeski WJ, Blair S, et al. The Lifestyle Interventions and Independence for Elders Study: design and methods. *J Gerontol A Biol Sci Med Sci* 2011;66:1226-37.

Flanagan M, Gimble JM, Yu G, et al. Competitive electroporation formulation for cell therapy. *Cancer Gene Ther* 2011;18:579-86.

Florez H, Ma Y, Crandall JP, et al. Parental longevity and diabetes risk in the Diabetes Prevention Program. *J Gerontol A Biol Sci Med Sci* 2011;66:1211-7.

Freeman LR, Small BJ, Bickford PC, Umphlet C, Granholm AC. A high-fat/high-cholesterol diet inhibits growth of fetal hippocampal transplants via increased inflammation. *Cell Transplant* 2011;20:1499-514.

Funk KL, Stevens VJ, Bauck A, et al. Development and Implementation of a Tailored Self-assessment Tool in an Internet-based Weight Loss Maintenance Program. *Clin Pract Epidemiol Ment Health* 2011;7:67-73.

Gadde KM, Allison DB, Ryan DH, et al. Effects of low-dose, controlled-release, phentermine plus topiramate combination on weight and associated comorbidities in overweight and obese adults (CONQUER): a randomised, placebo-controlled, phase 3 trial. *Lancet* 2011;377:1341-52.

Galgani JE, Smith SR, Ravussin E. Assessment of EchoMRI-AH versus dual-energy X-ray absorptiometry to measure human body composition. *Int J Obes* 2011;35:1241-6.

Gandjour A. A model to transfer trial-based pharmacoeconomic analyses to clinical practice. *Pharmacoeconomics* 2011;29:97-105.

Gandjour A. Prioritizing comparative effectiveness research: are drug and implementation trials equally worth funding? *Pharmacoeconomics* 2011;29:555-61.

Gandjour A, Holler A, Dipl Ges O, Adarkwah CC. Cost-effectiveness of implantable defibrillators after myocardial infarction based on 8-year follow-up data (MADIT II). *Value Health* 2011;14:812-7.

Gao Z, Zhang J, Kheterpal I, Kennedy N, Davis RJ, Ye J. Sirtuin 1 (SIRT1) protein degradation in response to persistent c-Jun N-terminal kinase 1 (JNK1) activation contributes to hepatic steatosis in obesity. *J Biol Chem* 2011;286:22227-34.

Gawronska-Kozak B. Scarless skin wound healing in FOXN1 deficient (nude) mice is associated with distinctive matrix metalloproteinase expression. *Matrix Biol* 2011;30:290-300.

Gimble JM. Leptin's balancing act between bone and fat. *J Bone Miner Res* 2011;26:1694-7.

Gimble JM, Bunnell BA. *Adipose-Derived Stem Cells : Methods and Protocols*. New York, NY: Humana Press; 2011.

Gimble JM, Bunnell BA, Casteilla L, Jung JS, Yoshimura K. Phases I-III Clinical Trials Using Adult Stem Cells. *Stem Cells Int* 2011;2010:604713.

Gimble JM, Bunnell BA, Chiu ES, Guilak F. Concise review: Adipose-derived stromal vascular fraction cells and stem cells: let's not get lost in translation. *Stem Cells* 2011;29:749-54.

Gimble JM, Bunnell BA, Chiu ES, Guilak F. Taking stem cells beyond discovery: a milestone in the reporting of regulatory requirements for cell therapy. *Stem Cells Dev* 2011;20:1295-6.

Gimble JM, Bunnell BA, Floyd ZE. Prospecting for adipose progenitor cell biomarkers: biopanning for gold with in vivo phage display. *Cell Stem Cell* 2011;9:1-2.

Gimble JM, Floyd ZE. Metabolism: what causes the gut's circadian instincts? *Curr Biol* 2011;21:R624-6.

Gimble JM, Grayson W, Guilak F, Lopez MJ, Vunjak-Novakovic G. Adipose tissue as a stem cell source for musculoskeletal regeneration. *Front Biosci (Schol Ed)* 2011;3:69-81.

Gimble JM, Nuttall ME. Adipose-derived stromal/stem cells (ASC) in regenerative medicine: pharmaceutical applications. *Curr Pharm Des* 2011;17:332-9.

Gimble JM, Sutton GM, Bunnell BA, Ptitsyn AA, Floyd ZE. Prospective influences of circadian clocks in adipose tissue and metabolism. *Nat Rev Endocrinol* 2011;7:98-107.

Gimble JM, Sutton GM, Ptitsyn AA, Floyd ZE, Bunnell BA. Circadian rhythms in adipose tissue: an update. *Curr Opin Clin Nutr Metab Care* 2011;14:554-61.

Greenawalt DM, Dobrin R, Chudin E, et al. A survey of the genetics of stomach, liver, and adipose gene expression from a morbidly obese cohort. *Genome Res* 2011;21:1008-16.

Greenway F, Fujioka K, Yu Y. Vomiting from multivitamins: a potential drug interaction. *Am J Ther* 2011;18:453-7.

Greenway F, Liu Z, Yu Y, Gupta A. A clinical trial testing the safety and efficacy of a standardized *Eucommia ulmoides* Oliver bark extract to treat hypertension. *Altern Med Rev* 2011;16:338-47.

Greenway FL, Gutierrez B. Mesotherapy solutions for inducing lipolysis and treating cellulite. In: Prendergast PM, Shiffman MA, eds. *Aesthetic Medicine : Art and Techniques*. Heidelberg: Springer; 2011:255-63.

Greenway FL, Ingram DK, Ravussin E, et al. Loss of taste responds to high-dose biotin treatment. *J Am Coll Nutr* 2011;30:178-81.

Gupta AK, Brashear MM, Johnson WD. Coexisting prehypertension and prediabetes in healthy adults: a pathway for accelerated cardiovascular events. *Hypertens Res* 2011;34:456-61.

Gupta AK, Brashear MM, Johnson WD. Prediabetes and prehypertension in healthy adults are associated with low vitamin D levels. *Diabetes Care* 2011;34:658-60.

Hagberg JM, Rankinen T, Loos RJ, et al. Advances in exercise, fitness, and performance genomics in 2010. *Med Sci Sports Exerc* 2011;43:743-52.

Harrington DM, Dowd KP, Bourke AK, Donnelly AE. Cross-sectional analysis of levels and patterns of objectively measured sedentary time in adolescent females. *Int J Behav Nutr Phys Act* 2011;8:120.

Harrington DM, Tudor-Locke C, Champagne CM, et al. Step-based translation of physical activity guidelines in the Lower Mississippi Delta. *Appl Physiol Nutr Metab* 2011;36:583-5.

Harrington DM, Welk GJ, Donnelly AE. Validation of MET estimates and step measurement using the ActivPAL physical activity logger. *J Sports Sci* 2011;29:627-33.

Harris NR, Carter PR, Yadav AS, et al. Relationship between inflammation and tissue hypoxia in a mouse model of chronic colitis. *Inflamm Bowel Dis* 2011;17:742-6.

Hart TL, Ainsworth BE, Tudor-Locke C. Objective and subjective measures of sedentary behavior and physical activity. *Med Sci Sports Exerc* 2011;43:449-56.

Hart TL, Brusseau T, Kulinna PH, McClain JJ, Tudor-Locke C. Evaluation of low-cost, objective instruments for assessing physical activity in 10-11-year-old children. *Res Q Exerc Sport* 2011;82:600-9.

Hart TL, Craig CL, Griffiths JM, et al. Markers of sedentarism: the joint Canada/U.S. Survey of health. *J Phys Act Health* 2011;8:361-71.

Hart TL, McClain JJ, Tudor-Locke C. Controlled and free-living evaluation of objective measures of sedentary and active behaviors. *J Phys Act Health* 2011;8:848-57.

He Q, Gao Z, Yin J, Zhang J, Yun Z, Ye J. Regulation of HIF-1{alpha} activity in adipose tissue by obesity-associated factors: adipogenesis, insulin, and hypoxia. *Am J Physiol Endocrinol Metab* 2011;300:E877-85.

He W, Zhu F, Ma X, et al. Actinic skin damage and mortality--the First National Health and Nutrition Examination Survey Epidemiologic Follow-up Study. *PLoS ONE* 2011;6:e19907.

Hendricks EJ, Greenway FL. A study of abrupt phentermine cessation in patients in a weight management program. *Am J Ther* 2011;18:292-9.

Hendricks EJ, Greenway FL, Westman EC, Gupta AK. Blood pressure and heart rate effects, weight loss and maintenance during long-term phentermine pharmacotherapy for obesity. *Obesity (Silver Spring)* 2011;19:2351-60.

Henry RR, Smith SR, Schwartz SL, et al. Effects of saxagliptin on beta-cell stimulation and insulin secretion in patients with type 2 diabetes. *Diabetes Obes Metab* 2011;13:850-8.

Heo M, Kim RS, Wylie-Rosett J, Allison DB, Heymsfield SB, Faith MS. Inverse association between fruit and vegetable intake and BMI even after controlling for demographic, socioeconomic and lifestyle factors. *Obes Facts* 2011;4:449-55.

Heymsfield SB, Heo M, Pietrobelli A. Are adult body circumferences associated with height? Relevance to normative ranges and circumferential indexes. *Am J Clin Nutr* 2011;93:302-7.

Heymsfield SB, Heo M, Thomas D, Pietrobelli A. Scaling of body composition to height: relevance to height-normalized indexes. *Am J Clin Nutr* 2011;93:736-40.

Heymsfield SB, Pietrobelli A. Individual differences in apparent energy digestibility are larger than generally recognized. *Am J Clin Nutr* 2011;94:1650-1.

Heymsfield SB, Thomas D, Nguyen AM, et al. Voluntary weight loss: systematic review of early phase body composition changes. *Obes Rev* 2011;12:e348-61.

Hsuchou H, Kastin AJ, Tu H, et al. Effects of cell-type specific leptin receptor mutation on leptin transport across the BBB. *Peptides* 2011;32:1392-9.

Hu G, Bouchard C, Bray GA, et al. Trunk versus extremity adiposity and cardiometabolic risk factors in white and African American adults. *Diabetes Care* 2011;34:1415-8.

Huff NK, Spencer ND, Gimble JM, Bagby GJ, Nelson S, Lopez MJ. Impaired expansion and multipotentiality of adult stromal cells in a rat chronic alcohol abuse model. *Alcohol* 2011;45:393-402.

Hull HR, Thornton J, Wang J, et al. Fat-free mass index: changes and race/ethnic differences in adulthood. *Int J Obes* 2011;35:121-7.

Huot M, Arsenault BJ, Gaudreault V, et al. Insulin resistance, low cardiorespiratory fitness, and increased exercise blood pressure: contribution of abdominal obesity. *Hypertension* 2011;58:1036-42.

Ilnytska O, Stutz AM, Park-York M, et al. Molecular mechanisms for activation of the agouti-related protein and stimulation of appetite. *Diabetes* 2011;60:97-106.

Ingram DK, Roth GS. Glycolytic inhibition as a strategy for developing calorie restriction mimetics. *Exp Gerontol* 2011;46:148-54.

Inoue S, Ohya Y, Odagiri Y, et al. Sociodemographic determinants of pedometer-determined physical activity among Japanese adults. *Am J Prev Med* 2011;40:566-71.

Inoue S, Ohya Y, Tudor-Locke C, Tanaka S, Yoshiike N, Shimomitsu T. Time trends for step-determined physical activity among Japanese adults. *Med Sci Sports Exerc* 2011;43:1913-9.

Jeansonne DP, Koh GY, Zhang F, et al. Paclitaxel-induced apoptosis is blocked by camptothecin in human breast and pancreatic cancer cells. *Oncol Rep* 2011;25:1473-80.

Johnson WD, Brashear MM, Gupta AK, Rood JC, Ryan DH. Incremental weight loss improves cardiometabolic risk in extremely obese adults. *Am J Med* 2011;124:931-8.

Kadiiska MB, Hatch GE, Nyska A, et al. Biomarkers of Oxidative Stress Study IV: ozone exposure of rats and its effect on antioxidants in plasma and bronchoalveolar lavage fluid. *Free Radic Biol Med* 2011;51:1636-42.

Kappen C. Vertebrate Hox genes and specializations in mammals. In: DeSalle R, Schierwater B, eds. *Key Transitions in Animal Evolution*. Enfield, New Hampshire: Science Publishers; 2011:xii, 434 p.

Kappen C, Kruger C, MacGowan J, Salbaum JM. Maternal diet modulates the risk for neural tube defects in a mouse model of diabetic pregnancy. *Reprod Toxicol* 2011;31:41-9.

Kashfi K, Mynatt RL, Park EA, Cook GA. Membrane microenvironment regulation of carnitine palmitoyltransferases I and II. *Biochem Soc Trans* 2011;39:833-7.

Katzmarzyk PT. Cost-effectiveness of exercise is medicine. *Curr Sports Med Rep* 2011;10:217-23.

Katzmarzyk PT. The economic costs associated with physical inactivity and obesity in Ontario. *Health & Fitness Journal of Canada* 2011;4:31-40.

Katzmarzyk PT, Bray GA, Greenway FL, et al. Ethnic-specific BMI and waist circumference thresholds. *Obesity (Silver Spring)* 2011;19:1272-8.

Katzmarzyk PT, Champagne CM, Tudor-Locke C, et al. A short-term physical activity randomized trial in the Lower Mississippi Delta. *PLoS ONE* 2011;6:e26667.

Keller P, Vollaard NB, Gustafsson T, et al. A transcriptional map of the impact of endurance exercise training on skeletal muscle phenotype. *J Appl Physiol* 2011;110:46-59.

Kennedy BM, Harsha DW, Bookman EB, et al. Challenges to recruitment and retention of African Americans in the gene-environment trial of response to dietary interventions (GET READI) for heart health. *Health Educ Res* 2011;26:923-36.

Kennedy BM, Prewitt TE, McCabe-Sellers B, et al. Academic partnerships and key leaders emerging from communities in the lower Mississippi Delta (LMD): a community-based participatory research model. *J Cult Divers* 2011;18:90-4.

Kheterpal I, Ku G, Coleman L, et al. Proteome of human subcutaneous adipose tissue stromal vascular fraction cells versus mature adipocytes based on DIGE. *J Proteome Res* 2011;10:1519-27.

Kilpelainen TO, Qi L, Brage S, et al. Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. *PLoS Med* 2011;8:e1001116.

Kim AR, Lee MS, Shin TS, et al. Phlorofucofuroeckol A inhibits the LPS-stimulated iNOS and COX-2 expressions in macrophages via inhibition of NF-kappaB, Akt, and p38 MAPK. *Toxicol In Vitro* 2011;25:1789-95.

Kim C, Edelstein SL, Crandall JP, et al. Menopause and risk of diabetes in the Diabetes Prevention Program. *Menopause* 2011;18:857-68.

King BM, Primeaux SD, Zadeh ML, et al. Olfactory bulbectomy impairs the feeding response to 2-deoxy-D-glucose in rats. *Brain Res* 2011;1367:207-12.

Klimentidis YC, Beasley TM, Lin HY, et al. Canaries in the coal mine: a cross-species analysis of the plurality of obesity epidemics. *Proc Biol Sci* 2011;278:1626-32.

Kosmiski LA, Scherzer R, Heymsfield SB, et al. Association of increased upper trunk and decreased leg fat with 2-h glucose in control and HIV-infected persons. *Diabetes Care* 2011;34:2448-53.

Krishnapuram R, Dhurandhar EJ, Dubuisson O, et al. Template to improve glycemic control without reducing adiposity or dietary fat. *Am J Physiol Endocrinol Metab* 2011;300:E779-89.

Krishnapuram R, Kirk-Ballard H, Zuberi A, Dhurandhar NV. Infectivity period of mice inoculated with human adenoviruses. *Lab Anim* 2011;45:103-8.

Kuk JL, Ardern CI, Church TS, et al. Edmonton Obesity Staging System: association with weight history and mortality risk. *Appl Physiol Nutr Metab* 2011;36:570-6.

Kumarasamy S, Gopalakrishnan K, Kim DH, et al. Dysglycemia induces abnormal circadian blood pressure variability. *Cardiovasc Diabetol* 2011;10:104.

Larson-Meyer DE, Newcomer BR, Ravussin E, et al. Intrahepatic and intramyocellular lipids are determinants of insulin resistance in prepubertal children. *Diabetologia* 2011;54:869-75.

Lavie CJ, Church TS, Milani RV, Earnest CP. Impact of physical activity, cardiorespiratory fitness, and exercise training on markers of inflammation. *J Cardiopulm Rehabil Prev* 2011;31:137-45.

LeCapitaine NJ, Wang ZQ, Dufour JP, et al. Disrupted anabolic and catabolic processes may contribute to alcohol-accentuated AIDS-associated wasting. *J Infect Dis* 2011;204:1246-55.

Lecoultre V, Ravussin E. Brown adipose tissue and aging. *Curr Opin Clin Nutr Metab Care* 2011;14:1-6.

Lecoultre V, Ravussin E, Redman LM. The fall in leptin concentration is a major determinant of the metabolic adaptation induced by caloric restriction independently of the changes in leptin circadian rhythms. *J Clin Endocrinol Metab* 2011;96:E1512-6.

Lee DC, Sui X, Artero EG, et al. Long-term effects of changes in cardiorespiratory fitness and body mass index on all-cause and cardiovascular disease mortality in men: the Aerobics Center Longitudinal Study. *Circulation*

2011;124:2483-90.

Lee DC, Sui X, Ortega FB, et al. Comparisons of leisure-time physical activity and cardiorespiratory fitness as predictors of all-cause mortality in men and women. *Br J Sports Med* 2011;45:504-10.

Levesque S, Taetzsch T, Lull ME, et al. Diesel exhaust activates and primes microglia: air pollution, neuroinflammation, and regulation of dopaminergic neurotoxicity. *Environ Health Perspect* 2011;119:1149-55.

Li W, Wang Y, Chen L, et al. Increasing prevalence of diabetes in middle or low income residents in Louisiana from 2000 to 2009. *Diabetes Res Clin Pract* 2011;94:262-8.

Lu H, Fu X, Ma X, et al. Relationships of percent body fat and percent trunk fat with bone mineral density among Chinese, black, and white subjects. *Osteoporos Int* 2011;22:3029-35.

Lukens JR, Dixit VD, Kanneganti TD. Inflammasome activation in obesity-related inflammatory diseases and autoimmunity. *Discov Med* 2011;12:65-74.

Lupachyk S, Shevalye H, Maksimchyk Y, Drel VR, Obrosova IG. PARP inhibition alleviates diabetes-induced systemic oxidative stress and neural tissue 4-hydroxynonenal adduct accumulation: correlation with peripheral nerve function. *Free Radic Biol Med* 2011;50:1400-9.

Ma X, Laud PW, Pintar F, et al. Obesity and non-fatal motor vehicle crash injuries: sex difference effects. *Int J Obes* 2011;35:1216-24.

Ma X, Lin L, Qin G, et al. Ablations of ghrelin and ghrelin receptor exhibit differential metabolic phenotypes and thermogenic capacity during aging. *PLoS ONE* 2011;6:e16391.

Manaye KF, Allard JS, Kalifa S, et al. 17alpha-estradiol attenuates neuron loss in ovariectomized Dtg AbetaPP/PS1 mice. *J Alzheimers Dis* 2011;23:629-39.

Marsh AP, Rejeski WJ, Espeland MA, et al. Muscle strength and BMI as predictors of major mobility disability in the Lifestyle Interventions and Independence for Elders pilot (LIFE-P). *J Gerontol A Biol Sci Med Sci* 2011;66:1376-83.

Martin CK, Das SK, Lindblad L, et al. Effect of calorie restriction on the free-living physical activity levels of nonobese humans: results of three randomized trials. *J Appl Physiol* 2011;110:956-63.

Martin CK, McClernon FJ, Chellino A, Correa J. Food cravings: a central construct in food intake behavior, weight loss, and the neurobiology of appetitive behavior. In: Preedy VR, Watson RR, Martin CR, eds. *Handbook of Behavior, Food and Nutrition*. New York: Springer; 2011:741-55.

Martin CK, Redman LM, Zhang J, et al. Lorcaserin, a 5-HT(2C) receptor agonist, reduces body weight by decreasing energy intake without influencing energy expenditure. *J Clin Endocrinol Metab* 2011;96:837-45.

Martin CK, Rosenbaum D, Han H, et al. Change in food cravings, food preferences, and appetite during a low-carbohydrate and low-fat diet. *Obesity (Silver Spring)* 2011;19:1963-70.

McCormack GR, Rutherford J, Giles-Corti B, Tudor-Locke C, Bull F. BMI-referenced cut-points for recommended daily pedometer-determined steps in Australian children and adolescents. *Res Q Exerc Sport* 2011;82:162-7.

McDougal DH, Hermann GE, Rogers RC. Vagal afferent stimulation activates astrocytes in the nucleus of the solitary tract via AMPA receptors: evidence of an atypical neural-glia interaction in the brainstem. *J Neurosci* 2011;31:14037-45.

McVay MA, Copeland AL, Geiselman PJ. Eating disorder pathology and menstrual cycle fluctuations in eating variables

in oral contraceptive users and non-users. *Eat Behav* 2011;12:49-55.

Moody-Thomas S, Horswell R, Celestin MD, Dellinger AB, Kaiser M, Butler M. Awareness and implementation of the 2000 United States public health service tobacco dependence treatment guideline in a public hospital system. *Popul Health Manag* 2011;14:79-85.

Moreira EA, Most M, Howard J, Ravussin E. Dietary adherence to long-term controlled feeding in a calorie-restriction study in overweight men and women. *Nutr Clin Pract* 2011;26:309-15.

Muller MJ, Langemann D, Gehrke I, et al. Effect of constitution on mass of individual organs and their association with metabolic rate in humans--a detailed view on allometric scaling. *PLoS ONE* 2011;6:e22732.

Newton RL, Jr., Bouchard C, Bray G, et al. Abdominal adiposity depots are correlates of adverse cardiometabolic risk factors in Caucasian and African-American adults. *Nutr Diabetes* 2011;1:e2.

Newton RL, Han H, Sothorn M, Martin CK, Webber LS, Williamson DA. Accelerometry measured ethnic differences in activity in rural adolescents. *J Phys Act Health* 2011;8:287-95.

Newton RL, Jr., Han H, Stewart TM, Ryan DH, Williamson DA. Efficacy of a pilot Internet-based weight management program (H.E.A.L.T.H.) and longitudinal physical fitness data in Army Reserve soldiers. *J Diabetes Sci Technol* 2011;5:1255-62.

Newton RL, Thomson JL, Rau KK, et al. Psychometric characteristics of process evaluation measures for a rural school-based childhood obesity prevention study: Louisiana Health. *Am J Health Promot* 2011;25:417-21.

Nohara K, Zhang Y, Waraich RS, et al. Early-life exposure to testosterone programs the hypothalamic melanocortin system. *Endocrinology* 2011;152:1661-9.

Obrosova IG, Kador PF. Aldose reductase / polyol inhibitors for diabetic retinopathy. *Curr Pharm Biotechnol* 2011;12:373-85.

Pachon-Pena G, Yu G, Tucker A, et al. Stromal stem cells from adipose tissue and bone marrow of age-matched female donors display distinct immunophenotypic profiles. *J Cell Physiol* 2011;226:843-51.

Padilla J, Simmons GH, Davis JW, et al. Impact of exercise training on endothelial transcriptional profiles in healthy swine: a genome-wide microarray analysis. *Am J Physiol Heart Circ Physiol* 2011;301:H555-64.

Pan W, Hsueh H, He Y, Kastin AJ. Glial leptin receptors and obesity. In: Preedy VR, Hunter RJ, eds. *Adipokines*. Boca Raton, Enfield, N.H.: CRC Press; Science Publishers; 2011:185-96.

Pan W, Hsueh H, Xu C, Wu X, Bouret SG, Kastin AJ. Astrocytes modulate distribution and neuronal signaling of leptin in the hypothalamus of obese A^{vy} mice. *J Mol Neurosci* 2011;43:478-84.

Pan W, Stone KP, Hsueh H, Manda VK, Zhang Y, Kastin AJ. Cytokine signaling modulates blood-brain barrier function. *Curr Pharm Des* 2011;17:3729-40.

Pan W, Wu X, Kastin AJ, et al. Potential protective role of IL15Ralpha during inflammation. *J Mol Neurosci* 2011;43:412-23.

Pandey AC, Semon JA, Kaushal D, et al. MicroRNA profiling reveals age-dependent differential expression of nuclear factor kappaB and mitogen-activated protein kinase in adipose and bone marrow-derived human mesenchymal stem cells. *Stem Cell Res Ther* 2011;2:49.

Pasiakos SM, McClung HL, McClung JP, et al. Leucine-enriched essential amino acid supplementation during

moderate steady state exercise enhances postexercise muscle protein synthesis. *Am J Clin Nutr* 2011;94:809-18.

Picou RA, Khetarpal I, Wellman AD, Minnamreddy M, Ku G, Gilman SD. Analysis of A β (1-40) and A β (1-42) monomer and fibrils by capillary electrophoresis. *J Chromatogr B Analyt Technol Biomed Life Sci* 2011;879:627-32.

Pieper C, Redman L, Racette S, et al. Development of adherence metrics for caloric restriction interventions. *Clin Trials* 2011;8:155-64.

Pietrobelli A, Tosi C, Olivieri F, Lubrano L, Fuiano N. From fatness to leanness: where did we go wrong? *Int J Pediatr Obes* 2011;6 Suppl 1:42-5.

Plaisance EP, Greenway FL, Boudreau A, et al. Dietary methionine restriction increases fat oxidation in obese adults with metabolic syndrome. *J Clin Endocrinol Metab* 2011;96:E836-40.

Primeaux SD. QRFP in female rats: effects on high fat food intake and hypothalamic gene expression across the estrous cycle. *Peptides* 2011;32:1270-5.

Psychogios N, Hau DD, Peng J, et al. The human serum metabolome. *PLoS ONE* 2011;6:e16957.

Ptitsyn AA, Gimble JM. True or false: all genes are rhythmic. *Ann Med* 2011;43:1-12.

Qazi AM, Aggarwal S, Steffer CS, et al. Laser capture microdissection of pancreatic ductal adeno-carcinoma cells to analyze EzH2 by Western Blot analysis. *Methods Mol Biol* 2011;755:245-56.

Qi Q, Bray GA, Smith SR, Hu FB, Sacks FM, Qi L. Insulin receptor substrate 1 gene variation modifies insulin resistance response to weight-loss diets in a 2-year randomized trial: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. *Circulation* 2011;124:563-71.

Qiu C, Hu G, Kivipelto M, et al. Association of blood pressure and hypertension with the risk of Parkinson disease: the National FINRISK Study. *Hypertension* 2011;57:1094-100.

Qiu G, Wan R, Hu J, et al. Adiponectin protects rat hippocampal neurons against excitotoxicity. *Age* 2011;33:155-65.

Rankinen T, Bouchard C. Genetic Predictors of Exercise Training Response. *Current Cardiovascular Risk Reports* 2011;5:368-72.

Rankinen T, Sarzynski M, Bouchard C. Genes and response to training. In: Bouchard C, Hoffman EP, IOC Medical Commission., eds. *Genetic and Molecular Aspects of Sport Performance*. Chichester, West Sussex England ; Hoboken, NJ: Wiley-Blackwell; 2011:177-84.

Ravussin E, Galgani JE. The implication of brown adipose tissue for humans. *Annu Rev Nutr* 2011;31:33-47.

Redman L, Ravussin E. Caloric restriction and aging. In: Serrano-Rios M, M. OJ, A. G-FJ, eds. *Obesity*. Barcelona: Elsevier Espana; 2011:349-68.

Redman LM, Elkind-Hirsch K, Ravussin E. Aerobic exercise in women with polycystic ovary syndrome improves ovarian morphology independent of changes in body composition. *Fertil Steril* 2011;95:2696-9.

Redman LM, Huffman KM, Landerman LR, et al. Effect of caloric restriction with and without exercise on metabolic intermediates in nonobese men and women. *J Clin Endocrinol Metab* 2011;96:E312-21.

Redman LM, Moro C, Dobak J, Yu Y, Guillot TS, Greenway FL. Association of beta-2 adrenergic agonist and corticosteroid injection in the treatment of lipomas. *Diabetes Obes Metab* 2011;13:517-22.

- Redman LM, Ravussin E. Caloric restriction in humans: impact on physiological, psychological, and behavioral outcomes. *Antioxid Redox Signal* 2011;14:275-87.
- Reka AK, Goswami MT, Krishnapuram R, Standiford TJ, Keshamouni VG. Molecular cross-regulation between PPAR-gamma and other signaling pathways: implications for lung cancer therapy. *Lung Cancer* 2011;72:154-9.
- Rheaume C, Arsenault BJ, Dumas MP, et al. Contributions of cardiorespiratory fitness and visceral adiposity to six-year changes in cardiometabolic risk markers in apparently healthy men and women. *J Clin Endocrinol Metab* 2011;96:1462-8.
- Richard AJ, Stephens JM. Emerging roles of JAK-STAT signaling pathways in adipocytes. *Trends Endocrinol Metab* 2011;22:325-32.
- Richards RJ, Melendez-Ramirez LY, Cefalu WT. Insulin sensitizers vs. secretagogues as first line therapy for diabetes: rationale for clinical choice. In: Vella A, Rizza R, eds. *Clinical Dilemmas in Diabetes*. Chichester, West Sussex, UK: Wiley-Blackwell; 2011:ix, 159 pages.
- Rickman AD, Williamson DA, Martin CK, et al. The CALERIE Study: design and methods of an innovative 25% caloric restriction intervention. *Contemp Clin Trials* 2011;32:874-81.
- Rim JS, Strickler K, Barnes C, et al. Screening for epigenetic target genes that enhance reprogramming using lentiviral-delivered shRNA. *Methods Mol Biol* 2011;702:299-316.
- Ripoll CB, Flaaf M, Klopff-Eiermann J, et al. Mesenchymal lineage stem cells have pronounced anti-inflammatory effects in the twitcher mouse model of Krabbe's disease. *Stem Cells* 2011;29:67-77.
- Rochon J, Bales CW, Ravussin E, et al. Design and conduct of the CALERIE study: comprehensive assessment of the long-term effects of reducing intake of energy. *J Gerontol A Biol Sci Med Sci* 2011;66:97-108.
- Rogers RC, McDougal DH, Hermann GE. Leptin amplifies the action of thyrotropin-releasing hormone in the solitary nucleus: an in vitro calcium imaging study. *Brain Res* 2011;1385:47-55.
- Rubicz R, Leach CT, Kraig E, et al. Genetic factors influence serological measures of common infections. *Hum Hered* 2011;72:133-41.
- Rubicz R, Leach CT, Kraig E, et al. Seroprevalence of 13 common pathogens in a rapidly growing U.S. minority population: Mexican Americans from San Antonio, TX. *BMC Res Notes* 2011;4:433.
- Ruggiero C, Ehrenshaft M, Cleland E, Stadler K. High-fat diet induces an initial adaptation of mitochondrial bioenergetics in the kidney despite evident oxidative stress and mitochondrial ROS production. *Am J Physiol Endocrinol Metab* 2011;300:E1047-58.
- Rung AL, Broyles ST, Mowen AJ, Gustat J, Sothorn MS. Escaping to and being active in neighbourhood parks: park use in a post-disaster setting. *Disasters* 2011;35:383-403.
- Rung AL, Mowen AJ, Broyles ST, Gustat J. The role of park conditions and features on park visitation and physical activity. *J Phys Act Health* 2011;8 Suppl 2:S178-87.
- Salbaum JM, Kappen C. Diabetic embryopathy: a role for the epigenome? *Birt Defects Res A Clin Mol Teratol* 2011;91:770-80.
- Salbaum JM, Kruger C, Zhang X, et al. Altered gene expression and spongiotrophoblast differentiation in placenta from a mouse model of diabetes in pregnancy. *Diabetologia* 2011;54:1909-20.

Santos F, Andrade PZ, Abecasis MM, et al. Toward a clinical-grade expansion of mesenchymal stem cells from human sources: a microcarrier-based culture system under xeno-free conditions. *Tissue Eng Part C Methods* 2011;17:1201-10.

Sarzynski M, Rankinen T, Bouchard C. Twin and family studies of training responses. In: Bouchard C, Hoffman EP, IOC Medical Commission., eds. *Genetic and Molecular Aspects of Sport Performance*. Chichester, West Sussex England ; Hoboken, NJ: Wiley-Blackwell; 2011:110-20.

Sarzynski MA, Jacobson P, Rankinen T, et al. Associations of markers in 11 obesity candidate genes with maximal weight loss and weight regain in the SOS bariatric surgery cases. *Int J Obes* 2011;35:676-83.

Sarzynski MA, Jacobson P, Rankinen T, et al. Association of GWAS-based candidate genes with HDL-cholesterol levels before and after bariatric surgery in the Swedish obese subjects study. *J Clin Endocrinol Metab* 2011;96:E953-7.

Sarzynski MA, Rankinen T, Sternfeld B, Fornage M, Sidney S, Bouchard C. SNP-by-fitness and SNP-by-BMI interactions from seven candidate genes and incident hypertension after 20 years of follow-up: the CARDIA Fitness Study. *J Hum Hypertens* 2011;25:509-18.

Scherp P, Ku G, Coleman L, Kheterpal I. Gel-based and gel-free proteomic technologies. *Methods Mol Biol* 2011;702:163-90.

Scherzer R, Heymsfield SB, Lee D, et al. Decreased limb muscle and increased central adiposity are associated with 5-year all-cause mortality in HIV infection. *AIDS* 2011;25:1405-14.

Scherzer R, Shen W, Heymsfield SB, et al. Intermuscular adipose tissue and metabolic associations in HIV infection. *Obesity (Silver Spring)* 2011;19:283-91.

Segel CM. *Childhood Obesity: Risk Factors, Health Effects, and Prevention*: Nova Science Pub Inc; 2011.

Shay CM, Carnethon MR, Church TR, et al. Lower extremity fat mass is associated with insulin resistance in overweight and obese individuals: the CARDIA study. *Obesity (Silver Spring)* 2011;19:2248-53.

Shen L, Keenan MJ, Raggio A, Williams C, Martin RJ. Dietary-resistant starch improves maternal glycemic control in Goto-Kakizaki rat. *Mol Nutr Food Res* 2011;55:1499-508.

Shen W, Chen J, Kwak S, Punyanitya M, Heymsfield SB. Between-slice intervals in quantification of adipose tissue and muscle in children. *Int J Pediatr Obes* 2011;6:149-56.

Shi Z, Yuan B, Hu G, Dai Y, Zuo H, Holmboe-Ottesen G. Dietary pattern and weight change in a 5-year follow-up among Chinese adults: results from the Jiangsu Nutrition Study. *Br J Nutr* 2011;105:1047-54.

Shin AC, Berthoud HR. Food reward functions as affected by obesity and bariatric surgery. *Int J Obes* 2011;35 Suppl 3:S40-4.

Shin AC, Townsend RL, Patterson LM, Berthoud HR. "Liking" and "wanting" of sweet and oily food stimuli as affected by high-fat diet-induced obesity, weight loss, leptin, and genetic predisposition. *Am J Physiol Regul Integr Comp Physiol* 2011;301:R1267-80.

Shin AC, Zheng H, Pistell PJ, Berthoud HR. Roux-en-Y gastric bypass surgery changes food reward in rats. *Int J Obes* 2011;35:642-51.

Silva AM, Fields DA, Heymsfield SB, Sardinha LB. Relationship between changes in total-body water and fluid distribution with maximal forearm strength in elite judo athletes. *J Strength Cond Res* 2011;25:2488-95.

Singh RB, Fedacko J, Pella D, et al. Prevalence and risk factors for prehypertension and hypertension in five Indian

cities. *Acta Cardiol* 2011;66:29-37.

Sipe GO, Dearworth JR, Jr., Selvarajah BP, et al. Spectral sensitivity of the photointrinsic iris in the red-eared slider turtle (*Trachemys scripta elegans*). *Vision Res* 2011;51:120-30.

Siri-Tarino PW, Woods AC, Bray GA, Krauss RM. Reversal of small, dense LDL subclass phenotype by weight loss is associated with impaired fat oxidation. *Obesity (Silver Spring)* 2011;19:61-8.

Sisson SB, Broyles S, Brittain D, Short K. Obesogenic behaviors in U.S. school children across geographic regions from 2003-2007. *Open Journal of Preventative Medicine* 2011;1:25-33.

Sisson SB, Broyles ST, Baker BL, Katzmarzyk PT. Television, reading, and computer time: correlates of school-day leisure-time sedentary behavior and relationship with overweight in children in the U.S. *J Phys Act Health* 2011;8 Suppl 2:S188-97.

Sisson SB, Broyles ST, Newton RL, Jr., Baker BL, Chernausk SD. TVs in the bedrooms of children: does it impact health and behavior? *Prev Med* 2011;52:104-8.

Smith BJ, Sutton GM, Wu X, et al. Ovariectomy and genes encoding core circadian regulatory proteins in murine bone. *Osteoporos Int* 2011;22:1633-9.

Smith DL, Jr., Mattison JA, Desmond RA, et al. Telomere dynamics in rhesus monkeys: no apparent effect of caloric restriction. *J Gerontol A Biol Sci Med Sci* 2011;66:1163-8.

Smith SR, Stenlof KS, Greenway FL, et al. Orlistat 60 mg reduces visceral adipose tissue: a 24-week randomized, placebo-controlled, multicenter trial. *Obesity (Silver Spring)* 2011;19:1796-803.

Smith TJ, Schwarz JM, Montain SJ, et al. High protein diet maintains glucose production during exercise-induced energy deficit: a controlled trial. *Nutr Metab (Lond)* 2011;8:26.

Sparks LM, Moro C, Ukropcova B, et al. Remodeling lipid metabolism and improving insulin responsiveness in human primary myotubes. *PLoS ONE* 2011;6:e21068.

Spencer ND, Gimble JM, Lopez MJ. Mesenchymal stromal cells: past, present, and future. *Vet Surg* 2011;40:129-39.

Stadler K. Peroxynitrite-driven mechanisms in diabetes and insulin resistance - the latest advances. *Curr Med Chem* 2011;18:280-90.

Stavniichuk R, Drel VR, Shevalye H, et al. Baicalein alleviates diabetic peripheral neuropathy through inhibition of oxidative-nitrosative stress and p38 MAPK activation. *Exp Neurol* 2011;230:106-13.

Stenholm S, Metter EJ, Roth GS, et al. Relationship between plasma ghrelin, insulin, leptin, interleukin 6, adiponectin, testosterone and longevity in the Baltimore Longitudinal Study of Aging. *Aging Clin Exp Res* 2011;23:153-8.

Stephens BR, Granados K, Zderic TW, Hamilton MT, Braun B. Effects of 1 day of inactivity on insulin action in healthy men and women: interaction with energy intake. *Metabolism* 2011;60:941-9.

Stewart T, Han H, Allen RH, et al. H.E.A.L.T.H.: efficacy of an internet/population-based behavioral weight management program for the U.S. Army. *J Diabetes Sci Technol* 2011;5:178-87.

Stewart TM, Bachand AR, Han H, Ryan DH, Bray GA, Williamson DA. Body image changes associated with participation in an intensive lifestyle weight loss intervention. *Obesity (Silver Spring)* 2011;19:1290-5.

Stewart WC, Percy LA, Floyd ZE, Stephens JM. STAT5A expression in Swiss 3T3 cells promotes adipogenesis in vivo in

an athymic mice model system. *Obesity* (Silver Spring) 2011;19:1731-4.

Stone KP. Interleukins as adipokines. In: Preedy VR, Hunter RJ, eds. *Adipokines*. Boca Raton, Enfield, N.H.: CRC Press; Science Publishers; 2011:ix, 448 p.

Stone KP, Kastin AJ, Hsueh H, Yu C, Pan W. Rapid endocytosis of interleukin-15 by cerebral endothelia. *J Neurochem* 2011;116:544-53.

Stone KP, Kastin AJ, Pan W. NFkB is an unexpected major mediator of interleukin-15 signaling in cerebral endothelia. *Cell Physiol Biochem* 2011;28:115-24.

Sun W, Bi Y, Liang H, et al. Inhibition of obesity-induced hepatic ER stress by early insulin therapy in obese diabetic rats. *Endocrine* 2011;39:235-41.

Svetkey LP, Harris EL, Martin E, et al. Modulation of the BP response to diet by genes in the renin-angiotensin system and the adrenergic nervous system. *Am J Hypertens* 2011;24:209-17.

Tam CS, Berthoud HR, Bueter M, et al. Could the mechanisms of bariatric surgery hold the key for novel therapies? report from a Pennington Scientific Symposium. *Obes Rev* 2011;12:984-94.

Tam CS, Heilbronn LK, Henegar C, et al. An early inflammatory gene profile in visceral adipose tissue in children. *Int J Pediatr Obes* 2011;6:e360-3.

Tam CS, Lecoultrre V, Ravussin E. Novel strategy for the use of leptin for obesity therapy. *Expert Opin Biol Ther* 2011;11:1677-85.

Thanos PK, Cho J, Kim R, et al. Bromocriptine increased operant responding for high fat food but decreased chow intake in both obesity-prone and resistant rats. *Behav Brain Res* 2011;217:165-70.

Theall KP, Scribner R, Broyles S, et al. Impact of small group size on neighbourhood influences in multilevel models. *J Epidemiol Community Health* 2011;65:688-95.

Thomas DM, Martin CK, Heymsfield S, Redman LM, Schoeller DA, Levine JA. A Simple Model Predicting Individual Weight Change in Humans. *J Biol Dyn* 2011;5:579-99.

Tong M, Qualls-Creekmore E, Browning KN, Travagli RA, Holmes GM. Experimental spinal cord injury in rats diminishes vagally-mediated gastric responses to cholecystokinin-8s. *Neurogastroenterol Motil* 2011;23:e69-79.

Trivedi MH, Greer TL, Church TS, et al. Exercise as an augmentation treatment for nonremitted major depressive disorder: a randomized, parallel dose comparison. *J Clin Psychiatry* 2011;72:677-84.

Trivedi MH, Greer TL, Grannemann BD, et al. Stimulant reduction intervention using dosed exercise (STRIDE) - CTN 0037: study protocol for a randomized controlled trial. *Trials* 2011;12:206.

Tudor-Locke C, Ainsworth BE, Washington TL, Troiano R. Assigning metabolic equivalent values to the 2002 census occupational classification system. *J Phys Act Health* 2011;8:581-6.

Tudor-Locke C, Bassett DR, Shipe MF, McClain JJ. Pedometry methods for assessing free-living adults. *J Phys Act Health* 2011;8:445-53.

Tudor-Locke C, Camhi SM, Leonardi C, et al. Patterns of adult stepping cadence in the 2005-2006 NHANES. *Prev Med* 2011;53:178-81.

Tudor-Locke C, Craig CL, Aoyagi Y, et al. How many steps/day are enough? For older adults and special populations.

Int J Behav Nutr Phys Act 2011;8:80.

Tudor-Locke C, Craig CL, Beets MW, et al. How many steps/day are enough? for children and adolescents. Int J Behav Nutr Phys Act 2011;8:78.

Tudor-Locke C, Craig CL, Brown WJ, et al. How many steps/day are enough? For adults. Int J Behav Nutr Phys Act 2011;8:79.

Tudor-Locke C, Craig CL, Cameron C, Griffiths JM. Canadian children's and youth's pedometer-determined steps/day, parent-reported TV watching time, and overweight/obesity: the CANPLAY Surveillance Study. Int J Behav Nutr Phys Act 2011;8:66.

Tudor-Locke C, Johnson WD, Katzmarzyk PT. Relationship between accelerometer-determined steps/day and other accelerometer outputs in US adults. J Phys Act Health 2011;8:410-9.

Tudor-Locke C, Johnson WD, Katzmarzyk PT. U.S. population profile of time-stamped accelerometer outputs: impact of wear time. J Phys Act Health 2011;8:693-8.

Tudor-Locke C, Leonardi C, Johnson WD, Katzmarzyk PT. Time spent in physical activity and sedentary behaviors on the working day: the American time use survey. J Occup Environ Med 2011;53:1382-7.

Tudor-Locke C, Leonardi C, Johnson WD, Katzmarzyk PT, Church TS. Accelerometer steps/day translation of moderate-to-vigorous activity. Prev Med 2011;53:31-3.

Twiner EM, Liu Z, Gimble J, Yu Y, Greenway F. Pharmacokinetic pilot study of the antiangiogenic activity of standardized platycodi radix. Adv Ther 2011;28:857-65.

Ugras S, Brill E, Jacobsen A, et al. Small RNA sequencing and functional characterization reveals MicroRNA-143 tumor suppressor activity in liposarcoma. Cancer Res 2011;71:5659-69.

Van Dyck D, De Greef K, Deforche B, et al. Mediators of physical activity change in a behavioral modification program for type 2 diabetes patients. Int J Behav Nutr Phys Act 2011;8:105.

Vandanmagsar B, Youm YH, Ravussin A, et al. The NLRP3 inflammasome instigates obesity-induced inflammation and insulin resistance. Nat Med 2011;17:179-88.

Wadden TA, Neiberg RH, Wing RR, et al. Four-year weight losses in the Look AHEAD study: factors associated with long-term success. Obesity (Silver Spring) 2011;19:1987-98.

Wan LQ, Ronaldson K, Park M, et al. Micropatterned mammalian cells exhibit phenotype-specific left-right asymmetry. Proc Natl Acad Sci U S A 2011;108:12295-300.

Wang Y, Hu G. The effects of coffee consumption on the risk of heart failure. North American Journal of Medicine and Science 2011;4:238-41.

Wang Y, Tuomilehto J, Jousilahti P, et al. Lifestyle factors in relation to heart failure among Finnish men and women. Circ Heart Fail 2011;4:607-12.

Wang Y, Tuomilehto J, Jousilahti P, et al. Coffee consumption and the risk of heart failure in Finnish men and women. Heart 2011;97:44-8.

Wang Z, Ying Z, Bosy-Westphal A, et al. Evaluation of specific metabolic rates of major organs and tissues: comparison between men and women. Am J Hum Biol 2011;23:333-8.

Wang ZQ, Ribnicky D, Zhang XH, et al. An extract of *Artemisia dracunculus* L. enhances insulin receptor signaling and modulates gene expression in skeletal muscle in KK-A(y) mice. *J Nutr Biochem* 2011;22:71-8.

Wang ZQ, Zhang XH, Yu Y, et al. Bioactives from bitter melon enhance insulin signaling and modulate acyl carnitine content in skeletal muscle in high-fat diet-fed mice. *J Nutr Biochem* 2011;22:1064-73.

Watcho P, Stavniichuk R, Tane P, et al. Evaluation of PMI-5011, an ethanolic extract of *Artemisia dracunculus* L., on peripheral neuropathy in streptozotocin-diabetic mice. *Int J Mol Med* 2011;27:299-307.

Weyler EJ, Gandjour A. Empirical validation of patient versus population preferences in calculating QALYs. *Health Serv Res* 2011;46:1562-74.

White UA, Stephens JM. The gp130 receptor cytokine family: regulators of adipocyte development and function. *Curr Pharm Des* 2011;17:340-6.

White UA, Stewart WC, Stephens JM. Gp130 cytokines exert differential patterns of crosstalk in adipocytes both in vitro and in vivo. *Obesity (Silver Spring)* 2011;19:903-10.

Wicks SE, Londot H, Zhang B, et al. Effect of intrastriatal mesenchymal stromal cell injection on progression of a murine model of Krabbe disease. *Behav Brain Res* 2011;225:415-25.

Williamson DA, Han H, Johnson WD, Stewart TM, Harsha DW. Longitudinal study of body weight changes in children: who is gaining and who is losing weight. *Obesity (Silver Spring)* 2011;19:667-70.

Wu X, Hsueh H, Kastin AJ, et al. Interleukin-15 affects serotonin system and exerts antidepressive effects through IL15Ralpha receptor. *Psychoneuroendocrinology* 2011;36:266-78.

Xia X, Yan J, Shen Y, et al. Berberine improves glucose metabolism in diabetic rats by inhibition of hepatic gluconeogenesis. *PLoS ONE* 2011;6:e16556.

Yarasheski KE, Scherzer R, Kotler DP, et al. Age-related skeletal muscle decline is similar in HIV-infected and uninfected individuals. *J Gerontol A Biol Sci Med Sci* 2011;66:332-40.

Ye J. Adipose tissue vascularization: its role in chronic inflammation. *Curr Diab Rep* 2011;11:203-10.

Ye J. Challenges in Drug Discovery for Thiazolidinedione Substitute. *Yao Xue Xue Bao* 2011;1:137-42.

Ye J. Obesity, inflammation and the metabolic syndrome. In: Serrano-Rios M, M. OJ, A. G-FJ, eds. *Obesity*. Barcelona: Elsevier Espana; 2011:169-88.

Ye J, Gimble JM. Regulation of stem cell differentiation in adipose tissue by chronic inflammation. *Clin Exp Pharmacol Physiol* 2011;38:872-8.

Youm YH, Adijiang A, Vandanmagsar B, Burk D, Ravussin A, Dixit VD. Elimination of the NLRP3-ASC inflammasome protects against chronic obesity-induced pancreatic damage. *Endocrinology* 2011;152:4039-45.

Yu G, Floyd ZE, Wu X, Halvorsen YD, Gimble JM. Isolation of human adipose-derived stem cells from lipoaspirates. *Methods Mol Biol* 2011;702:17-27.

Yu G, Floyd ZE, Wu X, et al. Adipogenic differentiation of adipose-derived stem cells. *Methods Mol Biol* 2011;702:193-200.

Yu G, Wu X, Kilroy G, Halvorsen YD, Gimble JM, Floyd ZE. Isolation of murine adipose-derived stem cells. *Methods Mol Biol* 2011;702:29-36.

Yu JM, Wu X, Gimble JM, Guan X, Freitas MA, Bunnell BA. Age-related changes in mesenchymal stem cells derived from rhesus macaque bone marrow. *Aging Cell* 2011;10:66-79.

Yu Z, Hu G, Yang X. The prevalence of overweight and obesity and related metabolic abnormalities among children and adolescents in China. In: Segel CM, ed. *Childhood Obesity: Risk Factors, Health Effects, and Prevention*: Nova Science Pub Inc; 2011:41-58.

Zhang F, Dong L, Zhang CP, et al. Increasing prevalence of gestational diabetes mellitus in Chinese women from 1999 to 2008. *Diabet Med* 2011;28:652-7.

Zhang J, Henagan TM, Gao Z, Ye J. Inhibition of glyceroneogenesis by histone deacetylase 3 contributes to lipodystrophy in mice with adipose tissue inflammation. *Endocrinology* 2011;152:1829-38.

Zhang L, Ebenezer PJ, Dasuri K, et al. Aging is associated with hypoxia and oxidative stress in adipose tissue: implications for adipose function. *Am J Physiol Endocrinol Metab* 2011;301:E599-607.

Zhang Y, Kerman IA, Laque A, et al. Leptin-receptor-expressing neurons in the dorsomedial hypothalamus and median preoptic area regulate sympathetic brown adipose tissue circuits. *J Neurosci* 2011;31:1873-84.

Zhang Y, Tuomilehto J, Jousilahti P, Wang Y, Antikainen R, Hu G. Lifestyle factors on the risks of ischemic and hemorrhagic stroke. *Arch Intern Med* 2011;171:1811-8.

Zhang Z, Hu G, Caballero B, Appel L, Chen L. Habitual coffee consumption and risk of hypertension: a systematic review and meta-analysis of prospective observational studies. *Am J Clin Nutr* 2011;93:1212-9.

Zhou J, Keenan MJ, Lusso JN, et al. Dietary whey protein decreases food intake and body fat in rats. *Obesity (Silver Spring)* 2011;19:1568-73.

Zhu N, Jacobs DR, Jr., Sidney S, et al. Fat mass modifies the association of fat-free mass with symptom-limited treadmill duration in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Am J Clin Nutr* 2011;94:385-91.

Zou S, Liedo P, Altamirano-Robles L, et al. Recording lifetime behavior and movement in an invertebrate model. *PLoS ONE* 2011;6:e18151.

2012

Agarwal D, Elks CM, Reed SD, Mariappan N, Majid DS, Francis J. Chronic exercise preserves renal structure and hemodynamics in spontaneously hypertensive rats. *Antioxid Redox Signal* 2012;16:139-52.

Anton SD, Gallagher J, Carey VJ, et al. Diet type and changes in food cravings following weight loss: findings from the POUNDS LOST Trial. *Eat Weight Disord* 2012;17:e101-8.

Anton SD, LeBlanc E, Allen HR, et al. Use of a computerized tracking system to monitor and provide feedback on dietary goals for calorie-restricted diets: the POUNDS LOST study. *J Diabetes Sci Technol* 2012;6:1216-25.

Apolzan JW, Harris RB. Differential effects of chow and purified diet on the consumption of sucrose solution and lard and the development of obesity. *Physiol Behav* 2012;105:325-31.

Artero EG, Espana-Romero V, Lee DC, et al. Ideal cardiovascular health and mortality: Aerobics Center Longitudinal Study. *Mayo Clin Proc* 2012;87:944-52.

Artero EG, Lee DC, Lavie CJ, et al. Effects of muscular strength on cardiovascular risk factors and prognosis. *J Cardiopulm Rehabil Prev* 2012;32:351-8.

Bajpeyi S, Reed MA, Molskness S, et al. Effect of short-term exercise training on intramyocellular lipid content. *Appl Physiol Nutr Metab* 2012;37:822-8.

Baracos V, Caserotti P, Earthman CP, et al. Advances in the science and application of body composition measurement. *JPEN J Parenter Enteral Nutr* 2012;36:96-107.

Barreira TV. In Search of a Step Counter Criterion for the Free-living Condition. *Med Sci Sports Exerc* 2012;44:820.

Barreira TV, Katzmarzyk PT, Johnson WD, Tudor-Locke C. Cadence Patterns and Peak Cadence in US Children and Adolescents: NHANES, 2005-2006. *Med Sci Sports Exerc* 2012;44:1721-7.

Barreira TV, Staiano AE, Harrington DM, et al. Anthropometric correlates of total body fat, abdominal adiposity, and cardiovascular disease risk factors in a biracial sample of men and women. *Mayo Clin Proc* 2012;87:452-60.

Bayham B, Greenway F, Bellanger D. Outcomes of the laparoscopic sleeve gastrectomy in the Medicare population. *Obes Surg* 2012;22:1785.

Bayham BE, Bellanger DE, Hargroder AG, Johnson WD, Greenway FL. Racial differences in weight loss, payment method, and complications following Roux-en-Y gastric bypass and sleeve gastrectomy. *Adv Ther* 2012;29:970-8.

Bayham BE, Greenway FL, Bellanger DE, O'Neil CE. Early resolution of type 2 diabetes seen after Roux-en-Y gastric bypass and vertical sleeve gastrectomy. *Diabetes Technol Ther* 2012;14:30-4.

Beckett TL, Webb RL, Niedowicz DM, et al. Postmortem Pittsburgh Compound B (PiB) binding increases with Alzheimer's disease progression. *J Alzheimers Dis* 2012;32:127-38.

Bellisile F, Drewnowski A, Anderson GH, Westerterp-Plantenga M, Martin CK. Sweetness, satiation, and satiety. *J Nutr* 2012;142:1149S-54S.

Bennett B, Larson-Meyer DE, Ravussin E, et al. Impaired insulin sensitivity and elevated ectopic fat in healthy obese vs. nonobese prepubertal children. *Obesity (Silver Spring)* 2012;20:371-5.

Berentzen TL, Angquist L, Kotronen A, et al. Waist circumference adjusted for body mass index and intra-abdominal fat mass. *PLoS ONE* 2012;7:e32213.

Berthoud HR. Central regulation of hunger, satiety, and body weight. In: Brownell KD, Gold MS, eds. *Food and addiction : a comprehensive handbook*. 1st ed. Oxford ; New York: Oxford University Press; 2012:271-84.

Berthoud HR. The neurobiology of food intake in an obesogenic environment. *Proc Nutr Soc* 2012;71:478-87.

Berthoud HR, Munzberg H, Richards BK, Morrison CD. Neural and metabolic regulation of macronutrient intake and selection. *Proc Nutr Soc* 2012;71:390-400.

Berthoud HR, Zheng H. Modulation of taste responsiveness and food preference by obesity and weight loss. *Physiol Behav* 2012;107:527-32.

Berthoud HR, Zheng H, Shin AC. Food reward in the obese and after weight loss induced by calorie restriction and bariatric surgery. *Ann N Y Acad Sci* 2012;1264:36-48.

Bouchard C. Genomic predictors of trainability. *Exp Physiol* 2012;97:347-52.

Bouchard C, Blair SN, Church TS, et al. Adverse metabolic response to regular exercise: is it a rare or common occurrence? PLoS ONE 2012;7:e37887.

Bouchard C, Blair SN, Haskell WL. Physical activity and health. 2nd ed. Champaign, IL: Human Kinetics; 2012.

Bouchard C, Blair SN, Haskell WL. Why study physical activity and health? In: Bouchard C, Blair SN, Haskell WL, eds. Physical activity and health. 2nd ed. Champaign, IL: Human Kinetics; 2012:2-20.

Bouchard C, Ordovas JM. Fundamentals of nutrigenetics and nutrigenomics. Prog Mol Biol Transl Sci 2012;108:1-15.

Bouchard C, Ordovas JM, eds. Recent advances in nutrigenetics and nutrigenomics. Amsterdam ; Boston: Elsevier/AP; 2012.

Bray GA. Adipose tissue. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bray GA. Basal or resting energy expenditure. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bray GA. Diet and exercise for weight loss. JAMA 2012;307:2641-2.

Bray GA. Energy metabolism and thermogenesis in human obesity. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bray GA. Fructose and risk of cardiometabolic disease. Curr Atheroscler Rep 2012;14:570-8.

Bray GA. Identification, evaluation, and treatment of overweight and obesity. In: Rippe JM, Angelopoulos TJ, eds. Obesity : prevention and treatment. Boca Raton: CRC Press; 2012:47-64.

Bray GA. Nutrient partitioning. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bray GA. Pharmacological approaches to the treatment of obesity. In: Akabas SR, Lederman SA, Moore BJ, eds. Textbook of obesity : biological, psychological, and cultural influences. Chichester, West Sussex, UK: Wiley-Blackwell; 2012.

Bray GA. Starvation. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bray GA, Ryan DH. Medical therapy for the patient with obesity. Circulation 2012;125:1695-703.

Bray GA, Smith SR, de Jonge L, et al. Effect of dietary protein content on weight gain, energy expenditure, and body composition during overeating: a randomized controlled trial. JAMA 2012;307:47-55.

Bray GA, Smith SR, DeJonge L, et al. Effect of diet composition on energy expenditure during weight loss: the POUNDS LOST Study. Int J Obes 2012;36:448-55.

Brinkley TE, Hsu FC, Beavers KM, et al. Total and abdominal adiposity are associated with inflammation in older adults using a factor analysis approach. J Gerontol A Biol Sci Med Sci 2012;67:1099-106.

Broyles ST, Staiano AE, Drazba KT, Gupta AK, Sothorn M, Katzmarzyk PT. Elevated C-reactive protein in children from risky neighborhoods: evidence for a stress pathway linking neighborhoods and inflammation in children. PLoS ONE 2012;7:e45419.

Bruce-Keller AJ. Dementia, cognitive health, and lifestyle. In: Rippe JM, ed. Encyclopedia of lifestyle medicine and health. Thousand Oaks, Calif.: Sage Publications; 2012.

Bruce-Keller AJ, Brouillette RM, Tudor-Locke C, et al. Assessment of cognition, physical performance, and gait in the context of mild cognitive impairment and dementia. *J Am Geriatr Soc* 2012;60:176-7.

Bruce-Keller AJ, Brouillette RM, Tudor-Locke C, et al. Relationship between cognitive domains, physical performance, and gait in elderly and demented subjects. *J Alzheimers Dis* 2012;30:899-908.

Brusseau TA, Kulinna PH, Tudor-Locke C, Ferry M. Daily physical activity patterns of children living in an American Indian community. *J Phys Act Health* 2012;9:48-53.

Buehrer BM, Duffin DJ, Lea-Currie YR, et al. Tools for the identification of bioactives impacting the metabolic syndrome: screening of a botanical extract library using subcutaneous and visceral human adipose-derived stem cell-based assays. *J Nutr Biochem* 2012;23:519-25.

Buford TW, Manini TM, Hsu FC, et al. Angiotensin-converting enzyme inhibitor use by older adults is associated with greater functional responses to exercise. *J Am Geriatr Soc* 2012;60:1244-52.

Butler AA, Tam CS, Stanhope KL, et al. Low circulating adiponin concentrations with obesity and aging correlate with risk factors for metabolic disease and increase after gastric bypass surgery in humans. *J Clin Endocrinol Metab* 2012;97:3783-91.

Butterfield DA, Keller JN. Antioxidants and antioxidant treatment in disease. *Biochim Biophys Acta* 2012;1822:615.

Camhi SM, Katzmarzyk PT. Total and femoral neck bone mineral density and physical activity in a sample of men and women. *Appl Physiol Nutr Metab* 2012;37:947-54.

Carlsson LM, Peltonen M, Ahlin S, et al. Bariatric surgery and prevention of type 2 diabetes in Swedish obese subjects. *N Engl J Med* 2012;367:695-704.

Carter LE, Kilroy G, Gimble JM, Floyd ZE. An improved method for isolation of RNA from bone. *BMC Biotechnol* 2012;12:5.

Cefalu WT. American diabetes association-European association for the study of diabetes position statement: due diligence was conducted. *Diabetes Care* 2012;35:1201-3.

Cefalu WT. Evolving treatment strategies for the management of type 2 diabetes. *Am J Med Sci* 2012;343:21-6.

Cefalu WT. Progress to date for Diabetes Care: going mobile and putting information at your fingertips! *Diabetes Care* 2012;35:1397-8.

Cefalu WT. Steps toward the meaningful translation of prevention strategies for type 2 diabetes. *Diabetes Care* 2012;35:663-5.

Cefalu WT, Kirkman MS. "New twist" in Diabetes Care for HbA(1c) reporting: "it takes two to tango"! *Diabetes Care* 2012;35:2415-6.

Champagne CM, Wroten KC. From food databases to dietary assessment: A beginning to an end approach for quality nutrition data. *Nutrition & Dietetics* 2012;69:187-94.

Chang JS, Fernand V, Zhang Y, et al. NT-PGC-1 α protein is sufficient to link beta3-adrenergic receptor activation to transcriptional and physiological components of adaptive thermogenesis. *J Biol Chem* 2012;287:9100-11.

Chaput JP, Despres JP, Bouchard C, Tremblay A. Longer sleep duration associates with lower adiposity gain in adult short sleepers. *Int J Obes* 2012;36:752-6.

Chaput JP, McNeil J, Despres JP, Bouchard C, Tremblay A. Short sleep duration is associated with greater alcohol consumption in adults. *Appetite* 2012;59:650-5.

Cheng DM, Kuhn P, Poulev A, Rojo LE, Lila MA, Raskin I. In vivo and in vitro antidiabetic effects of aqueous cinnamon extract and cinnamon polyphenol-enhanced food matrix. *Food Chem* 2012;135:2994-3002.

Chi RJ, Torres OT, Segarra VA, et al. Role of Scd5, a protein phosphatase-1 targeting protein, in phosphoregulation of Sla1 during endocytosis. *J Cell Sci* 2012;125:4728-39.

Choquette AC, Bouchard L, Drapeau V, et al. Association between olfactory receptor genes, eating behavior traits and adiposity: results from the Quebec Family Study. *Physiol Behav* 2012;105:772-6.

Correia C, Bhumiratana S, Yan LP, et al. Development of silk-based scaffolds for tissue engineering of bone from human adipose-derived stem cells. *Acta Biomater* 2012;8:2483-92.

Coulon SM, Miller AC, Reed JM, Martin CK. Reliability of a common solution-based taste perception test: implications for validity and a briefer test. *Eat Behav* 2012;13:42-5.

Crist LA, Champagne CM, Corsino L, Lien LF, Zhang G, Young DR. Influence of change in aerobic fitness and weight on prevalence of metabolic syndrome. *Prev Chronic Dis* 2012;9:E68.

de Jonge L, Bray GA, Smith SR, et al. Effect of diet composition and weight loss on resting energy expenditure in the POUNDS LOST study. *Obesity (Silver Spring)* 2012;20:2384-9.

de Souza RJ, Bray GA, Carey VJ, et al. Effects of 4 weight-loss diets differing in fat, protein, and carbohydrate on fat mass, lean mass, visceral adipose tissue, and hepatic fat: results from the POUNDS LOST trial. *Am J Clin Nutr* 2012;95:614-25.

de Vilhena e Santos DM, Katzmarzyk PT, Seabra AF, Maia JA. Genetics of physical activity and physical inactivity in humans. *Behav Genet* 2012;42:559-78.

Dhurandhar EJ, Krishnapuram R, Hegde V, et al. E4orf1 improves lipid and glucose metabolism in hepatocytes: a template to improve steatosis & hyperglycemia. *PLoS ONE* 2012;7:e47813.

Diabetes Prevention Program Research Group. Long-term safety, tolerability, and weight loss associated with metformin in the Diabetes Prevention Program Outcomes Study. *Diabetes Care* 2012;35:731-7.

Dishman RK, Sui X, Church TS, Hand GA, Trivedi MH, Blair SN. Decline in cardiorespiratory fitness and odds of incident depression. *Am J Prev Med* 2012;43:361-8.

Dixit VD. Impact of immune-metabolic interactions on age-related thymic demise and T cell senescence. *Semin Immunol* 2012;24:321-30.

Dunstan DW, Kingwell BA, Larsen R, et al. Breaking up prolonged sitting reduces postprandial glucose and insulin responses. *Diabetes Care* 2012;35:976-83.

Durham HA, Lammi-Keefe CJ. Nutrition recommendations and pregnancy. In: Rippe JM, ed. *Encyclopedia of lifestyle medicine and health*. Thousand Oaks, Calif.: Sage Publications; 2012:786-90.

Earnest CP, Blair SN, Church TS. Heart rate variability and exercise in aging women. *J Womens Health (Larchmt)* 2012;21:334-9.

Faith MS, Pietrobelli A, Heo M, et al. A twin study of self-regulatory eating in early childhood: estimates of genetic and environmental influence, and measurement considerations. *Int J Obes* 2012;36:931-7.

Fares H, Lavie CJ, Ventura HO. Vasodilating versus first-generation beta-blockers for cardiovascular protection. *Postgrad Med* 2012;124:7-15.

Finkler E, Heymsfield SB, St-Onge MP. Rate of weight loss can be predicted by patient characteristics and intervention strategies. *J Acad Nutr Diet* 2012;112:75-80.

Flanagan M, Gimble JM, Yu G, Xia X, Bunnell BA, Li S. Competitive DNA transfection formulation via electroporation for human adipose stem cells and mesenchymal stem cells. *Biol Proced Online* 2012;14:7.

Floyd ZE, Stephens JM. Controlling a master switch of adipocyte development and insulin sensitivity: covalent modifications of PPARgamma. *Biochim Biophys Acta* 2012;1822:1090-5.

Freedman DS, Thornton JC, Pi-Sunyer FX, et al. The body adiposity index (hip circumference / height^{1.5}) is not a more accurate measure of adiposity than is BMI, waist circumference, or hip circumference. *Obesity (Silver Spring)* 2012;20:2438-44.

Freeman LR, Keller JN. Oxidative stress and cerebral endothelial cells: regulation of the blood-brain-barrier and antioxidant based interventions. *Biochim Biophys Acta* 2012;1822:822-9.

Freeman LR, Zhang L, Dasuri K, Fernandez-Kim SO, Bruce-Keller AJ, Keller JN. Mutant amyloid precursor protein differentially alters adipose biology under obesogenic and non-obesogenic conditions. *PLoS ONE* 2012;7:e43193.

Frutos MG, Pistell PJ, Ingram DK, Berthoud HR. Feed efficiency, food choice, and food reward behaviors in young and old Fischer rats. *Neurobiol Aging* 2012;33:206 e41-53.

Gabrielsen JS, Gao Y, Simcox JA, et al. Adipocyte iron regulates adiponectin and insulin sensitivity. *J Clin Invest* 2012;122:3529-40.

Gadde KM, Kopping MF, Wagner HR, 2nd, Yonish GM, Allison DB, Bray GA. Zonisamide for weight reduction in obese adults: a 1-year randomized controlled trial. *Arch Intern Med* 2012;172:1557-64.

Galgani JE, Johannsen NM, Bajpeyi S, et al. Role of skeletal muscle mitochondrial density on exercise-stimulated lipid oxidation. *Obesity (Silver Spring)* 2012;20:1387-93.

Galgani JE, Ravussin E. Postprandial whole-body glycolysis is similar in insulin-resistant and insulin-sensitive non-diabetic humans. *Diabetologia* 2012;55:737-42.

Gallant AR, Tremblay A, Perusse L, Despres JP, Bouchard C, Drapeau V. Past dieting is related to rigid control and disinhibition in adolescents from the Quebec Family Study. *Br J Nutr* 2012;108:1976-9.

Gandjour A. Cost-effectiveness of preventing weight gain and obesity: what we know and what we need to know. *Expert Rev Pharmacoecon Outcomes Res* 2012;12:297-305.

Ganesh Kumar K, Zhang J, Gao S, et al. Adropin deficiency is associated with increased adiposity and insulin resistance. *Obesity (Silver Spring)* 2012;20:1394-402.

Ganini D, Canistro D, Jang J, Stadler K, Mason RP, Kadiiska MB. Ceruloplasmin (ferroxidase) oxidizes hydroxylamine probes: deceptive implications for free radical detection. *Free Radic Biol Med* 2012;53:1514-21.

Gao ZG, Ye JP. Why do anti-inflammatory therapies fail to improve insulin sensitivity? *Acta Pharmacol Sin*

2012;33:182-8.

Garvey WT, Ryan DH, Look M, et al. Two-year sustained weight loss and metabolic benefits with controlled-release phentermine/topiramate in obese and overweight adults (SEQUEL): a randomized, placebo-controlled, phase 3 extension study. *Am J Clin Nutr* 2012;95:297-308.

Gibson DS, Rooney ME, Finnegan S, et al. Biomarkers in rheumatology, now and in the future. *Rheumatology (Oxford)* 2012;51:423-33.

Gimble JM. Stem cells bleed into brown fat. *Cell Metab* 2012;16:288-9.

Gimble JM, Bunnell BA, Guilak F. Human adipose-derived cells: an update on the transition to clinical translation. *Regen Med* 2012;7:225-35.

Gimble JM, Nuttall ME. The relationship between adipose tissue and bone metabolism. *Clin Biochem* 2012;45:874-9.

Gold BT, Keller JN. Preface for the special issue of imaging brain aging and neurodegenerative disease. *Biochim Biophys Acta* 2012;1822:315-6.

Granados K, Stephens BR, Malin SK, Zderic TW, Hamilton MT, Braun B. Appetite regulation in response to sitting and energy imbalance. *Appl Physiol Nutr Metab* 2012;37:323-33.

Greenway FL, Pekarovics S. Anthropometry of local fat reduction. In: Preedy VR, ed. *Handbook of anthropometry : physical measures of human form in health and disease*. New York: Springer; 2012.

Greenway FL, Predmore BL, Flanagan DR, et al. Single-dose pharmacokinetics of different oral sodium nitrite formulations in diabetes patients. *Diabetes Technol Ther* 2012;14:552-60.

Gupta AK, Brashear MM, Johnson WD. Low vitamin D levels, prediabetes and prehypertension in healthy African American adults. *Nutr Metab Cardiovasc Dis* 2012;22:877-82.

Gupta AK, Brashear MM, Johnson WD. Predisease conditions and serum vitamin D levels in healthy Mexican American adults. *Postgrad Med* 2012;124:136-42.

Gupta AK, Greenway FL. Safety of obesity drugs. In: Bagchi D, Preuss HG, eds. *Obesity : epidemiology, pathophysiology, and prevention*. 2nd ed. Boca Raton: CRC Press; 2012.

Gupta AK, Menon R, Brashear M, Johnson WD. Prediabetes: prevalence, pathogenesis, and recognition of enhanced risk. In: Bagchi D, Sreejayan N, eds. *Nutrition and Therapeutic Interventions of Diabetes and Metabolic Syndrome*. San Diego, CA: Academic Press: Elsevier; 2012.

Gupta AK, Ravussin E, Johannsen DL, Stull AJ, Cefalu WT, Johnson WD. Endothelial Dysfunction: An Early Cardiovascular Risk Marker in Asymptomatic Obese Individuals with Prediabetes. *Br J Med Med Res* 2012;2:413-23.

Gupta S, Knight AG, Gupta S, Keller JN, Bruce-Keller AJ. Saturated long-chain fatty acids activate inflammatory signaling in astrocytes. *J Neurochem* 2012;120:1060-71.

Gupta S, Knight AG, Lusso BY, Ingram DK, Keller JN, Bruce-Keller AJ. Brain injury caused by HIV protease inhibitors: role of lipodystrophy and insulin resistance. *Antiviral Res* 2012;95:19-29.

Hall KD, Heymsfield SB, Kemnitz JW, Klein S, Schoeller DA, Speakman JR. Energy balance and its components: implications for body weight regulation. *Am J Clin Nutr* 2012;95:989-94.

Hamilton MT, Owen N. Sedentary behavior and inactivity physiology. In: Bouchard C, Blair SN, Haskell WL, eds.

Physical activity and health. 2nd ed. Champaign, IL: Human Kinetics; 2012.

Hansel W. From hyperkeratosis to apoptosis: lessons learned from 65 years of research. *Biol Reprod* 2012;87:19, 1-1.

Harrington DM, Dowd KP, Tudor-Locke C, Donnelly AE. A steps/minute value for moderate intensity physical activity in adolescent females. *Pediatr Exerc Sci* 2012;24:399-408.

Harris RB, Apolzan JW. Changes in glucose tolerance and leptin responsiveness of rats offered a choice of lard, sucrose, and chow. *Am J Physiol Regul Integr Comp Physiol* 2012;302:R1327-39.

Harrison M, Moyna NM, Zderic TW, et al. Lipoprotein particle distribution and skeletal muscle lipoprotein lipase activity after acute exercise. *Lipids Health Dis* 2012;11:64.

Harsha DW, Champagne CM, Bray GA. Body weight and blood pressure. In: Lin P-H, Svetkey LP, eds. *Nutrition, lifestyle factors, and blood pressure*. Boca Raton, FL: CRC Press; 2012:73-82.

Haskell WL, Blair SN, Bouchard C. An integrated view of physical activity, fitness and health. In: Bouchard C, Blair SN, Haskell WL, eds. *Physical activity and health*. 2nd ed. Champaign, IL: Human Kinetics; 2012:409-25.

Heffernan KS, Manini TM, Hsu FC, et al. Relation of pulse pressure to long-distance gait speed in community-dwelling older adults: findings from the LIFE-P study. *PLoS ONE* 2012;7:e49544.

Hempe JM, McGehee AM, Hsia D, Chalew SA. Characterization of unstable hemoglobin A1c complexes by dynamic capillary isoelectric focusing. *Anal Biochem* 2012;424:149-55.

Henagan TM, Forney L, Dietrich MA, Harrell BR, Stewart LK. Melanocortin receptor expression is associated with reduced CRP in response to resistance training. *J Appl Physiol* 2012;113:393-400.

Heo M, Faith MS, Pietrobelli A, Heymsfield SB. Percentage of body fat cutoffs by sex, age, and race-ethnicity in the US adult population from NHANES 1999-2004. *Am J Clin Nutr* 2012;95:594-602.

Heymsfield SB, Muller MJ, Bosity-Westphal A, Thomas D, Shen W. Human brain mass: similar body composition associations as observed across mammals. *Am J Hum Biol* 2012;24:479-85.

Heymsfield SB, Thomas D, Bosity-Westphal A, Shen W, Peterson CM, Muller MJ. Evolving concepts on adjusting human resting energy expenditure measurements for body size. *Obes Rev* 2012;13:1001-14.

Heymsfield SB, Thomas D, Martin CK, et al. Energy content of weight loss: kinetic features during voluntary caloric restriction. *Metabolism* 2012;61:937-43.

Hollingsworth JV, Richard AJ, Vicente MG, Russo PS. Characterization of the self-assembly of meso-tetra(4-sulfonatophenyl)porphyrin (H₂TPPS(4-)) in aqueous solutions. *Biomacromolecules* 2012;13:60-72.

Hsia DS, Fallon SC, Brandt ML. Adolescent bariatric surgery. *Arch Pediatr Adolesc Med* 2012;166:757-66.

Hsuchou H, Kastin AJ, Mishra PK, Pan W. C-reactive protein increases BBB permeability: implications for obesity and neuroinflammation. *Cell Physiol Biochem* 2012;30:1109-19.

Hsuchou H, Kastin AJ, Pan W. Blood-borne metabolic factors in obesity exacerbate injury-induced gliosis. *J Mol Neurosci* 2012;47:267-77.

Hu G, Horswell R, Wang Y, et al. Body mass index and the risk of dementia among Louisiana low income diabetic patients. *PLoS ONE* 2012;7:e44537.

Hu G, Tian H, Zhang F, et al. Tianjin Gestational Diabetes Mellitus Prevention Program: study design, methods, and 1-year interim report on the feasibility of lifestyle intervention program. *Diabetes Res Clin Pract* 2012;98:508-17.

Huffman KM, Redman LM, Landerman LR, et al. Caloric restriction alters the metabolic response to a mixed-meal: results from a randomized, controlled trial. *PLoS ONE* 2012;7:e28190.

Hummel NA, Attaway AD, Coneva ED, et al. Creating a Community of Practice for Blueberries. *International Journal of Fruit Science* 2012;12:350-9.

Hunt ND, Li GD, Zhu M, et al. Effect of calorie restriction and refeeding on skin wound healing in the rat. *Age* 2012;34:1453-8.

Hutton DL, Logsdon EA, Moore EM, Mac Gabhann F, Gimble JM, Grayson WL. Vascular morphogenesis of adipose-derived stem cells is mediated by heterotypic cell-cell interactions. *Tissue Eng Part A* 2012;18:1729-40.

Inoue S, Ohya Y, Tudor-Locke C, Yoshiike N, Shimomitsu T. Step-defined physical activity and cardiovascular risk among middle-aged Japanese: the National Health and Nutrition Survey of Japan 2006. *J Phys Act Health* 2012;9:1117-24.

Islam A, Civitarese AE, Hesslink RL, Gallaher DD. Viscous dietary fiber reduces adiposity and plasma leptin and increases muscle expression of fat oxidation genes in rats. *Obesity (Silver Spring)* 2012;20:349-55.

Jackson AS, Janssen I, Sui X, Church TS, Blair SN. Longitudinal changes in body composition associated with healthy ageing: men, aged 20-96 years. *Br J Nutr* 2012;107:1085-91.

Jixiang J, Zhang L, Johnson WD. The Permutation Test as an Ancillary Procedure for Comparing Zero-Inflated Continuous Distributions. *Open Journal of Statistics* 2012;2:274-80.

Johannsen DL, Conley KE, Bajpeyi S, et al. Ectopic lipid accumulation and reduced glucose tolerance in elderly adults are accompanied by altered skeletal muscle mitochondrial activity. *J Clin Endocrinol Metab* 2012;97:242-50.

Johannsen DL, Galgani JE, Johannsen NM, Zhang Z, Covington JD, Ravussin E. Effect of short-term thyroxine administration on energy metabolism and mitochondrial efficiency in humans. *PLoS ONE* 2012;7:e40837.

Johannsen DL, Knuth ND, Huizenga R, Rood JC, Ravussin E, Hall KD. Metabolic slowing with massive weight loss despite preservation of fat-free mass. *J Clin Endocrinol Metab* 2012;97:2489-96.

Johannsen NM, Swift DL, Johnson WD, et al. Effect of different doses of aerobic exercise on total white blood cell (WBC) and WBC subfraction number in postmenopausal women: results from DREW. *PLoS ONE* 2012;7:e31319.

Judge MP, Cong X, Harel O, Courville AB, Lammi-Keefe CJ. Maternal consumption of a DHA-containing functional food benefits infant sleep patterning: an early neurodevelopmental measure. *Early Hum Dev* 2012;88:531-7.

Jun HJ, Gettys TW, Chang JS. Transcriptional Activity of PGC-1alpha and NT-PGC-1alpha Is Differentially Regulated by Twist-1 in Brown Fat Metabolism. *PPAR Res* 2012;2012:320454.

Kadiiska MB, Bonini MG, Ruggiero C, Cleland E, Wicks S, Stadler K. Thiazolidinedione treatment decreases oxidative stress in spontaneously hypertensive heart failure rats through attenuation of inducible nitric oxide synthase-mediated lipid radical formation. *Diabetes* 2012;61:586-96.

Kang M, Bassett DR, Barreira TV, Tudor-Locke C, Ainsworth BE. Measurement effects of seasonal and monthly variability on pedometer-determined data. *J Phys Act Health* 2012;9:336-43.

Kanneganti TD, Dixit VD. Immunological complications of obesity. *Nat Immunol* 2012;13:707-12.

Kappen C, Kruger C, MacGowan J, Salbaum JM. Maternal diet modulates placenta growth and gene expression in a mouse model of diabetic pregnancy. *PLoS ONE* 2012;7:e38445.

Katzmarzyk PT, Barreira TV, Harrington DM, Staiano AE, Heymsfield SB, Gimble JM. Relationship between abdominal fat and bone mineral density in white and African American adults. *Bone* 2012;50:576-9.

Katzmarzyk PT, Lear SA. Physical activity for obese individuals: a systematic review of effects on chronic disease risk factors. *Obes Rev* 2012;13:95-105.

Katzmarzyk PT, Lee IM. Sedentary behaviour and life expectancy in the USA: a cause-deleted life table analysis. *BMJ open* 2012;2.

Katzmarzyk PT, Mire E, Bouchard C. Abdominal obesity and mortality: The Pennington Center Longitudinal Study. *Nutr Diabetes* 2012;2:e42.

Katzmarzyk PT, Reeder BA, Elliott S, et al. Body mass index and risk of cardiovascular disease, cancer and all-cause mortality. *Can J Public Health* 2012;103:147-51.

Katzmarzyk PT, Shen W, Baxter-Jones A, et al. Adiposity in children and adolescents: correlates and clinical consequences of fat stored in specific body depots. *Pediatr Obes* 2012;7:e42-61.

Katzmarzyk PT, Staiano AE. New race and ethnicity standards: elucidating health disparities in diabetes. *BMC Med* 2012;10:42.

Keenan MJ, Martin RJ, Raggio AM, et al. High-amylose resistant starch increases hormones and improves structure and function of the gastrointestinal tract: a microarray study. *J Nutrigenet Nutrigenomics* 2012;5:26-44.

Kilroy G, Kirk-Ballard H, Carter LE, Floyd ZE. The ubiquitin ligase Siah2 regulates PPARgamma activity in adipocytes. *Endocrinology* 2012;153:1206-18.

Kline CE, Sui X, Hall MH, et al. Dose-response effects of exercise training on the subjective sleep quality of postmenopausal women: exploratory analyses of a randomised controlled trial. *BMJ open* 2012;2.

Kozak LP, Koza RA, Anunciado-Koza R, Mendoza T, Newman S. Inherent plasticity of brown adipogenesis in white fat of mice allows for recovery from effects of post-natal malnutrition. *PLoS ONE* 2012;7:e30392.

Kruger C, Kumar KG, Mynatt RL, Volaufova J, Richards BK. Brain transcriptional responses to high-fat diet in *Acads*-deficient mice reveal energy sensing pathways. *PLoS ONE* 2012;7:e41709.

Kulinna PH, Brusseau T, Cothran D, Tudor-Locke C. Changing School Physical Activity: An Examination of Individual School Designed Programs. *Journal of Teaching in Physical Education* 2012;31:113-30.

Lavie CJ, De Schutter A, Patel DA, Romero-Corral A, Artham SM, Milani RV. Body composition and survival in stable coronary heart disease: impact of lean mass index and body fat in the "obesity paradox". *J Am Coll Cardiol* 2012;60:1374-80.

Leahy JL, Cefalu WT. Insulin physiology and therapy. Preface. *Endocrinol Metab Clin North Am* 2012;41:xiii-xiv.

LeBlanc MM, Martin CK, Han H, et al. Adiposity and physical activity are not related to academic achievement in school-aged children. *J Dev Behav Pediatr* 2012;33:486-94.

Lee DC, Sui X, Church TS, Lavie CJ, Jackson AS, Blair SN. Changes in fitness and fatness on the development of cardiovascular disease risk factors hypertension, metabolic syndrome, and hypercholesterolemia. *J Am Coll Cardiol*

2012;59:665-72.

Lee IM, Shiroma EJ, Lobelo F, et al. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet* 2012;380:219-29.

Li H, Gao Z, Zhang J, et al. Sodium butyrate stimulates expression of fibroblast growth factor 21 in liver by inhibition of histone deacetylase 3. *Diabetes* 2012;61:797-806.

Li M, Ganea GM, Lu C, et al. Lipophilic phosphonium-lanthanide compounds with magnetic, luminescent, and tumor targeting properties. *J Inorg Biochem* 2012;107:40-6.

Liedo P, Carey JR, Ingram DK, Zou S. The interplay among dietary fat, sugar, protein and acai (*Euterpe oleracea* Mart.) pulp in modulating lifespan and reproduction in a Tephritid fruit fly. *Exp Gerontol* 2012;47:536-9.

Lin PH, Chen C, Young DR, et al. Glycemic index and glycemic load are associated with some cardiovascular risk factors among the PREMIER study participants. *Food Nutr Res* 2012;56.

Liu AG, Most MM, Brashear MM, Johnson WD, Cefalu WT, Greenway FL. Reducing the glycemic index or carbohydrate content of mixed meals reduces postprandial glycemia and insulinemia over the entire day but does not affect satiety. *Diabetes Care* 2012;35:1633-7.

Liu R, Sui X, Laditka JN, et al. Cardiorespiratory fitness as a predictor of dementia mortality in men and women. *Med Sci Sports Exerc* 2012;44:253-9.

Luckett BG, Su LJ, Rood JC, Fontham ET. Cadmium exposure and pancreatic cancer in south Louisiana. *J Environ Public Health* 2012;2012:180186.

Lupachyk S, Stavniichuk R, Komissarenko JI, et al. Na⁺/H⁺-exchanger-1 inhibition counteracts diabetic cataract formation and retinal oxidative-nitrative stress and apoptosis. *Int J Mol Med* 2012;29:989-98.

Lupachyk S, Watcho P, Hasanova N, Julius U, Obrosova IG. Triglyceride, nonesterified fatty acids, and prediabetic neuropathy: role for oxidative-nitrosative stress. *Free Radic Biol Med* 2012;52:1255-63.

Lutz LJ, Karl JP, Rood JC, et al. Vitamin D status, dietary intake, and bone turnover in female Soldiers during military training: a longitudinal study. *J Int Soc Sports Nutr* 2012;9:38.

Manning AK, Hivert MF, Scott RA, et al. A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. *Nat Genet* 2012;44:659-69.

Mao M, Sudhakar V, Ansenberger-Fricano K, et al. Nitroglycerin drives endothelial nitric oxide synthase activation via the phosphatidylinositol 3-kinase/protein kinase B pathway. *Free Radic Biol Med* 2012;52:427-35.

Margolis LM, Pasiakos SM, Karl JP, et al. Differential effects of military training on fat-free mass and plasma amino acid adaptations in men and women. *Nutrients* 2012;4:2035-46.

Martin CK, Correa JB, Han H, et al. Validity of the Remote Food Photography Method (RFPM) for estimating energy and nutrient intake in near real-time. *Obesity (Silver Spring)* 2012;20:891-9.

Mattison JA, Roth GS, Beasley TM, et al. Impact of caloric restriction on health and survival in rhesus monkeys from the NIA study. *Nature* 2012;489:318-21.

McAuley PA, Artero EG, Sui X, et al. The obesity paradox, cardiorespiratory fitness, and coronary heart disease. *Mayo Clin Proc* 2012;87:443-51.

McVay MA, Copeland AL, Newman HS, Geiselman PJ. Food cravings and food cue responding across the menstrual cycle in a non-eating disordered sample. *Appetite* 2012;59:591-600.

Menezes AR, Artham S, Lavie CJ, Khatib S. Anticoagulation strategies in atrial fibrillation. *Rev Cardiovasc Med* 2012;13:e1-13.

Menezes AR, Lavie CJ, Milani RV, Arena RA, Church TS. Cardiac rehabilitation and exercise therapy in the elderly: Should we invest in the aged? *J Geriatr Cardiol* 2012;9:68-75.

Menezes AR, Lavie CJ, Milani RV, O'Keefe J. The effects of statins on prevention of stroke and dementia: a review. *J Cardiopulm Rehabil Prev* 2012;32:240-9.

Messaoudi I, Ingram DK. Overview of aging research using nonhuman primate models. *Age* 2012;34:1047-9.

Milani RV, Lavie CJ, Dornelles AC. The impact of achieving perfect care in acute coronary syndrome: the role of computer assisted decision support. *Am Heart J* 2012;164:29-34.

Molloy AM, Kappen C. Papers from the 7th International Neural Tube Defects Conference. *Birt Defects Res A Clin Mol Teratol* 2012;94:747-8.

Morris SN, Coogan C, Chamseddin K, et al. Development of diet-induced insulin resistance in adult *Drosophila melanogaster*. *Biochim Biophys Acta* 2012;1822:1230-7.

Morrison CD, Munzberg H. Capricious Cre: the devil is in the details. *Endocrinology* 2012;153:1005-7.

Morrison CD, Reed SD, Henagan TM. Homeostatic regulation of protein intake: in search of a mechanism. *Am J Physiol Regul Integr Comp Physiol* 2012;302:R917-28.

Mouton PR, Kelley-Bell B, Tweedie D, et al. The effects of age and lipopolysaccharide (LPS)-mediated peripheral inflammation on numbers of central catecholaminergic neurons. *Neurobiol Aging* 2012;33:423 e27-36.

Muller MJ, Bosity-Westphal A, Lagerpusch M, Heymsfield SB. Use of balance methods for assessment of short-term changes in body composition. *Obesity (Silver Spring)* 2012;20:701-7.

Muoio DM, Noland RC, Kovalik JP, et al. Muscle-specific deletion of carnitine acetyltransferase compromises glucose tolerance and metabolic flexibility. *Cell Metab* 2012;15:764-77.

Myers MG, Jr., Heymsfield SB, Haft C, et al. Challenges and opportunities of defining clinical leptin resistance. *Cell Metab* 2012;15:150-6.

Myers VH, Adams CE, Barbera BL, Brantley PJ. Medical and psychosocial outcomes of laparoscopic Roux-en-Y gastric bypass: cross-sectional findings at 4-year follow-up. *Obes Surg* 2012;22:230-9.

Myers VH, McVay MA, Adams CE, et al. Actual medical and pharmacy costs for bariatric surgery: 6-year follow-up. *South Med J* 2012;105:530-7.

Neiberg RH, Wing RR, Bray GA, et al. Patterns of weight change associated with long-term weight change and cardiovascular disease risk factors in the Look AHEAD Study. *Obesity (Silver Spring)* 2012;20:2048-56.

Newton RL, Jr., M HH, Dubbert PM, et al. Pedometer determined physical activity tracks in African American adults: the Jackson Heart Study. *Int J Behav Nutr Phys Act* 2012;9:44.

Nicklas TA, O'Neil CE, Stuff J, Goodell LS, Liu Y, Martin CK. Validity and feasibility of a digital diet estimation method for use with preschool children: a pilot study. *J Nutr Educ Behav* 2012;44:618-23.

Niedowicz DM, Beckett TL, Matveev S, et al. Pittsburgh compound B and the postmortem diagnosis of Alzheimer disease. *Ann Neurol* 2012;72:564-70.

Obanda DN, Hernandez A, Ribnicky D, et al. Bioactives of *Artemisia dracuncululus* L. mitigate the role of ceramides in attenuating insulin signaling in rat skeletal muscle cells. *Diabetes* 2012;61:597-605.

O'Keefe JH, Bybee KA, Lavie CJ, Hammill SC. ST-segment elevation: defined by the company it keeps. *Mayo Clin Proc* 2012;87:610-3.

O'Keefe JH, Patil HR, Lavie CJ, Magalski A, Vogel RA, McCullough PA. Potential adverse cardiovascular effects from excessive endurance exercise. *Mayo Clin Proc* 2012;87:587-95.

Pan W, Hsueh H, Cornelissen-Guillaume GG, et al. Endothelial leptin receptor mutation provides partial resistance to diet-induced obesity. *J Appl Physiol* 2012;112:1410-8.

Pan W, Hsueh H, Jayaram B, et al. Leptin action on nonneuronal cells in the CNS: potential clinical applications. *Ann N Y Acad Sci* 2012;1264:64-71.

Pasiakos SM, Karl JP, Lutz LJ, et al. Cardiometabolic risk in US Army recruits and the effects of basic combat training. *PLoS ONE* 2012;7:e31222.

Patel K, Dixit VD, Lee JH, et al. The GHS-R blocker D-[Lys3] GHRP-6 serves as CCR5 chemokine receptor antagonist. *Int J Med Sci* 2012;9:51-8.

Patel K, Dixit VD, Lee JH, et al. Identification of ghrelin receptor blocker, D-[Lys3] GHRP-6 as a CXCR4 receptor antagonist. *Int J Biol Sci* 2012;8:108-17.

Peterson CM, Johannsen DL, Ravussin E. Skeletal muscle mitochondria and aging: a review. *J Aging Res* 2012;2012:194821.

Pfaehler A, Nanjappa MK, Coleman ES, et al. Regulation of adiponectin secretion by soy isoflavones has implication for endocrine function of the testis. *Toxicol Lett* 2012;209:78-85.

Picou RA, Kheterpal I, Gilman SD. A data treatment method for detecting fluorescence anisotropy peaks in capillary electropherograms. *Anal Chim Acta* 2012;739:99-103.

Picou RA, Schrum DP, Ku G, Cerqua RA, Kheterpal I, Gilman SD. Separation and detection of individual Aβ aggregates by capillary electrophoresis with laser-induced fluorescence detection. *Anal Biochem* 2012;425:104-12.

Pistell PJ, Spangler EL, Kelly-Bell B, Miller MG, de Cabo R, Ingram DK. Age-associated learning and memory deficits in two mouse versions of the Stone T-maze. *Neurobiol Aging* 2012;33:2431-9.

Purpera MN, Shen L, Taghavi M, et al. Impaired branched chain amino acid metabolism alters feeding behavior and increases orexigenic neuropeptide expression in the hypothalamus. *J Endocrinol* 2012;212:85-94.

Qi Q, Bray GA, Hu FB, Sacks FM, Qi L. Weight-loss diets modify glucose-dependent insulinotropic polypeptide receptor rs2287019 genotype effects on changes in body weight, fasting glucose, and insulin resistance: the Preventing Overweight Using Novel Dietary Strategies trial. *Am J Clin Nutr* 2012;95:506-13.

Qiu G, Spangler EL, Wan R, et al. Neuroprotection provided by dietary restriction in rats is further enhanced by reducing glucocorticoids. *Neurobiol Aging* 2012;33:2398-410.

Racette SB, Das SK, Bhapkar M, et al. Approaches for quantifying energy intake and %calorie restriction during calorie

restriction interventions in humans: the multicenter CALERIE study. *Am J Physiol Endocrinol Metab* 2012;302:E441-8.

Rankinen T, Bouchard C. Gene-exercise interactions. *Prog Mol Biol Transl Sci* 2012;108:447-60.

Rankinen T, Bouchard C. Genetic differences in the relationships among physical activity, fitness, and health. In: Bouchard C, Blair SN, Haskell WL, eds. *Physical activity and health*. 2nd ed. Champaign, IL: Human Kinetics; 2012:381-408.

Rankinen T, Sung YJ, Sarzynski MA, Rice TK, Rao DC, Bouchard C. Heritability of submaximal exercise heart rate response to exercise training is accounted for by nine SNPs. *J Appl Physiol* 2012;112:892-7.

Raz I, Amiel SA, Alberti G, et al. Global call for free academic movement for international dialogue. *Diabetes Care* 2012;35:1631-2.

Rebello CJ, Martin CK, Johnson WD, O'Neil CE, Greenway FL. Efficacy of Olibra: a 12-week randomized controlled trial and a review of earlier studies. *J Diabetes Sci Technol* 2012;6:695-708.

Rejeski WJ, Burdette J, Burns M, et al. Power of food moderates food craving, perceived control, and brain networks following a short-term post-absorptive state in older adults. *Appetite* 2012;58:806-13.

Rejeski WJ, Ip EH, Bertoni AG, et al. Lifestyle change and mobility in obese adults with type 2 diabetes. *N Engl J Med* 2012;366:1209-17.

Ribeiro CA, Fraga JS, Graos M, et al. The secretome of stem cells isolated from the adipose tissue and Wharton jelly acts differently on central nervous system derived cell populations. *Stem Cell Res Ther* 2012;3:18.

Rice TK, Sarzynski MA, Sung YJ, et al. Fine mapping of a QTL on chromosome 13 for submaximal exercise capacity training response: the HERITAGE Family Study. *Eur J Appl Physiol* 2012;112:2969-78.

Richard AJ, Amini ZJ, Ribnicky DM, Stephens JM. St. John's Wort inhibits insulin signaling in murine and human adipocytes. *Biochim Biophys Acta* 2012;1822:557-63.

Rodriguez-Osorio N, Urrego R, Cibelli JB, Eilertsen K, Memili E. Reprogramming mammalian somatic cells. *Theriogenology* 2012;78:1869-86.

Rogers RC, Hermann GE. Brainstem control of gastric function. In: Johnson LR, ed. *Physiology of the gastrointestinal tract*. 4th ed. Oxford: Academic Press; 2012:861-91.

Rogers RC, Hermann GE. Tumor necrosis factor activation of vagal afferent terminal calcium is blocked by cannabinoids. *J Neurosci* 2012;32:5237-41.

Roopchand DE, Grace MH, Kuhn P, et al. Efficient sorption of polyphenols to soybean flour enables natural fortification of foods. *Food Chem* 2012;131:1193-200.

Roopchand DE, Kuhn P, Poulev A, et al. Biochemical analysis and in vivo hypoglycemic activity of a grape polyphenol-soybean flour complex. *J Agric Food Chem* 2012;60:8860-5.

Ross R, Lam M, Blair SN, et al. Trial of prevention and reduction of obesity through active living in clinical settings: a randomized controlled trial. *Arch Intern Med* 2012;172:414-24.

Roth SM, Rankinen T, Hagberg JM, et al. Advances in exercise, fitness, and performance genomics in 2011. *Med Sci Sports Exerc* 2012;44:809-17.

Ryan DH. BMI guidelines for bariatric surgery in diabetes: how low can we go? *Diabetes Care* 2012;35:1399-400.

Sala PC, Torrinhas RS, Heymsfield SB, Waitzberg DL. Type 2 diabetes mellitus: a possible surgically reversible intestinal dysfunction. *Obes Surg* 2012;22:167-76.

Salbaum JM, Kappen C. Genetic and epigenomic footprints of folate. *Prog Mol Biol Transl Sci* 2012;108:129-58.

Salbaum JM, Kappen C. Responses of the embryonic epigenome to maternal diabetes. *Birt Defects Res A Clin Mol Teratol* 2012;94:770-81.

Santamaria F, Montella S, Pietrobelli A. Obesity and pulmonary disease: unanswered questions. *Obes Rev* 2012;13:822-33.

Sarjeant K, Stephens JM. Adipogenesis. *Cold Spring Harb Perspect Biol* 2012;4:a008417.

Sarzynski MA, Jacobson P, Rankinen T, et al. Changes in uric acid levels following bariatric surgery are not associated with SLC2A9 variants in the Swedish Obese Subjects Study. *PLoS ONE* 2012;7:e51658.

Scherp P, Putluri N, LeBlanc GJ, et al. Proteomic analysis reveals cellular pathways regulating carbohydrate metabolism that are modulated in primary human skeletal muscle culture due to treatment with bioactives from *Artemisia dracunculus* L. *J Proteomics* 2012;75:3199-210.

Schoeller DA, Alon A, Manekas D, et al. Segmental bioimpedance for measuring amlodipine-induced pedal edema: a placebo-controlled study. *Clin Ther* 2012;34:580-92.

Schumacher D, Dhurandhar NV. Pharmacologic management of the obese patient. In: Rippe JM, ed. *Encyclopedia of lifestyle medicine and health*. Thousand Oaks, Calif.: Sage Publications; 2012.

Schwartz AV, Johnson KC, Kahn SE, et al. Effect of 1 year of an intentional weight loss intervention on bone mineral density in type 2 diabetes: results from the Look AHEAD randomized trial. *J Bone Miner Res* 2012;27:619-27.

Shah SH, Crosslin DR, Haynes CS, et al. Branched-chain amino acid levels are associated with improvement in insulin resistance with weight loss. *Diabetologia* 2012;55:321-30.

Shea J, Diamandis EP, Sharma AM, Despres JP, Ezzat S, Greenway F. The obesity epidemic. *Clin Chem* 2012;58:968-73.

Shen W, Chen J, Gantz M, et al. MRI-measured pelvic bone marrow adipose tissue is inversely related to DXA-measured bone mineral in younger and older adults. *Eur J Clin Nutr* 2012;66:983-8.

Shen W, Chen J, Gantz M, et al. Ethnic and sex differences in bone marrow adipose tissue and bone mineral density relationship. *Osteoporos Int* 2012;23:2293-301.

Shen W, Chen J, Gantz M, Velasquez G, Punyanitya M, Heymsfield SB. A single MRI slice does not accurately predict visceral and subcutaneous adipose tissue changes during weight loss. *Obesity (Silver Spring)* 2012;20:2458-63.

Shevalye H, Lupachyk S, Watcho P, et al. Prediabetic nephropathy as an early consequence of the high-calorie/high-fat diet: relation to oxidative stress. *Endocrinology* 2012;153:1152-61.

Shevalye H, Watcho P, Stavniichuk R, Dyukova E, Lupachyk S, Obrosova IG. Metaxan alleviates multiple manifestations of peripheral neuropathy and increases intraepidermal nerve fiber density in Zucker diabetic fatty rats. *Diabetes* 2012;61:2126-33.

Shi Z, Taylor AW, Hu G, Gill T, Wittert GA. Rice intake, weight change and risk of the metabolic syndrome development among Chinese adults: the Jiangsu Nutrition Study (JIN). *Asia Pac J Clin Nutr* 2012;21:35-43.

Shin AC, Zheng H, Berthoud HR. Vagal innervation of the hepatic portal vein and liver is not necessary for Roux-en-Y gastric bypass surgery-induced hypophagia, weight loss, and hypermetabolism. *Ann Surg* 2012;255:294-301.

Shook RP, Lee DC, Sui X, et al. Cardiorespiratory fitness reduces the risk of incident hypertension associated with a parental history of hypertension. *Hypertension* 2012;59:1220-4.

Sisson SB, Broyles ST. Social-ecological correlates of excessive TV viewing: difference by race and sex. *J Phys Act Health* 2012;9:449-55.

Sisson SB, Broyles ST, Robledo C, Boeckman L, Leyva M. Television viewing and variations in energy intake in adults and children in the USA. *Public Health Nutr* 2012;15:609-17.

Sisson SB, Camhi SM, Tudor-Locke C, Johnson WD, Katzmarzyk PT. Characteristics of step-defined physical activity categories in U.S. adults. *Am J Health Promot* 2012;26:152-9.

Sisson SB, Shay CM, Broyles ST, Leyva M. Television-viewing time and dietary quality among U.S. children and adults. *Am J Prev Med* 2012;43:196-200.

Sjostrom L, Peltonen M, Jacobson P, et al. Bariatric surgery and long-term cardiovascular events. *JAMA* 2012;307:56-65.

Smits JA, Zvolensky MJ, Rosenfield D, et al. The efficacy of vigorous-intensity exercise as an aid to smoking cessation in adults with elevated anxiety sensitivity: study protocol for a randomized controlled trial. *Trials* 2012;13:207.

Spencer ND, Chun R, Vidal MA, Gimble JM, Lopez MJ. In vitro expansion and differentiation of fresh and revitalized adult canine bone marrow-derived and adipose tissue-derived stromal cells. *Vet J* 2012;191:231-9.

Stadler K. Oxidative stress in diabetes. *Adv Exp Med Biol* 2012;771:272-87.

Staiano AE, Abraham AA, Calvert SL. Competitive versus cooperative exergame play for African American adolescents' executive function skills: short-term effects in a long-term training intervention. *Dev Psychol* 2012;48:337-42.

Staiano AE, Abraham AA, Calvert SL. The Wii Club: Gaming for Weight Loss in Overweight and Obese Youth. *Games Health J* 2012;1:377-80.

Staiano AE, Baker CM, Calvert SL. Dietary Digital Diaries: Documenting Adolescents' Obesogenic Environment. *Environ Behav* 2012;44:695-712.

Staiano AE, Calvert SL. Digital Gaming and Pediatric Obesity: At the Intersection of Science and Social Policy. *Soc Issues Policy Rev* 2012;6:54-81.

Staiano AE, Katzmarzyk PT. Ethnic and sex differences in body fat and visceral and subcutaneous adiposity in children and adolescents. *Int J Obes* 2012;36:1261-9.

Staiano AE, Reeder BA, Elliott S, et al. Body mass index versus waist circumference as predictors of mortality in Canadian adults. *Int J Obes* 2012;36:1450-4.

Staiano AE, Reeder BA, Elliott S, et al. Physical activity level, waist circumference, and mortality. *Appl Physiol Nutr Metab* 2012;37:1008-13.

Staszkiwicz J, Gimble JM, Dietrich MA, Gawronska-Kozak B. Diet-induced obesity in stem cell antigen-1 KO mice. *Stem Cells Dev* 2012;21:249-59.

Staton SJ, Jones PV, Ku G, Gilman SD, Kheterpal I, Hayes MA. Manipulation and capture of Abeta amyloid fibrils and

monomers by DC insulator gradient dielectrophoresis (DC-iGDEP). *Analyst* 2012;137:3227-9.

Stavniichuk R, Shevalye H, Hirooka H, Nadler JL, Obrosova IG. Interplay of sorbitol pathway of glucose metabolism, 12/15-lipoxygenase, and mitogen-activated protein kinases in the pathogenesis of diabetic peripheral neuropathy. *Biochem Pharmacol* 2012;83:932-40.

Stephens JM. The fat controller: adipocyte development. *PLoS Biol* 2012;10:e1001436.

Stephens JM. RIFL aims to be a new player in lipid metabolism. *Am J Physiol Endocrinol Metab* 2012;303:E332-3.

Strack AM, Nicolich S, Faidley T, et al. Cannabinoid-1 receptor inhibition prevents the reduction of 24-hour energy expenditure with weight loss. *Metabolism* 2012;61:546-53.

Stull AJ, Wang ZQ, Zhang XH, Yu Y, Johnson WD, Cefalu WT. Skeletal muscle protein tyrosine phosphatase 1B regulates insulin sensitivity in African Americans. *Diabetes* 2012;61:1415-22.

Sui X, Jackson AS, Church TS, et al. Effects of cardiorespiratory fitness on aging: glucose trajectory in a cohort of healthy men. *Ann Epidemiol* 2012;22:617-22.

Sung YJ, Wang L, Rankinen T, Bouchard C, Rao DC. Performance of genotype imputations using data from the 1000 Genomes Project. *Hum Hered* 2012;73:18-25.

Svetkey LP, Ard JD, Stevens VJ, et al. Predictors of long-term weight loss in adults with modest initial weight loss, by sex and race. *Obesity (Silver Spring)* 2012;20:1820-8.

Swift DL, Earnest CP, Blair SN, Church TS. The effect of different doses of aerobic exercise training on endothelial function in postmenopausal women with elevated blood pressure: results from the DREW study. *Br J Sports Med* 2012;46:753-8.

Swift DL, Earnest CP, Katzmarzyk PT, Rankinen T, Blair SN, Church TS. The effect of different doses of aerobic exercise training on exercise blood pressure in overweight and obese postmenopausal women. *Menopause* 2012;19:503-9.

Swift DL, Johannsen NM, Earnest CP, Blair SN, Church TS. Effect of different doses of aerobic exercise training on total bilirubin levels. *Med Sci Sports Exerc* 2012;44:569-74.

Swift DL, Johannsen NM, Earnest CP, Blair SN, Church TS. Effect of exercise training modality on C-reactive protein in type 2 diabetes. *Med Sci Sports Exerc* 2012;44:1028-34.

Swift DL, Johannsen NM, Myers VH, et al. The effect of exercise training modality on serum brain derived neurotrophic factor levels in individuals with type 2 diabetes. *PLoS ONE* 2012;7:e42785.

Swift DL, Johannsen NM, Tudor-Locke C, et al. Exercise training and habitual physical activity: a randomized controlled trial. *Am J Prev Med* 2012;43:629-35.

Tam CS, Covington JD, Ravussin E, Redman LM, Pennington CT. Little evidence of systemic and adipose tissue inflammation in overweight individuals(dagger). *Front Genet* 2012;3:58.

Tam CS, Lecoultrre V, Ravussin E. Brown adipose tissue: mechanisms and potential therapeutic targets. *Circulation* 2012;125:2782-91.

Tam CS, Ravussin E. Energy balance: an overview with emphasis on children. *Pediatr Blood Cancer* 2012;58:154-8.

Tam CS, Sparks LM, Johannsen DL, Covington JD, Church TS, Ravussin E. Low macrophage accumulation in skeletal muscle of obese type 2 diabetics and elderly subjects. *Obesity (Silver Spring)* 2012;20:1530-3.

Tam CS, Xie W, Johnson WD, Cefalu WT, Redman LM, Ravussin E. Defining insulin resistance from hyperinsulinemic-euglycemic clamps. *Diabetes Care* 2012;35:1605-10.

Tchoukalova YD, Fitch M, Rogers PM, et al. In vivo adipogenesis in rats measured by cell kinetics in adipocytes and plastic-adherent stroma-vascular cells in response to high-fat diet and thiazolidinedione. *Diabetes* 2012;61:137-44.

Thomas DM, Bouchard C, Church T, et al. Why do individuals not lose more weight from an exercise intervention at a defined dose? An energy balance analysis. *Obes Rev* 2012;13:835-47.

Thomas DM, Navarro-Barrientos JE, Rivera DE, et al. Dynamic energy-balance model predicting gestational weight gain. *Am J Clin Nutr* 2012;95:115-22.

Thomson JL, Landry AS, Zoellner JM, et al. Several steps/day indicators predict changes in anthropometric outcomes: HUB City Steps. *BMC Public Health* 2012;12:983.

Thomson JL, Tussing-Humphreys LM, Martin CK, LeBlanc MM, Onufrak SJ. Associations among school characteristics and foodservice practices in a nationally representative sample of United States schools. *J Nutr Educ Behav* 2012;44:423-31.

Tonorezos ES, Vega GL, Sklar CA, et al. Adipokines, body fatness, and insulin resistance among survivors of childhood leukemia. *Pediatr Blood Cancer* 2012;58:31-6.

Tschop MH, Speakman JR, Arch JR, et al. A guide to analysis of mouse energy metabolism. *Nat Methods* 2012;9:57-63.

Tudor-Locke C. Assessment of Enacted Mobility in Older Adults. *Topics in Geriatric Rehabilitation* 2012;28:33-8.

Tudor-Locke C. Walk more (frequently, farther, faster): the perfect preventive medicine. *Prev Med* 2012;55:540-1.

Tudor-Locke C, Brashear MM, Katzmarzyk PT, Johnson WD. Peak stepping cadence in free-living adults: 2005-2006 NHANES. *J Phys Act Health* 2012;9:1125-9.

Tudor-Locke C, Camhi SM, Troiano RP. A catalog of rules, variables, and definitions applied to accelerometer data in the National Health and Nutrition Examination Survey, 2003-2006. *Prev Chronic Dis* 2012;9:E113.

Tudor-Locke C, Martin CK, Brashear MM, Rood JC, Katzmarzyk PT, Johnson WD. Predicting doubly labeled water energy expenditure from ambulatory activity. *Appl Physiol Nutr Metab* 2012;37:1091-100.

Tudor-Locke C, Rowe DA. Using cadence to study free-living ambulatory behaviour. *Sports Med* 2012;42:381-98.

Tudor-Locke C, Schuna JM, Jr. Steps to preventing type 2 diabetes: exercise, walk more, or sit less? *Front Endocrinol (Lausanne)* 2012;3:142.

Van Dorpe S, Bronselaer A, Nielandt J, et al. Brainpeps: the blood-brain barrier peptide database. *Brain Struct Funct* 2012;217:687-718.

Viard E, Rogers RC, Hermann GE. Systemic cholecystokinin amplifies vago-vagal reflex responses recorded in vagal motor neurones. *J Physiol* 2012;590:631-46.

Wang X, Hsu FC, Isom S, et al. Effects of a 12-month physical activity intervention on prevalence of metabolic syndrome in elderly men and women. *J Gerontol A Biol Sci Med Sci* 2012;67:417-24.

Wang Y, Chen L, Horswell R, et al. Racial differences in the association between gestational diabetes mellitus and risk of type 2 diabetes. *J Womens Health (Larchmt)* 2012;21:628-33.

Wang Y, Chen L, Xiao K, et al. Increasing incidence of gestational diabetes mellitus in Louisiana, 1997-2009. *J Womens Health (Larchmt)* 2012;21:319-25.

Wang Y, Katzmarzyk PT, Horswell R, et al. Racial disparities in diabetic complications in an underinsured population. *J Clin Endocrinol Metab* 2012;97:4446-53.

Wang Z, Ying Z, Bosy-Westphal A, et al. Evaluation of specific metabolic rates of major organs and tissues: comparison between nonobese and obese women. *Obesity (Silver Spring)* 2012;20:95-100.

Wang Z, Zhang J, Ying Z, Heymsfield SB. New insights into scaling of fat-free mass to height across children and adults. *Am J Hum Biol* 2012;24:648-53.

Wang ZQ, Yu Y, Zhang XH, et al. Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. *Int J Nanomedicine* 2012;7:2999-3012.

Wang ZQ, Yu Y, Zhang XH, Qin J, Floyd E. Gene expression profile in human skeletal muscle cells infected with human adenovirus type 36. *J Med Virol* 2012;84:1254-66.

White UA, Tchoukalova YD. Implications of H-labeling of DNA protocol to measure in vivo cell turnover in adipose tissue. *Adipocyte* 2012;1:242-5.

Williamson DA, Champagne CM, Harsha DW, et al. Effect of an environmental school-based obesity prevention program on changes in body fat and body weight: a randomized trial. *Obesity (Silver Spring)* 2012;20:1653-61.

Wrann CD, Eguchi J, Bozec A, et al. FOSL2 promotes leptin gene expression in human and mouse adipocytes. *J Clin Invest* 2012;122:1010-21.

Xing Y, Rainey WE, Apolzan JW, Francone OL, Harris RB, Bollag WB. Adrenal cell aldosterone production is stimulated by very-low-density lipoprotein (VLDL). *Endocrinology* 2012;153:721-31.

Xu F, Burk D, Gao Z, et al. Angiogenic deficiency and adipose tissue dysfunction are associated with macrophage malfunction in SIRT1^{-/-} mice. *Endocrinology* 2012;153:1706-16.

Youm YH, Kanneganti TD, Vandanmagsar B, et al. The Nlrp3 inflammasome promotes age-related thymic demise and immunosenescence. *Cell Rep* 2012;1:56-68.

Zderic TW, Hamilton MT. Identification of hemostatic genes expressed in human and rat leg muscles and a novel gene (LPP1/PAP2A) suppressed during prolonged physical inactivity (sitting). *Lipids Health Dis* 2012;11:137.

Zhang J, Wang Y, Gao Z, Yun Z, Ye J. Hypoxia-inducible factor 1 activation from adipose protein 2-cre mediated knockout of von Hippel-Lindau gene leads to embryonic lethality. *Clin Exp Pharmacol Physiol* 2012;39:145-50.

Zhang Y, Chen L, Hu G. Physical activity and hypertension: results from cohort studies and meta-analysis. *Journal of Education Research* 2012;5:39-58.

Zhang Y, Hu G. Dietary Pattern, Lifestyle Factors, and Cardiovascular Diseases. *Current Nutrition Reports* 2012;1:64-72.

Zhang Y, Hu G, Yuan Z, Chen L. Glycosylated hemoglobin in relationship to cardiovascular outcomes and death in patients with type 2 diabetes: a systematic review and meta-analysis. *PLoS ONE* 2012;7:e42551.

Zhang Y, Li W, Wang Y, et al. Increasing prevalence of hypertension in low income residents within Louisiana State University Health Care Services Division Hospital System. *Eur J Intern Med* 2012;23:e179-84.

Zhang Y, Tuomilehto J, Jousilahti P, Wang Y, Antikainen R, Hu G. Lifestyle factors and antihypertensive treatment on the risks of ischemic and hemorrhagic stroke. *Hypertension* 2012;60:906-12.

Zhang Y, Tuomilehto J, Jousilahti P, Wang Y, Antikainen R, Hu G. Total and high-density lipoprotein cholesterol and stroke risk. *Stroke* 2012;43:1768-74.

Zhang Y, Ye J. Mitochondrial inhibitor as a new class of insulin sensitizer. *Acta Pharm Sin B* 2012;2:341-9.

Zheng J, Greenway FL. *Caenorhabditis elegans* as a model for obesity research. *Int J Obes* 2012;36:186-94.

Zheng J, Sonnier T, Vase A, et al. A less invasive surgical approach for splanchnic nerve stimulation to treat obesity. *Obes Surg* 2012;22:1783-4.

Zhou J, Keenan MJ, Keller J, et al. Tolerance, fermentation, and cytokine expression in healthy aged male C57BL/6J mice fed resistant starch. *Mol Nutr Food Res* 2012;56:515-8.

Zolocheska O, Yu G, Gimble JM, Figueiredo ML. Pigment epithelial-derived factor and melanoma differentiation associated gene-7 cytokine gene therapies delivered by adipose-derived stromal/mesenchymal stem cells are effective in reducing prostate cancer cell growth. *Stem Cells Dev* 2012;21:1112-23.

Zou S, Carey JR, Liedo P, Ingram DK, Yu B. Prolongevity effects of a botanical with oregano and cranberry extracts in Mexican fruit flies: examining interactions of diet restriction and age. *Age* 2012;34:269-79.

Zuo H, Shi Z, Yuan B, et al. Interaction between physical activity and sleep duration in relation to insulin resistance among non-diabetic Chinese adults. *BMC Public Health* 2012;12:247.

2013

Adams MA, Johnson WD, Tudor-Locke C. Steps/day translation of the moderate-to-vigorous physical activity guideline for children and adolescents. *Int J Behav Nutr Phys Act* 2013;10:49.

Afonso AM, Diaz JH, Scher CS, Beyl RA, Nair SR, Kaye AD. Measuring determinants of career satisfaction of anesthesiologists: validation of a survey instrument. *J Clin Anesth* 2013;25:289-95.

Ali S, Karki N, Bhattacharya C, et al. APOBEC3 inhibits DEAD-END function to regulate microRNA activity. *BMC Mol Biol* 2013;14:16.

Allen JD, Robbins JL, Vanbruggen MD, et al. Unlocking the barriers to improved functional capacity in the elderly: rationale and design for the "Fit for Life trial". *Contemp Clin Trials* 2013;36:266-75.

Ansenberger-Fricano K, Ganini D, Mao M, et al. The peroxidase activity of mitochondrial superoxide dismutase. *Free Radic Biol Med* 2013;54:116-24.

Anthony TG, Morrison CD, Gettys TW. Remodeling of lipid metabolism by dietary restriction of essential amino acids. *Diabetes* 2013;62:2635-44.

Apolzan JW, Harris RB. Rapid onset and reversal of peripheral and central leptin resistance in rats offered chow, sucrose solution, and lard. *Appetite* 2013;60:65-73.

Archer E, Lavie CJ, McDonald SM, et al. Maternal inactivity: 45-year trends in mothers' use of time. *Mayo Clin Proc* 2013;88:1368-77.

Archer E, Shook RP, Thomas DM, et al. 45-Year trends in women's use of time and household management energy

expenditure. PLoS ONE 2013;8:e56620.

Baranowski MT, Adamo PKB, Hingle M, et al. Gaming, Adiposity, and Obesogenic Behaviors Among Children. *Games Health J* 2013;2:119-26.

Barreira TV, Brouillette RM, Foil HC, Keller JN, Tudor-Locke C. Comparison of older adults' steps per day using NL-1000 pedometer and two GT3X+ accelerometer filters. *J Aging Phys Act* 2013;21:402-16.

Barreira TV, Katzmarzyk PT, Johnson WD, Tudor-Locke C. Walking cadence and cardiovascular risk in children and adolescents: NHANES, 2005-2006. *Am J Prev Med* 2013;45:e27-34.

Barreira TV, Staiano AE, Katzmarzyk PT. Validity assessment of a portable bioimpedance scale to estimate body fat percentage in white and African-American children and adolescents. *Pediatr Obes* 2013;8:e29-32.

Barreira TV, Tudor-Locke C, Champagne CM, Broyles ST, Johnson WD, Katzmarzyk PT. Comparison of GT3X accelerometer and YAMAX pedometer steps/day in a free-living sample of overweight and obese adults. *J Phys Act Health* 2013;10:263-70.

Becker CB, Hill K, Greif R, Han H, Stewart T. Reducing self-objectification: are dissonance-based methods a possible approach? *J Eat Disord* 2013;1:10.

Beckett TL, Studzinski CM, Keller JN, Paul Murphy M, Niedowicz DM. A ketogenic diet improves motor performance but does not affect beta-amyloid levels in a mouse model of Alzheimer's disease. *Brain Res* 2013;1505:61-7.

Berthoud HR. Medicine. Why does gastric bypass surgery work? *Science* 2013;341:351-2.

Berthoud HR. Synergy: a concept in search of a definition. *Endocrinology* 2013;154:3974-7.

Bhatti SK, O'Keefe JH, Lavie CJ. Coffee and tea: perks for health and longevity? *Curr Opin Clin Nutr Metab Care* 2013;16:688-97.

Bidel S, Hu G, Jousilahti P, Pukkala E, Hakulinen T, Tuomilehto J. Coffee consumption and risk of gastric and pancreatic cancer--a prospective cohort study. *Int J Cancer* 2013;132:1651-9.

Bray G, Look M, Ryan D. Treatment of the obese patient in primary care: targeting and meeting goals and expectations. *Postgrad Med* 2013;125:67-77.

Bray GA. Energy and fructose from beverages sweetened with sugar or high-fructose corn syrup pose a health risk for some people. *Adv Nutr* 2013;4:220-5.

Bray GA. Potential health risks from beverages containing fructose found in sugar or high-fructose corn syrup. *Diabetes Care* 2013;36:11-2.

Bray GA. Why do we need drugs to treat the patient with obesity? *Obesity (Silver Spring)* 2013;21:893-9.

Bray GA, Popkin BM. Calorie-sweetened beverages and fructose: what have we learned 10 years later. *Pediatr Obes* 2013;8:242-8.

Bray GA, Smith SR, Banerji MA, et al. Effect of pioglitazone on body composition and bone density in subjects with prediabetes in the ACT NOW trial. *Diabetes Obes Metab* 2013;15:931-7.

Brouillette RM, Foil H, Fontenot S, et al. Feasibility, reliability, and validity of a smartphone based application for the assessment of cognitive function in the elderly. *PLoS ONE* 2013;8:e65925.

Bruce-Keller AJ. NOX in the CNS: Inflammation and beyond. In: Roy S, Bagchi D, Raychaudhuri SP, eds. Chronic inflammation : molecular pathophysiology, nutritional and therapeutic interventions
Boca Raton: CRC Press; 2013:107-18.

Brusseau TA, Kulinna PH, Tudor-Locke C, Ferry M. Daily physical activity patterns of children living in an American Indian community. *J Phys Act Health* 2013;10:48-53.

Buenviaje G, Bartlewski PM, Hansel W, McLeod BA. Pituitary and ovarian responses after an application of a low dose of the luteinizing hormone-releasing hormone (LHRH)-lytic peptide conjugate during the preovulatory period in ewes. *Journal of Cancer Therapeutics and Research* 2013;2:4.

Buford TW, Roberts MD, Church TS. Toward exercise as personalized medicine. *Sports Med* 2013;43:157-65.

Calvert SL, Staiano AE, Bond BJ. Electronic gaming and the obesity crisis. *New Dir Child Adolesc Dev* 2013;2013:51-7.

Camhi SM, Katzmarzyk PT, Broyles S, et al. Association of metabolic risk with longitudinal physical activity and fitness: coronary artery risk development in young adults (CARDIA). *Metab Syndr Relat Disord* 2013;11:195-204.

Casazza K, Fontaine KR, Astrup A, et al. Myths, presumptions, and facts about obesity. *N Engl J Med* 2013;368:446-54.

Cefalu WT. Diabetes Care: "state of the union". *Diabetes Care* 2013;36:1-3.

Cefalu WT. "TODAY" reflects on the changing "faces" of type 2 diabetes. *Diabetes Care* 2013;36:1732-4.

Cefalu WT, Leiter LA, Yoon KH, et al. Efficacy and safety of canagliflozin versus glimepiride in patients with type 2 diabetes inadequately controlled with metformin (CANTATA-SU): 52 week results from a randomised, double-blind, phase 3 non-inferiority trial. *Lancet* 2013;382:941-50.

Cefalu WT, Rosenstock J, Henry RR, Riddle M. Signals and noise in drug safety analyses: the incretin therapy debate provides the rationale for revamping epidemiologic pharmacovigilance. *Diabetes Care* 2013;36:1804-6.

Champagne CM. Nutritional considerations for the management of hypertension. In: Caballero B, Allen L, Prentice A, eds. *Encyclopedia of human nutrition*. Third edition. ed. Waltham, MA: Academic Press; 2013:236-43.

Champagne CM, Bray GA. Dietary management of the metabolic syndrome - one size fits all? *Proc Nutr Soc* 2013;72:310-6.

Champagne CM, Cash KC. Assessment of salt intake: how accurate is it? *Proc Nutr Soc* 2013;72:342-7.

Champagne CM, Han H, Bajpeyi S, et al. Day-to-day variation in food intake and energy expenditure in healthy women: the Dietitian II Study. *J Acad Nutr Diet* 2013;113:1532-8.

Chang JS, Gettys TW. Analyzing phosphorylation-dependent regulation of subcellular localization and transcriptional activity of transcriptional coactivator NT-PGC-1alpha. *Methods Mol Biol* 2013;952:163-73.

Chaput JP, McNeil J, Despres JP, Bouchard C, Tremblay A. Correction: Seven to Eight Hours of Sleep a Night Is Associated with a Lower Prevalence of the Metabolic Syndrome and Reduced Overall Cardiometabolic Risk in Adults. *PLoS ONE* 2013;8.

Chaput JP, McNeil J, Despres JP, Bouchard C, Tremblay A. Seven to eight hours of sleep a night is associated with a lower prevalence of the metabolic syndrome and reduced overall cardiometabolic risk in adults. *PLoS ONE* 2013;8:e72832.

Chaput JP, McNeil J, Despres JP, Bouchard C, Tremblay A. Short sleep duration as a risk factor for the development of

the metabolic syndrome in adults. *Prev Med* 2013;57:872-7.

Charrier JA, Martin RJ, McCutcheon KL, et al. High fat diet partially attenuates fermentation responses in rats fed resistant starch from high-amylose maize. *Obesity (Silver Spring)* 2013;21:2350-5.

Chiu JC, Kaub K, Zou S, et al. Deleterious effect of suboptimal diet on rest-activity cycle in *Anastrepha ludens* manifests itself with age. *Sci Rep* 2013;3:1773.

Christian P, Lee SE, Donahue Angel M, et al. Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. *Int J Epidemiol* 2013;42:1340-55.

Conley KE, Amara CE, Bajpeyi S, et al. Higher mitochondrial respiration and uncoupling with reduced electron transport chain content in vivo in muscle of sedentary versus active subjects. *J Clin Endocrinol Metab* 2013;98:129-36.

Coughlin JW, Gullion CM, Brantley PJ, et al. Behavioral mediators of treatment effects in the weight loss maintenance trial. *Ann Behav Med* 2013;46:369-81.

Craig CL, Cameron C, Tudor-Locke C. CANPLAY pedometer normative reference data for 21,271 children and 12,956 adolescents. *Med Sci Sports Exerc* 2013;45:123-9.

Craig CL, Cameron C, Tudor-Locke C. Relationship between parent and child pedometer-determined physical activity: a sub-study of the CANPLAY surveillance study. *Int J Behav Nutr Phys Act* 2013;10:8.

Crombie AP, Funderburk LK, Smith TJ, et al. Effects of modified foodservice practices in military dining facilities on ad libitum nutritional intake of US army soldiers. *J Acad Nutr Diet* 2013;113:920-7.

Dasuri K, Ebenezer P, Fernandez-Kim SO, et al. Role of physiological levels of 4-hydroxynonenal on adipocyte biology: implications for obesity and metabolic syndrome. *Free Radic Res* 2013;47:8-19.

Dasuri K, Zhang L, Keller JN. Oxidative stress, neurodegeneration, and the balance of protein degradation and protein synthesis. *Free Radic Biol Med* 2013;62:170-85.

De Guzman JM, Ku G, Fahey R, et al. Chronic caloric restriction partially protects against age-related alteration in serum metabolome. *Age* 2013;35:1091-104.

DeFronzo RA, Tripathy D, Schwenke DC, et al. Prevention of diabetes with pioglitazone in ACT NOW: physiologic correlates. *Diabetes* 2013;62:3920-6.

DeFronzo RA, Tripathy D, Schwenke DC, et al. Prediction of diabetes based on baseline metabolic characteristics in individuals at high risk. *Diabetes Care* 2013;36:3607-12.

den Hoed M, Eijgelsheim M, Esko T, et al. Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. *Nat Genet* 2013;45:621-31.

Dhurandhar E, LeBlanc M, Rebello C, et al. Thigh girth loss in women with lower body fat distribution increases breast volume. *Plast Reconstr Surg* 2013;132:483e-4e.

Dhurandhar NV. Insulin sparing action of adenovirus 36 and its E4orf1 protein. *J Diabetes Complications* 2013;27:191-9.

Dhurandhar NV. Obesity stigma: a persistent problem, a possible solution. *Int J Obes* 2013;37:1413-4.

Dhurandhar NV. Prevalence of Ad36 infection in humans. *J Clin Virol* 2013;57:261-2.

Dhurandhar NV, Geurts L, Atkinson RL, et al. Harnessing the beneficial properties of adipogenic microbes for improving human health. *Obes Rev* 2013.

Dinicolantonio JJ, Lavie CJ, Niazi AK, O'Keefe JH, Hu T. Effects of thiamine on cardiac function in patients with systolic heart failure: systematic review and metaanalysis of randomized, double-blind, placebo-controlled trials. *Ochsner J* 2013;13:495-9.

Dixit VD. Adipose tissue macrophages are innate to the immunological awareness of adipose tissue. *Diabetes* 2013;62:2656-8.

Dixit VD. Nlrp3 inflammasome activation in type 2 diabetes: is it clinically relevant? *Diabetes* 2013;62:22-4.

Dong L, Liu E, Guo J, et al. Relationship between maternal fasting glucose levels at 4-12 gestational weeks and offspring growth and development in early infancy. *Diabetes Res Clin Pract* 2013;102:210-7.

Durham HA, McDermott AY. Navigating the current job market--grab hold of your future now! *Adv Nutr* 2013;4:667-9.

Earnest CP, Artero EG, Sui X, Lee DC, Church TS, Blair SN. Maximal estimated cardiorespiratory fitness, cardiometabolic risk factors, and metabolic syndrome in the aerobics center longitudinal study. *Mayo Clin Proc* 2013;88:259-70.

Earnest CP, Johannsen NM, Swift DL, Lavie CJ, Blair SN, Church TS. Dose effect of cardiorespiratory exercise on metabolic syndrome in postmenopausal women. *Am J Cardiol* 2013;111:1805-11.

Earnest CP, Lupo M, Thibodaux J, et al. Interval training in men at risk for insulin resistance. *Int J Sports Med* 2013;34:355-63.

Elks CM, Francis J, Stull AJ, Cefalu WT, Shukitt-Hale B, Ingram D. Overview of the health properties of blueberries. In: Skinner M, Hunter D, eds. *Bioactives in fruit : health benefits and functional foods*. Chichester, West Sussex, UK: John Wiley & Sons; 2013:251-72.

Espeland MA, Rejeski WJ, West DS, et al. Intensive weight loss intervention in older individuals: results from the Action for Health in Diabetes Type 2 diabetes mellitus trial. *J Am Geriatr Soc* 2013;61:912-22.

Fielding RA, Gunstad J, Gustafson DR, et al. The paradox of overnutrition in aging and cognition. *Ann N Y Acad Sci* 2013;1287:31-43.

Freeman LR, Zhang L, Nair A, et al. Obesity increases cerebrocortical reactive oxygen species and impairs brain function. *Free Radic Biol Med* 2013;56:226-33.

Galgani JE, Kelley DE, Albu JB, et al. Adipose tissue expression of adipose (WDFC1) gene is associated with lower fat mass and enhanced insulin sensitivity in humans. *Obesity (Silver Spring)* 2013;21:2244-8.

Gallant AR, Tremblay A, Perusse L, Despres JP, Bouchard C, Drapeau V. Parental eating behavior traits are related to offspring BMI in the Quebec Family Study. *Int J Obes* 2013;37:1422-6.

Gao R, Rim JS, Strickler KL, et al. Reprogramming mouse ear mesenchymal stem cells (EMSC) expressing the Dlk1-Dio3 imprinted gene cluster. *Stem Cell Discovery* 2013;3:64-71.

Gawronska-Kozak B, Kirk-Ballard H. Cyclosporin A reduces matrix metalloproteinases and collagen expression in dermal fibroblasts from regenerative FOXN1 deficient (nude) mice. *Fibrogenesis Tissue Repair* 2013;6:7.

Ghosh S, Vivar JC, Sarzynski MA, et al. Integrative pathway analysis of a genome-wide association study of (V)O₂max response to exercise training. *J Appl Physiol (1985)* 2013;115:1343-59.

Gimble JM, Bunnell BA, Frazier T, et al. Adipose-derived stromal/stem cells: a primer. *Organogenesis* 2013;9:3-10.

Gotay CC, Katzmarzyk PT, Janssen I, Dawson MY, Aminoltejari K, Bartley NL. Updating the Canadian obesity maps: an epidemic in progress. *Can J Public Health* 2013;104:e64-8.

Grace MH, Guzman I, Roopchand DE, et al. Stable binding of alternative protein-enriched food matrices with concentrated cranberry bioflavonoids for functional food applications. *J Agric Food Chem* 2013;61:6856-64.

Grant R, Youm YH, Ravussin A, Dixit VD. Quantification of adipose tissue leukocytosis in obesity. *Methods Mol Biol* 2013;1040:195-209.

Grant RW, Dixit VD. Mechanisms of disease: inflammasome activation and the development of type 2 diabetes. *Front Immunol* 2013;4:50.

Gupta AK, Greenway FL. Safety of obesity drugs. In: Bagchi D, Preuss HG, eds. *Obesity : epidemiology, pathophysiology, and prevention*. 2nd ed. Boca Raton: CRC Press/Taylor & Francis; 2013:327-48.

Gupta AK, Johnson WD, Johannsen D, Ravussin E. Cardiovascular risk escalation with caloric excess: a prospective demonstration of the mechanics in healthy adults. *Cardiovasc Diabetol* 2013;12:23.

Halberg F, Pan W, Cornelissen-Guillaume GG. Peptide chronomics. In: Kastin AJ, ed. *Handbook of biologically active peptides*. 2nd ed. Oxford: Academic Press; 2013:1850-7.

Hamm LF, Wenger NK, Arena R, et al. Cardiac rehabilitation and cardiovascular disability: role in assessment and improving functional capacity: a position statement from the American Association of Cardiovascular and Pulmonary Rehabilitation. *J Cardiopulm Rehabil Prev* 2013;33:1-11.

Hansel W. After 65 years, research is still fun. *Annu Rev Anim Biosci* 2013;1:1-20.

Hao Z, Zhao Z, Berthoud HR, Ye J. Development and verification of a mouse model for Roux-en-Y gastric bypass surgery with a small gastric pouch. *PLoS ONE* 2013;8:e52922.

Harrington DM, Martin CK, Ravussin E, Katzmarzyk PT. Activity related energy expenditure, appetite and energy intake: potential implications for weight management. *Appetite* 2013;67:1-7.

Harrington DM, Staiano AE, Broyles ST, Gupta AK, Katzmarzyk PT. BMI percentiles for the identification of abdominal obesity and metabolic risk in children and adolescents: evidence in support of the CDC 95th percentile. *Eur J Clin Nutr* 2013;67:218-22.

Harrington DM, Staiano AE, Broyles ST, Gupta AK, Katzmarzyk PT. Waist circumference measurement site does not affect relationships with visceral adiposity and cardiometabolic risk factors in children. *Pediatr Obes* 2013;8:199-206.

Harris MN, Swift DL, Myers VH, et al. Cancer survival through lifestyle change (CASTLE): a pilot study of weight loss. *Int J Behav Med* 2013;20:403-12.

Hasek BE, Boudreau A, Shin J, et al. Remodeling the integration of lipid metabolism between liver and adipose tissue by dietary methionine restriction in rats. *Diabetes* 2013;62:3362-72.

He W, Zhang S, Song A, et al. Greater abdominal fat accumulation is associated with higher metabolic risk in Chinese than in white people: an ethnicity study. *PLoS ONE* 2013;8:e58688.

Hegde V, Dhurandhar NV. Microbes and obesity--interrelationship between infection, adipose tissue and the immune system. *Clin Microbiol Infect* 2013;19:314-20.

Heo M, Kabat GC, Gallagher D, Heymsfield SB, Rohan TE. Optimal scaling of weight and waist circumference to height for maximal association with DXA-measured total body fat mass by sex, age and race/ethnicity. *Int J Obes* 2013;37:1154-60.

Heymsfield SB, Cefalu WT. Does body mass index adequately convey a patient's mortality risk? *JAMA* 2013;309:87-8.

Hollander P, Gupta AK, Plodkowski R, et al. Effects of naltrexone sustained-release/bupropion sustained-release combination therapy on body weight and glycemic parameters in overweight and obese patients with type 2 diabetes. *Diabetes Care* 2013;36:4022-9.

Howard BJ, Fraser SF, Sethi P, et al. Impact on hemostatic parameters of interrupting sitting with intermittent activity. *Med Sci Sports Exerc* 2013;45:1285-91.

Hsia DS, Gwilliam NR, Ferrell LB, Haymond MW, Brandt ML. Morbidly obese paediatric patients are not adequately screened for comorbidities. *Clin Obes* 2013;3:7-11.

Hsuchou H, Jayaram B, Kastin AJ, Wang Y, Ouyang S, Pan W. Endothelial cell leptin receptor mutant mice have hyperleptinemia and reduced tissue uptake. *J Cell Physiol* 2013;228:1610-6.

Hsuchou H, Mishra PK, Kastin AJ, et al. Saturable leptin transport across the BBB persists in EAE mice. *J Mol Neurosci* 2013;51:364-70.

Hsuchou H, Pan W, Kastin AJ. Fibroblast growth factor 19 entry into brain. *Fluids Barriers CNS* 2013;10:32.

Hsuchou H, Wang Y, Cornelissen-Guillaume GG, et al. Diminished leptin signaling can alter circadian rhythm of metabolic activity and feeding. *J Appl Physiol* 2013;115:995-1003.

Hu G, Cui Y, Jousilahti P, et al. Joint effect of high-density lipoprotein cholesterol and low-density lipoprotein cholesterol on the risk of coronary heart disease. *Eur J Prev Cardiol* 2013;20:89-97.

Hutchins-Wiese HL, Kleppinger A, Annis K, et al. The impact of supplemental n-3 long chain polyunsaturated fatty acids and dietary antioxidants on physical performance in postmenopausal women. *J Nutr Health Aging* 2013;17:76-80.

Ingram DK, Elks CM, Davenport GM, Roth GS. Potential health benefits of avocados. In: Skinner M, Hunter D, eds. *Bioactives in fruit : health benefits and functional foods*. Chichester, West Sussex, UK: John Wiley & Sons; 2013:347-52.

Janssen I, Carson V, Lee IM, Katzmarzyk PT, Blair SN. Years of life gained due to leisure-time physical activity in the U.S. *Am J Prev Med* 2013;44:23-9.

Jayaram B, Khan RS, Kastin AJ, Hsuchou H, Wu X, Pan W. Protective role of astrocytic leptin signaling against excitotoxicity. *J Mol Neurosci* 2013;49:523-30.

Jayaram B, Pan W, Wang Y, et al. Astrocytic leptin-receptor knockout mice show partial rescue of leptin resistance in diet-induced obesity. *J Appl Physiol* 2013;114:734-41.

Jayasinghe S, Guillot T, Bissoon L, Greenway F. Mesotherapy for local fat reduction. *Obes Rev* 2013;14:780-91.

Johannsen NM, Sparks LM, Zhang Z, et al. Determinants of the Changes in Glycemic Control with Exercise Training in Type 2 Diabetes: A Randomized Trial. *PLoS ONE* 2013;8:e62973.

Johannsen NM, Sullivan ZM, Warnke NR, Smiley-Oyen AL, King DS, Sharp RL. Effect of preexercise soup ingestion on water intake and fluid balance during exercise in the heat. *Int J Sport Nutr Exerc Metab* 2013;23:287-96.

Johansson J, Redman L, Veldhuis PP, et al. Acupuncture for ovulation induction in polycystic ovary syndrome: a randomized controlled trial. *Am J Physiol Endocrinol Metab* 2013;304:E934-43.

Judice PB, Matias CN, Santos DA, et al. Caffeine intake, short bouts of physical activity, and energy expenditure: a double-blind randomized crossover trial. *PLoS ONE* 2013;8:e68936.

Kaminsky LA, Arena R, Beckie TM, et al. The importance of cardiorespiratory fitness in the United States: the need for a national registry: a policy statement from the American Heart Association. *Circulation* 2013;127:652-62.

Kappen C. Modeling anterior development in mice: diet as modulator of risk for neural tube defects. *Am J Med Genet C Semin Med Genet* 2013;163C:333-56.

Kappen C, Yaworsky PJ, Muller YL, Salbaum JM. Transgenic studies on homeobox genes in nervous system development: spina bifida in *Isl1* transgenic mice. *Transgenic Res* 2013;22:343-58.

Karl JP, Young AJ, Rood JC, Montain SJ. Independent and combined effects of eating rate and energy density on energy intake, appetite, and gut hormones. *Obesity (Silver Spring)* 2013;21:E244-52.

Kastin AJ. *Handbook of biologically active peptides*. 2nd ed. Oxford: Academic Press; 2013.

Katzmarzyk PT, Barreira TV, Broyles ST, et al. The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): design and methods. *BMC Public Health* 2013;13:900.

Katzmarzyk PT, Greenway FL, Heymsfield SB, Bouchard C. Clinical utility and reproducibility of visceral adipose tissue measurements derived from dual-energy X-ray absorptiometry in White and African American adults. *Obesity (Silver Spring)* 2013;21:2221-4.

Katzmarzyk PT, Heymsfield SB, Bouchard C. Clinical utility of visceral adipose tissue for the identification of cardiometabolic risk in white and African American adults. *Am J Clin Nutr* 2013;97:480-6.

Katzmarzyk PT, Hu G, Cefalu WT, Mire E, Bouchard C. The importance of waist circumference and BMI for mortality risk in diabetic adults. *Diabetes Care* 2013;36:3128-30.

Katzmarzyk PT, Mire E, Bray GA, Greenway FL, Heymsfield SB, Bouchard C. Anthropometric markers of obesity and mortality in white and African American adults: the pennington center longitudinal study. *Obesity (Silver Spring)* 2013;21:1070-5.

Keenan MJ, Janes M, Robert J, et al. Resistant starch from high amylose maize (HAM-RS2) reduces body fat and increases gut bacteria in ovariectomized (OVX) rats. *Obesity (Silver Spring)* 2013;21:981-4.

Kennedy BM, Katzmarzyk PT, Johnson WD, et al. Perceptions community residents have about partner institutions and clinical research. *Clin Transl Sci* 2013;6:469-73.

Kennedy BM, Moody-Thomas S, Katzmarzyk PT, et al. Evaluating A Patient-Centered Medical Home From the Patient's Perspective. *Ochsner J* 2013;13:343-51.

Kien CL, Bunn JY, Poynter ME, et al. A lipidomics analysis of the relationship between dietary fatty acid composition and insulin sensitivity in young adults. *Diabetes* 2013;62:1054-63.

Kirk-Ballard H, Wang ZQ, Acharya P, et al. An extract of *Artemisia dracuncululus* L. inhibits ubiquitin-proteasome activity and preserves skeletal muscle mass in a murine model of diabetes. *PLoS ONE* 2013;8:e57112.

Krishnapuram R, Dhurandhar EJ, Dubuisson O, Hegde V, Dhurandhar NV. Doxycycline-regulated 3T3-L1 preadipocyte cell line with inducible, stable expression of adenoviral E4orf1 gene: a cell model to study insulin-independent glucose

disposal. PLoS ONE 2013;8:e60651.

Krishnapuram R, Kirk-Ballard H, Dhurandhar EJ, et al. Insulin receptor-independent upregulation of cellular glucose uptake. *Int J Obes* 2013;37:146-53.

Laeger T, Morrison CD. Amino acid-dependent regulation of food intake: is protein more than the sum of its parts? *J Physiol* 2013;591:5417-8.

Lam YY, Peterson CM, Ravussin E. Resveratrol vs. calorie restriction: data from rodents to humans. *Exp Gerontol* 2013;48:1018-24.

Lapuerta P, Rosenstock J, Zambrowicz B, et al. Study design and rationale of a dose-ranging trial of LX4211, a dual inhibitor of SGLT1 and SGLT2, in type 2 diabetes inadequately controlled on metformin monotherapy. *Clin Cardiol* 2013;36:367-71.

Laque A, Zhang Y, Gettys S, et al. Leptin receptor neurons in the mouse hypothalamus are colocalized with the neuropeptide galanin and mediate anorexigenic leptin action. *Am J Physiol Endocrinol Metab* 2013;304:E999-1011.

Lavie CJ, Alpert MA, Arena R, Mehra MR, Milani RV, Ventura HO. Impact of obesity and the obesity paradox on prevalence and prognosis in heart failure. *JACC Heart Fail* 2013;1:93-102.

Lavie CJ, Arena R, Earnest CP. High-intensity interval training in patients with cardiovascular diseases and heart transplantation. *J Heart Lung Transplant* 2013;32:1056-8.

Lavie CJ, De Schutter A, Patel DA, Milani RV. Body composition and fitness in the obesity paradox--body mass index alone does not tell the whole story. *Prev Med* 2013;57:1-2.

Lavie CJ, DiNicolantonio JJ. Cilostazol--a forgotten antiplatelet agent, but does it even matter? *JACC Cardiovasc Interv* 2013;6:943-4.

Lavie CJ, Dinicolantonio JJ, Milani RV, O'Keefe JH. Vitamin D and cardiovascular health. *Circulation* 2013;128:2404-6.

Lavie CJ, DiNicolantonio JJ, O'Keefe JH, Ventura HO. Aldosterone antagonists: evidence-based yet underutilized effective heart failure therapy. *Congest Heart Fail* 2013;19:105-6.

Lecoultrre V, Peterson CM, Covington JD, et al. Ten nights of moderate hypoxia improves insulin sensitivity in obese humans. *Diabetes Care* 2013;36:e197-8.

Lee JH, Gao Z, Ye J. Regulation of 11beta-HSD1 expression during adipose tissue expansion by hypoxia through different activities of NF-kappaB and HIF-1alpha. *Am J Physiol Endocrinol Metab* 2013;304:E1035-41.

Li N, Liu E, Guo J, et al. Maternal prepregnancy body mass index and gestational weight gain on pregnancy outcomes. *PLoS ONE* 2013;8:e82310.

Li N, Liu E, Guo J, et al. Maternal prepregnancy body mass index and gestational weight gain on offspring overweight in early infancy. *PLoS ONE* 2013;8:e77809.

Li X, Zhang Y, Wang M, et al. The prevalence and awareness of cardiometabolic risk factors in Southern Chinese population with coronary artery disease. *Scientific World Journal* 2013;2013:416192.

Lin WY, Dubuisson O, Rubicz R, et al. Long-term changes in adiposity and glycemic control are associated with past adenovirus infection. *Diabetes Care* 2013;36:701-7.

Liu AG, Smith SR, Fujioka K, Greenway FL. The effect of leptin, caffeine/ephedrine, and their combination upon visceral

fat mass and weight loss. *Obesity (Silver Spring)* 2013;21:1991-6.

Look ARG, Wing RR, Bolin P, et al. Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. *N Engl J Med* 2013;369:145-54.

Lupachyk S, Watcho P, Obrosova AA, Stavniichuk R, Obrosova IG. Endoplasmic reticulum stress contributes to prediabetic peripheral neuropathy. *Exp Neurol* 2013;247:342-8.

Lupachyk S, Watcho P, Shevalye H, et al. Na⁺/H⁺ exchanger 1 inhibition reverses manifestation of peripheral diabetic neuropathy in type 1 diabetic rats. *Am J Physiol Endocrinol Metab* 2013;305:E396-404.

Lupachyk S, Watcho P, Stavniichuk R, Shevalye H, Obrosova IG. Endoplasmic reticulum stress plays a key role in the pathogenesis of diabetic peripheral neuropathy. *Diabetes* 2013;62:944-52.

Ma X, Griffin R, McGwin G, et al. Effectiveness of booster seats compared with no restraint or seat belt alone for crash injury prevention. *Acad Emerg Med* 2013;20:880-7.

Magut PK, Das S, Fernand VE, et al. Tunable cytotoxicity of rhodamine 6G via anion variations. *J Am Chem Soc* 2013;135:15873-9.

Maher CA, Mire E, Harrington DM, Staiano AE, Katzmarzyk PT. The independent and combined associations of physical activity and sedentary behavior with obesity in adults: NHANES 2003-06. *Obesity (Silver Spring)* 2013;21:E730-7.

Margolis LM, Rood J, Champagne C, Young AJ, Castellani JW. Energy balance and body composition during US Army special forces training. *Appl Physiol Nutr Metab* 2013;38:396-400.

Martin-Montalvo A, Mercken EM, Mitchell SJ, et al. Metformin improves healthspan and lifespan in mice. *Nat Commun* 2013;4:2192.

Mashalidis EH, Briggs DB, Zhou M, et al. High-resolution identification of human adiponectin oligomers and regulation by pioglitazone in type 2 diabetic patients. *Anal Biochem* 2013;437:150-60.

McDonough SM, Tully MA, Boyd A, et al. Pedometer-driven walking for chronic low back pain: a feasibility randomized controlled trial. *Clin J Pain* 2013;29:972-81.

McDougal DH, Hermann GE, Rogers RC. Astrocytes in the nucleus of the solitary tract are activated by low glucose or glucoprivation: evidence for glial involvement in glucose homeostasis. *Front Neurosci* 2013;7:249.

McDougal DH, Viard E, Hermann GE, Rogers RC. Astrocytes in the hindbrain detect glucoprivation and regulate gastric motility. *Auton Neurosci* 2013;175:61-9.

Menard S, Todd A, Durham HA, Lammi-Keefe CJ, Lampila LE. Benchmarking Select Nutrients in Domestic, Wild Caught and Imported, Farmed Shrimp. *Journal of Aquatic Food Product Technology* 2013:141217142506004.

Menezes AR, Lavie CJ, Dinicolantonio JJ, et al. Cardiometabolic risk factors and atrial fibrillation. *Rev Cardiovasc Med* 2013;14:e73-81.

Mishra PK, Hsueh H, Ouyang S, Kastin AJ, Wu X, Pan W. Loss of astrocytic leptin signaling worsens experimental autoimmune encephalomyelitis. *Brain Behav Immun* 2013;34:98-107.

Molfino A, Heymsfield SB, Zhu F, et al. Prealbumin is associated with visceral fat mass in patients receiving hemodialysis. *J Ren Nutr* 2013;23:406-10.

Moody-Thomas S, Celestin MD, Jr., Tseng TS, Horswell R. Patient tobacco use, quit attempts, and perceptions of healthcare provider practices in a safety-net healthcare system. *Ochsner J* 2013;13:367-74.

Muller MJ, Wang Z, Heymsfield SB, Schautz B, Bosy-Westphal A. Advances in the understanding of specific metabolic rates of major organs and tissues in humans. *Curr Opin Clin Nutr Metab Care* 2013;16:501-8.

Mumphrey MB, Patterson LM, Zheng H, Berthoud HR. Roux-en-Y gastric bypass surgery increases number but not density of CCK-, GLP-1-, 5-HT-, and neurotensin-expressing enteroendocrine cells in rats. *Neurogastroenterol Motil* 2013;25:e70-9.

Munzberg H, Gettys TW. Evolving concepts of leptin function. In: Lennarz WJ, Lane MD, eds. *Encyclopedia of biological chemistry*. Second edition. ed. Waltham, MA: Academic Press; 2013:256-61.

Myers VH, McVay MA, Brashear MM, et al. Exercise training and quality of life in individuals with type 2 diabetes: a randomized controlled trial. *Diabetes Care* 2013;36:1884-90.

Myers VH, McVay MA, Champagne CM, et al. Weight loss history as a predictor of weight loss: results from Phase I of the weight loss maintenance trial. *J Behav Med* 2013;36:574-82.

Nam H, Ferguson BS, Stephens JM, Morrison RF. Impact of obesity on IL-12 family gene expression in insulin responsive tissues. *Biochim Biophys Acta* 2013;1832:11-9.

Newton RL, Jr., Han H, Johnson WD, et al. Steps/day and metabolic syndrome in African American adults: the Jackson Heart Study. *Prev Med* 2013;57:855-9.

Newton RL, Jr., Han H, Zderic T, Hamilton MT. The energy expenditure of sedentary behavior: a whole room calorimeter study. *PLoS ONE* 2013;8:e63171.

Nhantumbo L, Ribeiro Maia JA, dos Santos FK, et al. Nutritional status and its association with physical fitness, physical activity and parasitological indicators in youths from rural Mozambique. *Am J Hum Biol* 2013;25:516-23.

Nicklas JM, Sacks FM, Smith SR, et al. Effect of dietary composition of weight loss diets on high-sensitivity c-reactive protein: the Randomized POUNDS LOST trial. *Obesity (Silver Spring)* 2013;21:681-9.

Niedowicz DM, Studzinski CM, Weidner AM, et al. Leptin regulates amyloid beta production via the gamma-secretase complex. *Biochim Biophys Acta* 2013;1832:439-44.

Obanda DN, Cefalu WT. Modulation of cellular insulin signaling and PTP1B effects by lipid metabolites in skeletal muscle cells. *J Nutr Biochem* 2013;24:1529-37.

Ortega FB, Lee DC, Katzmarzyk PT, et al. The intriguing metabolically healthy but obese phenotype: cardiovascular prognosis and role of fitness. *Eur Heart J* 2013;34:389-97.

Ouyang S, Hsueh H, Kastin AJ, Pan W. TNF stimulates nuclear export and secretion of IL-15 by acting on CRM1 and ARF6. *PLoS ONE* 2013;8:e69356.

Pan W, Kastin AJ. Neurotrophic peptides and the BBB. In: Kastin AJ, ed. *Handbook of biologically active peptides*. 2nd ed. Oxford: Academic Press; 2013:1682-7.

Pan W, Wu X, He Y, et al. Brain interleukin-15 in neuroinflammation and behavior. *Neurosci Biobehav Rev* 2013;37:184-92.

Pasiakos SM, Cao JJ, Margolis LM, et al. Effects of high-protein diets on fat-free mass and muscle protein synthesis following weight loss: a randomized controlled trial. *FASEB J* 2013;27:3837-47.

Patel SS, Molnar MZ, Tayek JA, et al. Serum creatinine as a marker of muscle mass in chronic kidney disease: results of a cross-sectional study and review of literature. *J Cachexia Sarcopenia Muscle* 2013;4:19-29.

Pepping JK, Freeman LR, Gupta S, Keller JN, Bruce-Keller AJ. NOX2 deficiency attenuates markers of adiposopathy and brain injury induced by high-fat diet. *Am J Physiol Endocrinol Metab* 2013;304:E392-404.

Perusse L, Rankinen T, Hagberg JM, et al. Advances in exercise, fitness, and performance genomics in 2012. *Med Sci Sports Exerc* 2013;45:824-31.

Phillips BE, Williams JP, Gustafsson T, et al. Molecular networks of human muscle adaptation to exercise and age. *PLoS Genet* 2013;9:e1003389.

Plachta-Danielzik S, Bosity-Westphal A, Kehden B, et al. Adiposity rebound is misclassified by BMI rebound. *Eur J Clin Nutr* 2013;67:984-9.

Plourde M, Vohl MC, Bellis C, et al. A variant in the LRRFIP1 gene is associated with adiposity and inflammation. *Obesity (Silver Spring)* 2013;21:185-92.

Price DW, Ma Y, Rubin RR, et al. Depression as a predictor of weight regain among successful weight losers in the diabetes prevention program. *Diabetes Care* 2013;36:216-21.

Primeaux SD, Barnes MJ, Braymer HD. Hypothalamic QRFP: regulation of food intake and fat selection. *Horm Metab Res* 2013;45:967-74.

Primeaux SD, Braymer HD, Bray GA. CD36 mRNA in the gastrointestinal tract is differentially regulated by dietary fat intake in obesity-prone and obesity-resistant rats. *Dig Dis Sci* 2013;58:363-70.

Primeaux SD, Braymer HD, Bray GA. High fat diet differentially regulates the expression of olfactory receptors in the duodenum of obesity-prone and obesity-resistant rats. *Dig Dis Sci* 2013;58:72-6.

Qi Q, Xu M, Wu H, et al. IRS1 genotype modulates metabolic syndrome reversion in response to 2-year weight-loss diet intervention: the POUNDS LOST trial. *Diabetes Care* 2013;36:3442-7.

Raz I, Riddle MC, Rosenstock J, et al. Personalized management of hyperglycemia in type 2 diabetes: reflections from a Diabetes Care Editors' Expert Forum. *Diabetes Care* 2013;36:1779-88.

Reading CL, Stickney DR, Flores-Riveros J, et al. A synthetic anti-inflammatory sterol improves insulin sensitivity in insulin-resistant obese impaired glucose tolerance subjects. *Obesity (Silver Spring)* 2013;21:E343-9.

Rebello CJ, Johnson WD, Martin CK, et al. Acute effect of oatmeal on subjective measures of appetite and satiety compared to a ready-to-eat breakfast cereal: a randomized crossover trial. *J Am Coll Nutr* 2013;32:272-9.

Rebello CJ, Liu AG, Greenway FL, Dhurandhar NV. Dietary strategies to increase satiety. *Adv Food Nutr Res* 2013;69:105-82.

Rejeski WJ, Axtell R, Fielding R, et al. Promoting physical activity for elders with compromised function: the lifestyle interventions and independence for elders (LIFE) study physical activity intervention. *Clin Interv Aging* 2013;8:1119-31.

Rezai-Zadeh K, Munzberg H. Integration of sensory information via central thermoregulatory leptin targets. *Physiol Behav* 2013;121:49-55.

Richard AJ, Amini-Vaughan Z, Ribnicky DM, Stephens JM. Naringenin inhibits adipogenesis and reduces insulin sensitivity and adiponectin expression in adipocytes. *Evid Based Complement Alternat Med* 2013;2013:1-10.

Rogers RC, Viard E, Hermann GE. CXCL12 sensitizes vago-vagal reflex neurons in the dorsal medulla. *Brain Res* 2013;1492:46-52.

Roopchand DE, Krueger CG, Moskal K, Fridlender B, Lila MA, Raskin I. Food-compatible method for the efficient extraction and stabilization of cranberry pomace polyphenols. *Food Chem* 2013;141:3664-9.

Roopchand DE, Kuhn P, Krueger CG, Moskal K, Lila MA, Raskin I. Concord grape pomace polyphenols complexed to soy protein isolate are stable and hypoglycemic in diabetic mice. *J Agric Food Chem* 2013;61:11428-33.

Roopchand DE, Kuhn P, Rojo LE, Lila MA, Raskin I. Blueberry polyphenol-enriched soybean flour reduces hyperglycemia, body weight gain and serum cholesterol in mice. *Pharmacol Res* 2013;68:59-67.

Rubicz R, Yolken R, Drigalenko E, et al. A genome-wide integrative genomic study localizes genetic factors influencing antibodies against Epstein-Barr virus nuclear antigen 1 (EBNA-1). *PLoS Genet* 2013;9:e1003147.

Ryan DH, Bray GA. Pharmacologic treatment options for obesity: what is old is new again. *Curr Hypertens Rep* 2013;15:182-9.

Ryan DH, Jensen MD. What the new obesity guidelines will tell us. *Curr Opin Endocrinol Diabetes Obes* 2013;20:429-33.

Salbaum JM, Kruger C, Kappen C. Mutation at the folate receptor 4 locus modulates gene expression profiles in the mouse uterus in response to periconceptual folate supplementation. *Biochim Biophys Acta* 2013;1832:1653-61.

Santos DM, Katzmarzyk PT, Diego VP, et al. Genotype by energy expenditure interaction with metabolic syndrome traits: the Portuguese healthy family study. *PLoS ONE* 2013;8:e80417.

Santos DM, Katzmarzyk PT, Tregouet DA, Gomes TN, Santos FK, Maia JA. Familial aggregation of metabolic syndrome indicators in Portuguese families. *Biomed Res Int* 2013;2013:314823.

Saremi A, Schwenke DC, Buchanan TA, et al. Pioglitazone slows progression of atherosclerosis in prediabetes independent of changes in cardiovascular risk factors. *Arterioscler Thromb Vasc Biol* 2013;33:393-9.

Sarzynski MA, Bouchard C. The challenging chase for nutrigenetic predictors of metabolic responses to dietary interventions. *Diabetes Care* 2013;36:3379-81.

Sarzynski MA, Rankinen T, Earnest CP, et al. Measured maximal heart rates compared to commonly used age-based prediction equations in the Heritage Family Study. *Am J Hum Biol* 2013;25:695-701.

Saunders TJ, Tremblay MS, Despres JP, Bouchard C, Tremblay A, Chaput JP. Sedentary behaviour, visceral fat accumulation and cardiometabolic risk in adults: a 6-year longitudinal study from the Quebec Family Study. *PLoS ONE* 2013;8:e54225.

Schoeller DA, Thomas D, Archer E, et al. Self-report-based estimates of energy intake offer an inadequate basis for scientific conclusions. *Am J Clin Nutr* 2013;97:1413-5.

Schumacher D, Dhurandhar NV. Pharmacologic management of the obese patient. In: Rippe JM, ed. *Lifestyle medicine*. 2nd ed. Boca Raton: CRC Press; 2013:547-70.

Schuna JM, Jr., Brouillette RM, Foil HC, Fontenot SL, Keller JN, Tudor-Locke C. Steps per day, peak cadence, body mass index, and age in community-dwelling older adults. *Med Sci Sports Exerc* 2013;45:914-9.

Schuna JM, Jr., Johnson WD, Tudor-Locke C. Adult self-reported and objectively monitored physical activity and

sedentary behavior: NHANES 2005–2006. *Int J Behav Nutr Phys Act* 2013;10:126.

Senechal M, Swift DL, Johannsen NM, et al. Changes in body fat distribution and fitness are associated with changes in hemoglobin A1c after 9 months of exercise training: results from the HART-D study. *Diabetes Care* 2013;36:2843-9.

Shah FS, Wu X, Dietrich M, Rood J, Gimble JM. A non-enzymatic method for isolating human adipose tissue-derived stromal stem cells. *Cytotherapy* 2013;15:979-85.

Shi Z, Wittert GA, Yuan B, et al. Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight. *Nutrition* 2013;29:508-13.

Shin AC, Berthoud HR. Obesity surgery: happy with less or eternally hungry? *Trends Endocrinol Metab* 2013;24:101-8.

Shin AC, Zheng H, Townsend RL, Patterson LM, Holmes GM, Berthoud HR. Longitudinal assessment of food intake, fecal energy loss, and energy expenditure after Roux-en-Y gastric bypass surgery in high-fat-fed obese rats. *Obes Surg* 2013;23:531-40.

Silva AM, Heymsfield SB, Sardinha LB. Assessing body composition in taller or broader individuals using dual-energy X-ray absorptiometry: a systematic review. *Eur J Clin Nutr* 2013;67:1012-21.

Silvers WC, Prasai B, Burk DH, Brown ML, McCarley RL. Profluorogenic reductase substrate for rapid, selective, and sensitive visualization and detection of human cancer cells that overexpress NQO1. *J Am Chem Soc* 2013;135:309-14.

Smilowitz JT, Totten SM, Huang J, et al. Human milk secretory immunoglobulin a and lactoferrin N-glycans are altered in women with gestational diabetes mellitus. *J Nutr* 2013;143:1906-12.

Smith SR, Fujioka K, Gupta AK, et al. Combination therapy with naltrexone and bupropion for obesity reduces total and visceral adiposity. *Diabetes Obes Metab* 2013;15:863-6.

Sparks LM, Johannsen NM, Church TS, et al. Nine months of combined training improves ex vivo skeletal muscle metabolism in individuals with type 2 diabetes. *J Clin Endocrinol Metab* 2013;98:1694-702.

Staiano AE, Abraham AA, Calvert SL. Adolescent exergame play for weight loss and psychosocial improvement: a controlled physical activity intervention. *Obesity (Silver Spring)* 2013;21:598-601.

Staiano AE, Bouchard C, Katzmarzyk PT. BMI-specific waist circumference thresholds to discriminate elevated cardiometabolic risk in White and African American adults. *Obes Facts* 2013;6:317-24.

Staiano AE, Broyles ST, Gupta AK, Katzmarzyk PT. Ethnic and sex differences in visceral, subcutaneous, and total body fat in children and adolescents. *Obesity (Silver Spring)* 2013;21:1251-5.

Staiano AE, Broyles ST, Gupta AK, Malina RM, Katzmarzyk PT. Maturity-associated variation in total and depot-specific body fat in children and adolescents. *Am J Hum Biol* 2013;25:473-9.

Staiano AE, Harrington DM, Broyles ST, Gupta AK, Katzmarzyk PT. Television, adiposity, and cardiometabolic risk in children and adolescents. *Am J Prev Med* 2013;44:40-7.

Staszkiwicz J, Power RA, Harkins LL, et al. Silencing histone deacetylase-specific isoforms enhances expression of pluripotency genes in bovine fibroblasts. *Cell Reprogram* 2013;15:397-404.

Stavniichuk R, Obrosova AA, Drel VR, Nadler JL, Obrosova IG, Yorek MA. 12/15-Lipoxygenase inhibition counteracts MAPK phosphorylation in mouse and cell culture models of diabetic peripheral neuropathy. *J Diabetes Mellitus* 2013;3.

Stenlof K, Cefalu WT, Kim KA, et al. Efficacy and safety of canagliflozin monotherapy in subjects with type 2 diabetes mellitus inadequately controlled with diet and exercise. *Diabetes Obes Metab* 2013;15:372-82.

Stewart TM, Bhapkar M, Das S, et al. Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy Phase 2 (CALERIE Phase 2) screening and recruitment: methods and results. *Contemp Clin Trials* 2013;34:10-20.

Stull AJ, Champagne CM, Cefalu WT. Lifestyle approaches to the metabolic syndrome. In: Rippe JM, ed. *Lifestyle medicine*. 2nd ed. Boca Raton: CRC Press; 2013:455-68.

Sui X, Zhang J, Lee DC, et al. Physical activity/fitness peaks during perimenopause and BMI change patterns are not associated with baseline activity/fitness in women: a longitudinal study with a median 7-year follow-up. *Br J Sports Med* 2013;47:77-82.

Sutton GM, Ptitsyn AA, Floyd ZE, et al. Biological aging alters circadian mechanisms in murine adipose tissue depots. *Age* 2013;35:533-47.

Swift DL, Johannsen NM, Lavie CJ, et al. Racial differences in the response of cardiorespiratory fitness to aerobic exercise training in Caucasian and African American postmenopausal women. *J Appl Physiol* (1985) 2013;114:1375-82.

Swift DL, Lavie CJ, Johannsen NM, et al. Physical activity, cardiorespiratory fitness, and exercise training in primary and secondary coronary prevention. *Circ J* 2013;77:281-92.

Swift DL, Staiano AE, Johannsen NM, et al. Low cardiorespiratory fitness in African Americans: a health disparity risk factor? *Sports Med* 2013;43:1301-13.

Tam CS, Covington JD, Ravussin E. Response to Low macrophage content in diabetic and aging human skeletal muscle. *Obesity (Silver Spring)* 2013;21:4-5.

Tam CS, Redman LM. Adipose tissue inflammation and metabolic dysfunction: a clinical perspective. *Horm Mol Biol Clin Investig* 2013;15:19-24.

Thirumala S, Gimble JM, Devireddy RV. Methylcellulose based thermally reversible hydrogel system for tissue engineering applications. *Cells* 2013;2:460-75.

Thomas DM. Modeling in clinical nutrition: does it add to patient care? *Eur J Clin Nutr* 2013;67:555-7.

Thomas DM, Bredlau C, Bosy-Westphal A, et al. Relationships between body roundness with body fat and visceral adipose tissue emerging from a new geometrical model. *Obesity (Silver Spring)* 2013;21:2264-71.

Thomas DM, Martin CK, Lettieri S, et al. Can a weight loss of one pound a week be achieved with a 3500-kcal deficit? Commentary on a commonly accepted rule. *Int J Obes* 2013;37:1611-3.

Thomas DM, Martin CK, Lettieri S, et al. Response to 'Why is the 3500 kcal per pound weight loss rule wrong?'. *Int J Obes* 2013;37:1614-5.

Tonorezos ES, Robien K, Eshelman-Kent D, et al. Contribution of diet and physical activity to metabolic parameters among survivors of childhood leukemia. *Cancer Causes Control* 2013;24:313-21.

Tourniaire F, Romier-Crouzet B, Lee JH, et al. Chemokine Expression in Inflamed Adipose Tissue Is Mainly Mediated by NF-kappaB. *PLoS ONE* 2013;8:e66515.

Trilk JL, Ortaglia A, Blair SN, Bottai M, Church TS, Pate RR. Cardiorespiratory fitness, waist circumference, and alanine aminotransferase in youth. *Med Sci Sports Exerc* 2013;45:722-7.

Tudor-Locke C, Barreira TV, Brouillette RM, Foil HC, Keller JN. Preliminary comparison of clinical and free-living measures of stepping cadence in older adults. *J Phys Act Health* 2013;10:1175-80.

Tudor-Locke C, Craig CL, Thyfault JP, Spence JC. A step-defined sedentary lifestyle index: <5000 steps/day. *Appl Physiol Nutr Metab* 2013;38:100-14.

Tudor-Locke C, Schuna JM, Jr., Barreira TV, et al. Normative steps/day values for older adults: NHANES 2005-2006. *J Gerontol A Biol Sci Med Sci* 2013;68:1426-32.

Tyson CC, Appel LJ, Vollmer WM, et al. Impact of 5-year weight change on blood pressure: results from the Weight Loss Maintenance trial. *J Clin Hypertens (Greenwich)* 2013;15:458-64.

Urbanski HF, Mattison JA, Roth GS, Ingram DK. Dehydroepiandrosterone sulfate (DHEAS) as an endocrine marker of aging in calorie restriction studies. *Exp Gerontol* 2013;48:1136-9.

Van Dyck D, De Greef K, Deforche B, et al. The relationship between changes in steps/day and health outcomes after a pedometer-based physical activity intervention with telephone support in type 2 diabetes patients. *Health Educ Res* 2013;28:539-45.

Vander Wal JS, Huelsing J, Dubuisson O, Dhurandhar NV. An observational study of the association between adenovirus 36 antibody status and weight loss among youth. *Obes Facts* 2013;6:269-78.

Venugopal C, Mariappan N, Holmes E, Kearney M, Beadle R. Effect of potential therapeutic agents in reducing oxidative stress in pulmonary tissues of recurrent airway obstruction-affected and clinically healthy horses. *Equine Vet J* 2013;45:80-4.

Wang Y, He J, Kastin AJ, Hsueh H, Pan W. Hypersomnolence and reduced activity in pan-leptin receptor knockout mice. *J Mol Neurosci* 2013;51:1038-45.

Wang Y, Hu G. Is hepatic congestion a risk factor for cholangitis in heart failure patients with coexisting choledocholithiasis: the response. *Heart* 2013;99:1216.

Wang Y, Lammi-Keefe CJ, Hou L, Hu G. Impact of low-density lipoprotein cholesterol on cardiovascular outcomes in people with type 2 diabetes: a meta-analysis of prospective cohort studies. *Diabetes Res Clin Pract* 2013;102:65-75.

Wang Y, Tuomilehto J, Jousilahti P, et al. Healthy lifestyle status, antihypertensive treatment and the risk of heart failure among Finnish men and women. *J Hypertens* 2013;31:2158-64; discussion 64.

Wang Y, Tuomilehto J, Jousilahti P, et al. Serum gamma-glutamyltransferase and the risk of heart failure in men and women in Finland. *Heart* 2013;99:163-7.

Wang Y, Wang H, Hegde V, et al. Interplay of pro- and anti-inflammatory cytokines to determine lipid accretion in adipocytes. *Int J Obes* 2013;37:1490-8.

Wang ZQ, Zhang XH, Yu Y, et al. Artemisia scoparia extract attenuates non-alcoholic fatty liver disease in diet-induced obesity mice by enhancing hepatic insulin and AMPK signaling independently of FGF21 pathway. *Metabolism* 2013;62:1239-49.

White DK, Tudor-Locke C, Felson DT, et al. Do radiographic disease and pain account for why people with or at high risk of knee osteoarthritis do not meet physical activity guidelines? *Arthritis Rheum* 2013;65:139-47.

White DK, Tudor-Locke C, Felson DT, et al. Walking to meet physical activity guidelines in knee osteoarthritis: is 10,000 steps enough? *Arch Phys Med Rehabil* 2013;94:711-7.

Whiting DM, Tomyecz ND, Bailes J, et al. Lateral hypothalamic area deep brain stimulation for refractory obesity: a pilot study with preliminary data on safety, body weight, and energy metabolism. *J Neurosurg* 2013;119:56-63.

Williamson DA, Han H, Johnson WD, Martin CK, Newton RL, Jr. Modification of the school cafeteria environment can impact childhood nutrition. Results from the Wise Mind and LA Health studies. *Appetite* 2013;61:77-84.

Wingo BC, Desmond RA, Brantley P, et al. Self-efficacy as a predictor of weight change and behavior change in the PREMIER trial. *J Nutr Educ Behav* 2013;45:314-21.

Wu X, Hsueh H, Kastin AJ, Mishra PK, Pan W. Upregulation of astrocytic leptin receptor in mice with experimental autoimmune encephalomyelitis. *J Mol Neurosci* 2013;49:446-56.

Xu M, Qi Q, Liang J, et al. Genetic determinant for amino acid metabolites and changes in body weight and insulin resistance in response to weight-loss diets: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. *Circulation* 2013;127:1283-9.

Yancy WS, Jr., Coffman CJ, Geiselman PJ, et al. Considering patient diet preference to optimize weight loss: design considerations of a randomized trial investigating the impact of choice. *Contemp Clin Trials* 2013;35:106-16.

Ye J. Improving insulin sensitivity with HDAC inhibitor. *Diabetes* 2013;62:685-7.

Ye J. Mechanisms of insulin resistance in obesity. *Front Med* 2013;7:14-24.

Ye J, McGuinness OP. Inflammation during obesity is not all bad: evidence from animal and human studies. *Am J Physiol Endocrinol Metab* 2013;304:E466-77.

Ye X, Jiang X, Guo W, Clark K, Gao Z. Overexpression of NF-kappaB p65 in macrophages ameliorates atherosclerosis in apoE-knockout mice. *Am J Physiol Endocrinol Metab* 2013;305:E1375-83.

Youm YH, Grant RW, McCabe LR, et al. Canonical Nlrp3 inflammasome links systemic low-grade inflammation to functional decline in aging. *Cell Metab* 2013;18:519-32.

Yu Y, Zhang XH, Ebersole B, Ribnicky D, Wang ZQ. Bitter melon extract attenuating hepatic steatosis may be mediated by FGF21 and AMPK/Sirt1 signaling in mice. *Sci Rep* 2013;3:3142.

Zhang J, Gao Z, Ye J. Phosphorylation and degradation of S6K1 (p70S6K1) in response to persistent JNK1 Activation. *Biochim Biophys Acta* 2013;1832:1980-8.

Zhang L, Dasuri K, Fernandez-Kim SO, et al. Prolonged diet induced obesity has minimal effects towards brain pathology in mouse model of cerebral amyloid angiopathy: implications for studying obesity-brain interactions in mice. *Biochim Biophys Acta* 2013;1832:1456-62.

Zhao P, Stephens JM. Identification of STAT target genes in adipocytes. *JAKSTAT* 2013;2:e23092.

Zhao P, Stephens JM. STAT1, NF-kappaB and ERKs play a role in the induction of lipocalin-2 expression in adipocytes. *Mol Metab* 2013;2:161-70.

Zhao W, Katzmarzyk PT, Horswell R, et al. Blood pressure and stroke risk among diabetic patients. *J Clin Endocrinol Metab* 2013;98:3653-62.

Zhao W, Katzmarzyk PT, Horswell R, et al. HbA1c and lower-extremity amputation risk in low-income patients with diabetes. *Diabetes Care* 2013;36:3591-8.

Zhao W, Katzmarzyk PT, Horswell R, et al. Aggressive blood pressure control increases coronary heart disease risk

among diabetic patients. *Diabetes Care* 2013;36:3287-96.

Zhou J, Keenan MJ, Fernandez-Kim SO, et al. Dietary resistant starch improves selected brain and behavioral functions in adult and aged rodents. *Mol Nutr Food Res* 2013;57:2071-4.

2014

Al-Gindan YY, Hankey C, Govan L, Gallagher D, Heymsfield SB, Lean ME. Derivation and validation of simple equations to predict total muscle mass from simple anthropometric and demographic data. *Am J Clin Nutr* 2014;100:1041-51.

Allison DB, Thomas DM, Heymsfield SB. Energy intake and weight loss. *JAMA* 2014;312:2687-8.

Apolzan JW, Bray GA, Hamilton MT, et al. Short-term overeating results in incomplete energy intake compensation regardless of energy density or macronutrient composition. *Obesity (Silver Spring)* 2014;22:119-30.

Apolzan JW, Bray GA, Smith SR, et al. Effects of weight gain induced by controlled overfeeding on physical activity. *Am J Physiol Endocrinol Metab* 2014;307:E1030-7.

Artero EG, Jackson AS, Sui X, et al. Longitudinal algorithms to estimate cardiorespiratory fitness: associations with nonfatal cardiovascular disease and disease-specific mortality. *J Am Coll Cardiol* 2014;63:2289-96.

Bae J, Ricciardi CJ, Esposito D, et al. Activation of pattern recognition receptors in brown adipocytes induces inflammation and suppresses uncoupling protein 1 expression and mitochondrial respiration. *Am J Physiol Cell Physiol* 2014;306:C918-30.

Bajpeyi S, Myrland CK, Covington JD, et al. Lipid in skeletal muscle myotubes is associated to the donors' insulin sensitivity and physical activity phenotypes. *Obesity (Silver Spring)* 2014;22:426-34.

Barnes MJ, McDougal DH. Leptin into the rostral ventral lateral medulla (RVLM) augments renal sympathetic nerve activity and blood pressure. *Front Neurosci* 2014;8:232.

Barreira TV, Broyles ST, Gupta AK, Katzmarzyk PT. Relationship of anthropometric indices to abdominal and total body fat in youth: sex and race differences. *Obesity (Silver Spring)* 2014;22:1345-50.

Barreira TV, Harrington DM, Katzmarzyk PT. Cardiovascular health metrics and accelerometer-measured physical activity levels: National Health and Nutrition Examination Survey, 2003-2006. *Mayo Clin Proc* 2014;89:81-6.

Bayham BE, Greenway FL, Johnson WD, Dhurandhar NV. A randomized trial to manipulate the quality instead of quantity of dietary proteins to influence the markers of satiety. *J Diabetes Complications* 2014;28:547-52.

Becker C, MacKenzie K, Stewart TM. Cognitive and behavioral approaches to the prevention of eating disorders. In: Smolak L, Levine MP, eds. *The Wiley handbook of eating disorders*: Wiley Blackwell; 2014:pages cm.

Becker CB, Plasencia M, Kilpela LS, Briggs M, Stewart T. Changing the course of comorbid eating disorders and depression: what is the role of public health interventions in targeting shared risk factors? *J Eat Disord* 2014;2:15.

Bjursell M, Xu X, Admyre T, et al. The beneficial effects of n-3 polyunsaturated fatty acids on diet induced obesity and impaired glucose control do not require Gpr120. *PLoS ONE* 2014;9:e114942.

Bouchard C, Malina RM. Genomics, genetics, and exercise biology. In: Tipton CM, ed. *History of exercise physiology*. Champaign, IL: Human Kinetics; 2014:105-35.

Bouchard C, Tchernof A, Tremblay A. Predictors of body composition and body energy changes in response to chronic

overfeeding. *Int J Obes* 2014;38:236-42.

Boudreau A, Cheng DM, Ruiz C, et al. Screening native botanicals for bioactivity: an interdisciplinary approach. *Nutrition* 2014;30:S11-6.

Brand JS, Rovers MM, Yeap BB, et al. Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. *PLoS ONE* 2014;9:e100409.

Brantley PJ, Stewart DW, Myers VH, et al. Psychosocial predictors of weight regain in the weight loss maintenance trial. *J Behav Med* 2014;37:1155-68.

Brantley PJ, Waldo K, Matthews-Ewald MR, et al. Why patients seek bariatric surgery: does insurance coverage matter? *Obes Surg* 2014;24:961-4.

Bray GA. Obesity has always been with us: An historical introduction. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:3-18.

Bray GA, Krauss RM. Overfeeding of polyunsaturated versus saturated fatty acids reduces ectopic fat. *Diabetes* 2014;63:2222-4.

Bray GA, Popkin BM. Dietary sugar and body weight: have we reached a crisis in the epidemic of obesity and diabetes?: health be damned! Pour on the sugar. *Diabetes Care* 2014;37:950-6.

Bray GA, Popkin BM. Sugar consumption by Americans and obesity are both too high--are they connected? Response to letter by John White, PhD. *Pediatr Obes* 2014;9:e78-9.

Bray GA, Ryan D. Drugs that modify fat absorption and alter metabolism. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:243-50.

Bray GA, Ryan DH. Update on obesity pharmacotherapy. *Ann N Y Acad Sci* 2014;1311:1-13.

Briand N, Prado C, Mabileau G, et al. Caveolin-1 expression and cavin stability regulate caveolae dynamics in adipocyte lipid store fluctuation. *Diabetes* 2014;63:4032-44.

Brown AW, Hall KD, Thomas D, Dhurandhar NV, Heymsfield SB, Allison DB. Order of magnitude misestimation of weight effects of children's meal policy proposals. *Child Obes* 2014;10:542-4.

Brown WV, Bays H, Bray GA. JCL roundtable: Clinical management of individuals with obesity. *J Clin Lipidol* 2014;8:237-48.

Buford TW, Hsu FC, Brinkley TE, et al. Genetic influence on exercise-induced changes in physical function among mobility-limited older adults. *Physiol Genomics* 2014;46:149-58.

Burke SJ, Lu D, Sparer TE, Karlstad MD, Collier JJ. Transcription of the gene encoding TNF-alpha is increased by IL-1beta in rat and human islets and beta-cell lines. *Mol Immunol* 2014;62:54-62.

Burke SJ, Lu D, Sparer TE, et al. NF-kappaB and STAT1 control CXCL1 and CXCL2 gene transcription. *Am J Physiol Endocrinol Metab* 2014;306:E131-49.

Calvert SL, Bond BJ, Staiano AE. Electronic game changers for the obesity crisis. In: Blumberg F, ed. *Learning by playing : video gaming in education*. Oxford ; New York: Oxford University Press; 2014:220 - 31.

Camhi SM, Katzmarzyk PT. Differences in body composition between metabolically healthy obese and metabolically abnormal obese adults. *Int J Obes* 2014;38:1142-5.

Carmichael O. Preventing vascular effects on brain injury and cognition late in life: knowns and unknowns. *Neuropsychol Rev* 2014;24:371-87.

Carvalho PP, Leonor IB, Smith BJ, et al. Undifferentiated human adipose-derived stromal/stem cells loaded onto wet-spun starch-polycaprolactone scaffolds enhance bone regeneration: nude mice calvarial defect in vivo study. *J Biomed Mater Res A* 2014;102:3102-11.

Cecarini V, Bonfili L, Cuccioloni M, et al. Wild type and mutant amyloid precursor proteins influence downstream effects of proteasome and autophagy inhibition. *Biochim Biophys Acta* 2014;1842:127-34.

Cefalu WT. Paradoxical insights into whole body metabolic adaptations following SGLT2 inhibition. *J Clin Invest* 2014;124:485-7.

Cefalu WT. A "spoonful of sugar" and the realities of diabetes prevention! *Diabetes Care* 2014;37:906-8.

Cefalu WT, Boulton AJ, Tamborlane WV, et al. Status of Diabetes Care: "It just doesn't get any better . . . or does it?". *Diabetes Care* 2014;37:1782-5.

Cefalu WT, Buse JB, Del Prato S, et al. Beyond metformin: safety considerations in the decision-making process for selecting a second medication for type 2 diabetes management: reflections from a diabetes care editors' expert forum. *Diabetes Care* 2014;37:2647-59.

Cefalu WT, Floyd ZE, Stephens JM, Ribnicky DM. Botanicals and translational medicine: a paradigm shift in research approach. *Nutrition* 2014;30:S1-3.

Cefalu WT, Nair KS, Seaquist ER, et al. Statement of principle. *Endocr Rev* 2014;35:850.

Cefalu WT, Nair KS, Seaquist ER, et al. Statement of principle. *J Clin Endocrinol Metab* 2014;99:4376.

Cefalu WT, Petersen MP, Ratner RE. The alarming and rising costs of diabetes and prediabetes: a call for action! *Diabetes Care* 2014;37:3137-8.

Cefalu WT, Ratner RE. The diabetes control and complications trial/epidemiology of diabetes interventions and complications study at 30 years: the "gift" that keeps on giving! *Diabetes Care* 2014;37:5-7.

Cefalu WT, Tamborlane WV. The artificial pancreas: are we there yet? *Diabetes Care* 2014;37:1182-3.

Cepeda-Valery B, Chaudhry K, Slipczuk L, et al. Association between obesity and severity of coronary artery disease at the time of acute myocardial infarction: another piece of the puzzle in the "obesity paradox". *Int J Cardiol* 2014;176:247-9.

Champagne CM, Greenway FL, Cefalu WT. Obesity and type 2 diabetes. In: Umpierrez GE, American Diabetes Association, eds. *Therapy for diabetes mellitus and related disorders*. 6th edition ed. Alexandria, VA: American Diabetes Association; 2014:239-62.

Chaput JP, Bouchard C, Tremblay A. Change in sleep duration and visceral fat accumulation over 6 years in adults. *Obesity (Silver Spring)* 2014;22:E9-12.

Chaput JP, Perusse L, Despres JP, Tremblay A, Bouchard C. Findings from the Quebec Family Study on the Etiology of Obesity: Genetics and Environmental Highlights. *Current obesity reports* 2014;3:54-66.

Cheng DM, Pogrebnyak N, Kuhn P, Krueger CG, Johnson WD, Raskin I. Development and phytochemical characterization of high polyphenol red lettuce with anti-diabetic properties. *PLoS ONE* 2014;9:e91571.

Cheng DM, Pogrebnyak N, Kuhn P, et al. Polyphenol-rich Rutgers Scarlet Lettuce improves glucose metabolism and liver lipid accumulation in diet-induced obese C57BL/6 mice. *Nutrition* 2014;30:S52-8.

Church T. Exercise and weight management. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:207-18.

Church TS. Why obesity should be treated as a disease. *Curr Sports Med Rep* 2014;13:205-6.

Clark RV, Walker AC, O'Connor-Semmes RL, et al. Total body skeletal muscle mass: estimation by creatine (methyl-d3) dilution in humans. *J Appl Physiol* (1985) 2014;116:1605-13.

Copeland AL, Proctor SL, Terlecki MA, Kulesza M, Williamson DA. Do positive alcohol expectancies have a critical developmental period in pre-adolescents? *J Stud Alcohol Drugs* 2014;75:945-52.

Covington JD, Galgani JE, Moro C, et al. Skeletal muscle perilipin 3 and coatomer proteins are increased following exercise and are associated with fat oxidation. *PLoS ONE* 2014;9:e91675.

Cuadrado A, Martin-Moldes Z, Ye J, Lastres-Becker I. Transcription factors NRF2 and NF-kappaB are coordinated effectors of the Rho family, GTP-binding protein RAC1 during inflammation. *J Biol Chem* 2014;289:15244-58.

Dange RB, Agarwal D, Masson GS, et al. Central blockade of TLR4 improves cardiac function and attenuates myocardial inflammation in angiotensin II-induced hypertension. *Cardiovasc Res* 2014;103:17-27.

Dawson JA, Hall KD, Thomas DM, Hardin JW, Allison DB, Heymsfield SB. Novel mathematical models for investigating topics in obesity. *Adv Nutr* 2014;5:561-2.

De Schutter A, Lavie CJ, Kachur S, Patel DA, Milani RV. Body composition and mortality in a large cohort with preserved ejection fraction: untangling the obesity paradox. *Mayo Clin Proc* 2014;89:1072-9.

De Schutter A, Lavie CJ, Milani RV. The impact of obesity on risk factors and prevalence and prognosis of coronary heart disease-the obesity paradox. *Prog Cardiovasc Dis* 2014;56:401-8.

Delahanty LM, Pan Q, Jablonski KA, et al. Effects of weight loss, weight cycling, and weight loss maintenance on diabetes incidence and change in cardiometabolic traits in the Diabetes Prevention Program. *Diabetes Care* 2014;37:2738-45.

Dentro KN, Beals K, Crouter SE, et al. Results from the United states' 2014 report card on physical activity for children and youth. *J Phys Act Health* 2014;11 Suppl 1:S105-12.

Deutsch WA, Hegde V. Analysis of DNA strand cleavage at abasic sites. *Methods Mol Biol* 2014;1105:159-68.

Devan BD, Pistell PJ, Duffy KB, Kelley-Bell B, Spangler EL, Ingram DK. Phosphodiesterase inhibition facilitates cognitive restoration in rodent models of age-related memory decline. *NeuroRehabilitation* 2014;34:101-11.

Dhurandhar N. Obesity in India: Opportunities for clinical research. *Journal of Obesity and Metabolic Research* 2014;1:25.

Dhurandhar NV, Dhurandhar EJ, Atkinson RL. Viral infections and adiposity. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:303-16.

Dhurandhar NV, Dhurandhar EJ, Ingram DK, Vaughan K, Mattison JA. Natural infection of human adenovirus 36 in rhesus monkeys is associated with a reduction in fasting glucose 36. *J Diabetes* 2014;6:614-6.

Ding D, Li X, Qiu J, et al. Serum lipids, apolipoproteins, and mortality among coronary artery disease patients. *Biomed Res Int* 2014;2014:709756.

Ding D, Qiu J, Li X, et al. Hyperglycemia and mortality among patients with coronary artery disease. *Diabetes Care* 2014;37:546-54.

DiNicolantonio JJ, Beavers CJ, Menezes AR, et al. Meta-analysis comparing carvedilol versus metoprolol for the prevention of postoperative atrial fibrillation following coronary artery bypass grafting. *Am J Cardiol* 2014;113:565-9.

DiNicolantonio JJ, Hu T, Lavie CJ, O'Keefe JH, Bangalore S. Perindopril vs Enalapril in Patients with Systolic Heart Failure: Systematic Review and Metaanalysis. *Ochsner J* 2014;14:350-8.

Dinicolantonio JJ, Niazi AK, McCarty MF, Lavie CJ, Liberopoulos E, O'Keefe JH. L-carnitine for the treatment of acute myocardial infarction. *Rev Cardiovasc Med* 2014;15:52-62.

DiNicolantonio JJ, Niazi AK, McCarty MF, O'Keefe JH, Meier P, Lavie CJ. Omega-3s and cardiovascular health. *Ochsner J* 2014;14:399-412.

Disbrow EA, Carmichael O, He J, et al. Resting state functional connectivity is associated with cognitive dysfunction in non-demented people with Parkinson's disease. *J Parkinsons Dis* 2014;4:453-65.

dos Santos FK, Maia JA, Gomes TN, et al. Secular trends in habitual physical activities of Mozambican children and adolescents from Maputo City. *Int J Environ Res Public Health* 2014;11:10940-50.

dos Santos FK, Maia JA, Gomes TN, et al. Secular trends in growth and nutritional status of Mozambican school-aged children and adolescents. *PLoS ONE* 2014;9:e114068.

Drazba KT, Kelley MA, Hershberger PE. A qualitative inquiry of the financial concerns of couples opting to use preimplantation genetic diagnosis to prevent the transmission of known genetic disorders. *J Genet Couns* 2014;23:202-11.

Durham HA, Judge MP. Maternal nutrition. In: Gullotta TP, Bloom M, eds. *Encyclopedia of Primary Prevention and Health Promotion*. 2 ed; 2014:786-90.

Earnest CP, Johannsen NM, Swift DL, et al. Aerobic and strength training in concomitant metabolic syndrome and type 2 diabetes. *Med Sci Sports Exerc* 2014;46:1293-301.

Espeland MA, Glick HA, Bertoni A, et al. Impact of an intensive lifestyle intervention on use and cost of medical services among overweight and obese adults with type 2 diabetes: the action for health in diabetes. *Diabetes Care* 2014;37:2548-56.

Espeland MA, Rapp SR, Bray GA, et al. Long-term impact of behavioral weight loss intervention on cognitive function. *J Gerontol A Biol Sci Med Sci* 2014;69:1101-8.

Fares H, Lavie CJ, DiNicolantonio JJ, O'Keefe JH, Milani RV. Icosapent ethyl for the treatment of severe hypertriglyceridemia. *Ther Clin Risk Manag* 2014;10:485-92.

Fitzpatrick SL, Bandeen-Roche K, Stevens VJ, et al. Examining behavioral processes through which lifestyle interventions promote weight loss: results from PREMIER. *Obesity (Silver Spring)* 2014;22:1002-7.

Fletcher E, Carmichael O, Pasternak O, Maier-Hein KH, DeCarli C. Early Brain Loss in Circuits Affected by Alzheimer's Disease is Predicted by Fornix Microstructure but may be Independent of Gray Matter. *Front Aging Neurosci* 2014;6:106.

Flynn RM, Richert RA, Staiano AE, Wartella E, Calvert SL. Effects of Exergame Play on EF in Children and Adolescents at a Summer Camp for Low Income Youth. *J Educ Develop Psychol* 2014;4:209-25.

Forney LA, Earnest CP, Henagan TM, Johnson LE, Castleberry TJ, Stewart LK. Vitamin D status, body composition, and fitness measures in college-aged students. *J Strength Cond Res* 2014;28:814-24.

Frost EA, Redman LM, de Jonge L, et al. Interaction between dietary fat and exercise on excess postexercise oxygen consumption. *Am J Physiol Endocrinol Metab* 2014;306:E1093-8.

Fuller S, Richard AJ, Ribnicky DM, Beyl R, Mynatt R, Stephens JM. St. John's Wort Has Metabolically Favorable Effects on Adipocytes In Vivo. *Evid Based Complement Alternat Med* 2014;2014:862575.

Gadde KM. Combination therapy: Topiramate and phentermine. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:261-74.

Gadde KM. Current pharmacotherapy for obesity: extrapolation of clinical trials data to practice. *Expert Opin Pharmacother* 2014;15:809-22.

Gaffney-Stomberg E, Lutz LJ, Rood JC, et al. Calcium and vitamin D supplementation maintains parathyroid hormone and improves bone density during initial military training: a randomized, double-blind, placebo controlled trial. *Bone* 2014;68:46-56.

Galgani JE, Mizgier ML, Mari A, Ravussin E. Relationship between whole-body macronutrient oxidative partitioning and pancreatic insulin secretion/beta-cell function in non-diabetic humans. *Metabolism* 2014;63:1426-31.

Ganesh SK, Chasman DI, Larson MG, et al. Effects of long-term averaging of quantitative blood pressure traits on the detection of genetic associations. *Am J Hum Genet* 2014;95:49-65.

Garvey WT, Garber AJ, Mechanick JI, et al. American association of clinical endocrinologists and american college of endocrinology consensus conference on obesity: building an evidence base for comprehensive action. *Endocr Pract* 2014;20:956-76.

Garvey WT, Garber AJ, Mechanick JI, et al. American association of clinical endocrinologists and american college of endocrinology position statement on the 2014 advanced framework for a new diagnosis of obesity as a chronic disease. *Endocr Pract* 2014;20:977-89.

Garvey WT, Ryan DH, Bohannon NJ, et al. Weight-loss therapy in type 2 diabetes: effects of phentermine and topiramate extended release. *Diabetes Care* 2014;37:3309-16.

Ghosh S, Wanders D, Stone KP, Van NT, Cortez CC, Gettys TW. A systems biology analysis of the unique and overlapping transcriptional responses to caloric restriction and dietary methionine restriction in rats. *FASEB J* 2014;28:2577-90.

Gilmore LA, Duhe AF, Frost EA, Redman LM. The technology boom: a new era in obesity management. *J Diabetes Sci Technol* 2014;8:596-608.

Gilmore LA, Ravussin E, Bray GA, Han H, Redman LM. An objective estimate of energy intake during weight gain using the intake-balance method. *Am J Clin Nutr* 2014;100:806-12.

Gilmore LA, Ravussin E, Redman LM. Anti-aging effects of nutritional modification: the state of the Science on Calorie Restriction. In: Bales CW, Locher JL, Saltzman E, eds. *Handbook of clinical nutrition and aging*. Third edition / ed; 2014:315-34.

Gilson ND, Tudor-Locke C. Occupational work and obesity. In: Bray GA, Bouchard C, eds. *Handbook of obesity*:

Epidemiology, etiology, and physiopathology. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:377-84.

Gollub EA, Kennedy BM, Bourgeois BF, Broyles ST, Katzmarzyk PT. Engaging communities to develop and sustain comprehensive wellness policies: Louisiana's schools putting prevention to work. *Prev Chronic Dis* 2014;11:E34.

Gomes TN, Dos Santos FK, Garganta RM, Kenny DA, Katzmarzyk PT, Maia JA. Multi-level modelling of physical activity in nuclear families. *Ann Hum Biol* 2014;41:138-44.

Gomes TN, dos Santos FK, Santos D, et al. Correlates of sedentary time in children: a multilevel modelling approach. *BMC Public Health* 2014;14:890.

Gomes TN, Katzmarzyk PT, dos Santos FK, Souza M, Pereira S, Maia JA. Overweight and obesity in Portuguese children: prevalence and correlates. *Int J Environ Res Public Health* 2014;11:11398-417.

Gomes TN, Santos FKd, Santos D, et al. Fat-But-Active: Does Physical Activity Play a Significant Role in Metabolic Syndrome Risk among Children of Different BMI Categories? *Journal of Diabetes & Metabolism* 2014;5:1000421.

Gonzalez MC, Pastore CA, Orlandi SP, Heymsfield SB. Obesity paradox in cancer: new insights provided by body composition. *Am J Clin Nutr* 2014;99:999-1005.

Gray CE, Barnes JD, Cowie Bonne J, et al. Results from Canada's 2014 Report Card on Physical Activity for Children and Youth. *J Phys Act Health* 2014;11 Suppl 1:S26-32.

Greenway F, Heber D. Herbal and alternative approaches to obesity. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:301-14.

Greenway F, Wang S, Heiman M. A novel probiotic containing a prebiotic and an antioxidant augments the glucose control and gastrointestinal tolerability of metformin: a case report. *Benef Microbes* 2014;5:29-32.

Griffith DA, Kung DW, Esler WP, et al. Decreasing the rate of metabolic ketone reduction in the discovery of a clinical acetyl-CoA carboxylase inhibitor for the treatment of diabetes. *J Med Chem* 2014;57:10512-26.

Gularte-Merida R, DiCarlo LM, Robertson G, et al. High-resolution mapping of a genetic locus regulating preferential carbohydrate intake, total kilocalories, and food volume on mouse chromosome 17. *PLoS ONE* 2014;9:e110424.

Hamilton MT, Hamilton DG, Zderic TW. Sedentary behavior as a mediator of type 2 diabetes. *Med Sport Sci* 2014;60:11-26.

Hanin G, Shenhar-Tsarfaty S, Yayon N, et al. Competing targets of microRNA-608 affect anxiety and hypertension. *Hum Mol Genet* 2014;23:4569-80.

Hao Z, Townsend RL, Mumphy MB, Patterson LM, Ye J, Berthoud HR. Vagal innervation of intestine contributes to weight loss After Roux-en-Y gastric bypass surgery in rats. *Obes Surg* 2014;24:2145-51.

Hardee JP, Porter RR, Sui X, et al. The effect of resistance exercise on all-cause mortality in cancer survivors. *Mayo Clin Proc* 2014;89:1108-15.

Harmacek L, Watkins-Chow DE, Chen J, et al. A unique missense allele of BAF155, a core BAF chromatin remodeling complex protein, causes neural tube closure defects in mice. *Dev Neurobiol* 2014;74:483-97.

Harrington DM, Barreira TV, Staiano AE, Katzmarzyk PT. The descriptive epidemiology of sitting among US adults, NHANES 2009/2010. *J Sci Med Sport* 2014;17:371-5.

Harrington DM, Champagne CM, Broyles ST, Johnson WD, Tudor-Locke C, Katzmarzyk PT. Steps ahead: a randomized

trial to reduce unhealthy weight gain in the Lower Mississippi Delta. *Obesity (Silver Spring)* 2014;22:E21-8.

Haynie KR, Vandanmagsar B, Wicks SE, Zhang J, Mynatt RL. Inhibition of carnitine palmytoyltransferase1b induces cardiac hypertrophy and mortality in mice. *Diabetes Obes Metab* 2014;16:757-60.

He J, Hsueh H, He Y, et al. Leukocyte infiltration across the blood-spinal cord barrier is modulated by sleep fragmentation in mice with experimental autoimmune encephalomyelitis. *Fluids Barriers CNS* 2014;11:27.

He J, Hsueh H, He Y, Kastin AJ, Wang Y, Pan W. Sleep restriction impairs blood-brain barrier function. *J Neurosci* 2014;34:14697-706.

He J, Wang Y, Kastin AJ, Pan W. Increased sleep fragmentation in experimental autoimmune encephalomyelitis. *Brain Behav Immun* 2014;38:53-8.

Heber D, Greenway FL. Mechanisms underlying the endocrine management of post-bariatric surgical patients. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:441-52.

Henagan TM, Lenard NR, Gettys TW, Stewart LK. Dietary quercetin supplementation in mice increases skeletal muscle PGC1alpha expression, improves mitochondrial function and attenuates insulin resistance in a time-specific manner. *PLoS ONE* 2014;9:e89365.

Henagan TM, Stewart LK, Forney LA, Sparks LM, Johannsen N, Church TS. PGC1alpha -1 Nucleosome Position and Splice Variant Expression and Cardiovascular Disease Risk in Overweight and Obese Individuals. *PPAR Res* 2014;2014:895734.

Hendricks EJ, Srisurapanont M, Schmidt SL, et al. Addiction potential of phentermine prescribed during long-term treatment of obesity. *Int J Obes* 2014;38:292-8.

Heo M, Wylie-Rosett J, Pietrobelli A, Kabat GC, Rohan TE, Faith MS. US pediatric population-level associations of DXA-measured percentage of body fat with four BMI metrics with cutoffs. *Int J Obes* 2014;38:60-8.

Herion NJ, Salbaum JM, Kappen C. Traffic jam in the primitive streak: the role of defective mesoderm migration in birth defects. *Birt Defects Res A Clin Mol Teratol* 2014;100:608-22.

Hermann GE, Viard E, Rogers RC. Hindbrain glucoprivation effects on gastric vagal reflex circuits and gastric motility in the rat are suppressed by the astrocyte inhibitor fluorocitrate. *J Neurosci* 2014;34:10488-96.

Heymsfield SB, Adamek M, Gonzalez MC, Jia G, Thomas DM. Assessing skeletal muscle mass: historical overview and state of the art. *J Cachexia Sarcopenia Muscle* 2014;5:9-18.

Heymsfield SB, Avena NM, Baier L, et al. Hyperphagia: current concepts and future directions proceedings of the 2nd international conference on hyperphagia. *Obesity (Silver Spring)* 2014;22 Suppl 1:S1-S17.

Heymsfield SB, Gonzalez MC, Shen W, Redman L, Thomas D. Weight loss composition is one-fourth fat-free mass: a critical review and critique of this widely cited rule. *Obes Rev* 2014;15:310-21.

Heymsfield SB, Hu HH, Wang Z, Shen W, Jin Y. Measurement of total adiposity, regional fat depots, and ectopic fat. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:19-36.

Heymsfield SB, Peterson CM, Thomas DM, et al. Scaling of adult body weight to height across sex and race/ethnic groups: relevance to BMI. *Am J Clin Nutr* 2014;100:1455-61.

Home P, Riddle M, Cefalu WT, et al. Insulin therapy in people with type 2 diabetes: opportunities and challenges? *Diabetes Care* 2014;37:1499-508.

Hoskin MA, Bray GA, Hattaway K, et al. Prevention of Diabetes Through the Lifestyle Intervention: Lessons Learned from the Diabetes Prevention Program and Outcomes Study and its Translation to Practice. *Curr Nutr Rep* 2014;3:364-78.

Hu G, Heymsfield SB. Is mortality risk reduced in overweight or obese diabetics? *J Gen Intern Med* 2014;29:3-4.

Huang T, Qi Q, Li Y, et al. FTO genotype, dietary protein, and change in appetite: the Preventing Overweight Using Novel Dietary Strategies trial. *Am J Clin Nutr* 2014;99:1126-30.

Jahangir E, De Schutter A, Lavie CJ. Low weight and overweightness in older adults: risk and clinical management. *Prog Cardiovasc Dis* 2014;57:127-33.

Jahangir E, De Schutter A, Lavie CJ. The relationship between obesity and coronary artery disease. *Transl Res* 2014;164:336-44.

Jensen MD, Ryan DH. New obesity guidelines: promise and potential. *JAMA* 2014;311:23-4.

Jiang X, Ye X, Guo W, Lu H, Gao Z. Inhibition of HDAC3 promotes ligand-independent PPAR γ activation by protein acetylation. *J Mol Endocrinol* 2014;53:191-200.

Johannsen DL, Tchoukalova Y, Tam CS, et al. Effect of 8 weeks of overfeeding on ectopic fat deposition and insulin sensitivity: testing the "adipose tissue expandability" hypothesis. *Diabetes Care* 2014;37:2789-97.

Jun HJ, Joshi Y, Patil Y, Noland RC, Chang JS. NT-PGC-1 α activation attenuates high-fat diet-induced obesity by enhancing brown fat thermogenesis and adipose tissue oxidative metabolism. *Diabetes* 2014;63:3615-25.

Kappen C, Salbaum JM. Gene expression in teratogenic exposures: a new approach to understanding individual risk. *Reprod Toxicol* 2014;45:94-104.

Katzmarzyk P. Physical activity for obese youth: Implications for chronic disease risk factors. In: Silva MCE, Armstrong N, eds. *Children and exercise XXVIII : the proceedings of the 28th Pediatric Work Physiology Meeting*. London ; New York: Routledge; 2014:33-8.

Katzmarzyk PT. Anthropometric indicators in relation to the gold standards. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:37-46.

Katzmarzyk PT. Increasing Global Research Capacity in Physical Activity for Children and Youth. *Research in Exercise Physiology* 2014;16:71-5.

Katzmarzyk PT. Standing and mortality in a prospective cohort of Canadian adults. *Med Sci Sports Exerc* 2014;46:940-6.

Katzmarzyk PT, Barlow S, Bouchard C, et al. An evolving scientific basis for the prevention and treatment of pediatric obesity. *Int J Obes* 2014;38:887-905.

Katzmarzyk PT, Bouchard C. Where is the beef? Waist circumference is more highly correlated with BMI and total body fat than with abdominal visceral fat in children. *Int J Obes* 2014;38:753-4.

Kennedy BM, Katzmarzyk PT, Johnson WD, et al. People United to Sustain Health (PUSH): a community-based participatory research study. *Clin Transl Sci* 2014;7:108-14.

Kheterpal I, Scherp P, Kelley L, et al. Bioactives from *Artemisia dracunculus* L. enhance insulin sensitivity via modulation of skeletal muscle protein phosphorylation. *Nutrition* 2014;30:S43-51.

Khurshid A, Nauman E, Carton T, Horswell R. Louisiana Clinical Data Research Network: establishing an infrastructure for efficient conduct of clinical research. *J Am Med Inform Assoc* 2014;21:612-4.

Kim J-D, Rim JS, Crochet RB, et al. Chemicals Facilitating Reprogramming: Targeting the SAM Binding Site to Identify Novel Methyltransferase Inhibitors. In: *Chemical Biology in Regenerative Medicine*: John Wiley & Sons, Ltd; 2014:163-79.

Kim JE, Kim IH, Shum PC, et al. A computational study of injury severity and pattern sustained by overweight drivers in frontal motor vehicle crashes. *Comput Methods Biomech Biomed Engin* 2014;17:965-77.

Kim S, Welsh DA, Ravussin E, et al. An elevation of resting metabolic rate with declining health in nonagenarians may be associated with decreased muscle mass and function in women and men, respectively. *J Gerontol A Biol Sci Med Sci* 2014;69:650-6.

Kirk-Ballard H, Kilroy G, Day BC, et al. An ethanolic extract of *Artemisia dracunculus* L. regulates gene expression of ubiquitin-proteasome system enzymes in skeletal muscle: potential role in the treatment of sarcopenic obesity. *Nutrition* 2014;30:S21-5.

Knuth ND, Johannsen DL, Tamboli RA, et al. Metabolic adaptation following massive weight loss is related to the degree of energy imbalance and changes in circulating leptin. *Obesity (Silver Spring)* 2014;22:2563-9.

Kushner RF, Bray G. Classification and evaluation of the overweight patient. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:53-80.

Kushner RF, Ryan DH. Assessment and lifestyle management of patients with obesity: clinical recommendations from systematic reviews. *JAMA* 2014;312:943-52.

Lackey DE, Burk DH, Ali MR, et al. Contributions of adipose tissue architectural and tensile properties toward defining healthy and unhealthy obesity. *Am J Physiol Endocrinol Metab* 2014;306:E233-46.

Laeger T, Henagan TM, Albarado DC, et al. FGF21 is an endocrine signal of protein restriction. *J Clin Invest* 2014;124:3913-22.

Laeger T, Reed SD, Henagan TM, et al. Leucine acts in the brain to suppress food intake but does not function as a physiological signal of low dietary protein. *Am J Physiol Regul Integr Comp Physiol* 2014;307:R310-20.

Lam YY, Redman LM, Smith SR, et al. Determinants of sedentary 24-h energy expenditure: equations for energy prescription and adjustment in a respiratory chamber. *Am J Clin Nutr* 2014;99:834-42.

Lavie CJ. Obesity and prognosis-just one of many cardiovascular paradoxes? *Prog Cardiovasc Dis* 2014;56:367-8.

Lavie CJ, Church TS, Blair SN. BMI and mortality among adults with incident type 2 diabetes. *N Engl J Med* 2014;370:1361-2.

Lavie CJ, De Schutter A, Alpert MA, Mehra MR, Milani RV, Ventura HO. Obesity paradox, cachexia, frailty, and heart failure. *Heart Fail Clin* 2014;10:319-26.

Lavie CJ, McAuley PA, Church TS, Milani RV, Blair SN. Obesity and cardiovascular diseases: implications regarding fitness, fatness, and severity in the obesity paradox. *J Am Coll Cardiol* 2014;63:1345-54.

Lavie CJ, Milani RV, Blumenthal JA. Exercise, cardiac rehabilitation, and post-acute coronary syndrome depression.

JAMA Intern Med 2014;174:165-6.

Lavie CJ, Milani RV, Ventura HO. Disparate effects of metabolically healthy obesity in coronary heart disease and heart failure. *J Am Coll Cardiol* 2014;63:1079-81.

Lavie CJ, Milani RV, Ventura HO. Effects of obesity and weight changes on cardiac and vascular structure and function: does the clinical impact carry any weight? *JACC Heart Fail* 2014;2:509-11.

Lavie CJ, Patel DA, Milani RV, Ventura HO, Shah S, Gilliland Y. Impact of echocardiographic left ventricular geometry on clinical prognosis. *Prog Cardiovasc Dis* 2014;57:3-9.

Lavie CJ, Schutter AD, Archer E, McAuley PA, Blair SN. Obesity and prognosis in chronic diseases--impact of cardiorespiratory fitness in the obesity paradox. *Curr Sports Med Rep* 2014;13:240-5.

Lavie CJ, Ventura HO. Clinical implications of weight loss in heart failure. *J Card Fail* 2014;20:190-2.

Lee DC, Pate RR, Lavie CJ, Sui X, Church TS, Blair SN. Leisure-time running reduces all-cause and cardiovascular mortality risk. *J Am Coll Cardiol* 2014;64:472-81.

Lees EK, Krol E, Grant L, et al. Methionine restriction restores a younger metabolic phenotype in adult mice with alterations in fibroblast growth factor 21. *Aging Cell* 2014;13:817-27.

Leiter LA, Cefalu WT, de Bruin TW, Gause-Nilsson I, Sugg J, Parikh SJ. Dapagliflozin added to usual care in individuals with type 2 diabetes mellitus with preexisting cardiovascular disease: a 24-week, multicenter, randomized, double-blind, placebo-controlled study with a 28-week extension. *J Am Geriatr Soc* 2014;62:1252-62.

Lelliott CJ, Ahnmark A, Admyre T, et al. Monoclonal antibody targeting of fibroblast growth factor receptor 1c ameliorates obesity and glucose intolerance via central mechanisms. *PLoS ONE* 2014;9:e112109.

Levin BE, Berthoud H-R. CNS regulation of energy balance. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:161-72.

Li N, Katzmarzyk PT, Horswell R, et al. BMI and coronary heart disease risk among low-income and underinsured diabetic patients. *Diabetes Care* 2014;37:3204-12.

Li N, Liu E, Sun S, et al. Birth weight and overweight or obesity risk in children under 3 years in China. *Am J Hum Biol* 2014;26:331-6.

Li W, Zhang S, Liu H, et al. Different associations of diabetes with beta-cell dysfunction and insulin resistance among obese and nonobese Chinese women with prior gestational diabetes mellitus. *Diabetes Care* 2014;37:2533-9.

Li Z, Zhang Y, Su D, et al. The opposite associations of long-chain versus very long-chain monounsaturated fatty acids with mortality among patients with coronary artery disease. *Heart* 2014;100:1597-605.

Lipkin EW, Schwartz AV, Anderson AM, et al. The Look AHEAD Trial: bone loss at 4-year follow-up in type 2 diabetes. *Diabetes Care* 2014;37:2822-9.

Liu G, Li N, Sun S, et al. Maternal OGTT glucose levels at 26-30 gestational weeks with offspring growth and development in early infancy. *Biomed Res Int* 2014;2014:516980.

Liu H, Zhang C, Zhang S, et al. Prepregnancy body mass index and weight change on postpartum diabetes risk among gestational diabetes women. *Obesity (Silver Spring)* 2014;22:1560-7.

Liu J, Sui X, Lavie CJ, et al. Effects of cardiorespiratory fitness on blood pressure trajectory with aging in a cohort of

healthy men. *J Am Coll Cardiol* 2014;64:1245-53.

Liu M, Xia X, Chou G, et al. Variations in the contents of gingerols and chromatographic fingerprints of ginger root extracts prepared by different preparation methods. *J AOAC Int* 2014;97:50-7.

Lockhart SN, Roach AE, Luck SJ, et al. White matter hyperintensities are associated with visual search behavior independent of generalized slowing in aging. *Neuropsychologia* 2014;52:93-101.

Look Ahead Research Group. Effect of a long-term behavioural weight loss intervention on nephropathy in overweight or obese adults with type 2 diabetes: a secondary analysis of the Look AHEAD randomised clinical trial. *Lancet Diabetes Endocrinol* 2014;2:801-9.

Lopes AA, Tani G, Katzmarzyk PT, Thomis MA, Maia JA. Association between birth weight and neuromotor performance: a twin study. *Scand J Med Sci Sports* 2014;24:e140-7.

Lukewich MK, Rogers RC, Lomax AE. Divergent neuroendocrine responses to localized and systemic inflammation. *Semin Immunol* 2014;26:402-8.

MacAulay RK, Brouillette RM, Foil HC, Bruce-Keller AJ, Keller JN. A longitudinal study on dual-tasking effects on gait: cognitive change predicts gait variance in the elderly. *PLoS ONE* 2014;9:e99436.

Maier C, Olds T, Mire E, Katzmarzyk PT. Reconsidering the sedentary behaviour paradigm. *PLoS ONE* 2014;9:e86403.

Maia J, Gomes TN, Tregouet DA, Katzmarzyk PT. Familial resemblance of physical activity levels in the Portuguese population. *J Sci Med Sport* 2014;17:381-6.

Maillard P, Fletcher E, Lockhart SN, et al. White matter hyperintensities and their penumbra lie along a continuum of injury in the aging brain. *Stroke* 2014;45:1721-6.

Margolis LM, Crombie AP, McClung HL, et al. Energy requirements of US Army Special Operation Forces during military training. *Nutrients* 2014;6:1945-55.

Margolis LM, Murphy NE, Martini S, et al. Effects of winter military training on energy balance, whole-body protein balance, muscle damage, soreness, and physical performance. *Appl Physiol Nutr Metab* 2014;39:1395-401.

Marinos G, Eliades C, Raman Muthusamy V, Greenway F. Weight loss and improved quality of life with a nonsurgical endoscopic treatment for obesity: clinical results from a 3- and 6-month study. *Surg Obes Relat Dis* 2014;10:929-34.

Martin CK, Gadde KM. Weight loss: slow and steady does not win the race. *Lancet Diabetes Endocrinol* 2014;2:927-8.

Martin CK, Nicklas T, Gunturk B, Correa JB, Allen HR, Champagne C. Measuring food intake with digital photography. *J Hum Nutr Diet* 2014;27 Suppl 1:72-81.

Matthews-Ewald MR, Zullig KJ, Ward RM. Sexual orientation and disordered eating behaviors among self-identified male and female college students. *Eat Behav* 2014;15:441-4.

Mattson MP, Allison DB, Fontana L, et al. Meal frequency and timing in health and disease. *Proc Natl Acad Sci U S A* 2014;111:16647-53.

McCarty MF, DiNicolantonio JJ, Lavie CJ, O'Keefe JH. Omega-3 and prostate cancer: examining the pertinent evidence. *Mayo Clin Proc* 2014;89:444-50.

McCarty MF, Dinicolantonio JJ, Lavie CJ, O'Keefe JH. RE: Plasma phospholipid fatty acids and prostate cancer risk in the SELECT trial. *J Natl Cancer Inst* 2014;106:dju014.

McDougall SJ, Munzberg H, Derbenev AV, Zsombok A. Central control of autonomic functions in health and disease. *Front Neurosci* 2014;8:440.

McVay MA, Myers VH, Vollmer WM, et al. Predictors of dietary change among those who successfully lost weight in phase I of the Weight Loss Maintenance Trial. *Nutr Diet* 2014;71:144-51.

McVay MA, Voils CI, Coffman CJ, et al. Factors associated with choice of a low-fat or low-carbohydrate diet during a behavioral weight loss intervention. *Appetite* 2014;83:117-24.

Menezes AR, Lamb MC, Lavie CJ, DiNicolantonio JJ. Vitamin D and atherosclerosis. *Curr Opin Cardiol* 2014;29:571-7.

Menezes AR, Lavie CJ, DeSchutter A, Milani RV. Gender, race and cardiac rehabilitation in the United States: is there a difference in care? *Am J Med Sci* 2014;348:146-52.

Menezes AR, Lavie CJ, Forman DE, Arena R, Milani RV, Franklin BA. Cardiac rehabilitation in the elderly. *Prog Cardiovasc Dis* 2014;57:152-9.

Menezes AR, Lavie CJ, Milani RV, Forman DE, King M, Williams MA. Cardiac rehabilitation in the United States. *Prog Cardiovasc Dis* 2014;56:522-9.

Mirzaei K, Xu M, Qi Q, et al. Variants in glucose- and circadian rhythm-related genes affect the response of energy expenditure to weight-loss diets: the POUNDS LOST Trial. *Am J Clin Nutr* 2014;99:392-9.

Monteiro JP, Wise C, Morine MJ, et al. Methylation potential associated with diet, genotype, protein, and metabolite levels in the Delta Obesity Vitamin Study. *Genes Nutr* 2014;9:403.

Morine MJ, Monteiro JP, Wise C, et al. Genetic associations with micronutrient levels identified in immune and gastrointestinal networks. *Genes Nutr* 2014;9:408.

Muenzberg H, Henagan TM, Gettys TW. Animal models of obesity: Perspectives on evolution of strategies for their development and analysis of their phenotypes. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:137-48.

Muller MJ, Baracos V, Bosty-Westphal A, et al. Functional body composition and related aspects in research on obesity and cachexia: report on the 12th Stock Conference held on 6 and 7 September 2013 in Hamburg, Germany. *Obes Rev* 2014;15:640-56.

Mumphrey MB, Hao Z, Townsend RL, et al. Reversible hyperphagia and obesity in rats with gastric bypass by central MC3/4R blockade. *Obesity (Silver Spring)* 2014;22:1847-53.

Myers CA, Johnson WD, Earnest CP, et al. Examination of mechanisms (E-MECHANIC) of exercise-induced weight compensation: study protocol for a randomized controlled trial. *Trials* 2014;15:212.

Myers VH, McVay MA, Brashear MM, et al. Five-year medical and pharmacy costs after a medically supervised intensive treatment program for obesity. *Am J Health Promot* 2014;28:364-71.

Na HN, Kim H, Nam JH. Prophylactic and therapeutic vaccines for obesity. *Clin Exp Vaccine Res* 2014;3:37-41.

Nagareddy PR, Kraakman M, Masters SL, et al. Adipose tissue macrophages promote myelopoiesis and monocytosis in obesity. *Cell Metab* 2014;19:821-35.

Nair AR, Elks CM, Vila J, Del Piero F, Paulsen DB, Francis J. A blueberry-enriched diet improves renal function and reduces oxidative stress in metabolic syndrome animals: potential mechanism of TLR4-MAPK signaling pathway. *PLoS*

ONE 2014;9:e111976.

Nam JH, Na HN, Atkinson RL, Dhurandhar NV. Genomic stability of adipogenic human adenovirus 36. *Int J Obes* 2014;38:321-4.

Newton RL, Jr., Griffith DM, Kearney WB, Bennett GG. A systematic review of weight loss, physical activity and dietary interventions involving African American men. *Obes Rev* 2014;15 Suppl 4:93-106.

Newton RL, Jr., Marker AM, Allen HR, et al. Parent-targeted mobile phone intervention to increase physical activity in sedentary children: randomized pilot trial. *JMIR mHealth and uHealth* 2014;2:e48.

Nohara K, Laque A, Allard C, Munzberg H, Mauvais-Jarvis F. Central mechanisms of adiposity in adult female mice with androgen excess. *Obesity (Silver Spring)* 2014;22:1477-84.

Obanda DN, Ribnicky DM, Raskin I, Cefalu WT. Bioactives of *Artemisia dracuncululus* L. enhance insulin sensitivity by modulation of ceramide metabolism in rat skeletal muscle cells. *Nutrition* 2014;30:S59-66.

O'Connor MY, Thoreson CK, Ricks M, et al. Worse cardiometabolic health in African immigrant men than African American men: reconsideration of the healthy immigrant effect. *Metab Syndr Relat Disord* 2014;12:347-53.

O'Keefe JH, Franklin B, Lavie CJ. Exercising for health and longevity vs peak performance: different regimens for different goals. *Mayo Clin Proc* 2014;89:1171-5.

Orgeron ML, Stone KP, Wanders D, Cortez CC, Van NT, Gettys TW. The impact of dietary methionine restriction on biomarkers of metabolic health. *Prog Mol Biol Transl Sci* 2014;121:351-76.

Ouyang S, Hsuchou H, Kastin AJ, Mishra PK, Wang Y, Pan W. Leukocyte infiltration into spinal cord of EAE mice is attenuated by removal of endothelial leptin signaling. *Brain Behav Immun* 2014;40:61-73.

Ouyang S, Hsuchou H, Kastin AJ, Wang Y, Yu C, Pan W. Diet-induced obesity suppresses expression of many proteins at the blood-brain barrier. *J Cereb Blood Flow Metab* 2014;34:43-51.

Owen N, Hamilton M. Sedentary time and obesity. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:367-76.

Pahor M, Guralnik JM, Ambrosius WT, et al. Effect of structured physical activity on prevention of major mobility disability in older adults: the LIFE study randomized clinical trial. *JAMA* 2014;311:2387-96.

Pan W, Kastin AJ. Can sleep apnea cause Alzheimer's disease? *Neurosci Biobehav Rev* 2014;47:656-69.

Pan W, Kastin AJ. Leptin: a biomarker for sleep disorders? *Sleep Med Rev* 2014;18:283-90.

Paolini BM, Burdette JH, Laurienti PJ, Morgan A, Williamson DA, Rejeski WJ. Corrigendum: Coping with brief periods of food restriction: mindfulness matters. *Front Aging Neurosci* 2014;6:345.

Patel DA, Lavie CJ, Artham SM, Milani RV, Cardenas GA, Ventura HO. Effects of left ventricular geometry and obesity on mortality in women with normal ejection fraction. *Am J Cardiol* 2014;113:877-80.

Patti GJ, Tautenhahn R, Johannsen D, et al. Meta-analysis of global metabolomic data identifies metabolites associated with life-span extension. *Metabolomics* 2014;10:737-43.

Pepping JK, Otvos L, Jr., Surmacz E, Gupta S, Keller JN, Bruce-Keller AJ. Designer adiponectin receptor agonist stabilizes metabolic function and prevents brain injury caused by HIV protease inhibitors. *J Neuroimmune Pharmacol* 2014;9:388-98.

Pérusse L, Rice TK, Bouchard C. Genetic component to obesity: Evidence from genetic epidemiology. In: Bray GA, Bouchard C, eds. Handbook of obesity: Epidemiology, etiology, and physiopathology. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:91-104.

Peterson CM, Lecoultré V, Schwarz JM, Ravussin E. Response to comment on Lecoultré et al. Ten nights of moderate hypoxia improves insulin sensitivity in obese humans. *Diabetes care* 2013;36:e197-e198. *Diabetes Care* 2014;37:e157-8.

Pires de Carvalho P, Hamel KM, Duarte R, et al. Comparison of infrapatellar and subcutaneous adipose tissue stromal vascular fraction and stromal/stem cells in osteoarthritic subjects. *J Tissue Eng Regen Med* 2014;8:757-62.

Pi-Sunyer X, Jensen M, Ryan D, Apovian C, Millen B, Nonas C. We stand by our guidelines. *Nat Rev Endocrinol* 2014;10:310.

Prado CM, Heymsfield SB. Lean tissue imaging: a new era for nutritional assessment and intervention. *JPEN J Parenter Enteral Nutr* 2014;38:940-53.

Prado CM, Siervo M, Mire E, et al. A population-based approach to define body-composition phenotypes. *Am J Clin Nutr* 2014;99:1369-77.

Prasad VK, Hand GA, Sui X, et al. Association of exercise heart rate response and incidence of hypertension in men. *Mayo Clin Proc* 2014;89:1101-7.

Qi Q, Kilpelainen TO, Downer MK, et al. FTO genetic variants, dietary intake and body mass index: insights from 177,330 individuals. *Hum Mol Genet* 2014;23:6961-72.

Qosa H, Abuasal BS, Romero IA, et al. Differences in amyloid-beta clearance across mouse and human blood-brain barrier models: kinetic analysis and mechanistic modeling. *Neuropharmacology* 2014;79:668-78.

Qosa H, LeVine H, 3rd, Keller JN, Kaddoumi A. Mixed oligomers and monomeric amyloid-beta disrupts endothelial cells integrity and reduces monomeric amyloid-beta transport across hCMEC/D3 cell line as an in vitro blood-brain barrier model. *Biochim Biophys Acta* 2014;1842:1806-15.

Raja GK, Sarzynski MA, Katzmarzyk PT, et al. Commonality versus specificity among adiposity traits in normal-weight and moderately overweight adults. *Int J Obes* 2014;38:719-23.

Ravussin E, Ryan D. State of the journal 2014. *Obesity (Silver Spring)* 2014;22:1.

Ravussin E, Ryan D, Heaner M. Introduction to the special online issue: Eat, sleep, exercise. *Obesity (Silver Spring)* 2014;22:E1.

Ravussin E, Ryan DH. We want you back. *Obesity (Silver Spring)* 2014;22:1393.

Ray IB, Menezes AR, Malur P, Hiltbold AE, Reilly JP, Lavie CJ. Meditation and coronary heart disease: a review of the current clinical evidence. *Ochsner J* 2014;14:696-703.

Rebello C, Greenway FL, Dhurandhar NV. Functional foods to promote weight loss and satiety. *Curr Opin Clin Nutr Metab Care* 2014;17:596-604.

Rebello CJ, Chu YF, Johnson WD, et al. The role of meal viscosity and oat beta-glucan characteristics in human appetite control: a randomized crossover trial. *Nutr J* 2014;13:49.

Rebello CJ, Greenway FL, Finley JW. A review of the nutritional value of legumes and their effects on obesity and its

related co-morbidities. *Obes Rev* 2014;15:392-407.

Rebello CJ, Greenway FL, Finley JW. Whole grains and pulses: a comparison of the nutritional and health benefits. *J Agric Food Chem* 2014;62:7029-49.

Redman LM, Kraus WE, Bhapkar M, et al. Energy requirements in nonobese men and women: results from CALERIE. *Am J Clin Nutr* 2014;99:71-8.

Rezai-Zadeh K, Yu S, Jiang Y, et al. Leptin receptor neurons in the dorsomedial hypothalamus are key regulators of energy expenditure and body weight, but not food intake. *Mol Metab* 2014;3:681-93.

Rezvani R, Gupta A, Smith J, et al. Cross-sectional associations of acylation stimulating protein (ASP) and adipose tissue gene expression with estradiol and progesterone in pre- and postmenopausal women. *Clin Endocrinol (Oxf)* 2014;81:736-45.

Ribnicky DM, Roopchand DE, Oren A, et al. Effects of a high fat meal matrix and protein complexation on the bioaccessibility of blueberry anthocyanins using the TNO gastrointestinal model (TIM-1). *Food Chem* 2014;142:349-57.

Ribnicky DM, Roopchand DE, Poulev A, et al. Artemisia dracuncululus L. polyphenols complexed to soy protein show enhanced bioavailability and hypoglycemic activity in C57BL/6 mice. *Nutrition* 2014;30:S4-10.

Richard AJ, Burris TP, Sanchez-Infantes D, Wang Y, Ribnicky DM, Stephens JM. Artemisia extracts activate PPARgamma, promote adipogenesis, and enhance insulin sensitivity in adipose tissue of obese mice. *Nutrition* 2014;30:S31-6.

Richard AJ, Fuller S, Fedorcenco V, et al. Artemisia scoparia enhances adipocyte development and endocrine function in vitro and enhances insulin action in vivo. *PLoS ONE* 2014;9:e98897.

Richard AJ, Stephens JM. The role of JAK-STAT signaling in adipose tissue function. *Biochim Biophys Acta* 2014;1842:431-9.

Roberts LD, Bostrom P, O'Sullivan JF, et al. beta-Aminoisobutyric acid induces browning of white fat and hepatic beta-oxidation and is inversely correlated with cardiometabolic risk factors. *Cell Metab* 2014;19:96-108.

Rood JC, Schwarz JM, Gettys T, et al. Effects of Artemisia species on de novo lipogenesis in vivo. *Nutrition* 2014;30:S17-20.

Rowan BG, Gimble JM, Sheng M, et al. Human adipose tissue-derived stromal/stem cells promote migration and early metastasis of triple negative breast cancer xenografts. *PLoS ONE* 2014;9:e89595.

Ruggiero C, Elks CM, Kruger C, et al. Albumin-bound fatty acids but not albumin itself alter redox balance in tubular epithelial cells and induce a peroxide-mediated redox-sensitive apoptosis. *Am J Physiol Renal Physiol* 2014;306:F896-906.

Ryan D, Bray G. Bupropion plus naltrexone (Contrave). In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:275-80.

Ryan D, Bray G. Sibutramine, phentermine and diethylpropion: Sympathomimetic drugs in the management of obesity. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Clinical applications*. 4th ed. Boca Raton: CRC Press/Taylor & Francis; 2014:233-42.

Ryan DH. The pharmacological and surgical management of adults with obesity. *J Fam Pract* 2014;63:S21-6.

Ryan DH, Braverman-Panza J. Obesity in women. *J Fam Pract* 2014;63:S15-20.

Samocha-Bonet D, Dixit VD, Kahn CR, et al. Metabolically healthy and unhealthy obese--the 2013 Stock Conference report. *Obes Rev* 2014;15:697-708.

Sanchez-Infantes D, White UA, Elks CM, et al. Oncostatin m is produced in adipose tissue and is regulated in conditions of obesity and type 2 diabetes. *J Clin Endocrinol Metab* 2014;99:E217-25.

Sandler RD, Sui X, Church TS, Fritz SL, Beattie PF, Blair SN. Are flexibility and muscle-strengthening activities associated with a higher risk of developing low back pain? *J Sci Med Sport* 2014;17:361-5.

Santos DM, Katzmarzyk PT, Diego VP, et al. Genotype by sex and genotype by age interactions with sedentary behavior: the Portuguese Healthy Family Study. *PLoS ONE* 2014;9:e110025.

Santos DM, Katzmarzyk PT, Diego VP, et al. Genotype by energy expenditure interaction and body composition traits: The Portuguese Healthy Family Study. *Biomed Res Int* 2014;2014:845207.

Schuna JM, Jr., Swift DL, Hendrick CA, et al. Evaluation of a workplace treadmill desk intervention: a randomized controlled trial. *J Occup Environ Med* 2014;56:1266-76.

Seiler SE, Martin OJ, Noland RC, et al. Obesity and lipid stress inhibit carnitine acetyltransferase activity. *J Lipid Res* 2014;55:635-44.

Senechal M, McGavock JM, Church TS, et al. Cut points of muscle strength associated with metabolic syndrome in men. *Med Sci Sports Exerc* 2014;46:1475-81.

Sharma A, Vallakati A, Einstein AJ, et al. Relationship of body mass index with total mortality, cardiovascular mortality, and myocardial infarction after coronary revascularization: evidence from a meta-analysis. *Mayo Clin Proc* 2014;89:1080-100.

Shen W, Velasquez G, Chen J, et al. Comparison of the relationship between bone marrow adipose tissue and volumetric bone mineral density in children and adults. *J Clin Densitom* 2014;17:163-9.

Shin JH, Gadde KM, Ostbye T, Bray GA. Weight changes in obese adults 6-months after discontinuation of double-blind zonisamide or placebo treatment. *Diabetes Obes Metab* 2014;16:766-8.

Shook RP, Hand GA, Paluch AE, et al. Moderate cardiorespiratory fitness is positively associated with resting metabolic rate in young adults. *Mayo Clin Proc* 2014;89:763-71.

Shook RP, Hand GA, Wang X, et al. Low fitness partially explains resting metabolic rate differences between African American and white women. *Am J Med* 2014;127:436-42.

Shvedova AA, Kisin ER, Murray AR, et al. ESR evidence for in vivo formation of free radicals in tissue of mice exposed to single-walled carbon nanotubes. *Free Radic Biol Med* 2014;73:154-65.

Simino J, Shi G, Bis JC, et al. Gene-age interactions in blood pressure regulation: a large-scale investigation with the CHARGE, Global BPgen, and ICBP Consortia. *Am J Hum Genet* 2014;95:24-38.

Simon L, LeCapitaine N, Berner P, et al. Chronic binge alcohol consumption alters myogenic gene expression and reduces in vitro myogenic differentiation potential of myoblasts from rhesus macaques. *Am J Physiol Regul Integr Comp Physiol* 2014;306:R837-44.

Simonds SE, Pryor JT, Ravussin E, et al. Leptin mediates the increase in blood pressure associated with obesity. *Cell* 2014;159:1404-16.

Sink KM, Espeland MA, Rushing J, et al. The LIFE Cognition Study: design and baseline characteristics. *Clin Interv Aging* 2014;9:1425-36.

Sitzmann BD, Brown DI, Garyfallou VT, et al. Impact of moderate calorie restriction on testicular morphology and endocrine function in adult rhesus macaques (*Macaca mulatta*). *Age* 2014;36:183-97.

Sjostrom L, Peltonen M, Jacobson P, et al. Association of bariatric surgery with long-term remission of type 2 diabetes and with microvascular and macrovascular complications. *JAMA* 2014;311:2297-304.

Slack T, Myers CA, Martin CK, Heymsfield SB. The geographic concentration of US adult obesity prevalence and associated social, economic, and environmental factors. *Obesity (Silver Spring)* 2014;22:868-74.

Soni MS, Rabaglia ME, Bhatnagar S, et al. Downregulation of carnitine acyl-carnitine translocase by miRNAs 132 and 212 amplifies glucose-stimulated insulin secretion. *Diabetes* 2014;63:3805-14.

Sonnier T, Rood J, Gimble JM, Peterson CM. Glycemic control is impaired in the evening in prediabetes through multiple diurnal rhythms. *J Diabetes Complications* 2014;28:836-43.

Staiano AE. Learning by Playing: Video Gaming in Education-A Cheat Sheet for Games for Health Designers. *Games Health J* 2014;3:319-21.

Staiano AE, Calvert SL. The influence of advergames on children's consumer choices and behaviour. In: Blades M, Oates C, Blumberg F, Gunter B, eds. *Advertising to children : new directions, new media*; 2014:218 - 38.

Staiano AE, Flynn R. Therapeutic Uses of Active Videogames: A Systematic Review. *Games Health J* 2014;3:351-65.

Staiano AE, Gupta AK, Katzmarzyk PT. Cardiometabolic risk factors and fat distribution in children and adolescents. *J Pediatr* 2014;164:560-5.

Staiano AE, Harrington DM, Barreira TV, Katzmarzyk PT. Sitting time and cardiometabolic risk in US adults: associations by sex, race, socioeconomic status and activity level. *Br J Sports Med* 2014;48:213-9.

Stavniichuk R, Shevalye H, Lupachyk S, et al. Peroxynitrite and protein nitration in the pathogenesis of diabetic peripheral neuropathy. *Diabetes Metab Res Rev* 2014;30:669-78.

Stenlof K, Cefalu WT, Kim KA, et al. Long-term efficacy and safety of canagliflozin monotherapy in patients with type 2 diabetes inadequately controlled with diet and exercise: findings from the 52-week CANTATA-M study. *Curr Med Res Opin* 2014;30:163-75.

Stewart TM, Plasencia M, Han H, Jackson H, Becker CB. Moderators and Predictors of Response to Eating Disorder Risk Factor Reduction Programs in Collegiate Female Athletes. *Psychol Sport Exerc* 2014;15:713-20.

Stone KP, Wanders D, Orgeron M, Cortez CC, Gettys TW. Mechanisms of increased in vivo insulin sensitivity by dietary methionine restriction in mice. *Diabetes* 2014;63:3721-33.

St-Onge MP, Shechter A, Shlisky J, et al. Fasting plasma adiponin concentrations correlate with fat consumption in human females. *Obesity (Silver Spring)* 2014;22:1056-63.

Stull AJ. Lifestyle Approaches and Glucose Intolerance. *American Journal of Lifestyle Medicine* 2014:In Press.

Stull AJ, Ciappio ED. Successful scientist: What's the winning formula? *Adv Nutr* 2014;5:795-6.

Sullivan SM, Brashear MM, Broyles ST, Rung AL. Neighborhood environments and obesity among Afro-Caribbean,

African American, and Non-Hispanic white adults in the United States: results from the National Survey of American Life. *Prev Med* 2014;61:1-5.

Sung YJ, Schwander K, Arnett DK, et al. An empirical comparison of meta-analysis and mega-analysis of individual participant data for identifying gene-environment interactions. *Genet Epidemiol* 2014;38:369-78.

Svetkey LP, Clark JM, Funk K, et al. Greater weight loss with increasing age in the weight loss maintenance trial. *Obesity (Silver Spring)* 2014;22:39-44.

Swift DL, Johannsen NM, Lavie CJ, Earnest CP, Church TS. The role of exercise and physical activity in weight loss and maintenance. *Prog Cardiovasc Dis* 2014;56:441-7.

Talayero B, Wang L, Furtado J, Carey VJ, Bray GA, Sacks FM. Obesity favors apolipoprotein E- and C-III-containing high density lipoprotein subfractions associated with risk of heart disease. *J Lipid Res* 2014;55:2167-77.

Tam CS, Covington JD, Bajpeyi S, et al. Weight gain reveals dramatic increases in skeletal muscle extracellular matrix remodeling. *J Clin Endocrinol Metab* 2014;99:1749-57.

Tam CS, Frost EA, Xie W, et al. No effect of caloric restriction on salivary cortisol levels in overweight men and women. *Metabolism* 2014;63:194-8.

Tam CS, Kabir M, Bergman RN, Ravussin E. Insulin resistance and obesity. In: Bray GA, Bouchard C, eds. *Handbook of obesity: Epidemiology, etiology, and physiopathology*. 3rd ed. Boca Raton: CRC Press/Taylor & Francis; 2014:203-14.

Tan LJ, Zhu H, He H, et al. Replication of 6 obesity genes in a meta-analysis of genome-wide association studies from diverse ancestries. *PLoS ONE* 2014;9:e96149.

Tchoukalova YD, Krishnapuram R, White UA, et al. Fetal baboon sex-specific outcomes in adipocyte differentiation at 0.9 gestation in response to moderate maternal nutrient reduction. *Int J Obes* 2014;38:224-30.

Teyhen DS, Aldag M, Edinborough E, et al. Leveraging technology: creating and sustaining changes for health. *Telemed J E Health* 2014;20:835-49.

Thomas DM, Gonzalez MC, Pereira AZ, Redman LM, Heymsfield SB. Time to correctly predict the amount of weight loss with dieting. *J Acad Nutr Diet* 2014;114:857-61.

Thomas DM, Martin CK, Redman LM, et al. Effect of dietary adherence on the body weight plateau: a mathematical model incorporating intermittent compliance with energy intake prescription. *Am J Clin Nutr* 2014;100:787-95.

Thomas DM, Weedermann M, Fuemmeler BF, et al. Dynamic model predicting overweight, obesity, and extreme obesity prevalence trends. *Obesity (Silver Spring)* 2014;22:590-7.

Tosto G, Zimmerman ME, Carmichael OT, Brickman AM, Alzheimer's Disease Neuroimaging I. Predicting aggressive decline in mild cognitive impairment: the importance of white matter hyperintensities. *JAMA Neurol* 2014;71:872-7.

Tran TD, Zolochovska O, Figueiredo ML, et al. Histamine-induced Ca²⁺(+) signalling is mediated by TRPM4 channels in human adipose-derived stem cells. *Biochem J* 2014;463:123-34.

Tremblay MS, Gray CE, Akinroye K, et al. Physical activity of children: a global matrix of grades comparing 15 countries. *J Phys Act Health* 2014;11 Suppl 1:S113-25.

Tripathy D, Clement SC, Schwenke DC, et al. Baseline adiponectin levels do not influence the response to pioglitazone in ACT NOW. *Diabetes Care* 2014;37:1706-11.

Trost SG, Tudor-Locke C. Advances in the science of objective physical activity monitoring: 3rd International Conference on Ambulatory Monitoring of Physical Activity and Movement. *Br J Sports Med* 2014;48:1009-10.

Tseng TS, Moody-Thomas S, Horswell R, Yi Y, Celestin MD, Jones KD. Using a health informatics system to assess effect of a federal cigarette tax increase on readiness to quit among low-income smokers, Louisiana, 2009. *Prev Chronic Dis* 2014;11:E52.

Tudor-Locke C, Barreira TV, Schuna JM, Jr., Mire EF, Katzmarzyk PT. Fully automated waist-worn accelerometer algorithm for detecting children's sleep-period time separate from 24-h physical activity or sedentary behaviors. *Appl Physiol Nutr Metab* 2014;39:53-7.

Tudor-Locke C, Hendrick CA, Duet MT, et al. Implementation and adherence issues in a workplace treadmill desk intervention. *Appl Physiol Nutr Metab* 2014;39:1104-11.

Tudor-Locke C, Schuna JM, Jr., Frensham LJ, Proenca M. Changing the way we work: elevating energy expenditure with workstation alternatives. *Int J Obes* 2014;38:755-65.

Tudor-Locke C, Schuna JM, Jr., Katzmarzyk PT, Liu W, Hamrick KS, Johnson WD. Body mass index: accounting for full time sedentary occupation and 24-hr self-reported time use. *PLoS ONE* 2014;9:e109051.

Tudor-Locke C, Swift DL, Schuna JM, Jr., et al. WalkMore: a randomized controlled trial of pedometer-based interventions differing on intensity messages. *BMC Public Health* 2014;14:168.

Urquidez-Romero R, Esparza-Romero J, Chaudhari LS, et al. Study design of the Maycoba Project: obesity and diabetes in Mexican Pimas. *Am J Health Behav* 2014;38:370-8.

Vance KM, Ribnicky DM, Hermann GE, Rogers RC. St. John's Wort enhances the synaptic activity of the nucleus of the solitary tract. *Nutrition* 2014;30:S37-42.

Vance KM, Ribnicky DM, Rogers RC, Hermann GE. Artemisia santolinifolia enhances glutamatergic neurotransmission in the nucleus of the solitary tract. *Neurosci Lett* 2014;582:115-9.

Vandanmagsar B, Haynie KR, Wicks SE, et al. Artemisia dracunculus L. extract ameliorates insulin sensitivity by attenuating inflammatory signalling in human skeletal muscle culture. *Diabetes Obes Metab* 2014;16:728-38.

Vasconcellos F, Seabra A, Katzmarzyk PT, Kraemer-Aguiar LG, Bouskela E, Farinatti P. Physical activity in overweight and obese adolescents: systematic review of the effects on physical fitness components and cardiovascular risk factors. *Sports Med* 2014;44:1139-52.

Vassy JL, Hivert MF, Porneala B, et al. Polygenic type 2 diabetes prediction at the limit of common variant detection. *Diabetes* 2014;63:2172-82.

Vaz Fragoso CA, Hsu FC, Brinkley T, et al. Combined reduced forced expiratory volume in 1 second (FEV1) and peripheral artery disease in sedentary elders with functional limitations. *J Am Med Dir Assoc* 2014;15:665-70.

Vidrine K, Ye J, Martin RJ, et al. Resistant starch from high amylose maize (HAM-RS2) and dietary butyrate reduce abdominal fat by a different apparent mechanism. *Obesity (Silver Spring)* 2014;22:344-8.

Von Thun NL, Sukumar D, Heymsfield SB, Shapses SA. Does bone loss begin after weight loss ends? Results 2 years after weight loss or regain in postmenopausal women. *Menopause* 2014;21:501-8.

Wanders D, Ghosh S, Stone KP, Van NT, Gettys TW. Transcriptional impact of dietary methionine restriction on systemic inflammation: relevance to biomarkers of metabolic disease during aging. *Biofactors* 2014;40:13-26.

Wang L, Liu H, Zhang S, et al. Obesity index and the risk of diabetes among Chinese women with prior gestational diabetes. *Diabet Med* 2014;31:1368-77.

Wang Y, Hu G. Reply to 'antihypertensive treatment: a source of confusion when considered as a cardiovascular risk factor'. *J Hypertens* 2014;32:203.

Wang Y, Katzmarzyk PT, Horswell R, Zhao W, Johnson J, Hu G. Kidney function and the risk of cardiovascular disease in patients with type 2 diabetes. *Kidney Int* 2014;85:1192-9.

Wang Y, Katzmarzyk PT, Horswell R, et al. Racial disparities in cardiovascular risk factor control in an underinsured population with Type 2 diabetes. *Diabet Med* 2014;31:1230-6.

Wang ZQ, Yu Y, Zhang XH, Komorowski J. Chromium-Insulin Reduces Insulin Clearance and Enhances Insulin Signaling by Suppressing Hepatic Insulin-Degrading Enzyme and Proteasome Protein Expression in KKAY Mice. *Front Endocrinol (Lausanne)* 2014;5:99.

Wei X, Ke B, Zhao Z, Ye X, Gao Z, Ye J. Regulation of insulin degrading enzyme activity by obesity-associated factors and pioglitazone in liver of diet-induced obese mice. *PLoS ONE* 2014;9:e95399.

Weitz TM, Gate D, Rezai-Zadeh K, Town T. MyD88 is dispensable for cerebral amyloidosis and neuroinflammation in APP/PS1 transgenic mice. *Am J Pathol* 2014;184:2855-61.

Wen X, Wu J, Chang JS, et al. Effect of exercise intensity on isoform-specific expressions of NT-PGC-1 alpha mRNA in mouse skeletal muscle. *Biomed Res Int* 2014;2014:402175.

White DK, Tudor-Locke C, Zhang Y, et al. Daily walking and the risk of incident functional limitation in knee osteoarthritis: an observational study. *Arthritis Care Res (Hoboken)* 2014;66:1328-36.

White UA, Tchoukalova YD. Sex dimorphism and depot differences in adipose tissue function. *Biochim Biophys Acta* 2014;1842:377-92.

Wicks S, Noland R, Mynatt RL. Carnitine and insulin resistance. In: Wall BT, Porter C, eds. *Carnitine metabolism and human nutrition*; 2014:97-126.

Wicks S, Taylor CM, Luo M, et al. Artemisia supplementation differentially affects the mucosal and luminal ileal microbiota of diet-induced obese mice. *Nutrition* 2014;30:S26-30.

Wolfarth B, Rankinen T, Hagberg JM, et al. Advances in exercise, fitness, and performance genomics in 2013. *Med Sci Sports Exerc* 2014;46:851-9.

Wong WW, Roberts SB, Racette SB, et al. The doubly labeled water method produces highly reproducible longitudinal results in nutrition studies. *J Nutr* 2014;144:777-83.

Wood AR, Esko T, Yang J, et al. Defining the role of common variation in the genomic and biological architecture of adult human height. *Nat Genet* 2014;46:1173-86.

Wu C, Jia Y, Lee JH, et al. trans-Caryophyllene is a natural agonistic ligand for peroxisome proliferator-activated receptor-alpha. *Bioorg Med Chem Lett* 2014;24:3168-74.

Xiong GL, Gadde KM. Combination phentermine/topiramate for obesity treatment in primary care: a review. *Postgrad Med* 2014;126:110-6.

Yang X, Tian H, Zhang F, et al. A randomised translational trial of lifestyle intervention using a 3-tier shared care approach on pregnancy outcomes in Chinese women with gestational diabetes mellitus but without diabetes. *J Transl*

Med 2014;12:290.

Ye J, Hao Z, Mumphrey MB, et al. GLP-1 receptor signaling is not required for reduced body weight after RYGB in rodents. *Am J Physiol Regul Integr Comp Physiol* 2014;306:R352-62.

Yin J, Lee JH, Zhang J, Gao Z, Polotsky VY, Ye J. Regulation of hepatocyte growth factor expression by NF-kappaB and PPARgamma in adipose tissue. *Am J Physiol Endocrinol Metab* 2014;306:E929-36.

Zabaleta J, Velasco-Gonzalez C, Estrada J, et al. Inverse correlation of serum inflammatory markers with metabolic parameters in healthy, Black and White prepubertal youth. *Int J Obes* 2014;38:563-8.

Zhang L, Zhang Z, Zhang Y, Hu G, Chen L. Evaluation of Finnish Diabetes Risk Score in screening undiagnosed diabetes and prediabetes among U.S. adults by gender and race: NHANES 1999-2010. *PLoS ONE* 2014;9:e97865.

Zhang X, Bowles AC, Semon JA, et al. Transplantation of autologous adipose stem cells lacks therapeutic efficacy in the experimental autoimmune encephalomyelitis model. *PLoS ONE* 2014;9:e85007.

Zhao P, Elks CM, Stephens JM. The induction of lipocalin-2 protein expression in vivo and in vitro. *J Biol Chem* 2014;289:5960-9.

Zhao W, Guan J, Horswell R, et al. HDL cholesterol and cancer risk among patients with type 2 diabetes. *Diabetes Care* 2014;37:3196-203.

Zhao W, Katzmarzyk PT, Horswell R, et al. Blood pressure and heart failure risk among diabetic patients. *Int J Cardiol* 2014;176:125-32.

Zhao W, Katzmarzyk PT, Horswell R, Wang Y, Johnson J, Hu G. HbA1c and coronary heart disease risk among diabetic patients. *Diabetes Care* 2014;37:428-35.

Zhao W, Katzmarzyk PT, Horswell R, Wang Y, Johnson J, Hu G. HbA1c and heart failure risk among diabetic patients. *J Clin Endocrinol Metab* 2014;99:E263-7.

Zhao W, Katzmarzyk PT, Horswell R, Wang Y, Johnson J, Hu G. Sex differences in the risk of stroke and HbA(1c) among diabetic patients. *Diabetologia* 2014;57:918-26.

Zhao W, Katzmarzyk PT, Horswell R, et al. Body mass index and the risk of all-cause mortality among patients with type 2 diabetes mellitus. *Circulation* 2014;130:2143-51.

Zhao Y, Collier JJ, Huang E-C, Whelan J. Turmeric and Chinese goldthread synergistically inhibit prostate cancer cell proliferation and NF-kB signaling. *Functional Foods in Health and Disease* 2014;4:312-239.

Zheng H, Tegmark M, Buza V, et al. MITEoR: a scalable interferometer for precision 21 cm cosmology. *Monthly Notices of the Royal Astronomical Society* 2014;445:1084-103.

Zheng J, Greenway FL, Heymsfield SB, et al. Effects of three intense sweeteners on fat storage in the *C. elegans* model. *Chem Biol Interact* 2014;215:1-6.

Zhu N, Jacobs DR, Jr., Schreiner PJ, et al. Cardiorespiratory fitness and cognitive function in middle age: the CARDIA study. *Neurology* 2014;82:1339-46.

Zolochewska O, Shearer J, Ellis J, et al. Human adipose-derived mesenchymal stromal cell pigment epithelium-derived factor cytotherapy modifies genetic and epigenetic profiles of prostate cancer cells. *Cytotherapy* 2014;16:346-56.

Zsombok A, Jiang Y, Gao H, et al. Regulation of leptin receptor-expressing neurons in the brainstem by TRPV1. *Physiol*

Rep 2014;2:In Press.