

2015

Aggarwal S, Shailendra G, Ribnicky DM, Burk D, Karki N, Qingxia Wang MS. An extract of *Artemisia dracunculus* L. stimulates insulin secretion from beta cells, activates AMPK and suppresses inflammation. *J Ethnopharmacol* 2015;170:98-105.

Al-Gindan YY, Hankey CR, Govan L, Gallagher D, Heymsfield SB, Lean ME. Derivation and validation of simple anthropometric equations to predict adipose tissue mass and total fat mass with MRI as the reference method. *Br J Nutr* 2015;114:1852-67.

Allerton TD, Primeaux SD. High-fat diet differentially regulates metabolic parameters in obesity-resistant S5B/Pl rats and obesity-prone Osborne-Mendel rats. *Can J Physiol Pharmacol* 2015:1-10.

Allerton TD, Primeaux SD. QRFP-26 enhances insulin's effects on glucose uptake in rat skeletal muscle cells. *Peptides* 2015;69:77-9.

Ammon BS, Bellanger DE, Geiselman PJ, Primeaux SD, Yu Y, Greenway FL. Short-term pilot study of the effect of sleeve gastrectomy on food preference. *Obes Surg* 2015;25:1094-7.

Apovian CM, Aronne LJ, Bessesen DH, et al. Pharmacological management of obesity: an endocrine Society clinical practice guideline. *J Clin Endocrinol Metab* 2015;100:342-62.

Apovian CM, Garvey WT, Ryan DH. Challenging obesity: Patient, provider, and expert perspectives on the roles of available and emerging nonsurgical therapies. *Obesity (Silver Spring)* 2015;23 Suppl 2:S1-S26.

Aryana K, Greenway F, Dhurandhar N, et al. A resistant-starch enriched yogurt: fermentability, sensory characteristics, and a pilot study in children. *F1000Research* 2015;4:139.

Bann D, Hire D, Manini T, et al. Light Intensity physical activity and sedentary behavior in relation to body mass index and grip strength in older adults: cross-sectional findings from the Lifestyle Interventions and Independence for Elders (LIFE) study. *PLoS ONE* 2015;10:e0116058.

Barreira TV, Schuna JM, Jr., Mire EF, et al. Normative steps/day and peak cadence values for united states children and adolescents: National Health and Nutrition Examination Survey 2005-2006. *J Pediatr* 2015;166:139-43.

Barreira TV, Schuna JM, Jr., Mire EF, et al. Identifying children's nocturnal sleep using 24-h waist accelerometry. *Med Sci Sports Exerc* 2015;47:937-43.

Barreira TV, Schuna JM, Tudor-Locke C, et al. Reliability of accelerometer-determined physical activity and sedentary behavior in school-aged children: a 12-country study. *Int J Obes Suppl* 2015;5:S29-35.

Barreira TV, Zderic TW, Schuna JM, Jr., Hamilton MT, Tudor-Locke C. Free-living activity counts-derived breaks in sedentary time: Are they real transitions from sitting to standing? *Gait Posture* 2015;42:70-2.

Becker C, MacKenzie K, Stewart T. Cognitive and behavioral approaches to the prevention of eating disorders. In: Smolak L, Levine MP, eds. *The Wiley Handbook of Eating Disorders*. New Jersey: Wiley-Blackwell; 2015:597 - 609.

Belarmino G, Horie LM, Sala PC, Torrinhas RS, Heymsfield SB, Waitzberg DL. Body adiposity index performance in estimating body fat in a sample of severely obese Brazilian patients. *Nutr J* 2015;14:130.

Belarmino G, Torrinhas RS, Heymsfield SB, Waitzberg DL. Sarcopenia in liver cirrhosis: the role of computed tomography scan in the assessment of muscle mass compared with dual-energy X-ray absorptiometry and anthropometry. *Eur J Gastroenterol Hepatol* 2015;27:1228.

Borges A, Gomes TN, Santos D, et al. A count model to study the correlates of 60 min of daily physical activity in Portuguese children. *Int J Environ Res Public Health* 2015;12:2557-73.

Borghese MM, Tremblay MS, Katzmarzyk PT, et al. Mediating role of television time, diet patterns, physical activity and sleep duration in the association between television in the bedroom and adiposity in 10 year-old children. *Int J Behav Nutr Phys Act* 2015;12:60.

Botosaneanu A, Ambrosius WT, Beavers DP, et al. Prevalence of metabolic syndrome and its association with physical capacity, disability, and self-rated health in Lifestyle Interventions and Independence for Elders Study participants. *J Am Geriatr Soc* 2015;63:222-32.

Bouchard C. Adaptation to Acute and Regular Exercise: From Reductionist Approaches to Integrative Biology. *Prog Mol Biol Transl Sci* 2015;135:1-15.

Bouchard C. Exercise genomics--a paradigm shift is needed: a commentary. *Br J Sports Med* 2015;49:1492-6.

Bouchard C. *Molecular and Cellular Regulation of Adaptation to Exercise*. Amsterdam ; Boston: Elsevier/AP; 2015.

Bouchard C, Antunes-Correa LM, Ashley EA, et al. Personalized preventive medicine: genetics and the response to regular exercise in preventive interventions. *Prog Cardiovasc Dis* 2015;57:337-46.

Bouchard C, Blair SN, Katzmarzyk PT. Less Sitting, More Physical Activity, or Higher Fitness? *Mayo Clin Proc* 2015;90:1533-40.

Boyle CP, Raji CA, Erickson KI, et al. Physical activity, body mass index, and brain atrophy in Alzheimer's disease. *Neurobiol Aging* 2015;36 Suppl 1:S194-202.

Bray GA. Diabetes and Obesity--Time Bombs to Be Defused. *Diabetes Care* 2015;38:1997-9.

Bray GA. Obesity: Liraglutide--another weapon in the war against obesity? *Nat Rev Endocrinol* 2015;11:569-70.

Bray GA. Why Obesity? *Annu Rev Nutr* 2015;35:1-31.

Bray GA, Howard AN. Founding of the International Journal of Obesity: a journey in medical journalism. *Int J Obes* 2015;39:75-9.

Bray GA, Redman LM, de Jonge L, et al. Effect of protein overfeeding on energy expenditure measured in a metabolic chamber. *Am J Clin Nutr* 2015;101:496-505.

Bray GA, Wadden TA. Improving long-term weight loss maintenance: can we do it? *Obesity (Silver Spring)* 2015;23:2-3.

Brownley KA, Boettiger CA, Young L, Cefalu WT. Dietary chromium supplementation for targeted treatment of diabetes patients with comorbid depression and binge eating. *Med Hypotheses* 2015;85:45-8.

Broyles ST, Denstel KD, Church TS, et al. The epidemiological transition and the global childhood obesity epidemic. *Int J Obes Suppl* 2015;5:S3-8.

Broyles ST, Drazba KT, Church TS, et al. Development and reliability of an audit tool to assess the school physical activity environment across 12 countries. *Int J Obes Suppl* 2015;5:S36-42.

Bruce-Keller AJ, Salbaum JM, Luo M, et al. Obese-type gut microbiota induce neurobehavioral changes in the absence of obesity. *Biol Psychiatry* 2015;77:607-15.

Bruce-Keller AJ, Salbaum JM, Luo M, et al. Reply to: High-Fat Diet-Induced Dysbiosis as a Cause of Neuroinflammation. *Biol Psychiatry* 2015.

Bureau A, Croteau J, Couture C, Vohl MC, Bouchard C, Perusse L. Estimating genetic effect sizes under joint disease-endophenotype models in presence of gene-environment interactions. *Front Genet* 2015;6:248.

Burke SJ, Collier JJ. Transcriptional regulation of chemokine genes: a link to pancreatic islet inflammation? *Biomolecules* 2015;5:1020-34.

Burke SJ, Karlstad MD, Conley CP, Reel D, Whelan J, Collier JJ. Dietary polyherbal supplementation decreases CD3+ cell infiltration into pancreatic islets and prevents hyperglycemia in nonobese diabetic mice. *Nutr Res* 2015;35:328-36.

Burke SJ, Karlstad MD, Regal KM, et al. CCL20 is elevated during obesity and differentially regulated by NF-kappaB subunits in pancreatic beta-cells. *Biochim Biophys Acta* 2015;1849:637-52.

Burke SJ, May AL, Noland RC, et al. Thiobenzothiazole-modified Hydrocortisones Display Anti-inflammatory Activity with Reduced Impact on Islet beta-Cell Function. *J Biol Chem* 2015;290:13401-16.

Burke SJ, Stadler K, Lu D, et al. IL-1beta reciprocally regulates chemokine and insulin secretion in pancreatic beta-cells via NF-kappaB. *Am J Physiol Endocrinol Metab* 2015;309:E715-26.

Burton JH, Johnson M, Johnson J, Hsia DS, Greenway FL, Heiman ML. Addition of a Gastrointestinal Microbiome Modulator to Metformin Improves Metformin Tolerance and Fasting Glucose Levels. *J Diabetes Sci Technol* 2015;9:808-14.

Burton JH, Volaufova J. Approximate testing in two-stage nonlinear mixed models. *J Stat Comput Simul* 2015;85:2656-65.

Bustamante A, Freitas D, Pan H, Katzmarzyk PT, Maia J. Centile curves and reference values for height, body mass, body mass index and waist circumference of Peruvian children and adolescents. *Int J Environ Res Public Health* 2015;12:2905-22.

Cahn A, Raz I, Kleinman Y, et al. Clinical Assessment of Individualized Glycemic Goals in Patients With Type 2 Diabetes: Formulation of an Algorithm Based on a Survey Among Leading Worldwide Diabetologists. *Diabetes Care* 2015;38:2293-300.

Carmichael O, Sakhanenko L. Estimation of integral curves from high angular resolution diffusion imaging (HARDI) data. *Linear Algebra Appl* 2015;473:377-403.

Carson V, Staiano AE, Katzmarzyk PT. Physical activity, screen time, and sitting among U.S. adolescents. *Pediatr Exerc Sci* 2015;27:151-9.

Casazza K, Brown A, Astrup A, et al. Weighing the Evidence of Common Beliefs in Obesity Research. *Crit Rev Food Sci Nutr* 2015;55:2014-53.

Cefalu WT. The "evidence" is in! It does get better! *Diabetes Care* 2015;38:3-5.

Cefalu WT, Boulton AJ, Boulton AJ, et al. Status of Diabetes Care: New Challenges, New Concepts, New Measures--Focusing on the Future! *Diabetes Care* 2015;38:1177-80.

Cefalu WT, Bray GA, Home PD, et al. Advances in the Science, Treatment, and Prevention of the Disease of Obesity: Reflections From a Diabetes Care Editors' Expert Forum. *Diabetes Care* 2015;38:1567-82.

Cefalu WT, Chiang JL. Guiding principles for diabetes care. *Diabetes Care* 2015;38:1955-7.

Cefalu WT, Golden SH. Innovative approaches to understanding and addressing health disparities in diabetes care and research. *Diabetes Care* 2015;38:186-8.

Cefalu WT, Leiter LA, de Bruin TW, Gause-Nilsson I, Sugg J, Parikh SJ. Dapagliflozin's Effects on Glycemia and Cardiovascular Risk Factors in High-Risk Patients With Type 2 Diabetes: A 24-Week, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study With a 28-Week Extension. *Diabetes Care* 2015;38:1218-27.

Cefalu WT, Nair KS, Seaquist ER, et al. Statement of principle. *Horm Cancer* 2015;6:1.

Cefalu WT, Petersen MP, Ratner RE. Response to comment on Cefalu et Al. The alarming and rising costs of diabetes and prediabetes: a call for action! *Diabetes care* 2014;37:3137-3138. *Diabetes Care* 2015;38:e82-3.

Cefalu WT, Riddle MC. SGLT2 inhibitors: the latest "new kids on the block"! *Diabetes Care* 2015;38:352-4.

Cefalu WT, Rosenstock J, LeRoith D, Riddle MC. Insulin's Role in Diabetes Management: After 90 Years, Still Considered the Essential "Black Dress". *Diabetes Care* 2015;38:2200-3.

Cefalu WT, Stenlof K, Leiter LA, et al. Effects of canagliflozin on body weight and relationship to HbA1c and blood pressure changes in patients with type 2 diabetes. *Diabetologia* 2015;58:1183-7.

Cefalu WT, Tamborlane WV, Skyler JS. Type 1 diabetes at a crossroads! *Diabetes Care* 2015;38:968-70.

Ceglia L, Nelson J, Ware J, et al. Association between body weight and composition and plasma 25-hydroxyvitamin D level in the Diabetes Prevention Program. *Eur J Nutr* 2015.

Cesari M, Vellas B, Hsu FC, et al. A physical activity intervention to treat the frailty syndrome in older persons-results from the LIFE-P study. *J Gerontol A Biol Sci Med Sci* 2015;70:216-22.

Chaput JP, Katzmarzyk PT, LeBlanc AG, et al. Associations between sleep patterns and lifestyle behaviors in children: an international comparison. *Int J Obes Suppl* 2015;5:S59-65.

Chaput JP, Saunders TJ, Tremblay MS, Katzmarzyk PT, Tremblay A, Bouchard C. Workplace standing time and the incidence of obesity and type 2 diabetes: a longitudinal study in adults. *BMC Public Health* 2015;15:111.

Choi A, Kim JY, Jo S, et al. Smartphone-Based Bioelectrical Impedance Analysis Devices for Daily Obesity Management. *Sensors (Basel)* 2015;15:22151-66.

Chow L, Eberly LE, Austin E, et al. Fitness change effects on midlife metabolic outcomes. *Med Sci Sports Exerc* 2015;47:967-73.

Chung ST, Hsia DS, Chacko SK, Rodriguez LM, Haymond MW. Increased gluconeogenesis in youth with newly diagnosed type 2 diabetes. *Diabetologia* 2015;58:596-603.

Clennin MN, Payne JP, Rienzi EG, et al. Association between Cardiorespiratory Fitness and Health-Related Quality of Life among Patients at Risk for Cardiovascular Disease in Uruguay. *PLoS ONE* 2015;10:e0123989.

Cook PF, Reichmuth C, Rouse AA, et al. Algal toxin impairs sea lion memory and hippocampal connectivity, with implications for strandings. *Science* 2015;350:1545-7.

Copeland AL, McVay MA, Martin PD, et al. Smoking relapse and weight gain prevention program for postmenopausal weight-concerned women: A pilot study. *Eat Behav* 2015;18:107-14.

Covington JD, Bajpeyi S, Moro C, et al. Potential effects of aerobic exercise on the expression of perilipin 3 in the

adipose tissue of women with polycystic ovary syndrome: a pilot study. *Eur J Endocrinol* 2015;172:47-58.

Covington JD, Bray GA, Redman LM, Johannsen DL, Ravussin E. Eight weeks of dietary overfeeding increases renal filtration rates in humans: implications for the pathogenesis of diabetic hyperfiltration. *J Intern Med* 2015;278:396-400.

Covington JD, Myland CK, Rustan AC, Ravussin E, Smith SR, Bajpeyi S. Effect of serial cell passaging in the retention of fiber type and mitochondrial content in primary human myotubes. *Obesity (Silver Spring)* 2015;23:2414-20.

Covington JD, Noland RC, Hebert RC, et al. Perilipin 3 Differentially Regulates Skeletal Muscle Lipid Oxidation in Active, Sedentary, and Type 2 Diabetic Males. *J Clin Endocrinol Metab* 2015;100:3683-92.

Cui XB, Luan JN, Ye J, Chen SY. RGC32 deficiency protects against high-fat diet-induced obesity and insulin resistance in mice. *J Endocrinol* 2015;224:127-37.

Dange RB, Agarwal D, Teruyama R, Francis J. Toll-like receptor 4 inhibition within the paraventricular nucleus attenuates blood pressure and inflammatory response in a genetic model of hypertension. *J Neuroinflammation* 2015;12:31.

Davis GR, Stephens JM, Nelson AG. Effect of 12 Weeks of Periodized Resistance Training Upon Total Plasma Adiponectin Concentration in Healthy Young Men. *J Strength Cond Res* 2015;29:3097-104.

Deng Y, Goodrich-Hunsaker NJ, Cabaral M, et al. Disrupted fornix integrity in children with chromosome 22q11.2 deletion syndrome. *Psychiatry Res* 2015;232:106-14.

Denstel KD, Broyles ST, Larouche R, et al. Active school transport and weekday physical activity in 9-11-year-old children from 12 countries. *Int J Obes Suppl* 2015;5:S100-6.

Dhurandhar NV, Schoeller D, Brown AW, et al. Energy balance measurement: when something is not better than nothing. *Int J Obes* 2015;39:1109-13.

Dhurandhar NV, Schoeller DA, Brown AW, et al. Response to 'Energy balance measurement: when something is not better than nothing'. *Int J Obes* 2015;39:1175-6.

Diabetes Prevention Program Research G, Hamman RF, Horton E, et al. Factors affecting the decline in incidence of diabetes in the Diabetes Prevention Program Outcomes Study (DPPOS). *Diabetes* 2015;64:989-98.

Diego VP, de Chaves RN, Blangero J, et al. Sex-specific genetic effects in physical activity: results from a quantitative genetic analysis. *BMC Med Genet* 2015;16:58.

Ding D, Su D, Li X, et al. Serum levels of monocyte chemoattractant protein-1 and all-cause and cardiovascular mortality among patients with coronary artery disease. *PLoS ONE* 2015;10:e0120633.

Ding D, Wang M, Su D, et al. Body Mass Index, High-Sensitivity C-Reactive Protein and Mortality in Chinese with Coronary Artery Disease. *PLoS ONE* 2015;10:e0135713.

DiNicolantonio JJ, Fares H, Niazi AK, et al. beta-Blockers in hypertension, diabetes, heart failure and acute myocardial infarction: a review of the literature. *Open Heart* 2015;2:e000230.

Dishman RK, Sui X, Church TS, Kline CE, Youngstedt SD, Blair SN. Decline in cardiorespiratory fitness and odds of incident sleep complaints. *Med Sci Sports Exerc* 2015;47:960-6.

Dobbins RL, Greenway FL, Chen L, et al. Selective sodium-dependent glucose transporter 1 inhibitors block glucose absorption and impair glucose-dependent insulinotropic peptide release. *Am J Physiol Gastrointest Liver Physiol* 2015;308:G946-54.

Dodd GT, Decherf S, Loh K, et al. Leptin and insulin act on POMC neurons to promote the browning of white fat. *Cell* 2015;160:88-104.

Dos Santos FK, Prista A, Gomes TN, et al. Secular trends in physical fitness of Mozambican school-aged children and adolescents. *Am J Hum Biol* 2015;27:201-6.

dos Santos FK, Prista A, Gomes TN, et al. Body mass index, cardiorespiratory fitness and cardiometabolic risk factors in youth from Portugal and Mozambique. *Int J Obes* 2015;39:1467-74.

Drenowatz C, Sui X, Fritz S, et al. The association between resistance exercise and cardiovascular disease risk in women. *J Sci Med Sport* 2015;18:632-6.

Dubuisson O, Day RS, Dhurandhar NV. Accurate identification of neutralizing antibodies to adenovirus Ad36, -a putative contributor of obesity in humans. *J Diabetes Complications* 2015;29:83-7.

Earnest CP, Church TS. Evaluation of a Voluntary Worksite Weight Loss Program on Metabolic Syndrome. *Metab Syndr Relat Disord* 2015;13:406-14.

Edwards JF, Casellini CM, Parson HK, Obrosova IG, Yorek M, Vinik AI. Role of Peroxynitrite in the Development of Diabetic Peripheral Neuropathy. *Diabetes Care* 2015;38:e100-1.

Elks CM, Stephens JM. Oncostatin m modulation of lipid storage. *Biology* 2015;4:151-60.

Elks CM, Terrebonne JD, Ingram DK, Stephens JM. Blueberries improve glucose tolerance without altering body composition in obese postmenopausal mice. *Obesity (Silver Spring)* 2015;23:573-80.

Esparza-Romero J, Valencia ME, Urquidez-Romero R, et al. Environmentally Driven Increases in Type 2 Diabetes and Obesity in Pima Indians and Non-Pimas in Mexico Over a 15-Year Period: The Maycoba Project. *Diabetes Care* 2015;38:2075-82.

Espeland MA, Beavers KM, Gibbs BB, et al. Ankle-brachial index and inter-artery blood pressure differences as predictors of cognitive function in overweight and obese older adults with diabetes: results from the Action for Health in Diabetes movement and memory study. *Int J Geriatr Psychiatry* 2015;30:999-1007.

Espeland MA, Newman AB, Sink K, et al. Associations Between Ankle-Brachial Index and Cognitive Function: Results From the Lifestyle Interventions and Independence for Elders Trial. *J Am Med Dir Assoc* 2015;16:682-9.

Faith MS, Pietrobelli A. Babies with big appetites: do genes influence infant food reward? *Am J Clin Nutr* 2015;101:421-2.

Ferrari GL, Araujo TL, Oliveira L, et al. Association Between Television Viewing and Physical Activity in 10-Year-Old Brazilian Children. *J Phys Act Health* 2015;12:1401-8.

Ferrari GL, Oliveira LC, Araujo TL, et al. Moderate-to-Vigorous Physical Activity and Sedentary Behavior: Independent Associations With Body Composition Variables in Brazilian Children. *Pediatr Exerc Sci* 2015;27:380-9.

Fitzgerald JD, Johnson L, Hire DG, et al. Association of objectively measured physical activity with cardiovascular risk in mobility-limited older adults. *J Am Heart Assoc* 2015;4.

Fitzpatrick SL, Coughlin JW, Appel LJ, et al. Application of Latent Class Analysis to Identify Behavioral Patterns of Response to Behavioral Lifestyle Interventions in Overweight and Obese Adults. *Int J Behav Med* 2015;22:471-80.

Floyd ZE, Staszkiwicz J, Power RA, et al. Prolonged proteasome inhibition cyclically upregulates Oct3/4 and Nanog

gene expression, but reduces induced pluripotent stem cell colony formation. *Cell Reprogram* 2015;17:95-105.

Frisard MI, Wu Y, McMillan RP, et al. Low levels of lipopolysaccharide modulate mitochondrial oxygen consumption in skeletal muscle. *Metabolism* 2015;64:416-27.

Fuller S, Stephens JM. Diosgenin, 4-hydroxyisoleucine, and fiber from fenugreek: mechanisms of actions and potential effects on metabolic syndrome. *Adv Nutr* 2015;6:189-97.

Gadde KM, Yancy WS, Jr. Obesity medications reduce total body weight by 3-9% compared with placebo, when combined with lifestyle changes. *Evid Based Nurs* 2015;18:29-30.

Gao C, Gao Z, Greenway FL, et al. Oat consumption reduced intestinal fat deposition and improved health span in *Caenorhabditis elegans* model. *Nutr Res* 2015;35:834-43.

Gao C, Keenan MJ, Raggio AM, et al. Pilot study: Gut microbiota in wild type *Caenorhabditis elegans*: Stimulation by media containing dietary fiber from Prowashonupana barley. *Journal of Advances in Biology* 2015;8:1506-12.

Gao C, King ML, Fitzpatrick ZL, et al. Prowashonupana barley dietary fibre reduces body fat and increases insulin sensitivity in *Caenorhabditis elegans* model. *J Funct Foods* 2015;18:564-74.

Gao Y, Li Z, Gabrielsen JS, et al. Adipocyte iron regulates leptin and food intake. *J Clin Invest* 2015;125:3681-91.

Gao Y, Zong K, Gao Z, et al. Magnetic resonance imaging-measured bone marrow adipose tissue area is inversely related to cortical bone area in children and adolescents aged 5-18 years. *J Clin Densitom* 2015;18:203-8.

Gao Z, Zhang J, Henagan TM, et al. P65 inactivation in adipocytes and macrophages attenuates adipose inflammatory response in lean but not in obese mice. *Am J Physiol Endocrinol Metab* 2015;308:E496-505.

Gautier JF, Porcher R, Abi Khalil C, et al. Kidney Dysfunction in Adult Offspring Exposed In Utero to Type 1 Diabetes Is Associated with Alterations in Genome-Wide DNA Methylation. *PLoS ONE* 2015;10:e0134654.

Gibbs BB, Hergenroeder AL, Katzmarzyk PT, Lee IM, Jakicic JM. Definition, measurement, and health risks associated with sedentary behavior. *Med Sci Sports Exerc* 2015;47:1295-300.

Gilmore LA, Klempel-Donchenko M, Redman LM. Pregnancy as a window to future health: Excessive gestational weight gain and obesity. *Semin Perinatol* 2015;39:296-303.

Gilmore LA, Redman LM. Weight gain in pregnancy and application of the 2009 IOM guidelines: toward a uniform approach. *Obesity (Silver Spring)* 2015;23:507-11.

Gimble JM, Floyd ZE. Aging and bone. In: Duque G, Kiel DP, eds. *Osteoporosis in older persons : pathophysiology and therapeutic approach*. London: Springer; 2015:In Press.

Goldsmith F, Keenan MJ, Raggio AM, et al. Induction of Energy Expenditure by Sitagliptin Is Dependent on GLP-1 Receptor. *PLoS ONE* 2015;10:e0126177.

Gomes TN, Hedeker D, dos Santos FK, Pereira S, Katzmarzyk PT, Maia JA. Why Are Children Different in Their Daily Sedentariness? An Approach Based on the Mixed-Effects Location Scale Model. *PLoS ONE* 2015;10:e0132192.

Gomes TN, Katzmarzyk PT, dos Santos FK, et al. Are BMI and Sedentariness Correlated? A Multilevel Study in Children. *Nutrients* 2015;7:5889-904.

Gottlieb DJ, Hek K, Chen TH, et al. Novel loci associated with usual sleep duration: the CHARGE Consortium Genome-Wide Association Study. *Mol Psychiatry* 2015;20:1232-9.

Grant RW, Stephens JM. Fat in flames: influence of cytokines and pattern recognition receptors on adipocyte lipolysis. *Am J Physiol Endocrinol Metab* 2015;309:E205-13.

Greenway FL. Physiological adaptations to weight loss and factors favouring weight regain. *Int J Obes* 2015;39:1188-96.

Guillot-Sestier MV, Doty KR, Gate D, et al. IL10 deficiency rebalances innate immunity to mitigate Alzheimer-like pathology. *Neuron* 2015;85:534-48.

Hao Z, Munzberg H, Rezai-Zadeh K, et al. Leptin deficient ob/ob mice and diet-induced obese mice responded differently to Roux-en-Y bypass surgery. *Int J Obes* 2015;39:798-805.

Harrington DM, Champagne CM, Broyles ST, Johnson WD, Tudor-Locke C, Katzmarzyk PT. Cardiometabolic risk factor response to a lifestyle intervention: a randomized trial. *Metab Syndr Relat Disord* 2015;13:125-31.

Harris RB, Apolzan JW. Hexosamine biosynthetic pathway activity in leptin resistant sucrose-drinking rats. *Physiol Behav* 2015;138:208-18.

He J, Kastin AJ, Wang Y, Pan W. Sleep fragmentation has differential effects on obese and lean mice. *J Mol Neurosci* 2015;55:644-52.

He W, Li Q, Yang M, et al. Lower BMI cutoffs to define overweight and obesity in China. *Obesity (Silver Spring)* 2015;23:684-91.

Henagan TM, Cefalu WT, Ribnicky DM, et al. In vivo effects of dietary quercetin and quercetin-rich red onion extract on skeletal muscle mitochondria, metabolism, and insulin sensitivity. *Genes Nutr* 2015;10:451.

Henagan TM, Stefanska B, Fang Z, et al. Sodium butyrate epigenetically modulates high-fat diet-induced skeletal muscle mitochondrial adaptation, obesity and insulin resistance through nucleosome positioning. *Br J Pharmacol* 2015;172:2782-98.

Herman WH, Cefalu WT. Health policy and diabetes care: is it time to put politics aside? *Diabetes Care* 2015;38:743-5.

Heymsfield SB, Ebbeling CB, Zheng J, et al. Multi-component molecular-level body composition reference methods: evolving concepts and future directions. *Obes Rev* 2015;16:282-94.

Heymsfield SB, Gonzalez MC, Lu J, Jia G, Zheng J. Skeletal muscle mass and quality: evolution of modern measurement concepts in the context of sarcopenia. *Proc Nutr Soc* 2015;74:355-66.

Heymsfield SB, Hu HH, Shen W, Carmichael O. Emerging Technologies and their Applications in Lipid Compartment Measurement. *Trends Endocrinol Metab* 2015;26:688-98.

Heymsfield SB, Kim JY, Bhagat YA, et al. Mobile evaluation of human energy balance and weight control: Potential for future developments. *Conf Proc IEEE Eng Med Biol Soc* 2015;2015:8201-4.

Heymsfield SB, Munzberg H. Leptin Therapy in People with a Normal Leptin Gene. In: Dagogo-Jack S, ed. *Leptin: Regulation and Clinical Applications*. Switzerland: Springer International Publishing; 2015:215-24.

Hsia D, Cefalu WT. The relationship between obesity and type 2 diabetes—the role of gut factors. In: DeFronzo RA, Ferrannini E, Alberti KGMM, Zimmet P, eds. *International textbook of diabetes mellitus*. 4th edition. ed. New Jersey: Wiley-Blackwell; 2015:469 - 78.

Hsia DS, Larrivee S, Cefalu WT, Johnson WD. Impact of Lowering BMI Cut Points as Recommended in the Revised

American Diabetes Association's Standards of Medical Care in Diabetes-2015 on Diabetes Screening in Asian Americans. *Diabetes Care* 2015;38:2166-8.

Hsia DS, Tarai SG, Alimi A, Coss-Bu JA, Haymond MW. Fluid management in pediatric patients with DKA and rates of suspected clinical cerebral edema. *Pediatr Diabetes* 2015;16:338-44.

Huang F, Wang T, Lan Y, et al. Deletion of mouse FXR gene disturbs multiple neurotransmitter systems and alters neurobehavior. *Front Behav Neurosci* 2015;9:70.

Huang J, Cardamone MD, Johnson HE, et al. Exchange Factor TBL1 and Arginine Methyltransferase PRMT6 Cooperate in Protecting G Protein Pathway Suppressor 2 (GPS2) from Proteasomal Degradation. *J Biol Chem* 2015;290:19044-54.

Huang T, Huang J, Qi Q, et al. PCSK7 genotype modifies effect of a weight-loss diet on 2-year changes of insulin resistance: the POUNDS LOST trial. *Diabetes Care* 2015;38:439-44.

Ingram DK, Roth GS. Calorie restriction mimetics: can you have your cake and eat it, too? *Ageing Res Rev* 2015;20:46-62.

Jack CR, Jr., Barnes J, Bernstein MA, et al. Magnetic resonance imaging in Alzheimer's Disease Neuroimaging Initiative 2. *Alzheimers Dement* 2015;11:740-56.

Jensen BK, Monnerie H, Mannell MV, et al. Altered Oligodendrocyte Maturation and Myelin Maintenance: The Role of Antiretrovirals in HIV-Associated Neurocognitive Disorders. *J Neuropathol Exp Neurol* 2015;74:1093-118.

Jerome GJ, Myers VH, Young DR, et al. Psychosocial predictors of weight loss by race and sex. *Clin Obes* 2015;5:342-8.

Johnson WD, Beyl RA, Burton JH, Johnson CM, Romer JE, Zhang L. Use of Pearson's Chi-Square for Testing Equality of Percentile Profiles across Multiple Populations. *Open J Stat* 2015;5:412-20.

Johnson WD, Burton JH, Beyl RA, Romer JE. A Simple Chi-Square Statistic for Testing Homogeneity of Zero-Inflated Distributions. *Open J Stat* 2015;5:483-93.

Joshi PK, Esko T, Mattsson H, et al. Directional dominance on stature and cognition in diverse human populations. *Nature* 2015;523:459-62.

Judge MP, Chang L, Lammi-Keefe CJ. Evidence of developmental continuity from birth to 1 year: sleep, temperament, problem solving, and recognition memory. *Adv Neonatal Care* 2015;15:125-33.

Judice PB, Santos DA, Hamilton MT, Sardinha LB, Silva AM. Validity of GT3X and Actiheart to estimate sedentary time and breaks using ActivPAL as the reference in free-living conditions. *Gait Posture* 2015;41:917-22.

Katzmarzyk PT. Physical Activity and Obesity in Pediatric Exercise Science. *Pediatr Exerc Sci* 2015;27:429-30.

Katzmarzyk PT, Barreira TV, Broyles ST, et al. Physical Activity, Sedentary Time, and Obesity in an International Sample of Children. *Med Sci Sports Exerc* 2015;47:2062-9.

Katzmarzyk PT, Barreira TV, Broyles ST, et al. Relationship between lifestyle behaviors and obesity in children ages 9-11: Results from a 12-country study. *Obesity (Silver Spring)* 2015;23:1696-702.

Katzmarzyk PT, Barreira TV, Broyles ST, et al. Association between body mass index and body fat in 9-11-year-old children from countries spanning a range of human development. *Int J Obes Suppl* 2015;5:S43-6.

Ke B, Zhao Z, Ye X, et al. Inactivation of NF-kappaB p65 (RelA) in Liver Improves Insulin Sensitivity and Inhibits cAMP/PKA Pathway. *Diabetes* 2015;64:3355-62.

Keenan MJ, Marco ML, Ingram DK, Martin RJ. Improving healthspan via changes in gut microbiota and fermentation. *Age* 2015;37:98.

Keenan MJ, Zhou J, Hegsted M, et al. Role of resistant starch in improving gut health, adiposity, and insulin resistance. *Adv Nutr* 2015;6:198-205.

Kennedy BM, Cerise F, Horswell R, et al. Obtaining the Patient's Voice from within Three Patient-Centered Medical Homes. *Clin Transl Sci* 2015;8:367-75.

Kennedy BM, Ryan DH, Johnson WD, et al. Baton Rouge Healthy Eating and Lifestyle Program (BR-HELP): A Pilot Health Promotion Program. *J Prev Interv Community* 2015;43:95-108.

Kilpela LS, Becker CB, Wesley N, Stewart T. Body Image in Adult Women: Moving Beyond the Younger Years. *Adv Eat Disord* 2015;3:144-64.

Kilroy G, Carter LE, Newman S, et al. The ubiquitin ligase Siah2 regulates obesity-induced adipose tissue inflammation. *Obesity (Silver Spring)* 2015;23:2223-32.

Kolotkin RL, Chen S, Klassen P, Gilder K, Greenway FL. Patient-reported quality of life in a randomized placebo-controlled trial of naltrexone/bupropion for obesity. *Clin Obes* 2015;5:237-44.

Kusminski CM, Gallardo-Montejano VI, Wang ZV, et al. E4orf1 induction in adipose tissue promotes insulin-independent signaling in the adipocyte. *Mol Metab* 2015;4:653-64.

Lam YY, Ha CW, Hoffmann JM, et al. Effects of dietary fat profile on gut permeability and microbiota and their relationships with metabolic changes in mice. *Obesity (Silver Spring)* 2015;23:1429-39.

Laque A, Yu S, Qualls-Creekmore E, et al. Leptin modulates nutrient reward via inhibitory galanin action on orexin neurons. *Mol Metab* 2015;4:706-17.

Larouche R, Sarmiento OL, Broyles ST, et al. Are the correlates of active school transport context-specific? *Int J Obes Suppl* 2015;5:S89-99.

Larrivee S, Greenway FL, Johnson WD. A Statistical Analysis of a Traffic-Light Food Rating System to Promote Healthy Nutrition and Body Weight. *J Diabetes Sci Technol* 2015;9:1336-41.

Lavie CJ, Alpert MA, Ventura HO. Risks and benefits of weight loss in heart failure. *Heart Fail Clin* 2015;11:125-31.

Lavie CJ, Arena R, Swift DL, et al. Exercise and the cardiovascular system: clinical science and cardiovascular outcomes. *Circ Res* 2015;117:207-19.

Lavie CJ, DiNicolantonio JJ, O'Keefe JH, Milani RV. Do statins cause or prevent dementia? *Eur J Neurol* 2015;22:885-6.

Lavie CJ, Lee DC, Sui X, et al. Effects of Running on Chronic Diseases and Cardiovascular and All-Cause Mortality. *Mayo Clin Proc* 2015;90:1541-52.

LeBlanc AG, Broyles ST, Chaput JP, et al. Correlates of objectively measured sedentary time and self-reported screen time in Canadian children. *Int J Behav Nutr Phys Act* 2015;12:38.

LeBlanc AG, Katzmarzyk PT, Barreira TV, et al. Are participant characteristics from ISCOLE study sites comparable to the rest of their country? *Int J Obes Suppl* 2015;5:S9-S16.

LeBlanc AG, Katzmarzyk PT, Barreira TV, et al. Correlates of Total Sedentary Time and Screen Time in 9-11 Year-Old

Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment. *PLoS ONE* 2015;10:e0129622.

Lee DC, Pate RR, Lavie CJ, Sui X, Church TS, Blair SN. Reply: "add 10 min for your health": the new Japanese recommendation for physical activity based on dose-response analysis. *J Am Coll Cardiol* 2015;65:1154-5.

Lees EK, Krol E, Shearer K, Mody N, Gettys TW, Delibegovic M. Effects of hepatic protein tyrosine phosphatase 1B and methionine restriction on hepatic and whole-body glucose and lipid metabolism in mice. *Metabolism* 2015;64:305-14.

Leng J, Li W, Zhang S, et al. GDM Women's Pre-Pregnancy Overweight/Obesity and Gestational Weight Gain on Offspring Overweight Status. *PLoS ONE* 2015;10:e0129536.

Leng J, Shao P, Zhang C, et al. Prevalence of gestational diabetes mellitus and its risk factors in Chinese pregnant women: a prospective population-based study in Tianjin, China. *PLoS ONE* 2015;10:e0121029.

Li G, Gan Y, Fan Y, et al. Enriched environment inhibits mouse pancreatic cancer growth and down-regulates the expression of mitochondria-related genes in cancer cells. *Sci Rep* 2015;5:7856.

Li G, Wang J, Ye J, Zhang Y, Zhang Y. PPARalpha Protein Expression Was Increased by Four Weeks of Intermittent Hypoxic Training via AMPKalpha2-Dependent Manner in Mouse Skeletal Muscle. *PLoS ONE* 2015;10:e0122593.

Li W, Katzmarzyk PT, Horswell R, et al. Body mass index and heart failure among patients with type 2 diabetes mellitus. *Circ Heart Fail* 2015;8:455-63.

Li W, Katzmarzyk PT, Horswell R, et al. Body mass index and stroke risk among patients with type 2 diabetes mellitus. *Stroke* 2015;46:164-9.

Li W, Liu H, Qiao Y, et al. Metabolic syndrome of weight change from pre-pregnancy to 1-5 years post-partum among Chinese women with prior gestational diabetes. *Diabet Med* 2015;32:1492-9.

Lieberman HR, Marriott BP, Williams C, et al. Patterns of dietary supplement use among college students. *Clin Nutr* 2015;34:976-85.

Lin X, Qi Q, Zheng Y, et al. Neuropeptide Y genotype, central obesity, and abdominal fat distribution: the POUNDS LOST trial. *Am J Clin Nutr* 2015;102:514-9.

Liu AG, Arceneaux KP, 3rd, Chu JT, et al. The effect of caffeine and albuterol on body composition and metabolic rate. *Obesity (Silver Spring)* 2015;23:1830-5.

Liu AG, Puyau RS, Han H, Johnson WD, Greenway FL, Dhurandhar NV. The effect of an egg breakfast on satiety in children and adolescents: a randomized crossover trial. *J Am Coll Nutr* 2015;34:185-90.

Liu X, Liu G, Wang P, et al. Prevalence of congenital heart disease and its related risk indicators among 90,796 Chinese infants aged less than 6 months in Tianjin. *Int J Epidemiol* 2015;44:884-93.

Locke AE, Kahali B, Berndt SI, et al. Genetic studies of body mass index yield new insights for obesity biology. *Nature* 2015;518:197-206.

Lockhart SN, Luck SJ, Geng J, et al. White matter hyperintensities among older adults are associated with futile increase in frontal activation and functional connectivity during spatial search. *PLoS ONE* 2015;10:e0122445.

Longo VD, Antebi A, Bartke A, et al. Interventions to Slow Aging in Humans: Are We Ready? *Aging Cell* 2015;14:497-510.

Loos RJ, Hagberg JM, Perusse L, et al. Advances in exercise, fitness, and performance genomics in 2014. *Med Sci Sports Exerc* 2015;47:1105-12.

Loprinzi PD, Cardinal BJ, Lee H, Tudor-Locke C. Markers of adiposity among children and adolescents: implications of the isotemporal substitution paradigm with sedentary behavior and physical activity patterns. *J Diabetes Metab Disord* 2015;14:46.

Loprinzi PD, Tudor-Locke C. Weight-activity associations with cardiometabolic risk factors among U.S. youth. *Physiol Behav* 2015;149:165-8.

MacAulay RK, Allaire TD, Brouillette RM, et al. Longitudinal assessment of neuropsychological and temporal/spatial gait characteristics of elderly fallers: taking it all in stride. *Front Aging Neurosci* 2015;7:34.

Maillard P, Carmichael OT, Reed B, Mungas D, DeCarli C. Cooccurrence of vascular risk factors and late-life white-matter integrity changes. *Neurobiol Aging* 2015;36:1670-7.

Mankowski RT, Aubertin-Leheudre M, Beavers DP, et al. Sedentary time is associated with the metabolic syndrome in older adults with mobility limitations--The LIFE Study. *Exp Gerontol* 2015;70:32-6.

Marker AM, Staiano AE. Better Together: Outcomes of Cooperation Versus Competition in Social Exergaming. *Games Health J* 2015;4:25-30.

Martin CK, Miller AC, Thomas DM, Champagne CM, Han H, Church T. Efficacy of SmartLoss, a smartphone-based weight loss intervention: results from a randomized controlled trial. *Obesity (Silver Spring)* 2015;23:935-42.

Mather KJ, Pan Q, Knowler WC, et al. Treatment-Induced Changes in Plasma Adiponectin Do Not Reduce Urinary Albumin Excretion in the Diabetes Prevention Program Cohort. *PLoS ONE* 2015;10:e0136853.

Mathieu D, Campeau MP, Bahig H, et al. Long-term quality of life in early-stage non-small cell lung cancer patients treated with robotic stereotactic ablative radiation therapy. *Pract Radiat Oncol* 2015;5:e365-73.

Matthews-Ewald MR, Myers VH, Newton RL, Jr., et al. Predictors for selection of insurance-funded weight loss approaches in individuals with severe obesity. *Obesity (Silver Spring)* 2015;23:1151-8.

McArdle A, Flatley B, Pennington SR, FitzGerald O. Early biomarkers of joint damage in rheumatoid and psoriatic arthritis. *Arthritis Res Ther* 2015;17:141.

McDougal DH, Gamlin PD. Autonomic control of the eye. *Compr Physiol* 2015;5:439-73.

McMillan RP, Wu Y, Voelker K, et al. Selective overexpression of Toll-like receptor-4 in skeletal muscle impairs metabolic adaptation to high-fat feeding. *Am J Physiol Regul Integr Comp Physiol* 2015;309:R304-13.

Medina C, Barquera S, Katzmarzyk PT, Janssen I. Physical activity during recess among 13-14 year old Mexican girls. *BMC Pediatr* 2015;15:17.

Mikkila V, Vepsalainen H, Saloheimo T, et al. An international comparison of dietary patterns in 9-11-year-old children. *Int J Obes Suppl* 2015;5:S17-21.

Milani RV, Lavie CJ. Health care 2020: reengineering health care delivery to combat chronic disease. *Am J Med* 2015;128:337-43.

Moody-Thomas S, Nasuti L, Yi Y, Celestin MD, Jr., Horswell R, Land TG. Effect of systems change and use of electronic health records on quit rates among tobacco users in a public hospital system. *Am J Public Health* 2015;105 Suppl 2:e1-7.

Morrison CD, Laeger T. Protein-dependent regulation of feeding and metabolism. *Trends Endocrinol Metab* 2015;26:256-62.

Moura-Dos-Santos MA, De Almeida MB, Manhaes-De-Castro R, Katzmarzyk PT, Maia JA, Leandro CG. Birthweight, body composition, and motor performance in 7- to 10-year-old children. *Dev Med Child Neurol* 2015;57:470-5.

Mumphrey MB, Hao Z, Townsend RL, Patterson LM, Berthoud HR. Sleeve Gastrectomy Does Not Cause Hypertrophy and Reprogramming of Intestinal Glucose Metabolism in Rats. *Obes Surg* 2015;25:1468-73.

Munzberg H, Heymsfield SH. Leptin, Obesity, and Leptin Resistance. In: Dagogo-Jack S, ed. *Leptin: Regulation and Clinical Applications*. Switzerland: Springer International Publishing; 2015:67-78.

Munzberg H, Laque A, Yu S, Rezai-Zadeh K, Berthoud HR. Appetite and body weight regulation after bariatric surgery. *Obes Rev* 2015;16 Suppl 1:77-90.

Munzberg H, Morrison CD. Structure, production and signaling of leptin. *Metabolism* 2015;64:13-23.

Myers CA, Slack T, Martin CK, Broyles ST, Heymsfield SB. Regional disparities in obesity prevalence in the United States: A spatial regime analysis. *Obesity (Silver Spring)* 2015;23:481-7.

Neiberg RH, Rejeski JJ, Applegate WB, et al. Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. *Clin Diabetes* 2015;33:181-8.

Neufer PD, Bamman MM, Muoio DM, et al. Understanding the Cellular and Molecular Mechanisms of Physical Activity-Induced Health Benefits. *Cell Metab* 2015;22:4-11.

Newton RL, Jr., Johnson WD, Hendrick C, et al. A randomized controlled exercise training trial on insulin sensitivity in African American men: The ARTIIS study: Major category: study design, statistical design, study protocols. *Contemp Clin Trials* 2015;43:75-82.

Noland RC. Exercise and Regulation of Lipid Metabolism. *Prog Mol Biol Transl Sci* 2015;135:39-74.

Nsaiba MJ, Lapointe M, Mabrouk H, et al. C3 Polymorphism Influences Circulating Levels of C3, ASP and Lipids in Schizophrenic Patients. *Neurochem Res* 2015;40:906-14.

Obanda DN, Yu Y, Wang ZQ, Cefalu WT. Modulation of sphingolipid metabolism with calorie restriction enhances insulin action in skeletal muscle. *J Nutr Biochem* 2015;26:687-95.

O'Brien KV, Stewart LK, Forney LA, Aryana KJ, Prinyawiwatkul W, Boeneke CA. The effects of postexercise consumption of a kefir beverage on performance and recovery during intensive endurance training. *J Dairy Sci* 2015;98:7446-9.

O'Keefe JH, Lavie CJ, Guazzi M. Part 1: potential dangers of extreme endurance exercise: how much is too much? Part 2: screening of school-age athletes. *Prog Cardiovasc Dis* 2015;57:396-405.

Ornoy A, Reece EA, Pavlinkova G, Kappen C, Miller RK. Effect of maternal diabetes on the embryo, fetus, and children: congenital anomalies, genetic and epigenetic changes and developmental outcomes. *Birth Defects Res C Embryo Today* 2015;105:53-72.

Pan L, Leng J, Liu G, et al. Pregnancy outcomes of Chinese women with gestational diabetes mellitus defined by the IADPSG's but not by the 1999 WHO's criteria. *Clin Endocrinol (Oxf)* 2015;83:684-93.

Pandey A, Ayers C, Blair SN, et al. Cardiac determinants of heterogeneity in fitness change in response to moderate

intensity aerobic exercise training: the DREW study. *J Am Coll Cardiol* 2015;65:1057-8.

Pandey A, Swift DL, McGuire DK, et al. Metabolic Effects of Exercise Training Among Fitness-Nonresponsive Patients With Type 2 Diabetes: The HART-D Study. *Diabetes Care* 2015;38:1494-501.

Park JH, Kang HJ, Lee YK, et al. Inactivation of EWS reduces PGC-1 α protein stability and mitochondrial homeostasis. *Proc Natl Acad Sci U S A* 2015;112:6074-9.

Patel DA, Lavie CJ, Gilliland YE, Shah SB, Dinshaw HK, Milani RV. Prediction of All-Cause Mortality by the Left Atrial Volume Index in Patients With Normal Left Ventricular Filling Pressure and Preserved Ejection Fraction. *Mayo Clin Proc* 2015;90:1499-505.

Patil YN, Dille KN, Burk DH, Cortez CC, Gettys TW. Cellular and molecular remodeling of inguinal adipose tissue mitochondria by dietary methionine restriction. *J Nutr Biochem* 2015;26:1235-47.

Pennington DL, Durazzo TC, Schmidt TP, Abe C, Mon A, Meyerhoff DJ. Alcohol use disorder with and without stimulant use: brain morphometry and its associations with cigarette smoking, cognition, and inhibitory control. *PLoS ONE* 2015;10:e0122505.

Pereira S, Gomes TN, Borges A, et al. Variability and Stability in Daily Moderate-to-Vigorous Physical Activity among 10 Year Old Children. *Int J Environ Res Public Health* 2015;12:9248-63.

Pereira S, Katzmarzyk PT, Gomes TN, et al. Profiling physical activity, diet, screen and sleep habits in Portuguese children. *Nutrients* 2015;7:4345-62.

Piacenza F, Malavolta M, Basso A, et al. Effect of 6-month caloric restriction on Cu bound to ceruloplasmin in adult overweight subjects. *J Nutr Biochem* 2015;26:876-82.

Pi-Sunyer X, Astrup A, Fujioka K, et al. A Randomized, Controlled Trial of 3.0 mg of Liraglutide in Weight Management. *N Engl J Med* 2015;373:11-22.

Prado CM, Gonzalez MC, Heymsfield SB. Body composition phenotypes and obesity paradox. *Curr Opin Clin Nutr Metab Care* 2015;18:535-51.

Primeaux SD, Tzeng TH, Allerton TD, et al. Differences in short-term food preferences following vertical sleeve gastrectomy and Roux-en-Y gastric bypass surgery. *Obes Res Clin Pract* 2015;9:628-32.

Qi Q, Durst R, Schwarzfuchs D, et al. CETP genotype and changes in lipid levels in response to weight-loss diet intervention in the POUNDS LOST and DIRECT randomized trials. *J Lipid Res* 2015;56:713-21.

Qi Q, Zheng Y, Huang T, et al. Vitamin D metabolism-related genetic variants, dietary protein intake and improvement of insulin resistance in a 2 year weight-loss trial: POUNDS Lost. *Diabetologia* 2015;58:2791-9.

Qiao Y, Ma J, Wang Y, et al. Birth weight and childhood obesity: a 12-country study. *Int J Obes Suppl* 2015;5:S74-9.

Qosa H, Batarseh YS, Mohyeldin MM, El Sayed KA, Keller JN, Kaddoumi A. Oleocanthal enhances amyloid-beta clearance from the brains of TgSwDI mice and in vitro across a human blood-brain barrier model. *ACS Chem Neurosci* 2015;6:1849-59.

Qosa H, Mohamed LA, Batarseh YS, et al. Extra-virgin olive oil attenuates amyloid-beta and tau pathologies in the brains of TgSwDI mice. *J Nutr Biochem* 2015;26:1479-90.

Rankinen T. Genetics and the blood pressure response to exercise training. In: Pescatello LS, ed. *Effects of Exercise on Hypertension*. Switzerland: Springer International Publishing; 2015:227-37.

Rankinen T, Sarzynski MA, Ghosh S, Bouchard C. Are there genetic paths common to obesity, cardiovascular disease outcomes, and cardiovascular risk factors? *Circ Res* 2015;116:909-22.

Ravussin E, Peterson CM. Physical Activity and the Missing Calories. *Exerc Sport Sci Rev* 2015;43:107-8.

Ravussin E, Redman LM, Rochon J, et al. A 2-Year Randomized Controlled Trial of Human Caloric Restriction: Feasibility and Effects on Predictors of Health Span and Longevity. *J Gerontol A Biol Sci Med Sci* 2015;70:1097-104.

Ravussin E, Ryan D. Response to "The need for people-first language in our Obesity journal". *Obesity (Silver Spring)* 2015;23:918.

Rebello CJ, Burton J, Heiman M, Greenway FL. Gastrointestinal microbiome modulator improves glucose tolerance in overweight and obese subjects: A randomized controlled pilot trial. *J Diabetes Complications* 2015;29:1272-6.

Rebello CJ, Chu J, Beyl R, Edwall D, Erlanson-Albertsson C, Greenway FL. Acute Effects of a Spinach Extract Rich in Thylakoids on Satiety: A Randomized Controlled Crossover Trial. *J Am Coll Nutr* 2015;34:470-7.

Rebello CJ, Keller JN, Liu AG, Johnson WD, Greenway FL. Pilot feasibility and safety study examining the effect of medium chain triglyceride supplementation in subjects with mild cognitive impairment: A randomized controlled trial. *BBA clinical* 2015;3:123-5.

Rebello CJ, O'Neil CE, Greenway FL. Gut fat signaling and appetite control with special emphasis on the effect of thylakoids from spinach on eating behavior. *Int J Obes* 2015;39:1679-88.

Rejeski WJ, Bray GA, Chen SH, et al. Aging and physical function in type 2 diabetes: 8 years of an intensive lifestyle intervention. *J Gerontol A Biol Sci Med Sci* 2015;70:345-53.

Rejeski WJ, Rushing J, Guralnik JM, et al. The MAT-sf: identifying risk for major mobility disability. *J Gerontol A Biol Sci Med Sci* 2015;70:641-6.

Richardson MR, Johnson TM, Katzmarzyk PT, Ford ES, Boyer WR, Churilla JR. Gender Differences in C-Reactive Protein and Muscle Strengthening Activity. *J Phys Act Health* 2015;12:1582-8.

Richter CK, Skulas-Ray AC, Champagne CM, Kris-Etherton PM. Plant protein and animal proteins: do they differentially affect cardiovascular disease risk? *Adv Nutr* 2015;6:712-28.

Rim JS, Lewis P, Dave A, et al. Direct Conversion of Human Preadipocytes into Hematopoietic, Neuronal, and Pancreatic α Cells by Oct4 and Klf4 Overexpression. *BioResearch Open Access* 2015;4:389-97.

Riverol M, Becker JT, Lopez OL, et al. Relationship between Systemic and Cerebral Vascular Disease and Brain Structure Integrity in Normal Elderly Individuals. *J Alzheimers Dis* 2015;44:319-28.

Rosenstock J, Cefalu WT, Lapuerta P, et al. Greater dose-ranging effects on A1C levels than on glucosuria with LX4211, a dual inhibitor of SGLT1 and SGLT2, in patients with type 2 diabetes on metformin monotherapy. *Diabetes Care* 2015;38:431-8.

Rudkowska I, Perusse L, Bellis C, et al. Interaction between Common Genetic Variants and Total Fat Intake on Low-Density Lipoprotein Peak Particle Diameter: A Genome-Wide Association Study. *J Nutrigenet Nutrigenomics* 2015;8:44-53.

Ryan D, Acosta A. GLP-1 receptor agonists: Nonglycemic clinical effects in weight loss and beyond. *Obesity (Silver Spring)* 2015;23:1119-29.

Ryan DH. New medications and new ways to use them. *Obesity (Silver Spring)* 2015;23 Suppl 1:S1-4.

Ryan DH, Ravussin E. 2014--it's been quite a year. *Obesity (Silver Spring)* 2015;23:1.

Salbaum JM, Kruger C, MacGowan J, Herion NJ, Burk D, Kappen C. Novel Mode of Defective Neural Tube Closure in the Non-Obese Diabetic (NOD) Mouse Strain. *Sci Rep* 2015;5:16917.

Saloheimo T, Gonzalez SA, Erkkola M, et al. The reliability and validity of a short food frequency questionnaire among 9-11-year olds: a multinational study on three middle-income and high-income countries. *Int J Obes Suppl* 2015;5:S22-8.

Sanchis-Gomar F, Lucia A, Yvert T, et al. Physical inactivity and low fitness deserve more attention to alter cancer risk and prognosis. *Cancer Prev Res (Phila)* 2015;8:105-10.

Sands AT, Zambrowicz BP, Rosenstock J, et al. Sotagliflozin, a Dual SGLT1 and SGLT2 Inhibitor, as Adjunct Therapy to Insulin in Type 1 Diabetes. *Diabetes Care* 2015;38:1181-8.

Sanghvi A, Redman LM, Martin CK, Ravussin E, Hall KD. Validation of an inexpensive and accurate mathematical method to measure long-term changes in free-living energy intake. *Am J Clin Nutr* 2015;102:353-8.

Sarmiento OL, Lemoine P, Gonzalez SA, et al. Relationships between active school transport and adiposity indicators in school-age children from low-, middle- and high-income countries. *Int J Obes Suppl* 2015;5:S107-14.

Sarzynski MA, Burton J, Rankinen T, et al. The effects of exercise on the lipoprotein subclass profile: A meta-analysis of 10 interventions. *Atherosclerosis* 2015;243:364-72.

Sarzynski MA, Davidsen PK, Sung YJ, et al. Genomic and transcriptomic predictors of triglyceride response to regular exercise. *Br J Sports Med* 2015;49:1524-31.

Sarzynski MA, Schuna JM, Jr., Carnethon MR, et al. Association of Fitness With Incident Dyslipidemias Over 25 Years in the Coronary Artery Risk Development in Young Adults Study. *Am J Prev Med* 2015;49:745-52.

Schmidt SL, Bryman D, Greenway FL, Hendricks EJ. How physician obesity medicine specialists treated obesity before 2012 new drug approvals. *Obes Surg* 2015;25:186-90.

Schoeller D, Archer E, Dawson JA, Heymsfield S. Implausible results from the use of invalid methods. *J Nutr* 2015;145:150.

Schuna JM, Jr., Peterson CM, Thomas DM, et al. Scaling of adult regional body mass and body composition as a whole to height: Relevance to body shape and body mass index. *Am J Hum Biol* 2015;27:372-9.

Scott JA, Braskie MN, Tosun D, et al. Cerebral Amyloid and Hypertension are Independently Associated with White Matter Lesions in Elderly. *Front Aging Neurosci* 2015;7:221.

Senecal M, Johannsen NM, Swift DL, et al. Association between Changes in Muscle Quality with Exercise Training and Changes in Cardiorespiratory Fitness Measures in Individuals with Type 2 Diabetes Mellitus: Results from the HART-D Study. *PLoS ONE* 2015;10:e0135057.

Shah ZK, Elias SN, Abaza R, et al. Performance comparison of 1.5-T endorectal coil MRI with 3.0-T nonendorectal coil MRI in patients with prostate cancer. *Acad Radiol* 2015;22:467-74.

Sharma A, Lavie CJ, Borer JS, et al. Meta-analysis of the relation of body mass index to all-cause and cardiovascular mortality and hospitalization in patients with chronic heart failure. *Am J Cardiol* 2015;115:1428-34.

Shemesh M, Shore LS, Fields MJ, Hansel W. Induction of Uterine Cyclooxygenase by Leutenizing Hormone and Estradiol is an Important Determinant of Bovine Luteolysis. *Israel Journal of Veterinary Medicine* 2015;70:6-10.

Shook RP, Hand GA, Drenowatz C, et al. Low levels of physical activity are associated with dysregulation of energy intake and fat mass gain over 1 year. *Am J Clin Nutr* 2015;102:1332-8.

Shungin D, Winkler TW, Croteau-Chonka DC, et al. New genetic loci link adipose and insulin biology to body fat distribution. *Nature* 2015;518:187-96.

Siervo M, Prado CM, Mire E, et al. Body composition indices of a load-capacity model: gender- and BMI-specific reference curves. *Public Health Nutr* 2015;18:1245-54.

Simon J, DiCarlo LM, Kruger C, Johnson WD, Kappen C, Richards BK. Gene expression in salivary glands: effects of diet and mouse chromosome 17 locus regulating macronutrient intake. *Physiol Rep* 2015;3:e12311.

Sink KM, Espeland MA, Castro CM, et al. Effect of a 24-Month Physical Activity Intervention vs Health Education on Cognitive Outcomes in Sedentary Older Adults: The LIFE Randomized Trial. *JAMA* 2015;314:781-90.

Skinner AC, Heymsfield SB, Pietrobelli A, Faith MS, Allison DB. Ignoring regression to the mean leads to unsupported conclusion about obesity. *Int J Behav Nutr Phys Act* 2015;12:56.

Sloan RA, Sawada SS, Martin CK, Haaland B. Combined association of fitness and central adiposity with health-related quality of life in healthy Men: a cross-sectional study. *Health Qual Life Outcomes* 2015;13:188.

Stadler K, Goldberg IJ, Susztak K. The evolving understanding of the contribution of lipid metabolism to diabetic kidney disease. *Curr Diab Rep* 2015;15:40.

Staiano AE, Broyles ST, Katzmarzyk PT. School Term vs. School Holiday: Associations with Children's Physical Activity, Screen-Time, Diet and Sleep. *Int J Environ Res Public Health* 2015;12:8861-70.

Staiano AE, Harrington DM, Johannsen NM, et al. Uncovering physiological mechanisms for health disparities in type 2 diabetes. *Ethn Dis* 2015;25:31-7.

Steeves JA, Tudor-Locke C, Murphy RA, King GA, Fitzhugh EC, Harris TB. Classification of occupational activity categories using accelerometry: NHANES 2003-2004. *Int J Behav Nutr Phys Act* 2015;12:89.

Stephens NA, Xie H, Johannsen NM, Church TS, Smith SR, Sparks LM. A transcriptional signature of "exercise resistance" in skeletal muscle of individuals with type 2 diabetes mellitus. *Metabolism* 2015;64:999-1004.

Stone KP, Wanders D, Calderon LF, Spurgin SB, Scherer PE, Gettys TW. Compromised responses to dietary methionine restriction in adipose tissue but not liver of ob/ob mice. *Obesity (Silver Spring)* 2015;23:1836-44.

Stull AJ, Cash KC, Champagne CM, et al. Blueberries improve endothelial function, but not blood pressure, in adults with metabolic syndrome: a randomized, double-blind, placebo-controlled clinical trial. *Nutrients* 2015;7:4107-23.

Tam CS, Ravussin E. The role of energy metabolism in the regulation of energy balance. In: DeFronzo RA, Ferrannini E, Alberti KGMM, Zimmet P, eds. *International textbook of diabetes mellitus*. 4th edition. ed. Malaysia: John Wiley & Sons; 2015:479-88.

Thomas DM, Brown A, Dawson JA, Li P, Heymsfield SB, Allison DB. Letter to the Editor: Exceptional Data in Paper on "The effect of meridian massage on BM, BMI, WC and HC in simple obesity patients: a randomized controlled trial". *World J Acupunct Moxibustion* 2015;25:66-7.

Thomas DM, Ivanescu AE, Martin CK, et al. Predicting successful long-term weight loss from short-term weight-loss

outcomes: new insights from a dynamic energy balance model (the POUNDS Lost study). *Am J Clin Nutr* 2015;101:449-54.

Tirmenstein M, Horvath J, Graziano M, et al. Utilization of the Zucker Diabetic Fatty (ZDF) Rat Model for Investigating Hypoglycemia-related Toxicities. *Toxicol Pathol* 2015;43:825-37.

Tirosh A, de Souza RJ, Sacks F, Bray GA, Smith SR, LeBoff MS. Sex Differences in the Effects of Weight Loss Diets on Bone Mineral Density and Body Composition: POUNDS LOST Trial. *J Clin Endocrinol Metab* 2015;100:2463-71.

Tonry CL, Doherty D, O'Shea C, et al. Discovery and Longitudinal Evaluation of Candidate Protein Biomarkers for Disease Recurrence in Prostate Cancer. *J Proteome Res* 2015;14:2769-83.

Tosto G, Zimmerman ME, Hamilton JL, Carmichael OT, Brickman AM, Alzheimer's Disease Neuroimaging I. The effect of white matter hyperintensities on neurodegeneration in mild cognitive impairment. *Alzheimers Dement* 2015;11:1510-9.

Tran TD, Yao S, Hsu WH, Gimble JM, Bunnell BA, Cheng H. Arginine vasopressin inhibits adipogenesis in human adipose-derived stem cells. *Mol Cell Endocrinol* 2015;406:1-9.

Tremblay MS, Gonzalez SA, Katzmarzyk PT, et al. Physical activity report cards: Active Healthy Kids Global Alliance and The Lancet Physical Activity Observatory. *J Phys Act Health* 2015;12:297-8.

Tripathy D, Cobb JE, Gall W, et al. A novel insulin resistance index to monitor changes in insulin sensitivity and glucose tolerance: the ACT NOW study. *J Clin Endocrinol Metab* 2015;100:1855-62.

Tudor-Locke C, Barreira TV, Schuna JM, Jr. Comparison of step outputs for waist and wrist accelerometer attachment sites. *Med Sci Sports Exerc* 2015;47:839-42.

Tudor-Locke C, Barreira TV, Schuna JM, Katzmarzyk PT, Group IR. Unique contributions of ISCOLE to the advancement of accelerometry in large studies. *Int J Obes Suppl* 2015;5:S53-8.

Tudor-Locke C, Barreira TV, Schuna JM, Jr., et al. Improving wear time compliance with a 24-hour waist-worn accelerometer protocol in the International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE). *Int J Behav Nutr Phys Act* 2015;12:11.

Tudor-Locke C, Mire EF, Barreira TV, et al. Nocturnal sleep-related variables from 24-h free-living waist-worn accelerometry: International Study of Childhood Obesity, Lifestyle and the Environment. *Int J Obes Suppl* 2015;5:S47-52.

Tudor-Locke C, Mire EF, Dentre KN, et al. A model for presenting accelerometer paradata in large studies: ISCOLE. *Int J Behav Nutr Phys Act* 2015;12:52.

Vance KM, Rogers RC, Hermann GE. NMDA receptors control vagal afferent excitability in the nucleus of the solitary tract. *Brain Res* 2015;1595:84-91.

Vance KM, Rogers RC, Hermann GE. PAR1-activated astrocytes in the nucleus of the solitary tract stimulate adjacent neurons via NMDA receptors. *J Neurosci* 2015;35:776-85.

Vaz Fragoso CA, Miller ME, King AC, et al. Effect of Structured Physical Activity on Sleep-Wake Behaviors in Sedentary Elderly Adults with Mobility Limitations. *J Am Geriatr Soc* 2015;63:1381-90.

Vepsalainen H, Mikkila V, Erkkola M, et al. Association between home and school food environments and dietary patterns among 9-11-year-old children in 12 countries. *Int J Obes Suppl* 2015;5:S66-73.

Wanders D, Burk DH, Cortez CC, et al. UCP1 is an essential mediator of the effects of methionine restriction on energy balance but not insulin sensitivity. *FASEB J* 2015;29:2603-15.

Wanders D, Stone KP, Dille K, Simon J, Pierse A, Gettys TW. Metabolic responses to dietary leucine restriction involve remodeling of adipose tissue and enhanced hepatic insulin signaling. *Biofactors* 2015;41:391-402.

Wang H, Ye J. Regulation of energy balance by inflammation: common theme in physiology and pathology. *Rev Endocr Metab Disord* 2015;16:47-54.

Wang T, Leng J, Li N, et al. Genetic Predisposition to Polycystic Ovary Syndrome, Postpartum Weight Reduction, and Glycemic Changes: A Longitudinal Study in Women With Prior Gestational Diabetes. *J Clin Endocrinol Metab* 2015;100:E1560-7.

Wang Y, Hsueh H, He Y, Kastin AJ, Pan W. Role of Astrocytes in Leptin Signaling. *J Mol Neurosci* 2015;56:829-39.

Waterman C, Rojas-Silva P, Tumer TB, et al. Isothiocyanate-rich *Moringa oleifera* extract reduces weight gain, insulin resistance, and hepatic gluconeogenesis in mice. *Mol Nutr Food Res* 2015;59:1013-24.

Webborn N, Williams A, McNamee M, et al. Direct-to-consumer genetic testing for predicting sports performance and talent identification: Consensus statement. *Br J Sports Med* 2015;49:1486-91.

Wicks SE, Vandanmagsar B, Haynie KR, et al. Impaired mitochondrial fat oxidation induces adaptive remodeling of muscle metabolism. *Proc Natl Acad Sci U S A* 2015;112:E3300-9.

Widen EM, Factor-Litvak PR, Gallagher D, et al. The Pattern of Gestational Weight Gain is Associated with Changes in Maternal Body Composition and Neonatal Size. *Matern Child Health J* 2015;19:2286-94.

Williamson DA, Bray GA, Ryan DH. Is 5% weight loss a satisfactory criterion to define clinically significant weight loss? *Obesity (Silver Spring)* 2015;23:2319-20.

Winkler TW, Justice AE, Graff M, et al. The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. *PLoS Genet* 2015;11:e1005378.

Xiao Y, Qiao Y, Pan L, et al. Trends in the Prevalence of Overweight and Obesity among Chinese Preschool Children from 2006 to 2014. *PLoS ONE* 2015;10:e0134466.

Xu M, Ng SS, Bray GA, et al. Dietary Fat Intake Modifies the Effect of a Common Variant in the LIPC Gene on Changes in Serum Lipid Concentrations during a Long-Term Weight-Loss Intervention Trial. *J Nutr* 2015;145:1289-94.

Xu W, Chafi H, Guo B, et al. Quantitative Comparison of 2 Dual-Energy X-ray Absorptiometry Systems in Assessing Body Composition and Bone Mineral Measurements. *J Clin Densitom* 2015:In Press.

Yancy WS, Jr., Mayer SB, Coffman CJ, et al. Effect of Allowing Choice of Diet on Weight Loss: A Randomized Trial. *Ann Intern Med* 2015;162:805-14.

Yang X, Tian H, Zhang F, et al. Erratum to: a randomised translational trial of lifestyle intervention using a 3-tier shared care approach on pregnancy outcomes in Chinese women with gestational diabetes mellitus but without diabetes. *J Transl Med* 2015;13:70.

Ye J. Beneficial metabolic activities of inflammatory cytokine interleukin 15 in obesity and type 2 diabetes. *Front Med* 2015;9:139-45.

Yokoyama JS, Lee AK, Takada LT, et al. Apolipoprotein epsilon4 is associated with lower brain volume in cognitively normal Chinese but not white older adults. *PLoS ONE* 2015;10:e0118338.

Yuan X, Liu T, Wu L, Zou ZY, Li C. Validity of self-reported diabetes among middle-aged and older Chinese adults: the China Health and Retirement Longitudinal Study. *BMJ open* 2015;5:e006633.

Zakrzewski JK, Gillison FB, Cumming S, et al. Associations between breakfast frequency and adiposity indicators in children from 12 countries. *Int J Obes Suppl* 2015;5:S80-8.

Zhang C, Li Y, Wang L, et al. Blood group AB is protective factor for gestational diabetes mellitus: a prospective population-based study in Tianjin, China. *Diabetes Metab Res Rev* 2015;31:627-37.

Zhang L, Xie WT, Johnson WD. Performance of Interval Estimators for the Inverse Hypergeometric Distribution. *Communications in Statistics-Simulation and Computation* 2015;44:1300-10.

Zhang S, Liu H, Zhang C, et al. Maternal glucose during pregnancy and after delivery in women with gestational diabetes mellitus on overweight status of their children. *Biomed Res Int* 2015;2015:543038.

Zhang Y, Hu G, Zhang L, Mayo R, Chen L. A novel testing model for opportunistic screening of pre-diabetes and diabetes among U.S. adults. *PLoS ONE* 2015;10:e0120382.

Zheng Y, Huang T, Zhang X, et al. Dietary Fat Modifies the Effects of FTO Genotype on Changes in Insulin Sensitivity. *J Nutr* 2015;145:977-82.

Zhou J, Hao Z, Irwin N, Berthoud HR, Ye J. Gastric inhibitory polypeptide (GIP) is selectively decreased in the roux-limb of dietary obese mice after RYGB surgery. *PLoS ONE* 2015;10:e0134728.

Zhou J, Martin RJ, Raggio AM, Shen L, McCutcheon K, Keenan MJ. The importance of GLP-1 and PYY in resistant starch's effect on body fat in mice. *Mol Nutr Food Res* 2015;59:1000-3.

Zhu N, Jacobs DR, Jr., Schreiner PJ, et al. Cardiorespiratory fitness and brain volume and white matter integrity: The CARDIA Study. *Neurology* 2015;84:2347-53.

2016

Adams HH, Hibar DP, Chouraki V, et al. Novel genetic loci underlying human intracranial volume identified through genome-wide association. *Nat Neurosci* 2016;19:1569-82.

Allard JS, Perez EJ, Fukui K, Carpenter P, Ingram DK, de Cabo R. Prolonged metformin treatment leads to reduced transcription of Nrf2 and neurotrophic factors without cognitive impairment in older C57BL/6J mice. *Behav Brain Res* 2016;301:1-9.

Altazan AD, Gilmore LA, Burton JH, et al. Development and Application of the Remote Food Photography Method to Measure Food Intake in Exclusively Milk Fed Infants: A Laboratory-Based Study. *PLoS ONE* 2016;11:e0163833.

Apolzan JW, Myers CA, Cowley AD, et al. Examination of the reliability and validity of the Mindful Eating Questionnaire in pregnant women. *Appetite* 2016;100:142-51.

Baranowski T, Blumberg F, Buday R, et al. Games for Health for Children-Current Status and Needed Research. *Games Health J* 2016;5:1-12.

Barreira TV, Hamilton MT, Craft LL, Gapstur SM, Siddique J, Zderic TW. Intra-individual and inter-individual variability in daily sitting time and MVPA. *J Sci Med Sport* 2016;19:476-81.

Barreira TV, Harrington DM, Schuna JM, Jr., Tudor-Locke C, Katzmarzyk PT. Pattern changes in step count

accumulation and peak cadence due to a physical activity intervention. *J Sci Med Sport* 2016;19:227-31.

Beto JA, Champagne CM, Dennett CC, Harris JE. The Challenge of Connecting Dietary Changes to Improved Disease Outcomes: The Balance between Positive, Neutral, and Negative Publication Results. *J Acad Nutr Diet* 2016;116:917-20.

Bonn SE, Rimm EB, Matthews CE, et al. The Relationship Between Accelerometer-measured Sedentary Behaviors And Physical Activity Energy Expenditure Measured By Doubly-labeled Water. *Med Sci Sports Exerc* 2016;48:548.

Bray GA. Is Sugar Addictive? *Diabetes* 2016;65:1797-9.

Bray GA. Weight management and exercise: any advantage? *Am J Clin Nutr* 2016;104:547-8.

Bray GA, Fruhbeck G, Ryan DH, Wilding JP. Management of obesity. *Lancet* 2016;387:1947-56.

Bray GA, Fruhbeck G, Ryan DH, Wilding JP. Weighing up dietary patterns - Authors' reply. *Lancet* 2016;388:759-60.

Bray GA, Redman LM, de Jonge L, Rood J, Smith SR. Effect of Three Levels of Dietary Protein on Metabolic Phenotype of Healthy Individuals With 8 Weeks of Overfeeding. *J Clin Endocrinol Metab* 2016;101:2836-43.

Broyles ST, Myers CA, Drazba KT, Marker AM, Church TS, Newton RL, Jr. The Influence of Neighborhood Crime on Increases in Physical Activity during a Pilot Physical Activity Intervention in Children. *J Urban Health* 2016;93:271-8.

Bruce-Keller AJ, Salbaum JM, Luo M, et al. Reply to: High-Fat Diet-Induced Dysbiosis as a Cause of Neuroinflammation. *Biol Psychiatry* 2016;80:e5-6.

Buford TW, Miller ME, Church TS, et al. Antihypertensive Use and the Effect of a Physical Activity Intervention in the Prevention of Major Mobility Disability Among Older Adults: The LIFE Study. *J Gerontol A Biol Sci Med Sci* 2016;71:974-81.

Burke SJ, Karlstad MD, Collier JJ. Pancreatic Islet Responses to Metabolic Trauma. *Shock* 2016;46:230-8.

Burke SJ, Karlstad MD, Eder AE, et al. Pancreatic beta-Cell production of CXCR3 ligands precedes diabetes onset. *Biofactors* 2016;42:703-15.

Burton JH, Johnson WD, Greenway FL. Solid Dose Form of Metformin with Ethyl Eicosapentaenoic Acid Does Not Improve Metformin Plasma Availability. *Pharmacol Pharm* 2016;7:29-35.

Cahn A, Cefalu WT. Clinical Considerations for Use of Initial Combination Therapy in Type 2 Diabetes. *Diabetes Care* 2016;39 Suppl 2:S137-45.

Calamia M, Bernstein JP, Keller JN. I'd Do Anything for Research, But I Won't Do That: Interest in Pharmacological Interventions in Older Adults Enrolled in a Longitudinal Aging Study. *PLoS ONE* 2016;11:e0159664.

Cameron C, Craig CL, Bauman A, Tudor-Locke C. CANPLAY study: Secular trends in steps/day amongst 5-19-year-old Canadians between 2005 and 2014. *Prev Med* 2016;86:28-33.

Carson V, Hunter S, Kuzik N, et al. Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. *Appl Physiol Nutr Metab* 2016;41:S240-65.

Castro-Sepulveda M, Johannsen N, Astudillo S, et al. Effects of Beer, Non-Alcoholic Beer and Water Consumption before Exercise on Fluid and Electrolyte Homeostasis in Athletes. *Nutrients* 2016;8.

Cecarini V, Bonfili L, Cuccioloni M, Keller JN, Bruce-Keller AJ, Eleuteri AM. Effects of Ghrelin on the Proteolytic

Pathways of Alzheimer's Disease Neuronal Cells. *Mol Neurobiol* 2016;53:3168-78.

Cecarini V, Bonfili L, Cuccioloni M, et al. The fine-tuning of proteolytic pathways in Alzheimer's disease. *Cell Mol Life Sci* 2016;73:3433-51.

Cefalu WT. "Prediabetes": Are There Problems With This Label? No, We Need Heightened Awareness of This Condition! *Diabetes Care* 2016;39:1472-7.

Cefalu WT, Boulton AJ, Tamborlane WV, et al. Diabetes Care: "Lagniappe" and "Seeing Is Believing"! *Diabetes Care* 2016;39:1069-71.

Cefalu WT, Buse JB, Tuomilehto J, et al. Update and Next Steps for Real-World Translation of Interventions for Type 2 Diabetes Prevention: Reflections From a Diabetes Care Editors' Expert Forum. *Diabetes Care* 2016;39:1186-201.

Cefalu WT, Rosenstock J, LeRoith D, Blonde L, Riddle MC. Getting to the "Heart" of the Matter on Diabetic Cardiovascular Disease: "Thanks for the Memory". *Diabetes Care* 2016;39:664-7.

Cefalu WT, Rubino F, Cummings DE. Metabolic Surgery for Type 2 Diabetes: Changing the Landscape of Diabetes Care. *Diabetes Care* 2016;39:857-60.

Chafi H, Elias SN, Nguyen HT, et al. Effect of parallel radiofrequency transmission on arterial input function selection in dynamic contrast-enhanced 3 Tesla pelvic MRI. *J Magn Reson Imaging* 2016;43:229-35.

Chang JS, Jun HJ, Park M. Transcriptional coactivator NT-PGC-1alpha promotes gluconeogenic gene expression and enhances hepatic gluconeogenesis. *Physiol Rep* 2016;4.

Chaput JP, Katzmarzyk PT, Barnes JD, et al. Mid-upper arm circumference as a screening tool for identifying children with obesity: a 12-country study. *Pediatr Obes* 2016.

Chaput JP, Weippert M, LeBlanc AG, et al. Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. *Front Pediatr* 2016;4:24.

Chen L, Mayo R, Chatry A, Hu G. Gestational Diabetes Mellitus: Its Epidemiology and Implication beyond Pregnancy. *Current Epidemiology Reports* 2016;3:1-11.

Chen Q, Ding D, Zhang Y, et al. Prediction of the risk of mortality using risk score in patients with coronary heart disease. *Oncotarget* 2016;7:81680-90.

Chen Q, Zhang Y, Ding D, et al. Metabolic syndrome and its individual components with mortality among patients with coronary heart disease. *Int J Cardiol* 2016;224:8-14.

Chen Q, Zhang Y, Ding D, et al. Estimated Glomerular Filtration Rate and Mortality among Patients with Coronary Heart Disease. *PLoS ONE* 2016;11:e0161599.

Cheng DM, Roopchand DE, Poulev A, et al. High phenolics Rutgers Scarlet Lettuce improves glucose metabolism in high fat diet-induced obese mice. *Mol Nutr Food Res* 2016;60:2367-78.

Clifton RG, Evans M, Cahill AG, et al. Design of lifestyle intervention trials to prevent excessive gestational weight gain in women with overweight or obesity. *Obesity (Silver Spring)* 2016;24:305-13.

Correa JB, Apolzan JW, Shepard DN, Heil DP, Rood JC, Martin CK. Evaluation of the ability of three physical activity monitors to predict weight change and estimate energy expenditure. *Appl Physiol Nutr Metab* 2016;41:758-66.

Coughlin JW, Brantley PJ, Champagne CM, et al. The impact of continued intervention on weight: Five-year results

from the weight loss maintenance trial. *Obesity (Silver Spring)* 2016;24:1046-53.

Covington JD, Tam CS, Bajpeyi S, et al. Myokine Expression in Muscle and Myotubes in Response to Exercise Stimulation. *Med Sci Sports Exerc* 2016;48:384-90.

Covington JD, Tam CS, Pasarica M, Redman LM. Higher circulating leukocytes in women with PCOS is reversed by aerobic exercise. *Biochimie* 2016;124:27-33.

Dasuri K, Pepping JK, Fernandez-Kim SO, et al. Elevated adiponectin prevents HIV protease inhibitor toxicity and preserves cerebrovascular homeostasis in mice. *Biochim Biophys Acta* 2016;1862:1228-35.

Dasuri K, Zhang L, Kim SO, Bruce-Keller AJ, Keller JN. Dietary and donepezil modulation of mTOR signaling and neuroinflammation in the brain. *Biochim Biophys Acta* 2016;1862:274-83.

de Chaves RN, Bustamante Valdivia A, Nevill A, et al. Developmental and physical-fitness associations with gross motor coordination problems in Peruvian children. *Res Dev Disabil* 2016;53-54:107-14.

Ding D, Lawson KD, Kolbe-Alexander TL, et al. The economic burden of physical inactivity: a global analysis of major non-communicable diseases. *Lancet* 2016;388:1311-24.

Dos Santos FK, Nevill A, Gomes TN, et al. Differences in motor performance between children and adolescents in Mozambique and Portugal: impact of allometric scaling. *Ann Hum Biol* 2016;43:191-200.

Drenowatz C, Cai B, Hand GA, Katzmarzyk PT, Shook RP, Blair SN. Prospective association between body composition, physical activity and energy intake in young adults. *Eur J Clin Nutr* 2016;70:482-7.

Duhe AF, Gilmore LA, Burton JH, Martin CK, Redman LM. The Remote Food Photography Method Accurately Estimates Dry Powdered Foods-The Source of Calories for Many Infants. *J Acad Nutr Diet* 2016;116:1172-7.

Dumuid D, Olds T, Lewis LK, et al. The adiposity of children is associated with their lifestyle behaviours: a cluster analysis of school-aged children from 12 nations. *Pediatr Obes* 2016.

Elks CM, Zhao P, Grant RW, et al. Loss of Oncostatin M Signaling in Adipocytes Induces Insulin Resistance and Adipose Tissue Inflammation in Vivo. *J Biol Chem* 2016;291:17066-76.

Endorsed by The Obesity S, Young DR, Hivert MF, et al. Sedentary Behavior and Cardiovascular Morbidity and Mortality: A Science Advisory From the American Heart Association. *Circulation* 2016;134:e262-79.

Espinoza SE, Wang CP, Tripathy D, et al. Pioglitazone is equally effective for diabetes prevention in older versus younger adults with impaired glucose tolerance. *Age* 2016;38:485-93.

Farris SG, Davis ML, Rosenfield D, et al. Exercise Self-Efficacy Moderates the Relation between Anxiety Sensitivity and Body Mass Index and Exercise Tolerance in Treatment-Seeking Smokers. *Ment Health Phys Act* 2016;10:25-32.

Ferguson BS, Nam H, Stephens JM, Morrison RF. Mitogen-Dependent Regulation of DUSP1 Governs ERK and p38 Signaling During Early 3T3-L1 Adipocyte Differentiation. *J Cell Physiol* 2016;231:1562-74.

Ferrari GL, Matsudo V, Barreira TV, Tudor-Locke C, Katzmarzyk PT, Fisberg M. Correlates of Moderate-to-Vigorous Physical Activity in Brazilian Children. *J Phys Act Health* 2016;13:1132-45.

Fillo J, Alfano CA, Paulus DJ, et al. Emotion dysregulation explains relations between sleep disturbance and smoking quit-related cognition and behavior. *Addict Behav* 2016;57:6-12.

Floyd ZE, Gawronska-Kozak B, Tam CS, Gimble JM. Mechanisms of metabolism, aging and obesity. *Biochimie*

2016;124:1-2.

Fontana L, Villareal DT, Das SK, et al. Effects of 2-year calorie restriction on circulating levels of IGF-1, IGF-binding proteins and cortisol in nonobese men and women: a randomized clinical trial. *Aging Cell* 2016;15:22-7.

Francis CE, Longmuir PE, Boyer C, et al. The Canadian Assessment of Physical Literacy: Development of a Model of Children's Capacity for a Healthy, Active Lifestyle Through a Delphi Process. *J Phys Act Health* 2016;13:214-22.

Fujioka K, O'Neil PM, Davies M, et al. Early Weight Loss with Liraglutide 3.0 mg Predicts 1-Year Weight Loss and is Associated with Improvements in Clinical Markers. *Obesity (Silver Spring)* 2016;24:2278-88.

Fujioka K, Plodkowski R, O'Neil PM, Gilder K, Walsh B, Greenway FL. The relationship between early weight loss and weight loss at 1 year with naltrexone ER/bupropion ER combination therapy. *Int J Obes* 2016;40:1369-75.

Ghosh S, Kruger C, Wicks S, et al. Short chain acyl-CoA dehydrogenase deficiency and short-term high-fat diet perturb mitochondrial energy metabolism and transcriptional control of lipid-handling in liver. *Nutr Metab (Lond)* 2016;13:17.

Gilmore LA, Butte NF, Ravussin E, Han H, Burton JH, Redman LM. Energy Intake and Energy Expenditure for Determining Excess Weight Gain in Pregnant Women. *Obstet Gynecol* 2016;127:884-92.

Gilmore LA, Redman LM. Evidence-based research for weight management of the obese woman around the time of conception is not as simple as you think! *Fertil Steril* 2016;106:1049-50.

Gimble JM, Floyd EZ, Kassem M, Nuttall ME. **Aging and bone.** In: Duque G, Kiel DP, eds. *Osteoporosis in older persons : advances in pathophysiology and therapeutic approaches.* 2nd ed. London: Springer Press; 2016:23-42.

Goldberg RB, Temprosa M, Mele L, et al. Change in adiponectin explains most of the change in HDL particles induced by lifestyle intervention but not metformin treatment in the Diabetes Prevention Program. *Metabolism* 2016;65:764-75.

Gonzalez MC, Barbosa-Silva TG, Bielemann RM, Gallagher D, Heymsfield SB. Phase angle and its determinants in healthy subjects: influence of body composition. *Am J Clin Nutr* 2016;103:712-6.

Gosby AK, Lau NS, Tam CS, et al. Raised FGF-21 and Triglycerides Accompany Increased Energy Intake Driven by Protein Leverage in Lean, Healthy Individuals: A Randomised Trial. *PLoS ONE* 2016;11:e0161003.

Grant L, Lees EK, Forney LA, et al. Methionine restriction improves renal insulin signalling in aged kidneys. *Mech Ageing Dev* 2016;157:35-43.

Greenway FL, Shanahan W, Fain R, Ma T, Rubino D. Safety and tolerability review of lorcaserin in clinical trials. *Clin Obes* 2016;6:285-95.

Greer TL, Trombello JM, Rethorst CD, et al. Improvements in Psychosocial Functioning and Health-Related Quality of Life Following Exercise Augmentation in Patients with Treatment Response but Nonremitted Major Depressive Disorder: Results from the Tread Study. *Depress Anxiety* 2016;33:870-81.

Groessl EJ, Kaplan RM, Castro Sweet CM, et al. Cost-effectiveness of the LIFE Physical Activity Intervention for Older Adults at Increased Risk for Mobility Disability. *J Gerontol A Biol Sci Med Sci* 2016;71:656-62.

Hall KD, Chen KY, Guo J, et al. Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men. *Am J Clin Nutr* 2016;104:324-33.

Hall KT, Jablonski KA, Chen L, et al. Catechol-O-methyltransferase association with hemoglobin A1c. *Metabolism* 2016;65:961-7.

Hao Z, Mumphrey MB, Morrison CD, Munzberg H, Ye J, Berthoud HR. Does gastric bypass surgery change body weight set point? *Int J Obes Suppl* 2016;6:S37-S43.

Hao Z, Mumphrey MB, Townsend RL, et al. Body Composition, Food Intake, and Energy Expenditure in a Murine Model of Roux-en-Y Gastric Bypass Surgery. *Obes Surg* 2016;26:2173-82.

Hao Z, Mumphrey MB, Townsend RL, et al. Reprogramming of defended body weight after Roux-En-Y gastric bypass surgery in diet-induced obese mice. *Obesity (Silver Spring)* 2016;24:654-60.

Harrington DM, Gillison F, Broyles ST, et al. Household-level correlates of children's physical activity levels in and across 12 countries. *Obesity (Silver Spring)* 2016;24:2150-7.

Harrison CL, Brown WJ, Hayman M, Moran LJ, Redman LM. The Role of Physical Activity in Preconception, Pregnancy and Postpartum Health. *Semin Reprod Med* 2016;34:e28-37.

He Y, Cornelissen-Guillaume GG, He J, Kastin AJ, Harrison LM, Pan W. Circadian rhythm of autophagy proteins in hippocampus is blunted by sleep fragmentation. *Chronobiol Int* 2016;33:553-60.

Hegde V, Na HN, Dubuisson O, et al. An adenovirus-derived protein: A novel candidate for anti-diabetic drug development. *Biochimie* 2016;121:140-50.

Heianza Y, Ma W, Huang T, et al. Macronutrient Intake-Associated FGF21 Genotype Modifies Effects of Weight-Loss Diets on 2-Year Changes of Central Adiposity and Body Composition: The POUNDS Lost Trial. *Diabetes Care* 2016;39:1909-14.

Heiman ML, Greenway FL. A healthy gastrointestinal microbiome is dependent on dietary diversity. *Mol Metab* 2016;5:317-20.

Henagan TM, Laeger T, Navard AM, et al. Hepatic autophagy contributes to the metabolic response to dietary protein restriction. *Metabolism* 2016;65:805-15.

Henderson RM, Lovato L, Miller ME, et al. Effect of Statin Use on Mobility Disability and its Prevention in At-risk Older Adults: The LIFE Study. *J Gerontol A Biol Sci Med Sci* 2016;71:1519-24.

Heymsfield SB, Peterson CM, Thomas DM, Heo M, Schuna JM, Jr. Why are there race/ethnic differences in adult body mass index-adiposity relationships? A quantitative critical review. *Obes Rev* 2016;17:262-75.

Horn DB, Ryan D. Answers to Clinical Questions in the Primary Care Management of People with Obesity: Principles of Patient Management. *J Fam Pract* 2016;65:S9-S13.

Hou X, Chen P, Hu G, et al. Cardiometabolic Disease Is Prevalent in Normal-Weight Chinese Adults. *J Am Coll Cardiol* 2016;68:1599-600.

Hsieh YH, Peterson CM, Raggio A, et al. Impact of Different Fecal Processing Methods on Assessments of Bacterial Diversity in the Human Intestine. *Front Microbiol* 2016;7:1643.

Huang T, Ley SH, Zheng Y, et al. Genetic susceptibility to diabetes and long-term improvement of insulin resistance and beta cell function during weight loss: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. *Am J Clin Nutr* 2016;104:198-204.

Irving BA, Spielmann G. Does Citrulline Sit at the Nexus of Metformin's Pleotropic Effects on Metabolism and Mediate Its Salutatory Effects in Individuals With Type 2 Diabetes? *Diabetes* 2016;65:3537-40.

Jia G, Heymsfield SB, Zhou J, Yang G, Takayama Y. Quantitative Biomedical Imaging: Techniques and Clinical Applications. *Biomed Res Int* 2016;2016:3080965.

Jimenez-Pavon D, Artero EG, Lee DC, et al. Cardiorespiratory Fitness and Risk of Sudden Cardiac Death in Men and Women in the United States: A Prospective Evaluation From the Aerobics Center Longitudinal Study. *Mayo Clin Proc* 2016;91:849-57.

Johannsen NM, Swift DL, Lavie CJ, Earnest CP, Blair SN, Church TS. Combined Aerobic and Resistance Training Effects on Glucose Homeostasis, Fitness, and Other Major Health Indices: A Review of Current Guidelines. *Sports Med* 2016;46:1809-18.

Johnson WD. Angioedema in the omalizumab chronic idiopathic and spontaneous urticarial pivotal studies: Clinical relevance vs statistical significance. *Ann Allergy Asthma Immunol* 2016;117:339-40.

Johnson WD, Romer JE. Hypothesis Testing of Population Percentiles via the Wald Test with Bootstrap Variance Estimates. *Open J Stat* 2016;6:14-24.

Kaczmarek MM, Mendoza T, Kozak LP. Lactation undernutrition leads to multigenerational molecular programming of hypothalamic gene networks controlling reproduction. *BMC Genomics* 2016;17:333.

Kappen C. Developmental Patterning as a Quantitative Trait: Genetic Modulation of the Hoxb6 Mutant Skeletal Phenotype. *PLoS ONE* 2016;11:e0146019.

Karkeni E, Astier J, Tourniaire F, et al. Obesity-associated Inflammation Induces microRNA-155 Expression in Adipocytes and Adipose Tissue: Outcome on Adipocyte Function. *J Clin Endocrinol Metab* 2016;101:1615-26.

Kastin AJ, Pan W. Involvement of the Blood-Brain Barrier in Metabolic Regulation. *CNS Neurol Disord Drug Targets* 2016;15:1118-28.

Katula JA, Church T, Sink KM. Physical Activity vs Health Education for Cognition in Sedentary Older Adults--Reply. *JAMA* 2016;315:415-6.

Katzmarzyk PT. Physical Fitness and Risk for Type 2 Diabetes Mellitus: Reducing Risk at Any Weight. *Ann Intern Med* 2016;164:620-1.

Katzmarzyk PT. Studies of Sedentary Behavior, Activity, and Mortality: Duplication or Replication? *Med Sci Sports Exerc* 2016;48:1302.

Katzmarzyk PT, Broyles ST, Champagne CM, et al. Relationship between Soft Drink Consumption and Obesity in 9-11 Years Old Children in a Multi-National Study. *Nutrients* 2016;8:pii: E770.

Katzmarzyk PT, Denstel KD, Beals K, et al. Results From the United States of America's 2016 Report Card on Physical Activity for Children and Youth. *J Phys Act Health* 2016;13:S307-S13.

Kennedy BM, Kennedy KB, Sarpong DF, Katzmarzyk PT. Perceptions of Obesity Treatment Options Among Healthcare Providers and Low-Income Primary Care Patients. *Ochsner J* 2016;16:158-65.

Kepper M, Broyles S, Scribner R, et al. Parental Perceptions of the Social Environment Are Inversely Related to Constraint of Adolescents' Neighborhood Physical Activity. *Int J Environ Res Public Health* 2016;13.

Kepper M, Sothorn M, Zabaleta J, et al. Prepubertal children exposed to concentrated disadvantage: An exploratory analysis of inflammation and metabolic dysfunction. *Obesity (Silver Spring)* 2016;24:1148-53.

Kilpela LS, Blomquist K, Verzijl C, Wilfred S, Beyl R, Becker CB. The body project 4 all: A pilot randomized controlled

trial of a mixed-gender dissonance-based body image program. *Int J Eat Disord* 2016;49:591-602.

Kilpelainen TO, Carli JF, Skowronski AA, et al. Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. *Nat Commun* 2016;7:10494.

Kilroy G, Burk DH, Floyd ZE. Siah2 Protein Mediates Early Events in Commitment to an Adipogenic Pathway. *J Biol Chem* 2016;291:27289-97.

Kim J, Fernand VE, Henagan TM, et al. Regulation of Brown and White Adipocyte Transcriptome by the Transcriptional Coactivator NT-PGC-1alpha. *PLoS ONE* 2016;11:e0159990.

Kim S, Myers L, Ravussin E, Cherry KE, Jazwinski SM. Single nucleotide polymorphisms linked to mitochondrial uncoupling protein genes UCP2 and UCP3 affect mitochondrial metabolism and healthy aging in female nonagenarians. *Biogerontology* 2016;17:725-36.

Kolotkin RL, Gadde KM, Peterson CA, Crosby RD. Health-related quality of life in two randomized controlled trials of phentermine/topiramate for obesity: What mediates improvement? *Qual Life Res* 2016;25:1237-44.

Kovatchev B, Tamborlane WV, Cefalu WT, Cobelli C. The Artificial Pancreas in 2016: A Digital Treatment Ecosystem for Diabetes. *Diabetes Care* 2016;39:1123-6.

Kraus WE, Pieper CF, Huffman KM, et al. Association of Plasma Small-Molecule Intermediate Metabolites With Age and Body Mass Index Across Six Diverse Study Populations. *J Gerontol A Biol Sci Med Sci* 2016;71:1507-13.

Kuchnia AJ, Teigen LM, Cole AJ, et al. Phase Angle and Impedance Ratio: Reference Cut-Points From the United States National Health and Nutrition Examination Survey 1999-2004 From Bioimpedance Spectroscopy Data. *JPEN J Parenter Enteral Nutr* 2016.

Kushner RF, Ryan D. Answers to Clinical Questions in the Primary Care Management of People with Obesity: Screening and Diagnosis. *J Fam Pract* 2016;65:S2-4.

Laeger T, Albarado DC, Burke SJ, et al. Metabolic Responses to Dietary Protein Restriction Require an Increase in FGF21 that Is Delayed by the Absence of GCN2. *Cell Rep* 2016;16:707-16.

Lam YY, Ghosh S, Civitarese AE, Ravussin E. Six-month Calorie Restriction in Overweight Individuals Elicits Transcriptomic Response in Subcutaneous Adipose Tissue That is Distinct From Effects of Energy Deficit. *J Gerontol A Biol Sci Med Sci* 2016;71:1258-65.

Lam YY, Ravussin E. Analysis of energy metabolism in humans: A review of methodologies. *Mol Metab* 2016;5:1057-71.

Langhans W, Berthoud HR, Westerterp-Plantenga M. Introduction to 'All roads take to the brain: neural control of energy homeostasis in health and disease'. *Int J Obes* 2016;40:191-2.

Lee DS, Vonnrhein C, Albarado D, Raman CS, Veeraraghavan S. A Potential Structural Switch for Regulating DNA-Binding by TEAD Transcription Factors. *J Mol Biol* 2016;428:2557-68.

Leiter LA, Cefalu WT, de Bruin TW, et al. Long-term maintenance of efficacy of dapagliflozin in patients with type 2 diabetes mellitus and cardiovascular disease. *Diabetes Obes Metab* 2016;18:766-74.

LeMieux MJ, Ramalingam L, Mynatt RL, Kalupahana NS, Kim JH, Moustaid-Moussa N. Inactivation of adipose angiotensinogen reduces adipose tissue macrophages and increases metabolic activity. *Obesity (Silver Spring)* 2016;24:359-67.

Leng J, Liu G, Zhang C, et al. Physical activity, sedentary behaviors and risk of gestational diabetes mellitus: a population-based cross-sectional study in Tianjin, China. *Eur J Endocrinol* 2016;174:763-73.

Leng J, Zhang C, Wang P, et al. Plasma Levels of Alanine Aminotransferase in the First Trimester Identify High Risk Chinese Women for Gestational Diabetes. *Sci Rep* 2016;6:27291.

Lesser IA, Singer J, Hoogbruin A, et al. Effectiveness of Exercise on Visceral Adipose Tissue in Older South Asian Women. *Med Sci Sports Exerc* 2016;48:1371-8.

Lewis L, Maher C, Katzmarzyk P, Olds T. Individual and School-Level Socioeconomic Gradients in Physical Activity in Australian Schoolchildren. *J Sch Health* 2016;86:105-12.

Li JJ, Wang R, Lama R, et al. Ubiquitin Ligase NEDD4 Regulates PPARgamma Stability and Adipocyte Differentiation in 3T3-L1 Cells. *Sci Rep* 2016;6:38550.

Li Q, Zhang Y, Ding D, et al. Association Between Serum Fibroblast Growth Factor 21 and Mortality Among Patients With Coronary Artery Disease. *J Clin Endocrinol Metab* 2016;101:4886-94.

Li W, Katzmarzyk PT, Horswell R, Wang Y, Johnson J, Hu G. Blood pressure and all-cause mortality among patients with type 2 diabetes. *Int J Cardiol* 2016;206:116-21.

Li W, Katzmarzyk PT, Horswell R, Wang Y, Johnson J, Hu G. HbA1c and all-cause mortality risk among patients with type 2 diabetes. *Int J Cardiol* 2016;202:490-6.

Lim J, Schuna JM, Jr., Busa MA, et al. Allometrically Scaled Children's Clinical and Free-Living Ambulatory Behavior. *Med Sci Sports Exerc* 2016;48:2407-16.

Liu C, Kraja AT, Smith JA, et al. Meta-analysis identifies common and rare variants influencing blood pressure and overlapping with metabolic trait loci. *Nat Genet* 2016;48:1162-70.

Liu H, Zhang S, Wang L, et al. Fasting and 2-hour plasma glucose, and HbA1c in pregnancy and the postpartum risk of diabetes among Chinese women with gestational diabetes. *Diabetes Res Clin Pract* 2016;112:30-6.

Livingstone KM, Celis-Morales C, Papandonatos GD, et al. FTO genotype and weight loss: systematic review and meta-analysis of 9563 individual participant data from eight randomised controlled trials. *BMJ* 2016;354:i4707.

Look ARG, Greenway FL. Severe hypoglycemia in the Look AHEAD Trial. *J Diabetes Complications* 2016;30:935-43.

Lu H, Gao Z, Zhao Z, Weng J, Ye J. Transient hypoxia reprograms differentiating adipocytes for enhanced insulin sensitivity and triglyceride accumulation. *Int J Obes* 2016;40:121-8.

Lu Y, Day FR, Gustafsson S, et al. New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. *Nat Commun* 2016;7:10495.

Ma W, Huang T, Wang M, et al. Two-year changes in circulating adiponectin, ectopic fat distribution and body composition in response to weight-loss diets: the POUNDS Lost Trial. *Int J Obes* 2016;40:1723-9.

MacAulay RK, Allaire T, Brouillette R, Foil H, Bruce-Keller AJ, Keller JN. Apolipoprotein E Genotype Linked to Spatial Gait Characteristics: Predictors of Cognitive Dual Task Gait Change. *PLoS ONE* 2016;11:e0156732.

Mackintosh KA, Standage M, Staiano AE, Lester L, McNarry MA. Investigating the Physiological and Psychosocial Responses of Single- and Dual-Player Exergaming in Young Adults. *Games Health J* 2016;5:375-81.

Maher C, Lewis L, Katzmarzyk PT, Dumuid D, Cassidy L, Olds T. The associations between physical activity, sedentary

behaviour and academic performance. *J Sci Med Sport* 2016;19:1004-9.

Marlatt KL, Farbaksh K, Dengel DR, Lytle LA. Breakfast and fast food consumption are associated with selected biomarkers in adolescents. *Prev Med Rep* 2016;3:49-52.

Marquez B, Anderson A, Wing RR, et al. The relationship of social support with treatment adherence and weight loss in Latinos with type 2 diabetes. *Obesity (Silver Spring)* 2016;24:568-75.

Martin CK, Bhapkar M, Pittas AG, et al. Effect of Calorie Restriction on Mood, Quality of Life, Sleep, and Sexual Function in Healthy Nonobese Adults: The CALERIE 2 Randomized Clinical Trial. *JAMA Intern Med* 2016;176:743-52.

Martin CK, Bhapkar M, Roberts SB, Group CS. Healthy Behaviors Potentially Due to Calorie Restriction-Reply. *JAMA Intern Med* 2016;176:1724.

Martin CK, Gilmore LA, Apolzan JW, Myers CA, Thomas DM, Redman LM. Smartloss: A Personalized Mobile Health Intervention for Weight Management and Health Promotion. *JMIR mHealth and uHealth* 2016;4:e18.

Matsudo VK, Ferrari GL, Araujo TL, et al. [Socioeconomic status indicators, physical activity, and overweight/obesity in Brazilian children]. *Rev Paul Pediatr* 2016;34:162-70.

Meydani SN, Das SK, Pieper CF, et al. Long-term moderate calorie restriction inhibits inflammation without impairing cell-mediated immunity: a randomized controlled trial in non-obese humans. *Aging* 2016;8:1416-31.

Mitchell SJ, Madrigal-Matute J, Scheibye-Knudsen M, et al. Effects of Sex, Strain, and Energy Intake on Hallmarks of Aging in Mice. *Cell Metab* 2016;23:1093-112.

Mohamed LA, Keller JN, Kaddoumi A. Role of P-glycoprotein in mediating rivastigmine effect on amyloid-beta brain load and related pathology in Alzheimer's disease mouse model. *Biochim Biophys Acta* 2016;1862:778-87.

Morrison CD, Hao Z, Mumphrey MB, et al. Roux-en-Y gastric bypass surgery is effective in fibroblast growth factor-21 deficient mice. *Mol Metab* 2016;5:1006-14.

Moses RG, Cefalu WT. Considerations in the Management of Gestational Diabetes Mellitus: "You Are What Your Mother Ate!". *Diabetes Care* 2016;39:13-5.

Mumphrey MB, Hao Z, Townsend RL, et al. Eating in mice with gastric bypass surgery causes exaggerated activation of brainstem anorexia circuit. *Int J Obes* 2016;40:921-8.

Munzberg H, Qualls-Creekmore E, Berthoud HR, Morrison CD, Yu S. Neural Control of Energy Expenditure. *Handb Exp Pharmacol* 2016;233:173-94.

Munzberg H, Qualls-Creekmore E, Yu S, Morrison CD, Berthoud HR. Hedonics Act in Unison with the Homeostatic System to Unconsciously Control Body Weight. *Front Nutr* 2016;3:6.

Muthuri SK, Onywera VO, Tremblay MS, et al. Relationships between Parental Education and Overweight with Childhood Overweight and Physical Activity in 9-11 Year Old Children: Results from a 12-Country Study. *PLoS ONE* 2016;11:e0147746.

Myers CA, Denstel KD, Broyles ST. The context of context: Examining the associations between healthy and unhealthy measures of neighborhood food, physical activity, and social environments. *Prev Med* 2016;93:21-6.

Myers CA, Keller JN, Allen HR, et al. Reliability and Validity of a Novel Internet-Based Battery to Assess Mood and Cognitive Function in the Elderly. *J Alzheimers Dis* 2016;54:1359-64.

Myers CA, Slack T, Martin CK, Broyles ST, Heymsfield SB. Change in Obesity Prevalence across the United States Is Influenced by Recreational and Healthcare Contexts, Food Environments, and Hispanic Populations. *PLoS ONE* 2016;11:e0148394.

Na HN, Dubuisson O, Hegde V, Nam JH, Dhurandhar NV. Human adenovirus Ad36 and its E4orf1 gene enhance cellular glucose uptake even in the presence of inflammatory cytokines. *Biochimie* 2016;124:3-10.

Na HN, Hegde V, Dubuisson O, Dhurandhar NV. E4orf1 Enhances Glucose Uptake Independent of Proximal Insulin Signaling. *PLoS ONE* 2016;11:e0161275.

Naftalovich R, Naftalovich D, Greenway FL. Polytetrafluoroethylene Ingestion as a Way to Increase Food Volume and Hence Satiety Without Increasing Calorie Content. *J Diabetes Sci Technol* 2016;10:971-6.

Nam H, Ferguson BS, Stephens JM, Morrison RF. Modulation of IL-27 in adipocytes during inflammatory stress. *Obesity (Silver Spring)* 2016;24:157-66.

Newman AB, Dodson JA, Church TS, et al. Cardiovascular Events in a Physical Activity Intervention Compared With a Successful Aging Intervention: The LIFE Study Randomized Trial. *JAMA Cardiol* 2016;1:568-74.

Nsaibia MJ, Lapointe M, Mabrouk H, et al. Erratum to: C3 Polymorphism Influences Circulating Levels of C3, ASP and Lipids in Schizophrenic Patients. *Neurochem Res* 2016;41:944.

Obanda DN, Ribnicky D, Yu Y, Stephens J, Cefalu WT. An extract of *Urtica dioica* L. mitigates obesity induced insulin resistance in mice skeletal muscle via protein phosphatase 2A (PP2A). *Sci Rep* 2016;6:22222.

Obanda DN, Zhao P, Richard AJ, Ribnicky D, Cefalu WT, Stephens JM. Stinging Nettle (*Urtica dioica* L.) Attenuates FFA Induced Ceramide Accumulation in 3T3-L1 Adipocytes in an Adiponectin Dependent Manner. *PLoS ONE* 2016;11:e0150252.

Pan W, Kastin AJ. The Blood-Brain Barrier: Regulatory Roles in Wakefulness and Sleep. *Neuroscientist* 2016.

Pan W, Kastin AJ. Spinal Cord Injury Changes Cytokine Transport. *CNS Neurol Disord Drug Targets* 2016;15:1139-50.

Pereira-da-Silva L, Rego C, Pietrobelli A. The Diet of Preschool Children in the Mediterranean Countries of the European Union: A Systematic Review. *Int J Environ Res Public Health* 2016;13.

Petersen A, Zhao J, Carmichael O, Muller HG. Quantifying Individual Brain Connectivity with Functional Principal Component Analysis for Networks. *Brain Connect* 2016;6:540-7.

Peterson CM, Apolzan JW, Wright C, Martin CK. Video chat technology to remotely quantify dietary, supplement and medication adherence in clinical trials. *Br J Nutr* 2016;116:1646-55.

Peterson CM, Lecoultre V, Frost EA, Simmons J, Redman LM, Ravussin E. The thermogenic responses to overfeeding and cold are differentially regulated. *Obesity (Silver Spring)* 2016;24:96-101.

Peterson CM, Thomas DM, Blackburn GL, Heymsfield SB. Universal equation for estimating ideal body weight and body weight at any BMI. *Am J Clin Nutr* 2016;103:1197-203.

Pietrobelli A, Agosti M, Zuccotti G, The MeNu G. Putting the Barker Theory into the Future: Time to Act on Preventing Pediatric Obesity. *Int J Environ Res Public Health* 2016;13.

Pitsiladis YP, Tanaka M, Eynon N, et al. Athlome Project Consortium: a concerted effort to discover genomic and other "omic" markers of athletic performance. *Physiol Genomics* 2016;48:183-90.

Poitras VJ, Gray CE, Borghese MM, et al. Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. *Appl Physiol Nutr Metab* 2016;41:S197-239.

Powers MB, Davis ML, Kauffman BY, et al. Anxiety sensitivity and smoking variability among treatment seeking smokers. *Addict Disord Their Treat* 2016;15:136-42.

Pownall HJ, Schwartz AV, Bray GA, et al. Changes in regional body composition over 8 years in a randomized lifestyle trial: The look AHEAD study. *Obesity (Silver Spring)* 2016;24:1899-905.

Primeaux SD, de Silva T, Tzeng TH, Chiang MC, Hsia DS. Recent advances in the modification of taste and food preferences following bariatric surgery. *Rev Endocr Metab Disord* 2016;17:195-207.

Qosa H, Mohamed LA, Al Rihani SB, et al. High-Throughput Screening for Identification of Blood-Brain Barrier Integrity Enhancers: A Drug Repurposing Opportunity to Rectify Vascular Amyloid Toxicity. *J Alzheimers Dis* 2016;53:1499-516.

Raji CA, Merrill DA, Eyre H, et al. Longitudinal Relationships between Caloric Expenditure and Gray Matter in the Cardiovascular Health Study. *J Alzheimers Dis* 2016;52:719-29.

Rankinen T, Fuku N, Wolfarth B, et al. No Evidence of a Common DNA Variant Profile Specific to World Class Endurance Athletes. *PLoS ONE* 2016;11:e0147330.

Ravussin E, Gilmore LA, Redman LM. **Calorie Restriction in Humans: Impact on Human Health.** In: Malavolta M, Mocchegiani E, eds. *Molecular basis of nutrition and aging.* Tokyo: Academic Press, Elsevier Inc.; 2016:677-92.

Ravussin E, Ryan DH. Energy expenditure and weight control: Is the biggest loser the best loser? *Obesity (Silver Spring)* 2016;24:1607-8.

Raynor HA, Champagne CM. Position of the Academy of Nutrition and Dietetics: Interventions for the Treatment of Overweight and Obesity in Adults. *J Acad Nutr Diet* 2016;116:129-47.

Raz I, Cefalu WT, Ilkova H, Del Prato S. Introduction to the 5th World Congress on Controversies to Consensus in Diabetes, Obesity and Hypertension (CODHy). *Diabetes Care* 2016;39 Suppl 2:S113-4.

Rebello CJ, Greenway FL. Reward-Induced Eating: Therapeutic Approaches to Addressing Food Cravings. *Adv Ther* 2016;33:1853-66.

Rebello CJ, Johnson WD, Martin CK, et al. Instant Oatmeal Increases Satiety and Reduces Energy Intake Compared to a Ready-to-Eat Oat-Based Breakfast Cereal: A Randomized Crossover Trial. *J Am Coll Nutr* 2016;35:41-9.

Rebello CJ, O'Neil CE, Greenway FL. Dietary fiber and satiety: the effects of oats on satiety. *Nutr Rev* 2016;74:131-47.

Rebello CJ, O'Neil PM, Horn DB, Greenway FL. Timing the discussion of antiobesity medications during obesity treatment. *Obesity (Silver Spring)* 2016;24:2027-8.

Redman LM, Phelan S. It is time to take preconception health seriously. *Obesity (Silver Spring)* 2016;24:279.

Reiner DJ, Mietlicki-Baase EG, McGrath LE, et al. Astrocytes Regulate GLP-1 Receptor-Mediated Effects on Energy Balance. *J Neurosci* 2016;36:3531-40.

Rendina-Ruedy E, Graef JL, Davis MR, et al. Strain differences in the attenuation of bone accrual in a young growing mouse model of insulin resistance. *J Bone Miner Metab* 2016;34:380-94.

Rich SS, Cefalu WT. The Impact of Precision Medicine in Diabetes: A Multidimensional Perspective. *Diabetes Care*

2016;39:1854-7.

Richardson A, Fischer KE, Speakman JR, et al. Measures of Healthspan as Indices of Aging in Mice-A Recommendation. *J Gerontol A Biol Sci Med Sci* 2016;71:427-30.

Ried JS, Jeff MJ, Chu AY, et al. A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. *Nat Commun* 2016;7:13357.

Rogers RC, Ritter S, Hermann GE. Hindbrain cytoglucopeia-induced increases in systemic blood glucose levels by 2-deoxyglucose depend on intact astrocytes and adenosine release. *Am J Physiol Regul Integr Comp Physiol* 2016;310:R1102-8.

Roman-Vinas B, Chaput JP, Katzmarzyk PT, et al. Proportion of children meeting recommendations for 24-hour movement guidelines and associations with adiposity in a 12-country study. *Int J Behav Nutr Phys Act* 2016;13:123.

Romashkan SV, Das SK, Villareal DT, et al. Safety of two-year caloric restriction in non-obese healthy individuals. *Oncotarget* 2016;7:19124-33.

Roth GS, Ingram DK. Manipulation of health span and function by dietary caloric restriction mimetics. *Ann N Y Acad Sci* 2016;1363:5-10.

Rundle AG, Heymsfield SB. Can Walkable Urban Design Play a Role in Reducing the Incidence of Obesity-Related Conditions? *JAMA* 2016;315:2175-7.

Ryan DH. Guidelines for Obesity Management. *Endocrinol Metab Clin North Am* 2016;45:501-10.

Ryan DH, Hansen BC, Cefalu WT. George A. Bray, MD: Progress in Obesity-Multidisciplinary Research, Multidimensional Man. *Diabetes Care* 2016;39:1481-5.

Ryan DH, Ravussin E. 2015, A year in review for readers of obesity. *Obesity (Silver Spring)* 2016;24:9.

Sala P, Belarmino G, Machado NM, et al. The SURMetaGIT study: Design and rationale for a prospective pan-omics examination of the gastrointestinal response to Roux-en-Y gastric bypass surgery. *J Int Med Res* 2016;44:1359-75.

Salvatore MF, Terrebonne J, Fields V, et al. Initiation of calorie restriction in middle-aged male rats attenuates aging-related motoric decline and bradykinesia without increased striatal dopamine. *Neurobiol Aging* 2016;37:192-207.

Sarzynski MA, Loos RJ, Lucia A, et al. Advances in Exercise, Fitness, and Performance Genomics in 2015. *Med Sci Sports Exerc* 2016;48:1906-16.

Saunders TJ, Gray CE, Poitras VJ, et al. Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth. *Appl Physiol Nutr Metab* 2016;41:S283-93.

Schatz D, Cefalu WT. Reevaluation of CMS' Competitive Bidding Program. *Diabetes Care* 2016;39:1078-9.

Schreiber AL, Arceneaux KP, 3rd, Malbrue RA, et al. The effects of high fat diet and estradiol on hypothalamic prepro-QRFP mRNA expression in female rats. *Neuropeptides* 2016;58:103-9.

Schuna JM, Jr., Barreria TV, Hsia DS, Johnson WD, Tudor-Locke C. Youth Energy Expenditure During Common Free-Living Activities and Treadmill Walking. *J Phys Act Health* 2016;13:S29-34.

Schuna JM, Jr., Tudor-Locke C, Proenca M, et al. Validation of an integrated pedal desk and electronic behavior tracking platform. *BMC Res Notes* 2016;9:74.

Scott JA, Braskie MN, Tosun D, et al. Cerebral amyloid is associated with greater white-matter hyperintensity accrual in cognitively normal older adults. *Neurobiol Aging* 2016;48:48-52.

Scott JA, Goodrich-Hunsaker N, Kalish K, et al. The hippocampi of children with chromosome 22q11.2 deletion syndrome have localized anterior alterations that predict severity of anxiety. *J Psychiatry Neurosci* 2016;41:203-13.

Seabra A, Katzmarzyk P, Carvalho MJ, et al. Effects of 6-month soccer and traditional physical activity programmes on body composition, cardiometabolic risk factors, inflammatory, oxidative stress markers and cardiorespiratory fitness in obese boys. *J Sports Sci* 2016;34:1822-9.

Shah RV, Murthy VL, Colangelo LA, et al. Association of Fitness in Young Adulthood With Survival and Cardiovascular Risk: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *JAMA Intern Med* 2016;176:87-95.

Shepherd JA, Heymsfield SB, Norris SA, Redman LM, Ward LC, Slater C. Measuring body composition in low-resource settings across the life course. *Obesity (Silver Spring)* 2016;24:985-8.

Shumilov D, Heymsfield SB, Redman LM, Kalluri K, Dey J. New compartment model analysis of lean-mass and fat-mass growth with overfeeding. *Nutrition* 2016;32:590-600.

Silva S, Bustamante A, Nevill A, et al. An Allometric Modelling Approach to Identify the Optimal Body Shape Associated with, and Differences between Brazilian and Peruvian Youth Motor Performance. *PLoS ONE* 2016;11:e0149493.

Smits JA, Powers MB, Rosenfield D, et al. BDNF Val66Met Polymorphism as a Moderator of Exercise Enhancement of Smoking Cessation Treatment in Anxiety Vulnerable Adults. *Ment Health Phys Act* 2016;10:73-7.

Soileau L, Bautista D, Johnson C, et al. Automated anthropometric phenotyping with novel Kinect-based three-dimensional imaging method: comparison with a reference laser imaging system. *Eur J Clin Nutr* 2016;70:475-81.

Solon-Biet SM, Cogger VC, Pulpitel T, et al. Defining the Nutritional and Metabolic Context of FGF21 Using the Geometric Framework. *Cell Metab* 2016;24:555-65.

Sonomtseren S, Sankhuu Y, Warfel JD, Johannsen DL, Peterson CM, Vandanmagsar B. Lifestyle modification intervention improves glycemic control in Mongolian adults who are overweight or obese with newly diagnosed type 2 diabetes. *Obes Sci Pract* 2016;2:303-8.

Sparks LM, Redman LM, Conley KE, et al. Differences in Mitochondrial Coupling Reveal a Novel Signature of Mitohormesis in Muscle of Healthy Individuals. *J Clin Endocrinol Metab* 2016;101:4994-5003.

Staiano AE, Marker AM, Frelief JM, Hsia DS, Martin CK. Influence of Screen-Based Peer Modeling on Preschool Children's Vegetable Consumption and Preferences. *J Nutr Educ Behav* 2016;48:331-5 e1.

Staiano AE, Marker AM, Martin CK, Katzmarzyk PT. Physical activity, mental health, and weight gain in a longitudinal observational cohort of nonobese young adults. *Obesity (Silver Spring)* 2016;24:1969-75.

Staiano AE, Morrell M, Hsia DS, Hu G, Katzmarzyk PT. The Burden of Obesity, Elevated Blood Pressure, and Diabetes in Uninsured and Underinsured Adolescents. *Metab Syndr Relat Disord* 2016;14:437-41.

Stephens JM. IGF1 and adipose tissue homeostasis. *Obesity (Silver Spring)* 2016;24:10.

Stevens J, Ou FS, Cai J, Heymsfield SB, Truesdale KP. Prediction of percent body fat measurements in Americans 8 years and older. *Int J Obes* 2016;40:587-94.

Sullivan SM, Peters ES, Trapido EJ, Oral E, Scribner RA, Rung AL. Assessing mediation of behavioral and stress pathways in the association between neighborhood environments and obesity outcomes. *Prev Med Rep* 2016;4:248-55.

Sun J, Ye X, Xie M, Ye J. Induction of triglyceride accumulation and mitochondrial maintenance in muscle cells by lactate. *Sci Rep* 2016;6:33732.

Sung YJ, Perusse L, Sarzynski MA, et al. Genome-wide association studies suggest sex-specific loci associated with abdominal and visceral fat. *Int J Obes* 2016;40:662-74.

Sung YJ, Winkler TW, Manning AK, et al. An Empirical Comparison of Joint and Stratified Frameworks for Studying G x E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Gene-Lifestyle Interactions Working Group. *Genet Epidemiol* 2016;40:404-15.

Sutton EF, Bray GA, Burton JH, Smith SR, Redman LM. No evidence for metabolic adaptation in thermic effect of food by dietary protein. *Obesity (Silver Spring)* 2016;24:1639-42.

Sutton EF, Gilmore LA, Dunger DB, et al. Developmental programming: State-of-the-science and future directions-Summary from a Pennington Biomedical symposium. *Obesity (Silver Spring)* 2016;24:1018-26.

Sutton EF, Redman LM. Smartphone applications to aid weight loss and management: current perspectives. *Diabetes Metab Syndr Obes* 2016;9:213-6.

Swift DL, Johannsen NM, Lavie CJ, Earnest CP, Blair SN, Church TS. Effects of clinically significant weight loss with exercise training on insulin resistance and cardiometabolic adaptations. *Obesity (Silver Spring)* 2016;24:812-9.

Tam CS, Redman LM, Greenway F, LeBlanc KA, Haussmann MG, Ravussin E. Energy Metabolic Adaptation and Cardiometabolic Improvements One Year After Gastric Bypass, Sleeve Gastrectomy, and Gastric Band. *J Clin Endocrinol Metab* 2016;101:3755-64.

Tan S, Soulez G, Diez Martinez P, et al. Coronary Stent Artifact Reduction with an Edge-Enhancing Reconstruction Kernel - A Prospective Cross-Sectional Study with 256-Slice CT. *PLoS ONE* 2016;11:e0154292.

Thomas DM, Bredlau C, Islam S, et al. Relationships between misreported energy intake and pregnancy in the pregnancy, infection and nutrition study: new insights from a dynamic energy balance model. *Obes Sci Pract* 2016;2:174-9.

Thomas DM, Heymsfield SB. Exercise: Is More Always Better? *Curr Biol* 2016;26:R102-4.

Tremblay MS, Barnes JD, Gonzalez SA, et al. Global Matrix 2.0: Report Card Grades on the Physical Activity of Children and Youth Comparing 38 Countries. *J Phys Act Health* 2016;13:S343-S66.

Tremblay MS, Carson V, Chaput JP, et al. Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. *Appl Physiol Nutr Metab* 2016;41:S311-27.

Tremblay MS, Gonzalez SA, Katzmarzyk PT, Onywera VO, Reilly JJ, Tomkinson G. Introduction to the Global Matrix 2.0: Report Card Grades on the Physical Activity of Children and Youth Comparing 38 Countries. *J Phys Act Health* 2016;13:S85-S6.

Tudor-Locke C, Broyles S. Older Adults' Objectively Monitored Walking Behaviors and the Factors that Shape Them. *Kinesiology Review* 2016;5:81-6.

Uys M, Broyles ST, C ED, et al. Perceived and objective neighborhood support for outside of school physical activity in

South African children. *BMC Public Health* 2016;16:462.

Vadiveloo M, Sacks FM, Champagne CM, Bray GA, Mattei J. Greater Healthful Dietary Variety Is Associated with Greater 2-Year Changes in Weight and Adiposity in the Preventing Overweight Using Novel Dietary Strategies (POUNDS Lost) Trial. *J Nutr* 2016;146:1552-9.

Vandanmagsar B, Warfel JD, Wicks SE, et al. Impaired Mitochondrial Fat Oxidation Induces FGF21 in Muscle. *Cell Rep* 2016;15:1686-99.

Villareal DT, Fontana L, Das SK, et al. Effect of Two-Year Caloric Restriction on Bone Metabolism and Bone Mineral Density in Non-Obese Younger Adults: A Randomized Clinical Trial. *J Bone Miner Res* 2016;31:40-51.

Wanders D, Stone KP, Forney LA, et al. Role of GCN2-Independent Signaling Through a Noncanonical PERK/NRF2 Pathway in the Physiological Responses to Dietary Methionine Restriction. *Diabetes* 2016;65:1499-510.

Wang T, Huang T, Zheng Y, et al. Genetic variation of fasting glucose and changes in glycemia in response to 2-year weight-loss diet intervention: the POUNDS LOST trial. *Int J Obes* 2016;40:1164-9.

Wang T, Liu H, Wang L, et al. Zinc-Associated Variant in SLC30A8 Gene Interacts With Gestational Weight Gain on Postpartum Glycemic Changes: A Longitudinal Study in Women With Prior Gestational Diabetes Mellitus. *Diabetes* 2016;65:3786-93.

Wang Y, Katzmarzyk PT, Horswell R, Zhao W, Johnson J, Hu G. Comparison of the heart failure risk stratification performance of the CKD-EPI equation and the MDRD equation for estimated glomerular filtration rate in patients with Type 2 diabetes. *Diabet Med* 2016;33:609-20.

Warfel JD, Bermudez EM, Mendoza TM, et al. Mitochondrial fat oxidation is essential for lipid-induced inflammation in skeletal muscle in mice. *Sci Rep* 2016;6:37941.

Weinger K, de Groot M, Cefalu WT. Psychosocial Research and Care in Diabetes: Altering Lives by Understanding Attitudes. *Diabetes Care* 2016;39:2122-5.

White UA, Fitch MD, Beyl RA, Hellerstein MK, Ravussin E. Differences in In Vivo Cellular Kinetics in Abdominal and Femoral Subcutaneous Adipose Tissue in Women. *Diabetes* 2016;65:1642-7.

White UA, Maier J, Zhao P, Richard AJ, Stephens JM. The modulation of adiponectin by STAT5-activating hormones. *Am J Physiol Endocrinol Metab* 2016;310:E129-36.

Whitt-Glover MC, Borden SL, Alexander DS, Kennedy BM, Goldmon MV. Recruiting African American Churches to Participate in Research: The Learning and Developing Individual Exercise Skills for a Better Life Study. *Health Promot Pract* 2016;17:297-306.

Wicks SE, Nguyen TT, Breaux C, Kruger C, Stadler K. Diet-induced obesity and kidney disease - In search of a susceptible mouse model. *Biochimie* 2016;124:65-73.

Wilkie HJ, Standage M, Gillison FB, Cumming SP, Katzmarzyk PT. Multiple lifestyle behaviours and overweight and obesity among children aged 9-11 years: results from the UK site of the International Study of Childhood Obesity, Lifestyle and the Environment. *BMJ open* 2016;6:e010677.

Wong WW, Strizich G, Heo M, et al. Relationship between body fat and BMI in a US hispanic population-based cohort study: Results from HCHS/SOL. *Obesity (Silver Spring)* 2016;24:1561-71.

Xu F, Zheng X, Lin B, et al. Diet-induced obesity and insulin resistance are associated with brown fat degeneration in SIRT1-deficient mice. *Obesity (Silver Spring)* 2016;24:634-42.

Xu W, Chafi H, Guo B, et al. Quantitative Comparison of 2 Dual-Energy X-ray Absorptiometry Systems in Assessing Body Composition and Bone Mineral Measurements. *J Clin Densitom* 2016;19:298-304.

Yu S, Qualls-Creekmore E, Rezai-Zadeh K, et al. Glutamatergic Preoptic Area Neurons That Express Leptin Receptors Drive Temperature-Dependent Body Weight Homeostasis. *J Neurosci* 2016;36:5034-46.

Yuan X, Liu H, Wang L, et al. Gestational hypertension and chronic hypertension on the risk of diabetes among gestational diabetes women. *J Diabetes Complications* 2016;30:1269-74.

Zelaznik HN, Forney LA. Action-specific judgment, not perception: Fitts' law performance is related to estimates of target width only when participants are given a performance score. *Atten Percept Psychophys* 2016;78:1744-54.

Zhang L, Dasuri K, Fernandez-Kim SO, Bruce-Keller AJ, Keller JN. Adipose-specific ablation of Nrf2 transiently delayed high-fat diet-induced obesity by altering glucose, lipid and energy metabolism of male mice. *Am J Transl Res* 2016;8:5309-19.

Zhang X, Tian J, Li J, et al. A novel protein tyrosine phosphatase 1B inhibitor with therapeutic potential for insulin resistance. *Br J Pharmacol* 2016;173:1939-49.

Zhang Y, Zhao Z, Ke B, Wan L, Wang H, Ye J. Induction of Posttranslational Modifications of Mitochondrial Proteins by ATP Contributes to Negative Regulation of Mitochondrial Function. *PLoS ONE* 2016;11:e0150454.

Zhao P, Liu E, Qiao Y, et al. Maternal gestational diabetes and childhood obesity at age 9-11: results of a multinational study. *Diabetologia* 2016;59:2339-48.

Zheng J, Vasselli JR, King JF, et al. Using *Caenorhabditis elegans* as a Model for Obesity Pharmacology Development. *Am J Ther* 2016;23:e1363-e70.

Zheng J, Wang M, Wei W, et al. Dietary Plant Lectins Appear to Be Transported from the Gut to Gain Access to and Alter Dopaminergic Neurons of *Caenorhabditis elegans*, a Potential Etiology of Parkinson's Disease. *Front Nutr* 2016;3:7.

Zheng Y, Ceglarek U, Huang T, et al. Weight-loss diets and 2-y changes in circulating amino acids in 2 randomized intervention trials. *Am J Clin Nutr* 2016;103:505-11.

2017

Able AA, Burrell JA, Stephens JM. STAT5-Interacting Proteins: A Synopsis of Proteins that Regulate STAT5 Activity. *Biology* 2017;6:20.

Aboualizadeh E, Carmichael OT, He P, Albarado DC, Morrison CD, Hirschmugl CJ. Quantifying Biochemical Alterations in Brown and Subcutaneous White Adipose Tissues of Mice Using Fourier Transform Infrared Widefield Imaging. *Front Endocrinol (Lausanne)* 2017;8:121.

Aghazadeh-Sanai N, Downs JL, Mattison JA, Ingram DK, Kohama SG, Urbanski HF. Effect of caloric restriction on plasma melatonin levels in aged rhesus macaques. *Neurobiol Aging* 2017;55:213-6.

Alessa HB, Chomistek AK, Hankinson SE, et al. Objective Measures of Physical Activity and Cardiometabolic and Endocrine Biomarkers. *Med Sci Sports Exerc* 2017;49:1817-25.

Allerton TD, Stephens JM. Operation Damage Control: Exercise Training to Prevent Metabolic Damage from High-Fat Feeding. *Obesity (Silver Spring)* 2017;25:1652.

Anunciado-Koza RP, Manuel J, Mynatt RL, Zhang J, Kozak LP, Koza RA. Diet-induced adipose tissue expansion is mitigated in mice with a targeted inactivation of mesoderm specific transcript (Mest). *PLoS ONE* 2017;12:e0179879.

Apolzan JW, Myers CA, Champagne CM, et al. Frequency of Consuming Foods Predicts Changes in Cravings for Those Foods During Weight Loss: The POUNDS Lost Study. *Obesity (Silver Spring)* 2017;25:1343-8.

Atkin AJ, Biddle SJH, Broyles ST, et al. Harmonising data on the correlates of physical activity and sedentary behaviour in young people: Methods and lessons learnt from the international Children's Accelerometry database (ICAD). *Int J Behav Nutr Phys Act* 2017;14:174.

Aubertin-Leheudre M, Anton S, Beavers DP, et al. Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70 Years and Older: The LIFE Study. *J Am Med Dir Assoc* 2017;18:312-9.

Bajpeyi S, Covington JD, Taylor EM, Stewart LK, Galgani JE, Henagan TM. Skeletal Muscle PGC1alpha -1 Nucleosome Position and -260 nt DNA Methylation Determine Exercise Response and Prevent Ectopic Lipid Accumulation in Men. *Endocrinology* 2017;158:2190-9.

Bajpeyi S, Pasarica M, Conley KE, et al. Pioglitazone-induced improvements in insulin sensitivity occur without concomitant changes in muscle mitochondrial function. *Metabolism* 2017;69:24-32.

Baranowski T, Blumberg F, Gao Z, et al. Getting Research on Games for Health Funded. *Games Health J* 2017;6:1-8.

Beavers KM, Leng I, Rapp SR, et al. Effects of Longitudinal Glucose Exposure on Cognitive and Physical Function: Results from the Action for Health in Diabetes Movement and Memory Study. *J Am Geriatr Soc* 2017;65:137-45.

Becker CB, Verzijl CL, Kilpela LS, Wilfred SA, Stewart T. Body image in adult women: Associations with health behaviors, quality of life, and functional impairment. *J Health Psychol* 2017;0:1359105317710815.

Berthoud HR, Munzberg H, Morrison CD. Blaming the Brain for Obesity: Integration of Hedonic and Homeostatic Mechanisms. *Gastroenterology* 2017;152:1728-38.

Bourgeois B, Ng BK, Latimer D, et al. Clinically applicable optical imaging technology for body size and shape analysis: comparison of systems differing in design. *Eur J Clin Nutr* 2017;71:1329-35.

Bourgeois B, Watts K, Thomas DM, et al. Associations between height and blood pressure in the United States population. *Medicine (Baltimore)* 2017;96:e9233.

Brantley PJ, Brantley PR. Assessment of Stress. In: Maruish ME, ed. *Handbook of psychological assessment in primary care settings*. Second edition. ed. New York: Routledge; 2017:355-67.

Brantley PR, Brantley PJ. Screening for Depression. In: Maruish ME, ed. *Handbook of psychological assessment in primary care settings*. Second edition. ed. New York: Routledge; 2017:245-76.

Bray GA, Champagne CM. Obesity: Understanding and Achieving a Healthy Weight. In: Wilson T, Temple NJ, Bray GA, eds. *Nutrition guide for physicians and related healthcare professionals*. Totowa, N.J.: Humana Press; 2017:73-90.

Bray GA, Kim KK, Wilding JPH, World Obesity F. Obesity: a chronic relapsing progressive disease process. A position statement of the World Obesity Federation. *Obes Rev* 2017;18:715-23.

Bray GA, Ryan DH, Johnson W, et al. Markers of dietary protein intake are associated with successful weight loss in the POUNDS Lost trial. *Clin Obes* 2017;7:166-75.

Broskey NT, Klempel MC, Gilmore LA, et al. Assessing Energy Requirements in Women With Polycystic Ovary

Syndrome: A Comparison Against Doubly Labeled Water. *J Clin Endocrinol Metab* 2017;102:1951-9.

Broskey NT, Wang P, Li N, et al. Early Pregnancy Weight Gain Exerts the Strongest Effect on Birth Weight, Posing a Critical Time to Prevent Childhood Obesity. *Obesity (Silver Spring)* 2017;25:1569-76.

Bruce-Keller AJ, Fernandez-Kim SO, Townsend RL, et al. Maternal obese-type gut microbiota differentially impact cognition, anxiety and compulsive behavior in male and female offspring in mice. *PLoS ONE* 2017;12:e0175577.

Burke SJ, Batdorf HM, Burk DH, et al. db/db Mice Exhibit Features of Human Type 2 Diabetes That Are Not Present in Weight-Matched C57BL/6J Mice Fed a Western Diet. *Journal of diabetes research* 2017;2017:8503754.

Burke SJ, Batdorf HM, Eder AE, et al. Oral Corticosterone Administration Reduces Insulinitis but Promotes Insulin Resistance and Hyperglycemia in Male Nonobese Diabetic Mice. *Am J Pathol* 2017;187:614-26.

Carvajal-Aldaz DG, Guice JL, Page RC, et al. Simultaneous delivery of antibiotics neomycin and ampicillin in drinking water inhibits fermentation of resistant starch in rats. *Mol Nutr Food Res* 2017;61.

Cefalu WT, Boulton AJ, Tamborlane WV, et al. Diabetes Care: "Taking It to the Limit One More Time". *Diabetes Care* 2017;40:3-6.

Cefalu WT, Buse JB, Tuomilehto J, et al. Response to Comment on Cefalu et al. Update and Next Steps for Real-World Translation of Interventions for Type 2 Diabetes Prevention: Reflections From a Diabetes Care Editors' Expert Forum. *Diabetes Care* 2016;39:1186-1201. *Diabetes Care* 2017;40:e23-e4.

Ceglia L, Nelson J, Ware J, et al. Association between body weight and composition and plasma 25-hydroxyvitamin D level in the Diabetes Prevention Program. *Eur J Nutr* 2017;56:161-70.

Chachlaki K, Malone SA, Qualls-Creekmore E, et al. Phenotyping of nNOS neurons in the postnatal and adult female mouse hypothalamus. *J Comp Neurol* 2017;525:3177-89.

Champagne CM, Bray GA. Nutritional Status: An Overview of Methods for Assessment. In: Wilson T, Temple NJ, Bray GA, eds. *Nutrition guide for physicians and related healthcare professionals*. Totowa, N.J.: Humana Press; 2017:351-60.

Chang JS, Ha K. An unexpected role for the transcriptional coactivator isoform NT-PGC-1 α in the regulation of mitochondrial respiration in brown adipocytes. *J Biol Chem* 2017;292:9958-66.

Chappell CL, Dickerson M, Day RS, Dubuisson O, Dhurandhar NV. Adenovirus 36 antibody detection: Improving the standard serum neutralization assay. *J Virol Methods* 2017;239:69-74.

Chaput JP, Katzmarzyk PT, Barnes JD, et al. Mid-upper arm circumference as a screening tool for identifying children with obesity: a 12-country study. *Pediatr Obes* 2017;12:439-45.

Chen Q, Zhang Y, Ding D, et al. Associations between serum calcium, phosphorus and mortality among patients with coronary heart disease. *Eur J Nutr* 2017.

Chomistek AK, Yuan C, Matthews CE, et al. Physical Activity Assessment with the ActiGraph GT3X and Doubly Labeled Water. *Med Sci Sports Exerc* 2017;49:1935-44.

Clarke K, Ricciardi S, Pearson T, et al. The Role of Eif6 in Skeletal Muscle Homeostasis Revealed by Endurance Training Co-expression Networks. *Cell Rep* 2017;21:1507-20.

Clemmensen C, Muller TD, Woods SC, Berthoud HR, Seeley RJ, Tschop MH. Gut-Brain Cross-Talk in Metabolic Control. *Cell* 2017;168:758-74.

Collier JJ, Sparer TE, Karlstad MD, Burke SJ. Pancreatic islet inflammation: an emerging role for chemokines. *J Mol Endocrinol* 2017;59:R33-R46.

Collins TC, Slovut DP, Newton R, Jr., et al. Ideal cardiovascular health and peripheral artery disease in African Americans: Results from the Jackson Heart Study. *Prev Med Rep* 2017;7:20-5.

Corbett DB, Rejeski WJ, Tudor-Locke C, et al. Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. *J Gerontol B Psychol Sci Soc Sci* 2017.

Covington JD, Johannsen DL, Coen PM, et al. Intramyocellular Lipid Droplet Size Rather Than Total Lipid Content is Related to Insulin Sensitivity After 8 Weeks of Overfeeding. *Obesity (Silver Spring)* 2017;25:2079-87.

Crittenden NE, Rashed H, Johnson WD, et al. Long-Term Follow-Up of Autonomic and Enteric Measures in Patients Undergoing Vertical Banded Gastroplasty for Morbid Obesity. *Gastroenterology research* 2017;10:218-23.

Dadar M, Maranzano J, Misquitta K, et al. Performance comparison of 10 different classification techniques in segmenting white matter hyperintensities in aging. *Neuroimage* 2017;157:233-49.

Dadar M, Pascoal TA, Manitsirikul S, et al. Validation of a Regression Technique for Segmentation of White Matter Hyperintensities in Alzheimer's Disease. *IEEE Trans Med Imaging* 2017;36:1758-68.

Dalle Carbonare L, Valenti MT, Del Forno F, Caneva E, Pietrobelli A. Vitamin D: Daily vs. Monthly Use in Children and Elderly-What Is Going On? *Nutrients* 2017;9.

Das SK, Roberts SB, Bhapkar MV, et al. Body-composition changes in the Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy (CALERIE)-2 study: a 2-y randomized controlled trial of calorie restriction in nonobese humans. *Am J Clin Nutr* 2017;105:913-27.

de Carvalho AM, Shao P, Liu H, et al. The MC4R genotype is associated with postpartum weight reduction and glycemic changes among women with prior gestational diabetes: longitudinal analysis. *Sci Rep* 2017;7:9654.

Ding D, Kolbe-Alexander T, Nguyen B, Katzmarzyk PT, Pratt M, Lawson KD. The economic burden of physical inactivity: a systematic review and critical appraisal. *Br J Sports Med* 2017;51:1392-409.

Dong L, Zhang Y, Yang L, Liu G, Ye J, Wang H. Effects of a High-Fat Diet on Adipose Tissue CD8+ T Cells in Young vs. Adult Mice. *Inflammation* 2017;40:1944-58.

Douglas Braymer H, Zachary H, Schreiber AL, Primeaux SD. Lingual CD36 and nutritional status differentially regulate fat preference in obesity-prone and obesity-resistant rats. *Physiol Behav* 2017;174:120-7.

Dumuid D, Olds T, Lewis LK, et al. Health-Related Quality of Life and Lifestyle Behavior Clusters in School-Aged Children from 12 Countries. *J Pediatr* 2017;183:178-83 e2.

Dumuid D, Stanford TE, Martin-Fernandez JA, et al. Compositional data analysis for physical activity, sedentary time and sleep research. *Stat Methods Med Res* 2017:962280217710835.

Early KS, Stewart A, Johannsen N, Lavie CJ, Thomas JR, Welsch M. The Effects of Exercise Training on Brachial Artery Flow-Mediated Dilatation: A Meta-analysis. *J Cardiopulm Rehabil Prev* 2017;37:77-89.

Earthman CP, Wolfe RR, Heymsfield SB. Dudrick Research Symposium 2015-Lean Tissue and Protein in Health and Disease. *JPEN J Parenter Enteral Nutr* 2017;41:226-37.

Espeland MA, Luchsinger JA, Baker LD, et al. Effect of a long-term intensive lifestyle intervention on prevalence of

cognitive impairment. *Neurology* 2017;88:2026-35.

Fang Y, McFadden S, Darcy J, et al. Differential effects of early-life nutrient restriction in long-lived GHR-KO and normal mice. *Geroscience* 2017;39:347-56.

Ferrari GLM, Araujo T, Oliveira LC, et al. Accelerometer-determined peak cadence and weight status in children from Sao Caetano do Sul, Brazil. *Ciencia & saude coletiva* 2017;22:3689-98.

Ferrari GLM, Matsudo V, Katzmarzyk PT, Fisberg M. Prevalence and factors associated with body mass index in children aged 9-11 years. *J Pediatr (Rio J)* 2017;93:601-9.

Fielding RA, Guralnik JM, King AC, et al. Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. *PLoS ONE* 2017;12:e0182155.

Fiford CM, Manning EN, Bartlett JW, et al. White matter hyperintensities are associated with disproportionate progressive hippocampal atrophy. *Hippocampus* 2017;27:249-62.

Forney LA, Stone KP, Wanders D, Gettys TW. Sensing and signaling mechanisms linking dietary methionine restriction to the behavioral and physiological components of the response. *Front Neuroendocrinol* 2017.

Forney LA, Wanders D, Stone KP, Pierse A, Gettys TW. Concentration-dependent linkage of dietary methionine restriction to the components of its metabolic phenotype. *Obesity (Silver Spring)* 2017;25:730-8.

Gadde KM, Pritham Raj Y. Pharmacotherapy of Obesity: Clinical Trials to Clinical Practice. *Curr Diab Rep* 2017;17:34.

Gadde KM, Vetter ML, Iqbal N, Hardy E, Ohman P, investigators D-N-s. Efficacy and safety of autoinjected exenatide once-weekly suspension versus sitagliptin or placebo with metformin in patients with type 2 diabetes: The DURATION-NEO-2 randomized clinical study. *Diabetes Obes Metab* 2017;19:979-88.

Ghosh S, Bouchard C. Convergence between biological, behavioural and genetic determinants of obesity. *Nat Rev Genet* 2017;18:731-48.

Ghosh S, Forney LA, Wanders D, Stone KP, Gettys TW. An integrative analysis of tissue-specific transcriptomic and metabolomic responses to short-term dietary methionine restriction in mice. *PLoS ONE* 2017;12:e0177513.

Gillison F, Cumming S, Standage M, Barnaby C, Katzmarzyk P. Assessing the impact of adjusting for maturity in weight status classification in a cross-sectional sample of UK children. *BMJ open* 2017;7:e015769.

Gilmore LA, Klempel MC, Martin CK, et al. Personalized Mobile Health Intervention for Health and Weight Loss in Postpartum Women Receiving Women, Infants, and Children Benefit: A Randomized Controlled Pilot Study. *J Womens Health (Larchmt)* 2017;26:719-27.

Goldberg RB, Temprosa M, Mele L, et al. Erratum to: "Change in adiponectin explains most of the change in HDL particles induced by lifestyle intervention but not metformin treatment in the diabetes prevention program" [*Metabolism* (2016) 65: 764-775]. *Metabolism* 2017;68:184-6.

Goldsmith F, Guice J, Page R, et al. Obese ZDF rats fermented resistant starch with effects on gut microbiota but no reduction in abdominal fat. *Mol Nutr Food Res* 2017;61:1501025.

Goldstein RF, Abell SK, Ranasinha S, et al. Association of Gestational Weight Gain With Maternal and Infant Outcomes: A Systematic Review and Meta-analysis. *JAMA* 2017;317:2207-25.

Gomes TN, Dos Santos FK, Katzmarzyk PT, Maia J. Active and strong: physical activity, muscular strength, and metabolic risk in children. *Am J Hum Biol* 2017;29.

Gomes TN, Hedeker D, Dos Santos FK, et al. Relationship between Sedentariness and Moderate-to-Vigorous Physical Activity in Youth: A Multivariate Multilevel Study. *Int J Environ Res Public Health* 2017;14.

Gomes TN, Katzmarzyk PT, Hedeker D, et al. Correlates of compliance with recommended levels of physical activity in children. *Sci Rep* 2017;7:16507.

Gonzalez MC, Heymsfield SB. Bioelectrical impedance analysis for diagnosing sarcopenia and cachexia: what are we really estimating? *J Cachexia Sarcopenia Muscle* 2017;8:187-9.

Gonzalez-Muniesa P, Martinez-Gonzalez MA, Hu FB, et al. Obesity. *Nat Rev Dis Primers* 2017;3:17034.

Graff M, Scott RA, Justice AE, et al. Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. *PLoS Genet* 2017;13:e1006528.

Grant RW, Boudreaux JI, Stephens JM. 2-deoxyglucose inhibits induction of chemokine expression in 3T3-L1 adipocytes and adipose tissue explants. *Obesity (Silver Spring)* 2017;25:76-84.

Guan W, Brantley PJ. Why Patients Select Weight Loss Bariatric Surgery. In: Preedy VR, ed. *Metabolism and pathophysiology of bariatric surgery : nutrition, procedures, outcomes and adverse effects*. Tokyo: Academic Press; 2017:61-9.

Han L, Ma W, Sun D, et al. Genetic variation of habitual coffee consumption and glycemic changes in response to weight-loss diet intervention: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. *Am J Clin Nutr* 2017;106:1321-6.

Hao Z, Townsend RL, Mumphy MB, Morrison CD, Munzberg H, Berthoud HR. RYGB Produces more Sustained Body Weight Loss and Improvement of Glycemic Control Compared with VSG in the Diet-Induced Obese Mouse Model. *Obes Surg* 2017;27:2424-33.

Hawkins KR, Apolzan JW, Myers CA, Martin CK. *The Assessment of Food Intake with Digital Photography*. Boca Raton: CRC Press; **2017**.

He H, Sun D, Zeng Y, et al. A Systems Genetics Approach Identified GPD1L and its Molecular Mechanism for Obesity in Human Adipose Tissue. *Sci Rep* 2017;7:1799.

Heianza Y, Sun D, Wang T, et al. Starch Digestion-Related Amylase Genetic Variant Affects 2-Year Changes in Adiposity in Response to Weight-Loss Diets: The POUNDS Lost Trial. *Diabetes* 2017;66:2416-23.

Heitman E, Ingram DK. Cognitive and neuroprotective effects of chlorogenic acid. *Nutr Neurosci* 2017;20:32-9.

Heymsfield SB, Apovian CM. George Lincoln Blackburn, MD, PhD (1936-2017). *Obesity (Silver Spring)* 2017;25:815.

Heymsfield SB, Bourgeois B, Thomas DM. Assessment of human energy exchange: historical overview. *Eur J Clin Nutr* 2017;71:294-300.

Heymsfield SB, Bourgeois B, Thomas DM. Assessment of human energy exchange: historical overview. *Eur J Clin Nutr* 2017;71:294-300.

Heymsfield SB, Bourgeois B, Thomas DM. Why is it Difficult to Lose and Maintain Large Amounts of Weight with Lifestyle and Pharmacologic Treatments? *Obesity (Silver Spring)* 2017;25:2017.

Heymsfield SB, Peterson CM, Thomas DM, et al. Establishing energy requirements for body weight maintenance: validation of an intake-balance method. *BMC Res Notes* 2017;10:220.

Heymsfield SB, Stevens J. Anthropometry: continued refinements and new developments of an ancient method. *Am J Clin Nutr* 2017;105:1-2.

Heymsfield SB, Wadden TA. Mechanisms, Pathophysiology, and Management of Obesity. *N Engl J Med* 2017;376:254-66.

Heymsfield SB, Wadden TA. Mechanisms, Pathophysiology, and Management of Obesity. *N Engl J Med* 2017;376:1492.

Hibar DP, Adams HHH, Jahanshad N, et al. Novel genetic loci associated with hippocampal volume. *Nat Commun* 2017;8:13624.

Hill CM, Laeger T, Albarado DC, et al. Low protein-induced increases in FGF21 drive UCP1-dependent metabolic but not thermoregulatory endpoints. *Sci Rep* 2017;7:8209.

Houston DK, Neiberg RH, Miller ME, et al. Physical Function Following a Long-Term Lifestyle Intervention among Middle Aged and Older Adults with Type 2 Diabetes: the Look AHEAD Study. *J Gerontol A Biol Sci Med Sci* 2017.

Hsia DS, Grove O, Cefalu WT. An update on sodium-glucose co-transporter-2 inhibitors for the treatment of diabetes mellitus. *Curr Opin Endocrinol Diabetes Obes* 2017;24:73-9.

Huang T, Zheng Y, Hruby A, et al. Dietary Protein Modifies the Effect of the MC4R Genotype on 2-Year Changes in Appetite and Food Craving: The POUNDS Lost Trial. *J Nutr* 2017;147:439-44.

Ingram DK, de Cabo R. Calorie restriction in rodents: Caveats to consider. *Ageing Res Rev* 2017;39:15-28.

Jacquart J, Papini S, Davis ML, et al. Identifying attendance patterns in a smoking cessation treatment and their relationships with quit success. *Drug Alcohol Depend* 2017;174:65-9.

Johnson KC, Bray GA, Cheskin LJ, et al. The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. *J Bone Miner Res* 2017;32:2278-87.

Johnson WD. Author's response. *Ann Allergy Asthma Immunol* 2017;118:525.

Justice AE, Winkler TW, Feitosa MF, et al. Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. *Nat Commun* 2017;8:14977.

Kahathuduwa CN, Binks M, Martin CK, Dawson JA. Extended calorie restriction suppresses overall and specific food cravings: a systematic review and a meta-analysis. *Obes Rev* 2017;18:1122-35.

Kalyani RR, Golden SH, Cefalu WT. Diabetes and Aging: Unique Considerations and Goals of Care. *Diabetes Care* 2017;40:440-3.

Katzmarzyk PT, Lee IM, Martin CK, Blair SN. Epidemiology of Physical Activity and Exercise Training in the United States. *Prog Cardiovasc Dis* 2017;60:3-10.

Katzmarzyk PT, Staiano AE. Relationship Between Meeting 24-Hour Movement Guidelines and Cardiometabolic Risk Factors in Children. *J Phys Act Health* 2017;14:779-84.

Kennedy BM, Jaligam V, Conish BK, Johnson WD, Melancon B, Katzmarzyk PT. Exploring Patient, Caregiver, and Healthcare Provider Perceptions of Caring for Patients With Heart Failure: What Are the Implications? *Ochsner J* 2017;17:93-102.

Kennedy BM, Rehman M, Johnson WD, Magee MB, Leonard R, Katzmarzyk PT. Healthcare Providers versus Patients' Understanding of Health Beliefs and Values. *Patient experience journal* 2017;4:29-37.

Kepper MM, Sothorn MS, Theall KP, et al. A Reliable, Feasible Method to Observe Neighborhoods at High Spatial Resolution. *Am J Prev Med* 2017;52:S20-S30.

Kihm HS, Staiano A, Sandoval P. Project IPAL: Enhancing the Well-Being of Elementary School Children. *J Fam Consum Sci* 2017;109:54-6.

Kim C, Dabelea D, Kalyani RR, et al. Changes in Visceral Adiposity, Subcutaneous Adiposity, and Sex Hormones in the Diabetes Prevention Program. *J Clin Endocrinol Metab* 2017;102:3381-9.

Knott EJ, Richard AJ, Mynatt RL, Ribnicky D, Stephens JM, Bruce-Keller A. Fenugreek supplementation during high-fat feeding improves specific markers of metabolic health. *Sci Rep* 2017;7:12770.

Kumar A, Palfrey HA, Pathak R, Kadowitz PJ, Gettys TW, Murthy SN. The metabolism and significance of homocysteine in nutrition and health. *Nutr Metab (Lond)* 2017;14:78.

Lam YY, Ravussin E. Indirect calorimetry: an indispensable tool to understand and predict obesity. *Eur J Clin Nutr* 2017;71:318-22.

Lam YY, Ravussin E. Variations in energy intake: it is more complicated than we think. *Am J Clin Nutr* 2017;106:1169-70.

le Roux CW, Astrup A, Fujioka K, et al. 3 years of liraglutide versus placebo for type 2 diabetes risk reduction and weight management in individuals with prediabetes: a randomised, double-blind trial. *Lancet* 2017;389:1399-409.

Lee JH, Zhang Y, Zhao Z, et al. Intracellular ATP in balance of pro- and anti-inflammatory cytokines in adipose tissue with and without tissue expansion. *Int J Obes* 2017;41:645-51.

Leng J, Wang L, Wang J, et al. Uric acid and diabetes risk among Chinese women with a history of gestational diabetes mellitus. *Diabetes Res Clin Pract* 2017;134:72-9.

Leng J, Wang P, Shao P, et al. Passive smoking increased risk of gestational diabetes mellitus independently and synergistically with prepregnancy obesity in Tianjin, China. *Diabetes Metab Res Rev* 2017;33.

Li C, Mikus C, Ahmed A, et al. A cross-sectional study of cardiorespiratory fitness and gallbladder disease. *Ann Epidemiol* 2017;27:269-73 e3.

Li W, Wang L, Li N, et al. Maternal Prepregnancy BMI and Glucose Level at 24-28 Gestational Weeks on Offspring's Overweight Status within 3 Years of Age. *Biomed Res Int* 2017;2017:7607210.

Li X, Ding D, Zhang Y, et al. Associations of plasma hepcidin with mortality risk in patients with coronary artery disease. *Oncotarget* 2017;8:109497-508.

Liu G, Liang L, Bray GA, et al. Thyroid hormones and changes in body weight and metabolic parameters in response to weight loss diets: the POUNDS LOST trial. *Int J Obes* 2017;41:878-86.

Liu J, Wang L, Sun J, et al. Bone mineral density reference standards for Chinese children aged 3-18: cross-sectional results of the 2013-2015 China Child and Adolescent Cardiovascular Health (CCACH) Study. *BMJ open* 2017;7:e014542.

Losso JN, Karki N, Muyonga J, et al. Iron retention in iron-fortified rice and use of iron-fortified rice to treat women with iron deficiency: A pilot study. *BBA clinical* 2017;8:78-83.

Ma W, Huang T, Heianza Y, et al. Genetic Variations of Circulating Adiponectin Levels Modulate Changes in Appetite in Response to Weight-Loss Diets. *J Clin Endocrinol Metab* 2017;102:316-25.

Manini TM, Beavers DP, Pahor M, et al. Effect of Physical Activity on Self-Reported Disability in Older Adults: Results from the LIFE Study. *J Am Geriatr Soc* 2017;65:980-8.

Manyanga T, Tremblay MS, Chaput JP, et al. Socioeconomic status and dietary patterns in children from around the world: different associations by levels of country human development? *BMC Public Health* 2017;17:457.

Marcus L, Soileau J, Judge LW, Bellar D. Evaluation of the effects of two doses of alpha glycerylphosphorylcholine on physical and psychomotor performance. *J Int Soc Sports Nutr* 2017;14:39.

Marlatt KL, Greenway FL, Ravussin E. Assessment of EchoMRI-AH versus dual-energy X-ray absorptiometry by iDXA to measure human body composition. *Eur J Clin Nutr* 2017;71:558-60.

Marlatt KL, Ravussin E. Brown Adipose Tissue: an Update on Recent Findings. *Current obesity reports* 2017;6:389-96.

Marlatt KL, Redman LM, Burton JH, Martin CK, Ravussin E. Persistence of weight loss and acquired behaviors 2 y after stopping a 2-y calorie restriction intervention. *Am J Clin Nutr* 2017;105:928-35.

Mattison JA, Colman RJ, Beasley TM, et al. Caloric restriction improves health and survival of rhesus monkeys. *Nat Commun* 2017;8:14063.

McClung HL, Champagne CM, Allen HR, et al. Digital food photography technology improves efficiency and feasibility of dietary intake assessments in large populations eating ad libitum in collective dining facilities. *Appetite* 2017;116:389-94.

Milani GP, Silano M, Pietrobelli A, Agostoni C. Junk food concept: seconds out. *Int J Obes* 2017;41:669-71.

Most J, Tosti V, Redman LM, Fontana L. Calorie restriction in humans: An update. *Ageing Res Rev* 2017;39:36-45.

Mota de Sa P, Richard AJ, Hang H, Stephens JM. Transcriptional Regulation of Adipogenesis. *Compr Physiol* 2017;7:635-74.

Myers CA, Slack T, Broyles ST, Heymsfield SB, Church TS, Martin CK. Diabetes prevalence is associated with different community factors in the diabetes belt versus the rest of the United States. *Obesity (Silver Spring)* 2017;25:452-9.

Nguyen HT, Mortazavi A, Pohar KS, et al. Quantitative Assessment of Heterogeneity in Bladder Tumor MRI Diffusivity: Can Response be Predicted Prior to Neoadjuvant Chemotherapy? *Bladder cancer* 2017;3:237-44.

Nguyen HT, Shah ZK, Mortazavi A, et al. Non-invasive quantification of tumour heterogeneity in water diffusivity to differentiate malignant from benign tissues of urinary bladder: a phase I study. *Eur Radiol* 2017;27:2146-52.

Nicklas T, Saab R, Islam NG, et al. Validity of the Remote Food Photography Method Against Doubly Labeled Water Among Minority Preschoolers. *Obesity (Silver Spring)* 2017;25:1633-8.

Oken E, Fields DA, Lovelady CA, Redman LM. TOS Scientific Position Statement: Breastfeeding and Obesity. *Obesity (Silver Spring)* 2017;25:1864-6.

Pasiakos SM, Berryman CE, Karl JP, et al. Physiological and psychological effects of testosterone during severe energy deficit and recovery: A study protocol for a randomized, placebo-controlled trial for Optimizing Performance for Soldiers (OPS). *Contemp Clin Trials* 2017;58:47-57.

Pepping JK, Vandanmagsar B, Fernandez-Kim SO, Zhang J, Mynatt RL, Bruce-Keller AJ. Myeloid-specific deletion of NOX2 prevents the metabolic and neurologic consequences of high fat diet. *PLoS ONE* 2017;12:e0181500.

Pereira S, Borges A, Gomes TN, et al. Correlates of children's compliance with moderate-to-vigorous physical activity recommendations: a multilevel analysis. *Scand J Med Sci Sports* 2017;27:842-51.

Pereira S, Katzmarzyk PT, Gomes TN, et al. Multilevel modelling of somatotype components: the Portuguese sibling study on growth, fitness, lifestyle and health. *Ann Hum Biol* 2017;44:316-24.

Pereira S, Todd Katzmarzyk P, Gomes TN, et al. A multilevel analysis of health-related physical fitness. The Portuguese sibling study on growth, fitness, lifestyle and health. *PLoS ONE* 2017;12:e0172013.

Peterson CM, Orooji M, Johnson DN, Naraghi-Pour M, Ravussin E. Brown adipose tissue does not seem to mediate metabolic adaptation to overfeeding in men. *Obesity (Silver Spring)* 2017;25:502-5.

Peterson CM, Su H, Thomas DM, et al. Tri-Ponderal Mass Index vs Body Mass Index in Estimating Body Fat During Adolescence. *JAMA pediatrics* 2017;171:629-36.

Peterson CM, Thomas DM, Heymsfield SB. The Use of Tri-Ponderal Mass Index and Other Indices in Estimating Visceral Body Fat Percentages in Adolescents-Reply. *JAMA pediatrics* 2017;171:1228.

Peterson CM, Zhang B, Johannsen DL, Ravussin E. Eight weeks of overfeeding alters substrate partitioning without affecting metabolic flexibility in men. *Int J Obes* 2017;41:887-93.

Pettit AP, Jonsson WO, Bargoud AR, et al. Dietary Methionine Restriction Regulates Liver Protein Synthesis and Gene Expression Independently of Eukaryotic Initiation Factor 2 Phosphorylation in Mice. *J Nutr* 2017;147:1031-40.

Pietrobelli A, Agosti M, MeNu G. Nutrition in the First 1000 Days: Ten Practices to Minimize Obesity Emerging from Published Science. *Int J Environ Res Public Health* 2017;14.

Qiao Y, Zhang T, Liu H, et al. Joint association of birth weight and physical activity/sedentary behavior with obesity in children ages 9-11 years from 12 countries. *Obesity (Silver Spring)* 2017;25:1091-7.

Qualls-Creekmore E, Yu S, Francois M, et al. Galanin-Expressing GABA Neurons in the Lateral Hypothalamus Modulate Food Reward and Noncompulsive Locomotion. *J Neurosci* 2017;37:6053-65.

Rapp SR, Luchsinger JA, Baker LD, et al. Effect of a Long-Term Intensive Lifestyle Intervention on Cognitive Function: Action for Health in Diabetes Study. *J Am Geriatr Soc* 2017;65:966-72.

Ravussin E. Energy Expenditure and the Regulation of Energy Balance. In: Brownell KD, Walsh BT, eds. *Eating disorders and obesity : a comprehensive handbook*. Third edition. ed. New York: Guilford Press; 2017:63-71.

Rebello CJ, Greenway FL, Johnson WD, et al. Fucoxanthin and Its Metabolite Fucoxanthinol Do Not Induce Browning in Human Adipocytes. *J Agric Food Chem* 2017;65:10915-24.

Redman LM, Gilmore LA, Breaux J, et al. Effectiveness of SmartMoms, a Novel eHealth Intervention for Management of Gestational Weight Gain: Randomized Controlled Pilot Trial. *JMIR mHealth and uHealth* 2017;5:e133.

Richard AJ, Hang H, Stephens JM. Pyruvate dehydrogenase complex (PDC) subunits moonlight as interaction partners of phosphorylated STAT5 in adipocytes and adipose tissue. *J Biol Chem* 2017;292:19733-42.

Richards BK, Kappen C, Newman S. Hypothalamic transcriptome analysis of congenic-derived F2 mice (chromosome 17:3-45 Mb) exhibiting preferential carbohydrate (versus fat) intake. *Genom Data* 2017;12:24-7.

Rogers RC, McDougal DH, Hermann GE. Hindbrain astrocyte glucodetectors and counter-regulation In: Harris RBS, ed. *Appetite and food intake : central control*. Second edition. ed. Boca Raton: CRC Press; 2017:205-28.

Ryan DH, Ravussin E. Keeping the baby and throwing out the bathwater. *Obesity (Silver Spring)* 2017;25:659.

Ryan DH, Yockey SR. Weight Loss and Improvement in Comorbidity: Differences at 5%, 10%, 15%, and Over. *Current obesity reports* 2017;6:187-94.

Sala P, Belarmino G, Torrinhas RS, et al. Gastrointestinal Transcriptomic Response of Metabolic Vitamin B12 Pathways in Roux-en-Y Gastric Bypass. *Clinical and translational gastroenterology* 2017;8:e212.

Sala P, Torrinhas RS, Fonseca DC, Heymsfield S, Giannella-Neto D, Waitzberg DL. Type 2 Diabetes Remission After Roux-en-Y Gastric Bypass: Evidence for Increased Expression of Jejunal Genes Encoding Regenerating Pancreatic Islet-Derived Proteins as a Potential Mechanism. *Obes Surg* 2017;27:1123-7.

Salvatore MF, Terrebonne J, Cantu MA, et al. Dissociation of Striatal Dopamine and Tyrosine Hydroxylase Expression from Aging-Related Motor Decline: Evidence from Calorie Restriction Intervention. *J Gerontol A Biol Sci Med Sci* 2017;73:11-20.

Sampasa-Kanyinga H, Standage M, Tremblay MS, et al. Associations between meeting combinations of 24-h movement guidelines and health-related quality of life in children from 12 countries. *Public Health* 2017;153:16-24.

Samuel-Hodge CD, Holder-Cooper JC, Gizlice Z, et al. Family PArtners in Lifestyle Support (PALS): Family-based weight loss for African American adults with type 2 diabetes. *Obesity (Silver Spring)* 2017;25:45-55.

Sanchez-Infantes D, Cereijo R, Peyrou M, Piquer-Garcia I, Stephens JM, Villarroya F. Oncostatin m impairs brown adipose tissue thermogenic function and the browning of subcutaneous white adipose tissue. *Obesity (Silver Spring)* 2017;25:85-93.

Sarzynski MA, Ghosh S, Bouchard C. Genomic and transcriptomic predictors of response levels to endurance exercise training. *J Physiol* 2017;595:2931-9.

Schwartz MW, Seeley RJ, Zeltser LM, et al. Obesity Pathogenesis: An Endocrine Society Scientific Statement. *Endocr Rev* 2017;38:267-96.

Scott JA, Tosun D, Braskie MN, et al. Independent value added by diffusion MRI for prediction of cognitive function in older adults. *Neuroimage Clin* 2017;14:166-73.

Sherifali D, Nerenberg KA, Wilson S, et al. The Effectiveness of eHealth Technologies on Weight Management in Pregnant and Postpartum Women: Systematic Review and Meta-Analysis. *J Med Internet Res* 2017;19:e337.

Smith SR, Garvey WT, Greenway FL, et al. Coadministration of lorcaserin and phentermine for weight management: A 12-week, randomized, pilot safety study. *Obesity (Silver Spring)* 2017;25:857-65.

Sparks LM, Redman LM, Conley KE, et al. Effects of 12 Months of Caloric Restriction on Muscle Mitochondrial Function in Healthy Individuals. *J Clin Endocrinol Metab* 2017;102:111-21.

Staiano A, Marker A, Liu M, Hayden E, Hsia D, Broyles S. Childhood Obesity Screening and Treatment Practices of Pediatric Healthcare Providers. *J La State Med Soc* 2017;169:2-10.

Staiano AE, Beyl RA, Hsia DS, et al. Step Tracking with Goals Increases Children's Weight Loss in Behavioral Intervention. *Child Obes* 2017;13:283-90.

Staiano AE, Beyl RA, Hsia DS, Katzmarzyk PT, Newton RL, Jr. Twelve weeks of dance exergaming in overweight and

obese adolescent girls: Transfer effects on physical activity, screen time, and self-efficacy. *J Sport Health Sci* 2017;6:4-10.

Staiano AE, Marker AM, Beyl RA, Hsia DS, Katzmarzyk PT, Newton RL. A randomized controlled trial of dance exergaming for exercise training in overweight and obese adolescent girls. *Pediatr Obes* 2017;12:120-8.

Staiano AE, Marker AM, Comeaux J, Frelief JM, Hsia DS, Broyles ST. Family-Based Behavioral Treatment for Childhood Obesity: Caretaker-Reported Barriers and Facilitators. *Ochsner J* 2017;17:83-92.

Stephens JM, Elks CM. Oncostatin M: Potential Implications for Malignancy and Metabolism. *Curr Pharm Des* 2017;23:3645-57.

Stevens J, Truesdale KP, Cai J, Ou FS, Reynolds KR, Heymsfield SB. Nationally representative equations that include resistance and reactance for the prediction of percent body fat in Americans. *Int J Obes* 2017;41:1669-75.

Stewart TM, Pollard T, Hildebrandt T, et al. The Female Athlete Body (FAB) study: Rationale, design, and baseline characteristics. *Contemp Clin Trials* 2017;60:63-71.

Stewart TM, Pollard T, Verzijl C, Becker CB. Is athletic participation an eating disorder risk factor? In: Wade T, ed. *Encyclopedia of feeding and eating disorders*. Singapore: Springer; 2017:33-8.

Sullivan SM, Broyles ST, Barreira TV, et al. Associations of neighborhood social environment attributes and physical activity among 9-11 year old children from 12 countries. *Health Place* 2017;46:183-91.

Sutton EF, Cain LE, Vallo PM, Redman LM. Strategies for Successful Recruitment of Pregnant Patients Into Clinical Trials. *Obstet Gynecol* 2017;129:554-9.

Sutton EF, Lob HE, Song J, et al. Adverse metabolic phenotype of female offspring exposed to preeclampsia in utero: a characterization of the BPH/5 mouse in postnatal life. *Am J Physiol Regul Integr Comp Physiol* 2017;312:R485-R91.

Swift DL, Johannsen NM, Earnest CP, Newton RL, Jr., McGee JE, Church TS. Cardiorespiratory Fitness and Exercise Training in African Americans. *Prog Cardiovasc Dis* 2017;60:96-102.

Thomas DM, Paynter J, Peterson CM, et al. A new universal dynamic model to describe eating rate and cumulative intake curves. *Am J Clin Nutr* 2017;105:323-31.

Trepanowski JF, Kroeger CM, Barnosky A, et al. Effects of alternate-day fasting or daily calorie restriction on body composition, fat distribution, and circulating adipokines: Secondary analysis of a randomized controlled trial. *Clin Nutr* 2017.

Trepanowski JF, Kroeger CM, Barnosky A, et al. Effect of Alternate-Day Fasting on Weight Loss, Weight Maintenance, and Cardioprotection Among Metabolically Healthy Obese Adults: A Randomized Clinical Trial. *JAMA Intern Med* 2017;177:930-8.

Trepanowski JF, Ravussin E, Varady KA. Sample Size Matters When Drawing Conclusions on Alternate-Day Fasting Diet-Reply. *JAMA Intern Med* 2017;177:1701.

Trivedi MH, Greer TL, Rethorst CD, et al. Randomized Controlled Trial Comparing Exercise to Health Education for Stimulant Use Disorder: Results From the CTN-0037 Stimulant Reduction Intervention Using Dosed Exercise (STRIDE) Study. *J Clin Psychiatry* 2017;78:1075-82.

Tudor-Locke C, Schuna JM, Jr., Han HO, et al. Step-Based Physical Activity Metrics and Cardiometabolic Risk: NHANES 2005-2006. *Med Sci Sports Exerc* 2017;49:283-91.

Turi BC, Codogno JS, Fernandes RA, et al. Association of Different Physical Activity Domains on All-Cause Mortality in Adults Participating in Primary Care in the Brazilian National Health System: 4-Year Follow-up. *J Phys Act Health* 2017;14:45-51.

Turner PA, Gurumurthy B, Bailey JL, Elks CM, Janorkar AV. Adipogenic Differentiation of Human Adipose-Derived Stem Cells Grown as Spheroids. *Process biochemistry* 2017;59:312-20.

Wanders D, Forney LA, Stone KP, Burk DH, Pierse A, Gettys TW. FGF21 Mediates the Thermogenic and Insulin-Sensitizing Effects of Dietary Methionine Restriction but Not Its Effects on Hepatic Lipid Metabolism. *Diabetes* 2017;66:858-67.

Wang H, Leng J, Li W, et al. Sleep duration and quality, and risk of gestational diabetes mellitus in pregnant Chinese women. *Diabet Med* 2017;34:44-50.

Wang L, Leng J, Liu H, et al. Association between hypertensive disorders of pregnancy and the risk of postpartum hypertension: a cohort study in women with gestational diabetes. *J Hum Hypertens* 2017;31:725-30.

Warfel JD, Vandanmagsar B, Dubuisson OS, et al. Examination of carnitine palmitoyltransferase 1 abundance in white adipose tissue: implications in obesity research. *Am J Physiol Regul Integr Comp Physiol* 2017;312:R816-R20.

Warfel JD, Vandanmagsar B, Wicks SE, Zhang J, Noland RC, Mynatt RL. A low fat diet ameliorates pathology but retains beneficial effects associated with CPT1b knockout in skeletal muscle. *PLoS ONE* 2017;12:e0188850.

Watson C, Busovaca E, Foley JM, et al. White matter hyperintensities correlate to cognition and fiber tract integrity in older adults with HIV. *J Neurovirol* 2017;23:422-9.

Weng JP, Hu G. Diabetes: Leveraging the Tipping Point of the Diabetes Pandemic. *Diabetes* 2017;66:1461-3.

White UA, Fitch MD, Beyl RA, Hellerstein MK, Ravussin E. Association of In Vivo Adipose Tissue Cellular Kinetics With Markers of Metabolic Health in Humans. *J Clin Endocrinol Metab* 2017;102:2171-8.

Wilfley DE, Staiano AE, Altman M, et al. Improving access and systems of care for evidence-based childhood obesity treatment: Conference key findings and next steps. *Obesity (Silver Spring)* 2017;25:16-29.

Williamson DA. Fifty Years of Behavioral/Lifestyle Interventions for Overweight and Obesity: Where Have We Been and Where Are We Going? *Obesity (Silver Spring)* 2017;25:1867-75.

Yin P, Shao P, Liu H, et al. C-peptide levels and the risk of diabetes and pre-diabetes among Chinese women with gestational diabetes. *J Diabetes Complications* 2017;31:1658-62.

Yoshida Y, Scribner R, Chen L, Broyles S, Phillippi S, Tseng TS. Diet quality and its relationship with central obesity among Mexican Americans: findings from National Health and Nutrition Examination Survey (NHANES) 1999-2012. *Public Health Nutr* 2017;20:1193-202.

Yoshida Y, Scribner R, Chen L, Broyles S, Phillippi S, Tseng TS. Role of Age and Acculturation in Diet Quality Among Mexican Americans - Findings From the National Health and Nutrition Examination Survey, 1999-2012. *Prev Chronic Dis* 2017;14:E59.

Young AJ, Marriott BP, Champagne CM, et al. Blood fatty acid changes in healthy young Americans in response to a 10-week diet that increased n-3 and reduced n-6 fatty acid consumption: a randomised controlled trial. *Br J Nutr* 2017;117:1257-69.

Zhang S, Wang L, Leng J, et al. Hypertensive disorders of pregnancy in women with gestational diabetes mellitus on overweight status of their children. *J Hum Hypertens* 2017;31:731-6.

Zhang T, Wang P, Liu H, et al. Physical Activity, TV Watching Time, Sleeping, and Risk of Obesity and Hyperglycemia in the Offspring of Mothers with Gestational Diabetes Mellitus. *Sci Rep* 2017;7:41115.

Zhang Y, Ye J, Fan J. Regulation of malonyl-CoA-acyl carrier protein transacylase network in umbilical cord blood affected by intrauterine hyperglycemia. *Oncotarget* 2017;8:75254-63.

Zhang Y, Zhang Y, Ding GL, et al. Regulation of hepatic pyruvate dehydrogenase phosphorylation in offspring glucose intolerance induced by intrauterine hyperglycemia. *Oncotarget* 2017;8:15205-12.

Zheng J, Gao C, Wang M, et al. Lower Doses of Fructose Extend Lifespan in *Caenorhabditis elegans*. *J Diet Suppl* 2017;14:264-77.

2018

Allerton TD, Earnest CP, Johannsen NM. Metabolic and Mechanical Effects of Laddermill Graded Exercise Testing. *J Strength Cond Res* 2018;32:195-200.

Allerton TD, Proctor DN, Stephens JM, Dugas TR, Spielmann G, Irving BA. L-Citrulline Supplementation: Impact on Cardiometabolic Health. *Nutrients* 2018;10.

Barreira TV, Redmond JG, Brutsaert TD, et al. Can an automated sleep detection algorithm for waist worn accelerometry replace sleep logs? *Appl Physiol Nutr Metab* 2018.

Bea JW, Going SB, Wertheim BC, et al. Body composition and physical function in the Women's Health Initiative Observational Study. *Prev Med Rep* 2018;11:15-22.

Belarmino G, Singer P, Gonzalez MC, et al. Prognostic value of energy expenditure and respiratory quotient measuring in patients with liver cirrhosis. *Clin Nutr* 2018.

Bernstein JPK, Calamia M, Keller JN. Multiple self-reported sleep measures are differentially associated with cognitive performance in community-dwelling nondemented elderly. *Neuropsychology* 2018;32:220-9.

Bonn SE, Rimm EB, Matthews CE, et al. Associations of Sedentary Time with Energy Expenditure and Anthropometric Measures. *Med Sci Sports Exerc* 2018.

Borga M, West J, Bell JD, et al. Advanced body composition assessment: from body mass index to body composition profiling. *J Investig Med* 2018;66:1-9.

Bouchard C. Can Weight Control and Regular Physical Activity Increase Survival in CHD Patients? *J Am Coll Cardiol* 2018;71:1102-4.

Boudreau A, Fuller S, Ribnicky DM, Richard AJ, Stephens JM. Groundsel Bush (*Baccharis halimifolia*) Extract Promotes Adipocyte Differentiation In Vitro and Increases Adiponectin Expression in Mature Adipocytes. *Biology* 2018;7.

Bray GA, Heisel WE, Afshin A, et al. The Science of Obesity Management: An Endocrine Society Scientific Statement. *Endocr Rev* 2018;39:79-132.

Bray GA, Redman LM, de Jonge L, Rood J, Sutton EF, Smith SR. Plasma Amino Acids During 8 Weeks of Overfeeding: Relation to Diet Body Composition and Fat Cell Size in the PROOF Study. *Obesity (Silver Spring)* 2018;26:324-31.

Bray GA, Redman LM, de Jonge L, Rood J, Sutton EF, Smith SR. Plasma fatty acyl-carnitines during 8weeks of overfeeding: relation to diet energy expenditure and body composition: the PROOF study. *Metabolism* 2018;83:1-10.

Brinkley TE, Anderson A, Soliman EZ, et al. Long-Term Effects of an Intensive Lifestyle Intervention on Electrocardiographic Criteria for Left Ventricular Hypertrophy: The Look AHEAD Trial. *Am J Hypertens* 2018;31:541-8.

Broadney MM, Shareef F, Marwitz SE, et al. Evaluating the contribution of differences in lean mass compartments for resting energy expenditure in African American and Caucasian American children. *Pediatr Obes* 2018;13:413-20.

Broskey NT, Obanda DN, Burton JH, Cefalu WT, Ravussin E. Skeletal muscle ceramides and daily fat oxidation in obesity and diabetes. *Metabolism* 2018;82:118-23.

Brown DE, Katzmarzyk PT, Gotshalk LA. Physical activity level and body composition in a multiethnic sample of school children in Hawaii. *Ann Hum Biol* 2018;45:244-8.

Bruce-Keller AJ, Salbaum JM, Berthoud HR. Harnessing Gut Microbes for Mental Health: Getting From Here to There. *Biol Psychiatry* 2018;83:214-23.

Burke SJ, Batdorf HM, Burk DH, et al. Pancreatic deletion of the interleukin-1 receptor disrupts whole body glucose homeostasis and promotes islet beta-cell de-differentiation. *Mol Metab* 2018.

Burke SJ, Batdorf HM, Martin TM, et al. Liquid Sucrose Consumption Promotes Obesity and Impairs Glucose Tolerance Without Altering Circulating Insulin Levels. *Obesity (Silver Spring)* 2018;26:1188-96.

Calamia M, De Vito A, Bernstein JPK, Weitzner DS, Carmichael OT, Keller JN. Pedometer-assessed steps per day as a predictor of cognitive performance in older adults. *Neuropsychology* 2018.

Carmichael O, Schwarz AJ, Chatham CH, et al. The role of fMRI in drug development. *Drug Discov Today* 2018;23:333-48.

Carmichael OT, Pillai S, Shankapal P, et al. A Combination of Essential Fatty Acids, Panax Ginseng Extract, and Green Tea Catechins Modifies Brain fMRI Signals in Healthy Older Adults. *J Nutr Health Aging* 2018;22:837-46.

Castagna PJ, Roye S, Calamia M, Owens-French J, Davis TE, 3rd, Greening SG. Parsing the neural correlates of anxious apprehension and anxious arousal in the grey-matter of healthy youth. *Brain Imaging Behav* 2018;12:1084-98.

Castagna PJ, Roye S, Calamia M, Owens-French J, Davis TE, 3rd, Greening SG. Parsing the neural correlates of anxious apprehension and anxious arousal in the grey-matter of healthy youth. *Brain Imaging Behav* 2018;12:1084-98.

Chang JS, Ghosh S, Newman S, Salbaum JM. A map of the PGC-1alpha- and NT-PGC-1alpha-regulated transcriptional network in brown adipose tissue. *Sci Rep* 2018;8:7876.

Chang JS, Ha K. A truncated PPAR gamma 2 localizes to mitochondria and regulates mitochondrial respiration in brown adipocytes. *PLoS ONE* 2018;13:e0195007.

Chaput JP, Barnes JD, Tremblay MS, et al. Inequality in physical activity, sedentary behaviour, sleep duration and risk of obesity in children: a 12-country study. *Obes Sci Pract* 2018;4:229-37.

Chaput JP, Barnes JD, Tremblay MS, et al. Thresholds of physical activity associated with obesity by level of sedentary behaviour in children. *Pediatr Obes* 2018;13:450-7.

Chaput JP, Barnes JD, Tremblay MS, et al. Thresholds of physical activity associated with obesity by level of sedentary behaviour in children. *Pediatr Obes* 2018;13:450-7.

Chaput JP, Tremblay MS, Katzmarzyk PT, et al. Outdoor time and dietary patterns in children around the world. *J Public Health (Oxf)* 2018.

Chen P, Hou X, Hu G, et al. Abdominal subcutaneous adipose tissue: a favorable adipose depot for diabetes? *Cardiovasc Diabetol* 2018;17:93.

Chen Q, Francis E, Hu G, Chen L. Metabolomic profiling of women with gestational diabetes mellitus and their offspring: Review of metabolomics studies. *J Diabetes Complications* 2018;32:512-23.

Chen S, Hou X, Sun Y, et al. A seven-year study on an integrated hospital-community diabetes management program in Chinese patients with diabetes. *Prim Care Diabetes* 2018;12:231-7.

Church T, Martin CK. The Obesity Epidemic: A Consequence of Reduced Energy Expenditure and the Uncoupling of Energy Intake? *Obesity (Silver Spring)* 2018;26:14-6.

Clark RV, Walker AC, Miller RR, O'Connor-Semmes RL, Ravussin E, Cefalu WT. Creatine (methyl-d3) dilution in urine for estimation of total body skeletal muscle mass: accuracy and variability vs. MRI and DXA. *J Appl Physiol* (1985) 2018;124:1-9.

Costford SR, Brouwers B, Hopf ME, et al. Skeletal muscle overexpression of nicotinamide phosphoribosyl transferase in mice coupled with voluntary exercise augments exercise endurance. *Mol Metab* 2018;7:1-11.

Coulter AA, Rebello CJ, Greenway FL. Centrally Acting Agents for Obesity: Past, Present, and Future. *Drugs* 2018;78:1113-32.

Dadar M, Maranzano J, Ducharme S, et al. Validation of T1w-based segmentations of white matter hyperintensity volumes in large-scale datasets of aging. *Hum Brain Mapp* 2018;39:1093-107.

DeGregory KW, Kuiper P, DeSilvio T, et al. A review of machine learning in obesity. *Obes Rev* 2018;19:668-85.

Dickinson SL, Brown AW, Mehta T, et al. Incorrect analyses were used in "Different enteral nutrition formulas have no effect on glucose homeostasis but on diet-induced thermogenesis in critically ill medical patients: a randomized controlled trial" and corrected analyses are requested. *Eur J Clin Nutr* 2018.

Dumuid D, Maher C, Lewis LK, et al. Human development index, children's health-related quality of life and movement behaviors: a compositional data analysis. *Qual Life Res* 2018;27:1473-82.

Dumuid D, Olds T, Lewis LK, et al. The adiposity of children is associated with their lifestyle behaviours: a cluster analysis of school-aged children from 12 nations. *Pediatr Obes* 2018;13:111-9.

Dumuid D, Stanford TE, Pedisic Z, et al. Adiposity and the isothermal substitution of physical activity, sedentary time and sleep among school-aged children: a compositional data analysis approach. *BMC Public Health* 2018;18:311.

Ebbeling CB, Klein GL, Luoto PK, et al. A randomized study of dietary composition during weight-loss maintenance: Rationale, study design, intervention, and assessment. *Contemp Clin Trials* 2018;65:76-86.

Elks CM. Obesity and Inflammation: One Size Never Fits All. *EBioMedicine* 2018;30:9.

English LK, Masterson TD, Fearnbach SN, et al. Increased brain and behavioural susceptibility to portion size in children with loss of control eating. *Pediatr Obes* 2018.

Espeland MA, Carmichael O, Hayden K, et al. Long-term Impact of Weight Loss Intervention on Changes in Cognitive Function: Exploratory Analyses from the Action for Health in Diabetes Randomized Controlled Clinical Trial. *J Gerontol A Biol Sci Med Sci* 2018;73:484-91.

Espeland MA, Dutton GR, Neiberg RH, et al. Impact of a Multidomain Intensive Lifestyle Intervention on Complaints

about Memory, Problem-Solving, and Decision-Making Abilities: The Action for Health in Diabetes Randomized Controlled Clinical Trial. *J Gerontol A Biol Sci Med Sci* 2018.

Espeland MA, Luchsinger JA, Neiberg RH, et al. Long Term Effect of Intensive Lifestyle Intervention on Cerebral Blood Flow. *J Am Geriatr Soc* 2018;66:120-6.

Feitosa MF, Kraja AT, Chasman DI, et al. Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. *PLoS ONE* 2018;13:e0198166.

Fernandez-Verdejo R, Bajpeyi S, Ravussin E, Galgani JE. Metabolic Flexibility to Lipid Availability During Exercise is Enhanced in Individuals with High Insulin Sensitivity. *Am J Physiol Endocrinol Metab* 2018.

Ferrari GLM, Pires C, Sole D, Matsudo V, Katzmarzyk PT, Fisberg M. Factors associated with objectively measured total sedentary time and screen time in children aged 9-11 years. *J Pediatr (Rio J)* 2018.

Fiford CM, Ridgway GR, Cash DM, et al. Patterns of progressive atrophy vary with age in Alzheimer's disease patients. *Neurobiol Aging* 2018;63:22-32.

Fisher KA, Cahill LM, Broyles S, Rorke M, Robinson WT. Knowledge of hepatitis C status moderates the relationship between history of drug treatment and sterile syringe use. *PLoS ONE* 2018;13:e0196157.

Forney LA, Dietrich MA, Johannsen NM, et al. Emerging Relationships Between Vitamin D Status, Physical Activity Habits, and Immune Indices in College-Aged Females. *Int J Vitam Nutr Res* 2018:1-10.

Forney LA, Stone KP, Wanders D, Ntambi JM, Gettys TW. The role of suppression of hepatic SCD1 expression in the metabolic effects of dietary methionine restriction. *Appl Physiol Nutr Metab* 2018;43:123-30.

Fox J, Rioux BV, Goulet EDB, et al. Effect of an acute exercise bout on immediate post-exercise irisin concentration in adults: A meta-analysis. *Scand J Med Sci Sports* 2018;28:16-28.

Francois M, Qualls-Creekmore E, Berthoud HR, Munzberg H, Yu S. Genetics-based manipulation of adipose tissue sympathetic innervation. *Physiol Behav* 2018;190:21-7.

Gadde KM, Apolzan JW, Berthoud HR. Pharmacotherapy for Patients with Obesity. *Clin Chem* 2018;64:118-29.

Gadde KM, Martin CK, Berthoud HR, Heymsfield SB. Obesity: Pathophysiology and Management. *J Am Coll Cardiol* 2018;71:69-84.

Gay JL, Buchner DM, Erickson ML, Lauture A. Effect of short bouts of high intensity activity on glucose among adults with prediabetes: A pilot randomized crossover study. *Diabetes Res Clin Pract* 2018;141:168-74.

Ghoshal S, Stevens JR, Billon C, et al. Adropin: An endocrine link between the biological clock and cholesterol homeostasis. *Mol Metab* 2018;8:51-64.

Gilmore LA, Redman LM. Internet-based programmes on weight loss appear to be effective for low-income postpartum women. *Evid Based Nurs* 2018;21:42.

Gomes TN, Nevill A, Katzmarzyk PT, et al. Identifying the best body-weight-status index associated with metabolic risk in youth. *Scand J Med Sci Sports* 2018.

Goni L, Sun D, Heianza Y, et al. Macronutrient-specific effect of the MTNR1B genotype on lipid levels in response to 2 year weight-loss diets. *J Lipid Res* 2018;59:155-61.

Goni L, Sun D, Heianza Y, et al. A circadian rhythm-related MTNR1B genetic variant modulates the effect of

weight-loss diets on changes in adiposity and body composition: the POUNDS Lost trial. *Eur J Nutr* 2018.

Gonzalez MC, Barbosa-Silva TG, Heymsfield SB. Bioelectrical impedance analysis in the assessment of sarcopenia. *Curr Opin Clin Nutr Metab Care* 2018;21:366-74.

Gordon-Larsen P, Heymsfield SB. Obesity as a Disease, Not a Behavior. *Circulation* 2018;137:1543-5.

Han L, Duan D, Zhang S, et al. Effects of the interaction between glycated haemoglobin genetic risk score and postpartum weight reduction on glycaemic changes: A gene-weight interaction analysis. *Diabetes Obes Metab* 2018.

Hao Z, Leigh Townsend R, Mumphrey MB, et al. Roux-en-Y Gastric Bypass Surgery-Induced Weight Loss and Metabolic Improvements Are Similar in TGR5-Deficient and Wildtype Mice. *Obes Surg* 2018.

Hayden KM, Baker LD, Bray G, et al. Long-term impact of intensive lifestyle intervention on cognitive function assessed with the National Institutes of Health Toolbox: The Look AHEAD study. *Alzheimer's & dementia* 2018;10:41-8.

He Z, Rankinen T, Leon AS, Skinner JS, Tchernof A, Bouchard C. Plasma steroids, body composition, and fat distribution: effects of age, sex, and exercise training. *Int J Obes* 2018;42:1366-77.

Heianza Y, Sun D, Li X, et al. Gut microbiota metabolites, amino acid metabolites and improvements in insulin sensitivity and glucose metabolism: the POUNDS Lost trial. *Gut* 2018.

Heianza Y, Sun D, Ma W, et al. Gut-microbiome-related LCT genotype and 2-year changes in body composition and fat distribution: the POUNDS Lost Trial. *Int J Obes* 2018.

Heianza Y, Sun D, Smith SR, Bray GA, Sacks FM, Qi L. Changes in Gut Microbiota-Related Metabolites and Long-term Successful Weight Loss in Response to Weight-Loss Diets: The POUNDS Lost Trial. *Diabetes Care* 2018;41:413-9.

Heo M, Nair SR, Wylie-Rosett J, et al. Trial Characteristics and Appropriateness of Statistical Methods Applied for Design and Analysis of Randomized School-Based Studies Addressing Weight-Related Issues: A Literature Review. *Journal of obesity* 2018;2018:8767315.

Heymsfield SB, Bourgeois B, Ng BK, Sommer MJ, Li X, Shepherd JA. Digital anthropometry: a critical review. *Eur J Clin Nutr* 2018;72:680-7.

Heymsfield SB, Peterson CM, Bourgeois B, et al. Human energy expenditure: advances in organ-tissue prediction models. *Obes Rev* 2018.

Hill CM, Berthoud HR, Munzberg H, Morrison CD. Homeostatic sensing of dietary protein restriction: A case for FGF21. *Front Neuroendocrinol* 2018.

Hill CM, Morrison CD. Dietary branched chain amino acids and metabolic health: when less is more. *J Physiol* 2018;596:555-6.

Hou X, Chen P, Hu G, et al. Distribution and related factors of cardiometabolic disease stage based on body mass index level in Chinese adults-The National Diabetes and Metabolic Disorders Survey. *Diabetes Metab Res Rev* 2018;34.

Hou X, Chen P, Hu G, et al. Abdominal Subcutaneous Fat: A Favorable or Nonfunctional Fat Depot for Glucose Metabolism in Chinese Adults? *Obesity (Silver Spring)* 2018;26:1078-87.

Hsia DS, Heymsfield SB. Reducing diabetes risk at an early age. *Nat Med* 2018;24:708-10.

Hsueh WC, Bennett PH, Esparza-Romero J, et al. Analysis of type 2 diabetes and obesity genetic variants in Mexican

Pima Indians: Marked allelic differentiation among Amerindians at HLA. *Ann Hum Genet* 2018.

Huang T, Wang T, Heianza Y, et al. HNF1A variant, energy-reduced diets and insulin resistance improvement during weight loss: The POUNDS Lost trial and DIRECT. *Diabetes Obes Metab* 2018;20:1445-52.

Il'yasova D, Fontana L, Bhapkar M, et al. Effects of 2 years of caloric restriction on oxidative status assessed by urinary F2-isoprostanes: The CALERIE 2 randomized clinical trial. *Aging Cell* 2018;17.

Jacob R, Drapeau V, Tremblay A, Provencher V, Bouchard C, Perusse L. The role of eating behavior traits in mediating genetic susceptibility to obesity. *Am J Clin Nutr* 2018.

Jeong JH, Chang JS, Jo YH. Intracellular glycolysis in brown adipose tissue is essential for optogenetically induced nonshivering thermogenesis in mice. *Sci Rep* 2018;8:6672.

Johnson CM, Henderson MS, Tripicchio G, et al. Observed parent-child feeding dynamics in relation to child body mass index and adiposity. *Pediatr Obes* 2018;13:222-31.

Karkeni E, Bonnet L, Marcotorchino J, et al. Vitamin D limits inflammation-linked microRNA expression in adipocytes in vitro and in vivo: A new mechanism for the regulation of inflammation by vitamin D. *Epigenetics* 2018;13:156-62.

Katzmarzyk PT, Broyles ST, Chaput JP, et al. Sources of variability in childhood obesity indicators and related behaviors. *Int J Obes* 2018;42:108-10.

Katzmarzyk PT, Church TS. Letter to the editors. *J Public Health Policy* 2018;39:254-7.

Katzmarzyk PT, Martin CK, Newton RL, Jr., et al. Promoting Successful Weight Loss in Primary Care in Louisiana (PROPEL): Rationale, design and baseline characteristics. *Contemp Clin Trials* 2018;67:1-10.

Katzmarzyk PT, Most J, Redman LM, Rood J, Ravussin E. Energy expenditure and substrate oxidation in White and African American young adults without obesity. *Eur J Clin Nutr* 2018;72:920-2.

Kaviani S, Schoeller DA, Ravussin E, et al. Determining the Accuracy and Reliability of Indirect Calorimeters Utilizing the Methanol Combustion Technique. *Nutr Clin Pract* 2018;33:206-16.

Kilroy G, Dietrich M, Wu X, Gimble JM, Floyd ZE. Isolation of Murine Adipose-Derived Stromal/Stem Cells for Adipogenic Differentiation or Flow Cytometry-Based Analysis. *Methods Mol Biol* 2018;1773:137-46.

Kim J, Park MS, Ha K, et al. NT-PGC-1 α deficiency decreases mitochondrial fatty acid oxidation in brown adipose tissue and alters substrate utilization in vivo. *J Lipid Res* 2018.

King JL, Fearnbach SN, Ramakrishnapillai S, et al. Perceptual Characterization of the Macronutrient Picture System (MaPS) for Food Image fMRI. *Frontiers in psychology* 2018;9:17.

Kirwan JP, Munzberg H, Berthoud HR. Mechanisms Responsible for Metabolic Improvements of Bariatric Surgeries. *Diabetes* 2018;67:1043-4.

Kruger C, Burke SJ, Collier JJ, Nguyen TT, Salbaum JM, Stadler K. Lipid peroxidation regulates podocyte migration and cytoskeletal structure through redox sensitive RhoA signaling. *Redox biology* 2018;16:248-54.

Li J, Curley JL, Floyd ZE, Wu X, Halvorsen YDC, Gimble JM. Isolation of Human Adipose-Derived Stem Cells from Lipoaspirates. *Methods Mol Biol* 2018;1773:155-65.

Li J, Leng J, Li W, et al. Roles of insulin resistance and beta cell dysfunction in macrosomia among Chinese women with gestational diabetes mellitus. *Prim Care Diabetes* 2018.

Li J, Wang P, Zhang C, et al. Short Body Height and Pre-pregnancy Overweight for Increased Risk of Gestational Diabetes Mellitus: A Population-Based Cohort Study. *Front Endocrinol (Lausanne)* 2018;9:349.

Lin Y, Tremblay MS, Katzmarzyk PT, et al. Temporal and bi-directional associations between sleep duration and physical activity/sedentary time in children: An international comparison. *Prev Med* 2018;111:436-41.

Liu G, Dhana K, Furtado JD, et al. Perfluoroalkyl substances and changes in body weight and resting metabolic rate in response to weight-loss diets: A prospective study. *PLoS Med* 2018;15:e1002502.

Liu H, Wang L, Zhang S, et al. One-year weight losses in the Tianjin Gestational Diabetes Mellitus Prevention Programme: A randomized clinical trial. *Diabetes Obes Metab* 2018;20:1246-55.

Liu L, Yan J, Xu H, et al. Two Novel MicroRNA Biomarkers Related to beta-Cell Damage and Their Potential Values for Early Diagnosis of Type 1 Diabetes. *J Clin Endocrinol Metab* 2018;103:1320-9.

Liu L, Yasen M, Tang D, Ye J, Aisa HA, Xin X. Polyphenol-enriched extract of *Rosa rugosa* Thunb regulates lipid metabolism in diabetic rats by activation of AMPK pathway. *Biomed Pharmacother* 2018;100:29-35.

Losso JN, Finley JW, Karki N, et al. Pilot Study of the Tart Cherry Juice for the Treatment of Insomnia and Investigation of Mechanisms. *Am J Ther* 2018;25:e194-e201.

Ludwig DS, Kushi LH, Heymsfield SB. Conflicts of Interest in Nutrition Research. *JAMA* 2018;320:93.

MacAulay RK, Calamia MR, Cohen AS, et al. Understanding heterogeneity in older adults: Latent growth curve modeling of cognitive functioning. *J Clin Exp Neuropsychol* 2018;40:292-302.

MacLean PS, Rothman AJ, Nicastro HL, et al. The Accumulating Data to Optimally Predict Obesity Treatment (ADOPT) Core Measures Project: Rationale and Approach. *Obesity (Silver Spring)* 2018;26 Suppl 2:S6-S15.

Mahoney CR, Giles GE, Marriott BP, et al. Intake of caffeine from all sources and reasons for use by college students. *Clin Nutr* 2018.

Manyanga T, Barnes JD, Tremblay MS, et al. No evidence for an epidemiological transition in sleep patterns among children: a 12-country study. *Sleep health* 2018;4:87-95.

Marlatt KL, Chen KY, Ravussin E. Is Activation of Human Brown Adipose Tissue a Viable Target for Weight Management? *Am J Physiol Regul Integr Comp Physiol* 2018.

Marlatt KL, White UA, Beyl RA, et al. Role of resistant starch on diabetes risk factors in people with prediabetes: Design, conduct, and baseline results of the STARCH trial. *Contemp Clin Trials* 2018;65:99-108.

McDougal DH, Darpolor MM, DuVall MA, et al. Glial acetate metabolism is increased following a 72-h fast in metabolically healthy men and correlates with susceptibility to hypoglycemia. *Acta Diabetol* 2018.

McLain JM, Alami WH, Glovak ZT, et al. Sleep Fragmentation Delays Wound Healing in a Mouse Model of Type 2 Diabetes. *Sleep* 2018.

McLean KL, Moore CE, Miketinas DC, Champagne CM. Comparison of dietary habits and plans for dietary changes in black and white women seeking bariatric surgery. *Surg Obes Relat Dis* 2018;14:106-11.

Merino J, Dashti HS, Li SX, et al. Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. *Mol Psychiatry* 2018.

Michaelides M, Miller ML, Egervari G, et al. Striatal Rgs4 regulates feeding and susceptibility to diet-induced obesity. *Mol Psychiatry* 2018.

Most J, Gilmore LA, Altazan AD, et al. Propensity for adverse pregnancy outcomes in African-American women may be explained by low energy expenditure in early pregnancy. *Am J Clin Nutr* 2018;107:957-64.

Most J, Gilmore LA, Smith SR, Han H, Ravussin E, Redman LM. Significant improvement in cardiometabolic health in healthy nonobese individuals during caloric restriction-induced weight loss and weight loss maintenance. *Am J Physiol Endocrinol Metab* 2018;314:E396-E405.

Most J, Marlatt KL, Altazan AD, Redman LM. Advances in assessing body composition during pregnancy. *Eur J Clin Nutr* 2018;72:645-56.

Most J, Vallo PM, Altazan AD, et al. Food Photography Is Not an Accurate Measure of Energy Intake in Obese, Pregnant Women. *J Nutr* 2018;148:658-63.

Most J, Vallo PM, Gilmore LA, et al. Energy Expenditure in Pregnant Women with Obesity Does Not Support Energy Intake Recommendations. *Obesity (Silver Spring)* 2018;26:992-9.

Mu WC, VanHoosier E, Elks CM, Grant RW. Long-Term Effects of Dietary Protein and Branched-Chain Amino Acids on Metabolism and Inflammation in Mice. *Nutrients* 2018;10.

Muller MJ, Geisler C, Heymsfield SB, Bosy-Westphal A. Recent advances in understanding body weight homeostasis in humans. *F1000Research* 2018;7.

Myers CA, Martin CK, Apolzan JW. Food cravings and body weight: a conditioning response. *Curr Opin Endocrinol Diabetes Obes* 2018.

Navarro G, Allard C, Morford JJ, et al. Androgen excess in pancreatic beta cells and neurons predisposes female mice to type 2 diabetes. *JCI insight* 2018;3.

Ng BK, Liu YE, Wang W, et al. Validation of rapid 4-component body composition assessment with the use of dual-energy X-ray absorptiometry and bioelectrical impedance analysis. *Am J Clin Nutr* 2018.

Nicklas T, Islam NG, Saab R, et al. Validity of a Digital Diet Estimation Method for Use with Preschool Children. *J Acad Nutr Diet* 2018;118:252-60.

Nisa H, Qi KHT, Leng J, et al. The Circadian Rhythm-Related MTNR1B Genotype, Gestational Weight Gain, and Postpartum Glycemic Changes. *J Clin Endocrinol Metab* 2018;103:2284-90.

Pereira S, Katzmarzyk PT, Gomes TN, Elston R, Maia J. How Consistent are Genetic Factors in Explaining Leisure-Time Physical Activity and Sport Participation? The Portuguese Healthy Families Study. *Twin Res Hum Genet* 2018;1-9.

Pereira S, Katzmarzyk PT, Gomes TN, et al. Resemblance in physical activity levels: The Portuguese sibling study on growth, fitness, lifestyle, and health. *Am J Hum Biol* 2018;30.

Perez A, Rojas P, Carrasco F, et al. Association between zinc nutritional status and glycemic control in individuals with well-controlled type-2 diabetes. *J Trace Elem Med Biol* 2018.

Peterson CM, Beyl RA, Marlatt KL, et al. Effect of 12 wk of resistant starch supplementation on cardiometabolic risk factors in adults with prediabetes: a randomized controlled trial. *Am J Clin Nutr* 2018.

Plucker A, Thomas DM, Broskey N, et al. Adult energy requirements predicted from doubly labeled water. *Int J Obes* 2018.

Poret JM, Souza-Smith F, Marcell SJ, et al. High fat diet consumption differentially affects adipose tissue inflammation and adipocyte size in obesity-prone and obesity-resistant rats. *Int J Obes* 2018;42:535-41.

Proenca M, Schuna JM, Barreira TV, et al. Worker acceptability of the Pennington Pedal Desk occupational workstation alternative. *Work* 2018;60:499-506.

Ravussin E, Ryan DH. Three New Perspectives on the Perfect Storm: What's Behind the Obesity Epidemic? *Obesity (Silver Spring)* 2018;26:9-10.

Rebello CJ, Nikonova EV, Zhou S, et al. Effect of Lorcaserin Alone and in Combination with Phentermine on Food Cravings After 12-Week Treatment: A Randomized Substudy. *Obesity (Silver Spring)* 2018;26:332-9.

Redman LM, Smith SR, Burton JH, Martin CK, Il'yasova D, Ravussin E. Metabolic Slowing and Reduced Oxidative Damage with Sustained Caloric Restriction Support the Rate of Living and Oxidative Damage Theories of Aging. *Cell Metab* 2018;27:805-15 e4.

Reichenbach A, Mequinion M, Bayliss JA, et al. Carnitine Acetyltransferase in AgRP Neurons Is Required for the Homeostatic Adaptation to Restricted Feeding in Male Mice. *Endocrinology* 2018;159:2473-83.

Reichenbach A, Stark R, Mequinion M, et al. AgRP Neurons Require Carnitine Acetyltransferase to Regulate Metabolic Flexibility and Peripheral Nutrient Partitioning. *Cell Rep* 2018;22:1745-59.

Reichenbach A, Stark R, Mequinion M, et al. Carnitine acetyltransferase (Crat) in hunger-sensing AgRP neurons permits adaptation to calorie restriction. *FASEB J* 2018:fj201800634R.

Reijnders D, Liu CC, Xu X, et al. Celecoxib restores angiogenic factor expression at the maternal-fetal interface in the BPH/5 mouse model of preeclampsia. *Physiol Genomics* 2018;50:385-92.

Roe BE, Apolzan JW, Qi D, Allen HR, Martin CK. Plate waste of adults in the United States measured in free-living conditions. *PLoS ONE* 2018;13:e0191813.

Rogers RC, McDougal DH, Ritter S, Qualls-Creekmore E, Hermann GE. Response of catecholaminergic neurons in the mouse hindbrain to glucoprivic stimuli is astrocyte dependent. *Am J Physiol Regul Integr Comp Physiol* 2018;315:R153-R64.

Ryan DH, Kahan S. Guideline Recommendations for Obesity Management. *Med Clin North Am* 2018;102:49-63.

Ryan DH, Parkin CG, Longley W, Dixon J, Apovian C, Bode B. Efficacy and safety of an oral device to reduce food intake and promote weight loss. *Obes Sci Pract* 2018;4:52-61.

Sarzynski MA, Ruiz-Ramie JJ, Barber JL, et al. Effects of Increasing Exercise Intensity and Dose on Multiple Measures of HDL (High-Density Lipoprotein) Function. *Arterioscler Thromb Vasc Biol* 2018;38:943-52.

Shen Y, Wang P, Wang L, et al. Gestational diabetes with diabetes and prediabetes risks: a large observational study. *Eur J Endocrinol* 2018;179:51-8.

Staiano AE, Beyl RA, Guan W, Hendrick CA, Hsia DS, Newton RL, Jr. Home-based exergaming among children with overweight and obesity: a randomized clinical trial. *Pediatr Obes* 2018.

Stanhope KL, Goran MI, Bosy-Westphal A, et al. Pathways and mechanisms linking dietary components to cardiometabolic disease: thinking beyond calories. *Obes Rev* 2018.

Stewart TM. Why Thinking We're Fat Won't Help Us Improve Our Health: Finding the Middle Ground. *Obesity (Silver*

Spring) 2018;26:1115-6.

Sun D, Heianza Y, Li X, et al. Genetic, epigenetic and transcriptional variations at NFATC2IP locus with weight loss in response to diet interventions: The POUNDS Lost Trial. *Diabetes Obes Metab* 2018.

Sung YJ, Winkler TW, de Las Fuentes L, et al. A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. *Am J Hum Genet* 2018;102:375-400.

Sutton EF, Beyl R, Early KS, Cefalu WT, Ravussin E, Peterson CM. Early Time-Restricted Feeding Improves Insulin Sensitivity, Blood Pressure, and Oxidative Stress Even without Weight Loss in Men with Prediabetes. *Cell Metab* 2018;27:1212-21 e3.

Sutton EF, Morrison CD, Stephens JM, Redman LM. Fibroblast growth factor 21, adiposity, and macronutrient balance in a healthy, pregnant population with overweight and obesity. *Endocr Res* 2018:1-9.

Thomas DM, Watts K, Roginski J, et al. Misrepresentation of the Pennington Biomedical Research Center Weight Loss Predictor. *Am J Clin Nutr* 2018.

Toledo FGS, Johannsen DL, Covington JD, et al. Impact of prolonged overfeeding on skeletal muscle mitochondria in healthy individuals. *Diabetologia* 2018;61:466-75.

Trombetti A, Hars M, Hsu FC, et al. Effect of Physical Activity on Frailty: Secondary Analysis of a Randomized Controlled Trial. *Ann Intern Med* 2018;168:309-16.

Tudor-Locke C, Schuna JM, Jr., Han H, et al. Cadence (steps/min) and intensity during ambulation in 6-20 year olds: the CADENCE-kids study. *Int J Behav Nutr Phys Act* 2018;15:20.

Van Aller C, Lara J, Stephan BCM, et al. Sarcopenic obesity and overall mortality: Results from the application of novel models of body composition phenotypes to the National Health and Nutrition Examination Survey 1999-2004. *Clin Nutr* 2018.

Wanders D, Forney LA, Stone KP, Hasek BE, Johnson WD, Gettys TW. The Components of Age-Dependent Effects of Dietary Methionine Restriction on Energy Balance in Rats. *Obesity (Silver Spring)* 2018;26:740-6.

Wang J, Fernandez AE, Tian S, et al. An Extract of *Artemisia dracuncululus* L. Promotes Psychological Resilience in a Mouse Model of Depression. *Oxid Med Cell Longev* 2018;2018:7418681.

White UA, Fitch MD, Beyl RA, Hellerstein MK, Ravussin E. Racial differences in in vivo adipose lipid kinetics in humans. *J Lipid Res* 2018.

Wijayatunga NN, Ironuma B, Dawson JA, et al. Subjective social status is associated with compensation for large meals - A prospective pilot study. *Appetite* 2018.

Wilkie HJ, Standage M, Gillison FB, Cumming SP, Katzmarzyk PT. Correlates of intensity-specific physical activity in children aged 9-11 years: a multilevel analysis of UK data from the International Study of Childhood Obesity, Lifestyle and the Environment. *BMJ open* 2018;8:e018373.

Wilkie HJ, Standage M, Gillison FB, Cumming SP, Katzmarzyk PT. The home electronic media environment and parental safety concerns: relationships with outdoor time after school and over the weekend among 9-11 year old children. *BMC Public Health* 2018;18:456.

Wood BM, Jia G, Carmichael O, McKlveen K, Homberger DG. 3D MRI Modeling of Thin and Spatially Complex Soft Tissue Structures without Shrinkage: Lamprey Myosepta as an Example. *Anat Rec (Hoboken)* 2018.

Xu B, Allard C, Alvarez-Mercado AI, et al. Estrogens Promote Misfolded Proinsulin Degradation to Protect Insulin Production and Delay Diabetes. *Cell Rep* 2018;24:181-96.

Yan H, Carmichael O, Paul D, Peng J, Alzheimer's Disease Neuroimaging I. Estimating fiber orientation distribution from diffusion MRI with spherical needlets. *Med Image Anal* 2018;46:57-72.

Young AJ, Berryman CE, Kenefick RW, et al. Altitude Acclimatization Alleviates the Hypoxia-Induced Suppression of Exogenous Glucose Oxidation During Steady-State Aerobic Exercise. *Frontiers in physiology* 2018;9:830.

Yu L, Feng Z. The Role of Toll-Like Receptor Signaling in the Progression of Heart Failure. *Mediators Inflamm* 2018;2018:9874109.

Yu S, Cheng H, Francois M, et al. Preoptic leptin signaling modulates energy balance independent of body temperature regulation. *eLife* 2018;7.

Yu S, Francois M, Huesing C, Munzberg H. The Hypothalamic Preoptic Area and Body Weight Control. *Neuroendocrinology* 2018;106:187-94.

Yu S, Munzberg H. Testing Effects of Chronic Chemogenetic Neuronal Stimulation on Energy Balance by Indirect Calorimetry. *Bio-protocol* 2018;8.

Yu Y, Mendoza TM, Ribnicky DM, et al. An Extract of Russian Tarragon Prevents Obesity-Related Ectopic Lipid Accumulation. *Mol Nutr Food Res* 2018;62:e1700856.

Yuan C, Spiegelman D, Rimm EB, et al. Relative Validity of Nutrient Intakes Assessed by Questionnaire, 24-Hour Recalls, and Diet Records as Compared With Urinary Recovery and Plasma Concentration Biomarkers: Findings for Women. *Am J Epidemiol* 2018;187:1051-63.

Zhan L, Jenkins LM, Zhang A, et al. Baseline connectome modular abnormalities in the childhood phase of a longitudinal study on individuals with chromosome 22q11.2 deletion syndrome. *Hum Brain Mapp* 2018;39:232-48.

Zvolensky MJ, Rosenfield D, Garey L, et al. Does exercise aid smoking cessation through reductions in anxiety sensitivity and dysphoria? *Health Psychol* 2018;37:647-57.